

Table 1.1

Comparison of GES- and PC-Derived Causal Edges for the Eclipse Dataset

EDGE	GES	PC	Agreement
CC→ET	✓	✓	Match
OW→ET	✓	✓	Match
OE→ET	✓	✓	Match
RI→ET	✓	-	GES Only
SI→ET	✓	-	GES Only
NI→ET	✓	-	GES Only
SI→CC	✓	✓	Match
RI→CC	✓	✓	Match
FI→CC	✓	✓	Match
NI→CC	✓	✓	Match
Pr→CC	✓	-	GES only
OE→CI	✓	✓	Match
CC→CI	✓	✓	Match
FI→CI	✓	✓	Match
OW→CI	-	✓	PC only

Table 1.2

Comparison of GES- and PC-Derived Causal Edges for the Mozilla Dataset

EDGE	GES	PC	Agreement
CC→ET	✓	✓	Match
OW→ET	✓	✓	Match
OE→ET	✓	✓	Match
RI→ET	✓	-	Match
Pr→ET	-	✓	PC only
RI→CC	✓ (CC→RI)	✓ (RI → CC)	Direction conflict
FI→SI	✓(SI→FI)	✓ (FI→SI)	Direction conflict
CC→SI	✓	✓	Match
Pr→CC	✓(Pr→CC)	(CC→Pr)	Direction conflict
OE→CI	✓	✓	Match
CI→CC	✓	✓	Match
FI→SI	✓(SI→FI)	✓(FI→SI)	Direction conflict

1. DAG using PC algorithm

1.1. Eclipse

1.2. OpenStack

1.3. Mozilla

1.4. Edge Comparison




Figure 1.1: DAG for Eclipse




Figure 1.2: DAG for OpenStack




Figure 1.3: DAG for Mozilla