
## Soft Computiong

Homework#02 Due Date: 2021/05/04

https://www.bogotobogo.com/python/python\_Neural\_Networks\_Backpropagation\_for\_XOR\_using\_one\_hidden\_layer.php



In the picture, we used the following definitions for the notations:

1.  $a_i^{(j)}$  : "activation" of unit i in layer j

2.  $\Theta^{(j)}$  : matrix of weights controlling function mapping from layer j to layer j+1

Here are the computations represented by the NN picture above:

$$\begin{split} a_0^{(2)} &= g(\Theta_{00}^{(1)}x_0 + \Theta_{01}^{(1)}x_1 + \Theta_{02}^{(1)}x_2) = g(\Theta_0^Tx) = g(z_0^{(2)}) \\ a_1^{(2)} &= g(\Theta_{10}^{(1)}x_0 + \Theta_{11}^{(1)}x_1 + \Theta_{12}^{(1)}x_2) = g(\Theta_1^Tx) = g(z_1^{(2)}) \\ a_2^{(2)} &= g(\Theta_{20}^{(1)}x_0 + \Theta_{21}^{(1)}x_1 + \Theta_{22}^{(1)}x_2) = g(\Theta_2^Tx) = g(z_2^{(2)}) \\ h_{\Theta}(x) &= a_1^{(3)} = g(\Theta_{10}^{(2)}a_0^{(2)} + \Theta_{11}^{(2)}a_1^{(2)} + \Theta_{12}^{(2)}a_2^{(2)}) \end{split}$$

In the equations, the g is **sigmoid** function that refers to the special case of the **logistic** function and defined by the formula:

$$g(z) = \frac{1}{1+e^{-z}}$$

使用基因演算法(Genetic Algorithm, GA)找出上圖神經網路的權重值(weights),輸出結果為 X<sub>1</sub> XOR X<sub>2</sub>

訓練資料: (1, 1:0), (1, 0:1), (0, 1:1), (0, 0:0)

適應度值:訓練資料誤差的總和 (請註明 L1 或 L2)

## 繳交報告中:

- 1. 需說明 (1)染色體(chromosome)編碼方式 (2)所使用的 Crossover 和 Mutaion 運算元(Operator)的種類、數目、運作方式和所有使用的參數
- 2. 需記錄並圖式每次疊代(搜尋)過程中,每一代的最佳適應度值(fitness value)
- 3. 依據 GA 找出的權重值,測試輸入為(0.8, 0.7)、(0.8, 0.2)與(0.2, 0.3)時,神經網路的輸出值為何?
- 4. 其它你認為需要的記錄或說明事項