

RENANCE

FEDERAL UNIVERSITY OF TECHNOLOGY, MINNA

STA 117 — Past Questions & Materials

by Renance

Course: STA 117

Institution: Federal University of Technology, Minna

Papers in this pack: 1

Levels: 100

This study pack was compiled and restructured by Renance for STA 117 students at Federal University of Technology, Minna. It brings together 1 past paper(s)/material(s) into one clean, readable document so you can revise without chasing scattered PDFs. Practise these same questions interactively on Renance with instant answers, AI explanations, and full CBT mock exams — over 235,000+ questions across JAMB, Post-UTME, WAEC, NECO and university courses.

Study online: renance.app

Get the app: Google Play — [dev.renance.renance](https://play.google.com/store/apps/details?id=dev.renance.renance)

Generated by Renance AI

Paper 1 of 1 — STA117 PQ

Level 100 • First Semester • PastQuestion

[Log in Sign up](#)

[Home](#)

[About Us](#)

[Handouts](#)

[Latest Info](#)

[PastExams Q A](#)

[Welcome!](#)

[InfoMAS Get Q&A](#)

[The Information](#)

[Management and Admin](#)

System (InfoMAS) is the initiative of students from the SICT, FUTMinna. You are encourage to use this past questions and answers in addition to the course material. The InfoMAS should not be held responsible for any failure in the CA/Exam resulting from over reliance on this Q&A in the course of your preparation. It is at your own discretion to use this material in part or in totality for your preparation for the test/exam

[Select a Course to view](#)

[Select course to view](#)

[Search!](#)

PAST QUESTION:

STA 117

Physics:

Given the set of numbers 2,3,7,8,10. with mean =6. The second moment about the mean is

0.46 [Log in Sign up](#)

0.64

9.2

4.6

Given the following
class intervals 50.00-
59.99, 60.00-69.99,
70.00-79.99, 80.00-
89.99 The size of the
second class
interval is

999

9.99

99.9

10.9

A coin is tossed 3 times.
The total possible outcome
or sample space is_____

8

32

16

4

12

Supposed a fair die is
tossed twice, the
total sample
space is_____

12

36

26

24 Log in Sign up

32

The following are
methods of data
collection except
graph
interview
survey
questionnaire

The unknown
parameters for a linear
regression model are b_1
 $=0.4090$ and $b_2 = 0.49803$. If
2

a production level of
N5.5 worth of cars
planned for new month,
what can be predicted?

$$y = 3.1535$$

$$y = 3.2000$$

$$y = 0.9078$$

$$y = -3.1535$$

In a semester
examination, the scores
out of 60 are as recorded
in the table below for a
class of 100 students.
Compute the mean score

$$57.3$$

$$736.4$$

$$15.37$$

6400 Log in Sign up

A distribution of wages
of employees in a
company has

$$\text{mean} = 79.96,$$

$$\text{median} = 79.06, \text{ and}$$

$$\text{standard deviation}$$

$$= 15.60. \text{ What is the}$$

pearson's second
coefficient of skewness
for the distribution?

$$0.70$$

$$0.045$$

$$0.13$$

$$0.145$$

Using an assumed mean

of 67, compute the
mean of the table
below

70.6

861

126.5

66.7

Raw data are collected
data which have
____numerically

been organized

not been organized

been presented

been graphed

Let E be any event in the Log in Sign up
sample space. The
probability of non-
occurrence of the event E
is given by

$1 + P(E)$

$P(E)$

$1 - P(E)$

$P(E) / n$

In how many ways can
the letter of the word
STATISTICS be arrange

3628800 ways

50400 ways

20 ways

34520 ways

Statistical data obtain
from published
source are known
as

primary data

secondary data

qualitative data

quantitative data

Observation that cannot
be measure on a natur al
numerical scale but can
be classified into group
of categories are known
as_____

quantitative data Log in Sign up

qualitative data

data

raw data

The harmonic mean of
the set of number
3,10,5,11,12,10,9,16
is

7.399

3.333

4.567

12.023

In a simple linear
regression model b_0

+ $b_1 x + e$; b_1 is

1 1

called_____

intercept parameter

Slope parameter

Correlation

regression

Which of the following
measures enable us to
obtain the relationship
between two or more
variables?

correlation

absolute measure of
spread

relative measure of

spread

regression Log in Sign up

Given the set of
numbers

2,5,8,2,7,8,7,1,8,2,5,2,8,1,2,7,8,8,1,5,2,1,5,8,7,1,2,7,8,1,5.

Obtain the mode of the
distribution

2

7

1

3

Which of the following
correlation coefficient
can we use when data is
on interval scale of
measurement

coefficient of
determination

regression

pearson's production
moment correlation
coefficient

Spearman's Rank

Correlation

Coefficient

With the linear
regression model, the
unknown parameters
determine the
relationship between
dependent and
independent
variable

unknown parameter Log in Sign up
and the
independence
variable

error term and
independence

variable

dependent variable and
unknown parameter

The standard
deviation for a given
distribution is
36257.2835. Calculate
the moment
coefficient of kurtosis

0.01

30.18

3.0185

31.80

The geometric mean of
the set of numbers
3,10,5,11,6,8,9,16,12,1
is _____

64.210

6.511

1.234

9.452

Let the set $T = \{\text{table, Chair, Fan}\}$. How many
subset of T can we have?

8

3 Log in Sign up

6

16

4

Data can be presented in
the following ways
except

statistical form

graph form

tabular form \

raw form

Find the second

moment about the mean
of the distribution 2, 4,
6, 8, 10, 12, 14

16

16.5

34.5

32

32.5

Find the first moment
about 0 for the
distribution 2, 4, 6, 8, 10,
12, 14

8.00

8.25

8.11

8.05

0 Log in Sign up

A distribution with a
relatively high peak is
known as

leptokurtic

platykurtic

mesokurtic

kurtic

Bivariate data can be
represented by

bar chart

pictogram

scattered diagram

histogram

The following are
advantages of
secondary data
except

the data allow for
timely result

The data constitute the

exact and more detailed
information being sought
for

The information is
quickly gathered

Data are less expensive
to collect

A skew frequency curve
with longer tail ocuring
to the right is said to Log in Sign up
have

Zero skewness

negative skewness

moderate skewness

Positive skewness

A bimodal frequency
curve has

one and a half maxima

two maxima

half maxima

four maxima

The degree of
peakness of
distribution is
refer to as

histogram

skewness

moment

kurtosis

Data collected through
enquiry, survey and
interview are
known as

primary data

quantitative data

secondary data

qualitative data

Which of the following Log in Sign up
is through for a
unimodal
frequency curve?

mean-mode =

$3(\text{median} - \text{mean})$

mode-mean = $3(\text{mean} - \text{median})$

mean-mode = $3(\text{mean} - \text{median})$

median-mean = $3(\text{mode} - \text{mean})$

The degree of
asymmetry or
departure from
symmetry of a
distribution is
known as ____

mean deviation

kurtosis

standard deviation

skewness

Given the set of number
2,3,7,8,10. The first
moment about the
origin 4 is

2

10

1.0

0.1

The harmonic mean of Log in Sign up
the set of number
3,10,5,11,12,10,9,16,
is ____

4.567

3.333

7.399

12.023

The table below shows
the ranking by two
individual X and Y in a
beauty context
involving A, B, C, D.

Calculate the
Spearman's rank
correlation coefficient

0.7

0.6

0.5

0.4

The mean of set of data
is 25% and the variance
is 25.34. obtain the
coefficient of variation?

20.1

20.1%

21.1%

24.4

Which of the variable
given below is a
quantitative variable?

skin color Log in Sign up

sex

work status

number of room in a
house

Given the class intervals
of 10-11, 12-13, The class
boundry of the first
class interval is

9.5-12.5

11.5-13.5

9.5-11.5

10.5-13.5

Obtain the mean

deviation of the
numbers

17,30,14,16,16,15,27,18,26?

0

21

1

2

Find the harmonic mean
of the observations

8,8,10,11,12,20

0.0957

0.2367

10.45

10.5 Log in Sign up

Obtain the geometric
mean of 3,5,7,11,8

9240

0.2367

0.8921

1.121

One of the following
describe the subject of
statics more adequately
than the other?

It is a science subject

it is a numerical science

it is a mathematical
subject

it is a natural science
subject

Data can be represented
in ?

tabular form

graphical form

a and b

bar graph

What do you understand

by ANOVA?

statistical variance

analysis of variance

analysis of variatiance

analysis of variation Log in Sign up

The simple linear

regression model

has how man y

unknown

parameters?

3

4

2

1

Go Top | Home | FUTMininfo.hexat.com

STA 117

SCANNED PAST QUESTIONS, FUTMINNA

Downloaded free from uJuzi.com.ng

This ebook has been made available for free download for all Students by the uJuzi-Project sponsored by Sterling Bank Plc.

STA 117

SCANNED PAST QUESTIONS

SCANNED PAST QUESTIONS Statistics

SCANNED PAST QUESTIONS Statistics

This etextBook has been digitally prepared by the Content Management Team at uJuzi.com.ng under the leadership of Ms Nelly Tomilola. Thus, this ebook is for the use of anyone anywhere at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it.

uJuzi.com.ng is an Online Educational Content distribution and delivery platform managed and owned by Aspire Solutions and Innovations.

Our aim is that students should be able to go through university without having to pay for textbooks. We hope to achieve this by publishing free and openly available etextBooks.

How is this possible

We finance our textbooks with a low number of high quality advertisements. We have set a 15% advertising limit per book. This limit has been set together with professors, business professionals, and student organizations in order to ensure the whole

experience is in line with the high quality level of our books.

Other platforms under the uJuzi bouquet are;

SS

-www.ujuzi-tv.com is an online Educational TV station that'll feature some of the best Educational and academic video content.

-www.ujuzi.com.ng/college is an online free courses college for all. We envision a future where everyone has access to a world-class education that has so far been available to a select few.

Signed

Nelly Tomilola

Content Developer

www.ujuzi.com.ng

P.S

uJuzi is Pronounced “You-Ju-Zi” and its Swahili for Knowledge