End of Line Report

Program Name:	Firefly Motor	Motor Code:	ML2A05-C03
Motor Model:	ML2B	Serial no:	A260609A000080

ABHINAVA RIZEL

Datasheet

Parameter	Golden Sample	DUT	Deviation
Model	ML2A05-B_P6	A260609A000080	-
Nominal DC Voltage	52	51	-
Peak Power	10.58	10.44	-1.39%
Peak Torque	60.71	59.07	-2.71%
Peak Current - AC	360.00	357.6	-0.66%
Motor Max Speed	7200	7200	-
Document Ref.	AR_Golden Sample Report ML2B - P6		

PDI (ELectrical)

Test	Acceptance Ceteria	DUT	Deviation
Hipot	<3.5 mA	2.21	OK
IR	>20 Mohm	834.00	OK
Ohm	7.96	8.18	OK
Back-EMF			
Voltage @3000 RPM	24.72	24.14	-2.33%

Posistion Sensor Parameters

Parameter	Golden Smaple	DUT	Deviation
Sine min	1150	1121	OK
Sine Max	2900	2915	OK
Cos Min	1150	1123	OK
Cos Max	2900	2909	OK
Sine P - P	1750	1794	OK
Cos P - P	1750	1786	OK
Offset	766	766	OK

Comparison - Torque Specs

Speed	Golden Sample	DUT	Deviation
500	59.24	59.07	-0.29%
1000	59.12	58.90	-0.38%
1500	58.92	58.79	-0.21%
2000	49.85	49.83	-0.03%
3000	29.75	29.99	0.82%
7000	8.73	8.52	-2.43%

Comparison - Power Specs

Speed	Golden Sample	DUT	Deviation
500	3.10	3.09	-0.29%
1000	6.19	6.17	-0.38%
1500	9.25	9.23	-0.21%
2000	10.44	10.44	-0.03%
3000	9.35	9.42	0.82%
7000	6.40	6.24	-2.43%

Comparison - Group Efficiency Specs

Speed	Golden Sample	DUT	Deviation
500	50.00	45.70	-4.30%
1000	63.94	62.15	-1.79%
1500	70.48	70.88	0.40%
2000	78.49	79.48	0.99%
3000	85.50	86.97	1.47%
7000	90.32	89.60	-0.72%







END OF LINE RESULT	**PASS**	**Tested by** MTR - 11 Jun 2026	This is a system-approved document; signatures are not required.