

Circuit Systems (India) Private Limited (ISO 9001:2015)				Order date (IST) : 25/05/2026			
Manufacturing unit B-24, GIDC Electronics Estate, Sector-25, Gandhinagar – 382044, (Gujarat - India)				Purchase order Nr. : Ticket 1598433			
Regd. office One42, South Wing 1001 & 1002, Bopal Ambli Road, Ashok Vatika, Ahmedabad - 380058, (Gujarat - India)				Payment terms : 100% Advance Payment			
Phone: +91 7600012414/15 CIN Nr.: U74140GJ1995PTC024524 GSTIN: 24AAACC7706J1ZS				GST applicable to : Tamil Nadu(33)			
Name & address of consignee : ABHINAVA RIZEL PVT LTD 4TH Floor, A25, SVK Towers, Thiru Vi Ka Guindy, Chennai, Chennai, Tamil Nadu, 60 Guindy PIN code:600032 Contact person:Jishnu Rajesh Phone: , 9618664320 State:Tamil Nadu Country:India GSTIN: 33AAWCA9802D1ZL				Shipping address : ABHINAVA RIZEL PVT LTD 172/2A, 2B, 2C, Taluk Poonamallee, Voyalanallur Tiruvallur PIN code:600072 Contact person:Prasanth B Phone: , 6374401809 State:Tamil Nadu Country:India			
Service	HSN/ACS	Order Nr.	PCB description	Scheduled dispatch date	Quantity (PCB)	Unit rate(PCB) (₹)	Amount(₹)
PCB Fabrication	85340000	778204	CL2A03-A02_GDB-v1.2	30/05/2026	5	2,362.00	11,810.00
PCB Assembly	85177910	778204-A	CL2A03-A02_GDB-v1.2	09/06/2026	5	1,796.00	8,980.00
TOTAL :				18%		20,790.00	
FREIGHT :						Free	
IGST :						3,742.20	
ROUND OFF :						-0.20	
TWENTY-FOUR THOUSAND FIVE HUNDRED AND THIRTY-TWO INR ONLY				TOTAL		24,532.00	
TWENTY-FOUR THOUSAND FIVE HUNDRED AND THIRTY-TWO INR ONLY				AMOUNT DUE		24,532.00	



Maximize savings

Combine FR4 PCB Fabrication + Assembly and save up to 15%!

Order Now!

Technical specification for order Nr. : 778204

We thank you for your order and are pleased to confirm your specification.

PCB bare board specifications

PCB bare board specifications		- Updated specifications	
Dispatch unit	Panel	Panel by	PCB Power
Board size	102.60 x 149.60 mm	Panel quantity	5
Repeat X	1.00	Repeat Y	1.00
PCB per panel	1	Different design per panel	1
Distance b/w PCBs	0.079 inch/2 mm	Board separation	Breakrouting
Panel dim	116.60 x 163.60 mm	Panel border	0.197 inch/5 mm
Material	FR4	Layers	2 L
Board thickness	0.063 inch/1.6 mm	TG	Middle Tg (150 °)
Surface finish	HASL (SnPb)	Finish Cu thickness	70 μ/2 oz
Solder mask bottom	Green	Inner Cu thickness	0 μ/0 oz
Solder mask top	Green	Legend top	White
Legend bottom	White	Blind & buried via	No
Peel off	No	Countersunk	No
Carbon contacts	No	Hard gold(gold tabs)	0.00
PCB Power logo	No	Serialization for PCBs	No
Impedance control	No	Viafill	No
ET logo	No	Special buildup	No
Round edge plating	No	Bevelling	No
UL logo	No	Quality standard	IPC-600A-CLASS-II
Data approval	No	Microsection report	No
Electrical testing	Yes	Gold area top	0 %
Date code	No	Gold area bottom	0 %
Depth routing	No		

Buildup image

Core-1.50 (0.035/0.035)

Total thickness - 1.640

PCB Assembly specifications

Nr. of components	146	Nr. of SMD components	103
Nr. of TH components	43	Nr. of BGA/QFN/LGA components	0
TH placement	Top	Component sourcing	Kitted or consigned
SMT placement	Top & Bottom	Depanelling	No
Conformal coating	No	PCBA test	No
Epoxy adhesive	No		
Wire assembly	No		

Tolerances

We will proceed as per below mentioned tolerances only and any other Tolerances mentioned in your data will be ignored. No query will be asked for the same.

Drill tolerances			
PTH hole size	PTH tolerance	NPTH hole size	NPTH tolerance
0.50 - 3.50 MM	± 0.10 mm	0.50 - 3.50 MM	± 0.10 mm
> 3.50 MM	± 0.15 mm	> 3.50 MM	± 0.15 mm
Other tolerances			
PCB size	± 0.20 mm		
PCB thickness	± 20% (Up to 0.8mm thickness) , ± 10% (Above 1.0mm thickness)		
Trace width/ spacing	± 20%		
Cu. thickness inside hole	>= 0.020 um		

In order to avoid delay and cost deviations, we strongly recommend you to send at least 3% quantity of small-sized SMD components (less than 04 mm in size) and for the through-hole parts 1% extra in case any discrepancies are identified during production and to streamline the process. You can refer to the table provided here for guidance on the additional quantities.

SMD Comp.package	Extra quantity (1 to 50 qty)	Extra quantity (51 to 100 qty)	Extra quantity (101 to 1000 qty)	Extra quantity (1001 to 2000 qty)	Extra quantity (2001 to 5000 or above qty)
1206	15 Nos.	10.00%	8.00%	5.00%	3.00%
0805	15 Nos.	15.00%	10.00%	7.00%	5.00%
0603	15 Nos.	20.00%	15.00%	10.00%	7.00%
0402	25 Nos.	25.00%	15.00%	10.00%	7.00%
0201	25 Nos.	30.00%	20.00%	15.00%	10.00%
01005	50 Nos.	40.00%	25.00%	20.00%	15.00%

	 778204-A
From, 4TH Floor, A25, SVK Towers, Thiru Vi Ka, Guindy, Chennai, Chennai, Tamil Nadu, 60, Tamil Nadu, 600032	
Order Nr.: 778204-A Po Nr.: Ticket 1598433 Order quantity: 5 Box Nr.: Total boxes:	

	 778204-A
From, 4TH Floor, A25, SVK Towers, Thiru Vi Ka, Guindy, Chennai, Chennai, Tamil Nadu, 60, Tamil Nadu, 600032	
Order Nr.: 778204-A Po Nr.: Ticket 1598433 Order quantity: 5 Box Nr.: Total boxes:	

	 778204-A
From, 4TH Floor, A25, SVK Towers, Thiru Vi Ka, Guindy, Chennai, Chennai, Tamil Nadu, 60, Tamil Nadu, 600032	
Order Nr.: 778204-A Po Nr.: Ticket 1598433 Order quantity: 5 Box Nr.: Total boxes:	



778204-A

From,

4TH Floor, A25, SVK Towers, Thiru Vi Ka, Guindy, Chennai, Chennai, Tamil Nadu, 60, Tamil Nadu, 600032

Order Nr.: 778204-A

Po Nr.: Ticket 1598433

Order quantity: 5

Box Nr.:

Total boxes:



778204-A

From,

4TH Floor, A25, SVK Towers, Thiru Vi Ka, Guindy, Chennai, Chennai, Tamil Nadu, 60, Tamil Nadu, 600032

Order Nr.: 778204-A

Po Nr.: Ticket 1598433

Order quantity: 5

Box Nr.:

Total boxes:

1. Any commercial discrepancy in line with the Pro Forma Invoice should be brought to our attention with due acknowledgement from our team within 24 hours of invoice generation from our side.
2. Our liabilities are limited to the computable value of the bare PCB and the PCB Assembly, in conformance of merchandise.
3. We source electronic components from a varied range of global sourcing channels, which can have unforeseen delays due to the scale and complexity of the process. Our team takes all the necessary measures to ensure safe and timely transport. However, if any damage is incurred to the goods in the process of transit, Circuit Systems (India) Private Limited/PCB Power, its associates, or any of its employees will not be liable against the claims of damage or related expenses/charges.
4. The component requirements are sensitive to design changes which are bound to occur by at least a small percentage when we resolve exceptions. Hence, pre-production processes will precede the Turnkey or Combo Component Sourcing lifecycle to avoid process inefficiencies and delays.
5. For orders with delivery times of 1, 3, and 5 working days, kindly resolve all technical exceptions within 4 hours of their occurrence. An additional working day will be added to the scheduled dispatch date for every subsequent 4-hour interval.
For orders with delivery times of 7, 10, 15, 20, and 25 working days, kindly resolve all technical exceptions within 10 hours of their occurrence. An additional working day will be added to the scheduled dispatch date for every subsequent 10-hour interval.
Please note: These guidelines are applicable exclusively during working/business days. Our working days are from Monday to Saturday from 8:00 am (IST) to 8:00 pm (IST).
6. All the delivery schedules are subjected to the successful receipt of final input and clarity on technical & financial queries raised by our team.
7. Any and all claims made against Circuit Systems (India) Private Limited, PCB Power, their associates or employees attributable to unforeseen delays in the schedules will automatically get rendered null & void.
8. All the working day calculations and schedules will begin only after our Quality Assurance Team is reasonably confident about the verification.
9. All the tolerances will be in line with the information available on <https://www.pcbpower.com/>
10. We operate a precise, tested, and consistent quality assessment process. However, it is common for PCBs in a panel to get X-Out marks in the assembly or manufacturing process. As far as the X-Out mark ratio is between 10% to 35% of the total number of circuits, your non-X-out PCBs in a panel will run without any performance issues and will be statistically aligned with the high-performing PCBs.
11. Shipment dates will be revised and communicated if you seek clarity on technical and financial inputs.
12. Prices are a function of the number of drill-holes as well as the mechanical complexity of the process. Both of the variables can lead to revised prices.
13. ENIG Surface finish processes will have confirmed prices for 30% of the surface area of the PCB. Any ENIG processes beyond that will require price revision, which shall be communicated by our team.
14. We strongly recommend the storage of all our products and deliverables in an environmentally-controlled facility, adherent with IPC standards.
15. We recommend the PCB baking processes to last at HAL/LF HAL - 150 Degree Celsius for 2 Hours and IMM. Gold/Tin – 120 Degree Celsius for 2 hours before the assembly or component mounting processes are initiated.
16. All the PCBs used after 90 days from the date of invoice will require a thorough quality examination before getting included in the assembly process. Circuit Systems (India) Private Limited, PCB Power, their associates, or employees will not be liable to accept any claims as soon as the 90-day period mentioned above is over.
17. In the case of bare boards supplied by Circuit Systems (India) Private Limited, PCB Power Market we will accept claims limited to bare PCBs replacement only. Warranty does not apply after components are mounted by the customer to the PCBs. Circuit Systems (India) Private Limited / PCB Power's liability shall not exceed the price of bare PCBs.
PCB Power Market shall bear the responsibility of replacing only the bare board for PCBs and the PCB Assembly Services. All the liability pertaining to the individual or aggregate components shall rest with the respective component suppliers and exercised as per their applicable policies. The PCB Power team will make all the efforts necessary to work alongside customers and coordinate diligently with the suppliers on matters necessitating exercise of the liability to replace. For consigned PCB Assembly orders, the maximum liability is limited to bare PCBs.
18. No changes to these terms and conditions nor any different terms on customer's purchase order shall be binding unless agreed upon in writing by Circuit Systems (India) Private Limited, PCB Power management or its authorized personnel. In the event of non - conforming product, notification must be informed to Circuit Systems (India) Private Limited, PCB Power by email or letter within 30 (thirty) calendar days of the receipt of the material. Returns will not be accepted after 30 (thirty) calendar days of receipt.

All the cheques and purchase orders must be addressed to Circuit Systems (India) Private Limited.

Bank name	Bank A/C Nr.	Bank IFSC Nr.	Bank A/C type	Bank branch
HDFC Bank Ltd.	50200014934498	HDFC0008131	Cash credit account	Sector-16, Gandhinagar

* As this is computer generated document, signature is not required.

Circuit Systems (India) Private Limited

B-24 GIDC Electronic Estate, Sector-25, Gandhinagar-382044, Gujarat, India
Phone: +91-7600012414 | Email: pcb.india@pcbpower.com
CIN No.: U74140GJ1995PTCO24524

[pcbpower.com](https://www.pcbpower.com)

