

Операционные системы

Продвинутое использование git

Егемаммедов Ресул

2025-12-22

1. Цели и задачи работы
2. Процесс выполнения лабораторной работы
3. Выводы по проделанной работе

1. 1. Цели и задачи работы

1.1 Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

1.2 Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

2. 2. Процесс выполнения лабораторной работы



2.1 Node.js

```
regenmammedov@regenmammedov: ~$ pnpm setup
Appended new lines to /home/regenmammedov/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/regenmammedov/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:*") ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/regenmammedov/.bashrc
regenmammedov@regenmammedov: ~$ source ~/.bashrc
regenmammedov@regenmammedov: ~$
```

Рисунок 1: Node.js

2.2 commitizen

```
regenmammedov@regenmammedov:~$ pnpm add -g commitizen

Update available! 10.27.0 → 10.29.3.
Changelog: https://pnpm.io/v/10.29.3
To update, run: pnpm self-update

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +149
+=====
Progress: resolved 149, reused 0, downloaded 149, added 149, done

/home/regenmammedov/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 2.7s using pnpm v10.27.0
regenmammedov@regenmammedov:~$
```

Рисунок 2: установка commitizen

2.3 standard-changelog


```
regenmammedov@regenmammedov:~$ pnpm add -g standard-changelog
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +32
+++++
Progress: resolved 181, reused 149, downloaded 32, added 32, done

/home/regenmammedov/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1

Done in 2.5s using pnpm v10.27.0
regenmammedov@regenmammedov:~$ █
```

Рисунок 3: установка standard-changelog

2.4 package.json



The screenshot shows a code editor window with the title "package.json" and the path "~/git-extended". The editor has tabs for "Open" and a "+" icon. The code itself is a JSON object with the following structure:

```
1 {
2     "name": "git-extended",
3     "version": "1.0.0",
4     "description": "Git repo for educational purposes",
5     "main": "index.js",
6     "repository": "git@github.com:ResulEgenmammedov/git-extended.git",
7     "author": "ResulEgenmammedov",
8     "license": "CC-BY-4.0",
9     "config": {
10         "commitizen": {
11             "path": "cz-conventional-changelog"
12         }
13     }
14 }
15 |
```

Рисунок 4: package.json

2.5 Использование commitizen

```
regenmammedov@regenmammedov:~/git-extended$ git add .
regenmammedov@regenmammedov:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 7e3e664] chore: test
 1 file changed, 15 insertions(+)
 create mode 100644 package.json
[regenmammedov@regenmammedov:~/git-extended]$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.13 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ResultEgenmammedov/git-extended.git
 3c16d29..7e3e664 master -> master
[regenmammedov@regenmammedov:~/git-extended]$
```

Рисунок 5: Отправка

2.6 git-flow

```
regenmammedov@regenmammedov:~/git-extended$  
regenmammedov@regenmammedov:~/git-extended$ git flow init  
  
Which branch should be used for bringing forth production releases?  
  - master  
Branch name for production releases: [master]  
Branch name for "next release" development: [develop]  
  
How to name your supporting branch prefixes?  
Feature branches? [feature/]  
Bugfix branches? [bugfix/]  
Release branches? [release/]  
Hotfix branches? [hotfix/]  
Support branches? [support/]  
Version tag prefix? []  
Hooks and filters directory? [/home/regenmammedov/git-extended/.git/hooks]  
regenmammedov@regenmammedov:~/git-extended$ git branch  
* develop  
  master  
regenmammedov@regenmammedov:~/git-extended$ git push --all  
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
remote:  
remote: Create a pull request for 'develop' on GitHub by visiting:  
remote:     https://github.com/ResulEgenmammedov/git-extended/pull/new/develop  
remote:  
To github.com:ResulEgenmammedov/git-extended.git  
 * [new branch]      develop -> develop  
regenmammedov@regenmammedov:~/git-extended$
```

Рисунок 6: Инициализация и загрузка изменений

2.7 git-flow

```
regenmammedov@regenmammedov:~/git-extended$ git flow release start 1.0.0
Switched to a new branch 'release/1.0.0'

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

regenmammedov@regenmammedov:~/git-extended$ standard-changelog --first-release
regenmammedov@regenmammedov:~/git-extended$ git add CHANGELOG.md
regenmammedov@regenmammedov:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 7452085] chore(site): add changelog
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
[     ]
regenmammedov@regenmammedov:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +++
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)
```

Рисунок 7: Завершение релиза

2.8 Отправим данные на github

```
regenmammedov@regenmammedov:~/git-extended$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.68 KiB | 2.68 MiB/s, done.    █
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ResulEgenmammedov/git-extended.git
  7e3e664..878b86d  develop -> develop
  7e3e664..2d1b55f  master -> master
regenmammedov@regenmammedov:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 163 bytes | 163.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ResulEgenmammedov/git-extended.git
 * [new tag]      1.0.0 -> 1.0.0
regenmammedov@regenmammedov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/ResulEgenmammedov/git-extended/releases/tag/v1.0.0
regenmammedov@regenmammedov:~/git-extended$ █
```

Рисунок 8: Отправка

2.9 Объединение веток

```
regenmammedov@regenmammedov:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

regenmammedov@regenmammedov:~/git-extended$ touch test2
regenmammedov@regenmammedov:~/git-extended$ git flow feature finish feature_branch
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was 878b86d).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

regenmammedov@regenmammedov:~/git-extended$
```

Рисунок 9: Объединение веток

2.10 git-flow

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

regenmammedov@regenmammedov:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 2.80 KiB | 2.80 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ResulEgenmammedov/git-extended.git
  878b86d..9193b5d  develop -> develop
  2d1b55f..95cddeb  master -> master
regenmammedov@regenmammedov:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 163 bytes | 163.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ResulEgenmammedov/git-extended.git
 * [new tag]      1.2.3 -> 1.2.3
regenmammedov@regenmammedov:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/ResulEgenmammedov/git-extended/releases/tag/v1.2.3
regenmammedov@regenmammedov:~/git-extended$
```

Рисунок 10: Завершение релиза

2.11 Подготовка рабочего репозитория

```
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git package.json
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git add .
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master c053b98] chore: test
 1 file changed, 11 insertions(+), 11 deletions(-)
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.12 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ResulEgenmammedov/2026-1--study--os-intro.git
  c32168f..c053b98  master -> master
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 11: package.json и коммит

2.12 Подготовка рабочего репозитория

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git
push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.77 KiB | 2.77 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)    █
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ResulEgenmammedov/2026-1--study--os-intro.git
  c053b98..8d5a38f  develop -> develop
  c053b98..2eb8658  master -> master
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git
push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 162 bytes | 162.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ResulEgenmammedov/2026-1--study--os-intro.git
 * [new tag]      v1.0.0 -> v1.0.0
regenmammedov@regenmammedov:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 12: Завершение релиза

3. 3. Выводы по проделанной работе



3.1 Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.