OS-1

子二甲 吳翊弘 U13157005


File Edit Selection View Go Run
hello_usb
EXPLORER
HELLO_USB
.vscode
hello_usb.c
CMakeLists.txt
/**
* Copyright (c) 2020 Raspberry Pi (Trading) Ltd.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
#include <stdio.h>
#include "pico/stdlib.h"
int main() {
stdio_init_all();
while (true) {
printf("Hello, MCUT U13157005\n");
sleep_ms(1000);
}
}
// 子二甲 吳翊弘 U13157005
裝置管理員
檔案(F) 動作(A) 檢視(V) 說明(H)
Lab216-21
BrRamdiskCls
IDE ATA/ATAPI 控制器
人性化介面裝置
列印佇列
存放控制器
安全性裝置
系統裝置
音效、視訊及遊戲控制器
音訊處理物件 (APO)
音訊輸入與輸出
處理器
軟體元件
軟體裝置
通用序列匯流排控制器
Generic USB Hub
Intel(R) USB 3.20 可延伸主機控制器 - 1.
USB Composite Device
USB Composite Device
USB 根集線器 (USB 3.0)
通用序列匯流排裝置
Reset
連接埠 (COM 和 LPT)
USB 序列裝置 (COM3)
通訊連接埠 (COM1)
韌體
滑鼠及其他指標裝置
電腦
監視器
磁碟機
網路介面卡
鍵盤
顯示卡
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS MEMORY XRTOS SERIAL MONITOR
Open an additional monitor
Monitor Mode Serial View Mode Text Port COM3 - USB 序列裝置 (COM3) Baud rate 115200
Line ending None Start Monitoring
Hello, MCUT U13157005
Hello, MCUT U13157005
Hello, MCUT U13157005
Hello, MCUT U13157005
Hello, MCUT U13157005
---- Closed the serial port COM3 ----
Send Ctrl + C
Ln 17, Col 21 Spaces: 4 UTF-8 CRLF C Compile Run Pico SDK: 2.2.0 Board: pico Pico
build
Pico > hello_usb > build
搜尋 build
新增 排序 檢視 詳細資料
常用
圖庫
OneDrive - Personal
桌面
下載
文件
圖片
音樂
影片
本機
Windows (C:)
新增磁碟區 (D:)
網路
名稱 修改日期 類型
CMakeFiles 2026/2/2 上午 09:51
generated 2026/2/2 上午 09:33
pico-sdk 2026/2/2 上午 09:33
.ninja_deps 2026/2/2 上午 09:51
.ninja_log 2026/2/2 上午 09:51
build.ninja 2026/2/2 上午 09:33
cmake_install 2026/2/2 上午 09:33
CMakeCache 2026/2/2 上午 09:33
compile_commands.json 2026/2/2 上午 09:33
hello_usb.bin 2026/2/2 上午 09:51
hello_usb.dis 2026/2/2 上午 09:51
hello_usb.elf 2026/2/2 上午 09:51
hello_usb.elf.map 2026/2/2 上午 09:51
hello_usb.hex 2026/2/2 上午 09:51
hello_usb.uf2 2026/2/2 上午 09:51
pico_flash_region.ld 2026/2/2 上午 09:33
16 個項目 已選取 1 個項目 45.0 KB
上午 10:02
2026/2/2

READ ME

此程式使用V S Code燒入至RP2040，執行後程式進入無限迴圈，每隔 1 秒會使用printf輸出一次字串「Hello, MCUT U13157005」，並透過sleep(1000)控制輸出間隔。