All CSS Background Properties

Property	Description
background	Sets all the background properties in one declaration
background-attachment	Sets whether a background image is fixed or scrolls with the rest of the page
background-color	Sets the background color of an element
background-image	Sets the background image for an element
background-position	Sets the starting position of a background image
background-repeat	Sets how a background image will be repeated

All CSS Text Properties

Property	Description
color	Sets the color of text
direction	Specifies the text direction/writing direction
letter-spacing	Increases or decreases the space between characters in a text
line-height	Sets the line height
text-align	Specifies the horizontal alignment of text
text-decoration	Specifies the decoration added to text
text-indent	Specifies the indentation of the first line in a text-block
text-shadow	Specifies the shadow effect added to text
text-transform	Controls the capitalization of text
vertical-align	Sets the vertical alignment of an element
white-space	Specifies how white-space inside an element is handled
word-spacing	Increases or decreases the space between words in a text

All CSS Font Properties

Property	Description
font	Sets all the font properties in one declaration
font-family	Specifies the font family for text
font-size	Specifies the font size of text
font-style	Specifies the font style for text
font-variant	Specifies whether or not a text should be displayed in a small-caps font
font-weight	Specifies the weight of a font

All CSS List Properties

Property	Description
list-style	Sets all the properties for a list in one declaration
list-style-image	Specifies an image as the list-item marker
list-style-position	Specifies if the list-item markers should appear inside or outside the content flow
list-style-type	Specifies the type of list-item marker

All CSS Border Properties

Property	Description
border	Sets all the border properties in one declaration
border-bottom	Sets all the bottom border properties in one declaration
border-bottom-color	Sets the color of the bottom border
border-bottom-style	Sets the style of the bottom border
border-bottom-width	Sets the width of the bottom border
border-color	Sets the color of the four borders
border-left	Sets all the left border properties in one declaration
border-left-color	Sets the color of the left border
border-left-style	Sets the style of the left border
border-left-width	Sets the width of the left border
border-right	Sets all the right border properties in one declaration
border-right-color	Sets the color of the right border
border-right-style	Sets the style of the right border
border-right-width	Sets the width of the right border
border-style	Sets the style of the four borders
border-top	Sets all the top border properties in one declaration
border-top-color	Sets the color of the top border
border-top-style	Sets the style of the top border
border-top-width	Sets the width of the top border
border-width	Sets the width of the four borders

All CSS Float Properties

Property	Description	Values	CSS
clear	Specifies which sides of an element where other floating elements are not allowed	Left; right; both; one; inherit	1
float	Specifies whether or not a box should float	Left; right; none; inherit	1

All CSS Outline Properties

Property	Description	Values
outline	Sets all the outline properties in one declaration	*outline-color* *outline-style* *outline-width* inherit
outline-color	Sets the color of an outline	*color_name* *hex_number* *rgb_number* invert inherit
outline-style	Sets the style of an outline	none dotted dashed solid double groove ridge inset outset inherit
outline-width	Sets the width of an outline	thin medium thick *length* inherit

All CSS Margin Properties

Property	Description
margin	A shorthand property for setting the margin properties in one declaration
margin-bottom	Sets the bottom margin of an element
margin-left	Sets the left margin of an element
margin-right	Sets the right margin of an element
margin-top	Sets the top margin of an element

All CSS Padding Properties

Property	Description
padding	A shorthand property for setting all the padding properties in one declaration
padding-bottom	Sets the bottom padding of an element
padding-left	Sets the left padding of an element
padding-right	Sets the right padding of an element
padding-top	Sets the top padding of an element

All CSS Dimension Properties

The number in the "CSS" column indicates in which CSS version the property is defined (CSS1 or CSS2).

Property	Description	Values	CSS
height	Sets the height of an element	auto *length* *%* inherit	1
max-height	Sets the maximum height of an element	none *length* *%* inherit	2
max-width	Sets the maximum width of an element	none *length* *%* inherit	2
min-height	Sets the minimum height of an element	*length* *%* inherit	2
min-width	Sets the minimum width of an element	*length* *%* inherit	2
width	Sets the width of an element	auto *length* *%* inherit	1

All CSS Positioning Properties

The number in the "CSS" column indicates in which CSS version the property is defined (CSS1 or CSS2).

Property	Description	Values	CSS
bottom	Sets the bottom margin edge for a positioned box	auto *length* *%* inherit	2
clip	Clips an absolutely positioned element	*shape* auto inherit	2
cursor	Specifies the type of cursor to be displayed	*Url;* auto; crosshair default; pointer; move e-resize; ne-resize; nw-resize; n-resize se-resize; sw-resize s-resize; w-resize text; wait	2
left	Sets the left margin edge for a positioned box	auto *length* *%* inherit	2
overflow	Specifies what happens if content overflows an element's box	auto hidden scroll visible inherit	2
position	Specifies the type of positioning for an element	absolute fixed relative static inherit	2
right	Sets the right margin edge for a positioned box	auto *length* *%* inherit	2
top	Sets the top margin edge for a positioned box	auto *length* *%* inherit	2
z-index	Sets the stack order of an element	*number* auto inherit	2