
jpac v2.2.0+data-2026-10-12　全体図（SQLite 44 テーブル + 座標アセット 2）　矢印は「参照する側 → される側」　実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合　列は各ページ（ブリッジ7本 → match_run の線は省略）



jpac v2.2.0+data-2026-10-12　住所（ABR 町字）と市区町村　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）

address_id（同じ ID）
address_id
address_id
lg_code
old_address_id → address_id
new_address_id → address_id
lg_code（現行は is_current = 1）
lg_code
lg_code + machiaza_id

**address_entity　町字の実体・ID 台帳**

| | | |
|---|---|---|
| TEXT | address_id | PK |
| TEXT | genesis_lg_code | |
| TEXT | genesis_machiaza_id | |
| TEXT | entity_status | |
| TEXT | identity_match_rule | |
| TEXT | first_observed_snapshot_id | |
| TEXT | last_observed_snapshot_id | |
| TEXT | created_at | |
| TEXT | retired_at | |
| TEXT | retire_reason | |

**municipality　市区町村**

| | | |
|---|---|---|
| TEXT | lg_code | PK |
| TEXT | jis_city_code | |
| TEXT | first_observed_snapshot_id | |

**address　町字（ABR）**

| | | | |
|---|---|---|---|
| TEXT | address_id | PK | → address_entity |
| TEXT | lg_code | FK | → municipality |
| TEXT | jis_city_code | | |
| TEXT | machiaza_id | | |
| TEXT | machiaza_type | | |
| TEXT | pref | | |
| TEXT | county | | |
| TEXT | city | | |
| TEXT | ward | | |
| TEXT | oaza_cho | | |
| TEXT | chome | | |
| TEXT | chome_number | | |
| TEXT | koaza | | |
| TEXT | machiaza_dist | | |
| TEXT | oaza_cho_kana | | |
| TEXT | chome_kana | | |
| TEXT | koaza_kana | | |
| TEXT | oaza_cho_roma | | |
| TEXT | koaza_roma | | |
| TEXT | rsdt_addr_flg | | |
| TEXT | rsdt_addr_mtd_code | | |
| TEXT | oaza_cho_aka_flg | | |
| TEXT | koaza_aka_code | | |
| TEXT | status_flg | | |
| TEXT | wake_num_flg | | |
| TEXT | src_code | | |
| TEXT | remarks | | |
| TEXT | full_name_raw | | |
| TEXT | full_name_normalized | | |
| TEXT | normalization_profile | | |
| INTEGER | rsdt_variant_count | | |
| TEXT | valid_from | | |
| TEXT | valid_to | | |
| TEXT | observed_from | | |
| TEXT | observed_to | | |
| TEXT | source_snapshot_id | | |

**address_key_conflict　鍵が衝突した行（保留）**

| | | | |
|---|---|---|---|
| TEXT | lg_code | FK | → municipality |
| TEXT | machiaza_id | | |
| TEXT | machiaza_type | | |
| TEXT | pref | | |
| TEXT | pref_kana | | |
| TEXT | pref_roma | | |
| TEXT | county | | |
| TEXT | county_kana | | |
| TEXT | county_roma | | |
| TEXT | city | | |
| TEXT | city_kana | | |
| TEXT | city_roma | | |
| TEXT | ward | | |
| TEXT | ward_kana | | |
| TEXT | ward_roma | | |
| TEXT | oaza_cho | | |
| TEXT | oaza_cho_kana | | |
| TEXT | oaza_cho_roma | | |
| TEXT | chome | | |
| TEXT | chome_kana | | |
| TEXT | chome_number | | |
| TEXT | koaza | | |
| TEXT | koaza_kana | | |
| TEXT | koaza_roma | | |
| TEXT | machiaza_dist | | |
| TEXT | rsdt_addr_flg | | |
| TEXT | rsdt_addr_mtd_code | | |
| TEXT | oaza_cho_aka_flg | | |
| TEXT | koaza_aka_code | | |
| TEXT | oaza_cho_gsi_uncmn | | |
| TEXT | koaza_gsi_uncmn | | |
| TEXT | status_flg | | |
| TEXT | wake_num_flg | | |
| TEXT | efct_date | | |
| TEXT | ablt_date | | |
| TEXT | src_code | | |
| TEXT | post_code | | |
| TEXT | remarks | | |
| TEXT | jis_city_code | | |
| TEXT | full_name_raw | | |
| TEXT | full_name_normalized | | |

**address_code　町字の各種コード**

| | | | |
|---|---|---|---|
| TEXT | address_id | FK | → address_entity |
| TEXT | code_type | | |
| TEXT | code_value | | |
| TEXT | valid_from | | |
| TEXT | valid_to | | |
| TEXT | observed_from | | |
| TEXT | observed_to | | |
| TEXT | source_snapshot_id | | |

**address_history　町字の属性変更**

| | | | |
|---|---|---|---|
| TEXT | history_id | PK | |
| TEXT | address_id | FK | → address_entity |
| TEXT | field_name | | |
| TEXT | old_value | | |
| TEXT | new_value | | |
| TEXT | valid_from | | |
| TEXT | observed_at | | |
| TEXT | source_snapshot_id | | |

**address_lineage　町字の分割・統合**


| | | | |
|---|---|---|---|
| TEXT | lineage_id | PK | |
| TEXT | old_address_id | FK | → address_entity |
| TEXT | new_address_id | FK | → address_entity |
| TEXT | relation_type | | |
| TEXT | effective_date | | |
| TEXT | observed_at | | |
| TEXT | evidence | | |
| TEXT | evidence_source | | |
| TEXT | source_snapshot_id | | |

**municipality_version　市区町村の版（名称）**


| | | | |
|---|---|---|---|
| TEXT | municipality_version_id | PK | |
| TEXT | lg_code | | → municipality |
| TEXT | jis_city_code | | |
| TEXT | pref | | |
| TEXT | county | | |
| TEXT | city | | |
| TEXT | ward | | |
| TEXT | pref_kana | | |
| TEXT | county_kana | | |
| TEXT | city_kana | | |
| TEXT | ward_kana | | |
| TEXT | pref_roma | | |
| TEXT | county_roma | | |
| TEXT | city_roma | | |
| TEXT | ward_roma | | |
| TEXT | valid_from | | |
| TEXT | valid_to | | |
| TEXT | observed_from | | |
| TEXT | observed_to | | |
| INTEGER | is_current | | |
| TEXT | source_snapshot_id | | |


**address_rsdt_variant　住居表示の版**

| | | | |
|---|---|---|---|
| TEXT | rsdt_variant_id | PK | |
| TEXT | lg_code | FK | → address, municipality |
| TEXT | machiaza_id | | → address |
| TEXT | rsdt_addr_flg | | |
| TEXT | rsdt_addr_mtd_code | | |
| TEXT | efct_date | | |
| TEXT | ablt_date | | |


jpac v2.2.0+data-2026-10-12　郵便番号　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
postal_code_entity　郵便番号
TEXT postal_code PK
INTEGER record_count
TEXT observed_from
TEXT observed_to
TEXT source_snapshot_id
match_run　照合の実行（→ p.7 来歴）
TEXT match_run_id PK
municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）
TEXT lg_code PK
address_entity　町字の実体・ID 台帳（→ p.2 住所（ABR 町字）と市区町村）
TEXT address_id PK
postal_record　郵便レコード
TEXT postal_record_id PK
TEXT postal_code FK → postal_code_entity
TEXT jis_city_code
TEXT first_observed_snapshot_id
bridge_address_postal_code　町字 ↔ 郵便番号
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_code FK → postal_code_entity
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_municipality_postal_code　市区町村 ↔ 郵便番号
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_code FK → postal_code_entity
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_address_postal　町字 ↔ 郵便レコード
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_record_id FK → postal_record
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_municipality_postal　市区町村 ↔ 郵便特殊レコード
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_record_id FK → postal_record
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
postal_record_version　郵便レコードの版
TEXT postal_record_version_id PK
TEXT postal_record_id → postal_record
TEXT postal_code
TEXT jis_city_code
TEXT old_postal_code_raw
TEXT old_postal_code
TEXT pref_kana
TEXT city_kana
TEXT town_kana
TEXT pref
TEXT city
TEXT town
TEXT town_raw
TEXT town_normalized
TEXT parenthetical_raw
TEXT parenthetical_class
TEXT flag_multi_code
TEXT flag_koaza_banchi
TEXT flag_has_chome
TEXT flag_multi_town
TEXT update_flag
TEXT change_reason
TEXT record_kind
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT source_snapshot_id
postal_code
postal_code
postal_code
match_run_id
match_run_id
lg_code
address_id
lg_code
address_id
lg_code
match_run_id
address_id
lg_code
address_id
postal_record_id
postal_record_id（現行は is_current = 1）

jpac v2.2.0+data-2026-10-12　国土交通省 位置参照・市外局番　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）




jpac v2.2.0+data-2026-10-12　駅・路線・バス停　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
p11_bus_stop　バス停（P11）
TEXT p11_stop_id PK
TEXT pref_code
TEXT stop_name_raw
TEXT operator_name_raw
TEXT note_raw
TEXT source_snapshot_id
municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）
TEXT lg_code PK
TEXT jis_city_code
n02_railroad_line　路線（N02）
TEXT line_name_raw PK
TEXT operator_name_raw PK
INTEGER section_count
TEXT railway_class
TEXT operator_class
INTEGER railway_class_variants
INTEGER operator_class_variants
TEXT source_snapshot_id
n02_station　駅（N02 駅グループ）
TEXT n02_group_code PK
INTEGER feature_count
TEXT station_name_raw
TEXT line_name_raw
TEXT operator_name_raw
TEXT railway_class
TEXT operator_class
TEXT n02_station_code
INTEGER station_name_variants
INTEGER line_variants
INTEGER operator_variants
TEXT source_snapshot_id
p11_stop_id
lg_code
lg_code
lg_code
jis_city_code（2020年の境界）
line_name_raw + operator_name_raw
n02_group_code
n02_group_code
bridge_bus_stop_municipality　バス停 ↔ 市区町村
TEXT p11_stop_id FK → p11_bus_stop
TEXT stop_name_raw
TEXT operator_name_raw
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER candidate_count
INTEGER is_unique_match
TEXT verification_status
TEXT mismatch_note
TEXT source_snapshot_id
bridge_line_municipality　路線 ↔ 市区町村
TEXT line_name_raw FK → n02_railroad_line
TEXT operator_name_raw FK → n02_railroad_line
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER sample_hits
INTEGER municipality_count
TEXT verification_status
TEXT mismatch_note
TEXT source_snapshot_id
estat_small_area　e-Stat 小地域（形状なし）
TEXT key_code
TEXT pref_code
TEXT city_code
TEXT s_area
TEXT pref_name_raw
TEXT city_name_raw
TEXT s_name_raw
TEXT hcode
TEXT kigo_e
TEXT area_max_f
TEXT kigo_d
TEXT n_ken
TEXT n_city
TEXT kigo_i
TEXT jis_city_code → municipality
TEXT reconcile_status
TEXT source_snapshot_id
bridge_station_municipality　駅 ↔ 市区町村
TEXT n02_group_code FK → n02_station
TEXT station_name_raw
TEXT operator_name_raw
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER candidate_count
INTEGER is_unique_match
TEXT verification_status
TEXT placement_point
TEXT mismatch_note
TEXT source_snapshot_id
bridge_station_line　駅 ↔ 路線
TEXT n02_group_code FK → n02_station
TEXT station_name_raw
TEXT line_name_raw FK → n02_railroad_line
TEXT operator_name_raw FK → n02_railroad_line
INTEGER feature_count
TEXT match_method
TEXT source_snapshot_id

| telephone_area　番号区画（→ p.4 国土交通省 位置参照・市外局番） | | |
|---|---|---|
| TEXT | numbering_area_code | PK |

numbering_area_code

| census_population_numbering_area　番号区画の人口 | | | |
|---|---|---|---|
| INTEGER | census_year | PK | |
| TEXT | numbering_area_code | PK | → telephone_area |
| INTEGER | municipality_count | | |
| INTEGER | population_total | | |
| INTEGER | population_male | | |
| INTEGER | population_female | | |
| INTEGER | households_total | | |
| TEXT | value_status | | |
| TEXT | valid_from | | |
| TEXT | source_snapshot_id | | |

| municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村） | | |
|---|---|---|
| TEXT | lg_code | PK |

lg_code

lg_code

lg_code（census_year ごと）

new_lg_code（現行コードのとき）

| census_population_age_summary　平均年齢・年齢中位数 | | | |
|---|---|---|---|
| INTEGER | census_year | PK | |
| TEXT | region_key | PK | |
| TEXT | lg_code | FK | → municipality |
| TEXT | area_level_raw | | |
| TEXT | pref_2000_raw | | |
| TEXT | area_code_2000_raw | | |
| TEXT | year_2000_raw | | |
| TEXT | pref_2025_raw | | |
| TEXT | area_code_2025_raw | | |
| TEXT | area_name_raw | | |
| TEXT | nationality_raw | PK | |
| TEXT | sex_raw | PK | |
| REAL | mean_age | | |
| TEXT | mean_age_raw | | |
| REAL | median_age | | |
| TEXT | median_age_raw | | |
| TEXT | valid_from | | |
| TEXT | source_snapshot_id | | |

| census_population_municipality　市区町村の人口 | | | |
|---|---|---|---|
| INTEGER | census_year | PK | |
| TEXT | lg_code | PK | → municipality |
| TEXT | area_level | | |
| INTEGER | population_total | | |
| INTEGER | population_male | | |
| INTEGER | population_female | | |
| INTEGER | population_2020_rebased | | |
| INTEGER | population_change_5y | | |
| INTEGER | households_total | | |
| INTEGER | households_general | | |
| INTEGER | households_institutional | | |
| INTEGER | households_2020_rebased | | |
| INTEGER | households_change_5y | | |
| INTEGER | household_members_total | | |
| INTEGER | household_members_general | | |
| INTEGER | household_members_institutional | | |
| TEXT | value_status | | |
| TEXT | valid_from | | |
| TEXT | source_snapshot_id | | |

| municipality_change_raw　廃置分合 原表 | | |
|---|---|---|
| INTEGER | row_ordinal | PK |
| TEXT | event_pattern_raw | |
| TEXT | subprefecture_county_raw | |
| TEXT | subprefecture_county_kana_raw | |
| TEXT | area_code_raw | |
| TEXT | pref_raw | |
| TEXT | parent_raw | |
| TEXT | parent_kana_raw | |
| TEXT | municipality_raw | |
| TEXT | municipality_kana_raw | |
| TEXT | effective_date_raw | |
| TEXT | reason_raw | |
| TEXT | notice_date_raw | |
| TEXT | notice_number_raw | |
| TEXT | row_sha256 | |
| TEXT | hs_flag | |
| TEXT | parse_status | |
| TEXT | unresolved_reason | |
| TEXT | source_snapshot_id | |

source_row_ordinals（; 区切り）

| municipality_lineage_edge　廃置分合 旧→新 | | | |
|---|---|---|---|
| TEXT | effective_date | | |
| TEXT | old_jis_code | | |
| TEXT | new_jis_code | | |
| TEXT | event_type | | |
| TEXT | area_qualifier_raw | | |
| TEXT | parse_rule_id | | |
| TEXT | source_row_ordinals | | → municipality_change_raw |
| INTEGER | candidate_count | | |
| TEXT | old_lg_code | | |
| TEXT | new_lg_code | | → municipality |
| INTEGER | is_unique_match | | |
| TEXT | edge_id | PK | |
| TEXT | source_snapshot_id | | |

region_key + 国籍 + 性別

region_key

| census_population_raw　人口 原表 | | | |
|---|---|---|---|
| TEXT | table_id | PK | |
| INTEGER | row_ordinal | PK | |
| TEXT | area_level_raw | | |
| TEXT | pref_2000_raw | | |
| TEXT | area_code_2000_raw | | |
| TEXT | year_2000_raw | | |
| TEXT | pref_2025_raw | | |
| TEXT | area_code_2025_raw | | |
| TEXT | area_name_raw | | |
| TEXT | population_total_raw | | |
| TEXT | population_male_raw | | |
| TEXT | population_female_raw | | |
| TEXT | population_2020_rebased_raw | | |
| TEXT | population_change_5y_raw | | |
| TEXT | population_change_rate_5y_raw | | |
| TEXT | sex_ratio_raw | | |
| TEXT | households_total_raw | | |
| TEXT | households_general_raw | | |
| TEXT | households_institutional_raw | | |
| TEXT | households_2020_rebased_raw | | |
| TEXT | households_change_5y_raw | | |
| TEXT | households_change_rate_5y_raw | | |
| TEXT | household_members_total_raw | | |
| TEXT | household_members_general_raw | | |
| TEXT | household_members_institutional_raw | | |
| TEXT | region_key | | → census_population_age_summary |
| TEXT | source_snapshot_id | | |

| census_population_age　年齢別人口 | | | |
|---|---|---|---|
| INTEGER | census_year | PK | |
| TEXT | region_key | PK | → census_population_age_summary |
| TEXT | lg_code | FK | → municipality |
| TEXT | area_level_raw | | |
| TEXT | pref_2000_raw | | |
| TEXT | area_code_2000_raw | | |
| TEXT | year_2000_raw | | |
| TEXT | pref_2025_raw | | |
| TEXT | area_code_2025_raw | | |
| TEXT | area_name_raw | | |
| TEXT | nationality_raw | PK | → census_population_age_summary |
| TEXT | sex_raw | PK | → census_population_age_summary |
| TEXT | age_class_raw | PK | |
| INTEGER | population | | |
| TEXT | population_raw | | |
| TEXT | valid_from | | |
| TEXT | source_snapshot_id | | |

jpac v2.2.0+data-2026-10-12　来歴　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）

| match_run　照合の実行 | | |
|---|---|---|
| TEXT | match_run_id | PK |
| TEXT | started_at | |
| TEXT | matching_rule_version | |
| TEXT | normalization_profile_version | |
| TEXT | code_version | |

| source_snapshot　取得した元データ | | |
|---|---|---|
| TEXT | source_snapshot_id | PK |
| TEXT | provider | |
| TEXT | dataset_name | |
| TEXT | source_page_url | |
| TEXT | download_url | |
| TEXT | license_name | |
| TEXT | license_url | |
| TEXT | license_text_sha256 | |
| TEXT | source_version | |
| TEXT | published_at | |
| TEXT | edition_origin | |
| TEXT | downloaded_at | |
| TEXT | etag | |
| TEXT | last_modified | |
| TEXT | sha256 | |
| INTEGER | file_size | |
| INTEGER | row_count | |
| TEXT | schema_fingerprint | |
| TEXT | parser_version | |
| TEXT | resolved_via | |
| TEXT | status | |


match_run_id

source_snapshot_id

source_snapshot_id

| match_run_input　実行が読んだ元データ | | | |
|---|---|---|---|
| TEXT | match_run_id | FK | → match_run |
| TEXT | source_snapshot_id | | → source_snapshot |
| TEXT | role | | |

| snapshot_license_artifact　規約の照合記録 | | |
|---|---|---|
| TEXT | artifact_id | |
| TEXT | source | |
| TEXT | role | |
| TEXT | license_name | |
| TEXT | license_url | |
| TEXT | text_sha256 | |
| TEXT | baseline_sha256 | |
| TEXT | reviewed_on | |
| TEXT | review_decision | |
| TEXT | note | |
| TEXT | source_snapshot_id | → source_snapshot |


jpac v2.2.0+data-2026-10-12　座標（別アセット jp_address_crosswalk_points.zip。SQLite には無い）（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
n02_station　駅（N02 駅グループ）（→ p.5 駅・路線・バス停）
TEXT
n02_group_code
PK
p11_bus_stop　バス停（P11）（→ p.5 駅・路線・バス停）
TEXT
p11_stop_id
PK
source_snapshot　取得した元データ（→ p.7 来歴）
TEXT
source_snapshot_id
PK
n02_group_code（1対1）
source_snapshot_id
p11_stop_id（1対1）
source_snapshot_id
station_point　駅の代表点（座標アセット）
TEXT
n02_group_code
PK
→ n02_station
TEXT
station_name_raw
TEXT
operator_name_raw
REAL
longitude
REAL
latitude
TEXT
placement_point
TEXT
source_snapshot_id
→ source_snapshot
bus_stop_point　バス停の点（座標アセット）
TEXT
p11_stop_id
PK
→ p11_bus_stop
TEXT
stop_name_raw
TEXT
operator_name_raw
REAL
longitude
REAL
latitude
TEXT
source_snapshot_id
→ source_snapshot