

jpac 2.2.0+data-2026-10-15　全体図（SQLite 47 テーブル + 座標アセット 3）　矢印は「参照する側 → される側」　実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合　列は各ページ（ブリッジ7本 → match_run の線は省略）
p.9 学校（文部科学省 学校コード）
mext_school_succession
学校の移行（廃止 → 移行後）
mext_school
学校（文部科学省 学校コード）
bridge_school_address
学校 ↔ 町字・市区町村
p.8 座標（別アセット jp_address_crosswalk_points.zip。SQLite には無い）
school_point
学校の点（座標アセット、P29）
bus_stop_point
バス停の点（座標アセット）
station_point
駅の代表点（座標アセット）
p.7 来歴
snapshot_license_artifact
規約の照合記録
source_snapshot
取得した元データ
match_run_input
実行が読んだ元データ
match_run
照合の実行
p.5 駅・路線・バス停
bridge_station_line
駅 ↔ 路線
n02_station
駅（N02 駅グループ）
bridge_station_municipality
駅 ↔ 市区町村
n02_railroad_line
路線（N02）
p11_bus_stop
バス停（P11）
estat_small_area
e-Stat 小地域（形状なし）
bridge_line_municipality
路線 ↔ 市区町村
bridge_bus_stop_municipality
バス停 ↔ 市区町村
p.4 国土交通省 位置参照・市外局番
mlit_town_version
国交省 大字・町丁目の版（代表点）
mlit_town
国交省 大字・町丁目
telephone_area_version
番号区画の版（市外局番）
telephone_number_block
市内局番
telephone_area_coverage
番号区画の収容句
telephone_area
番号区画
bridge_municipality_telephone
市区町村 ↔ 番号区画
bridge_address_mlit
町字 ↔ 国交省
bridge_address_telephone
町字 ↔ 番号区画
p.3 郵便番号
postal_record_version
郵便レコードの版
postal_record
郵便レコード
postal_code_entity
郵便番号
bridge_municipality_postal
市区町村 ↔ 郵便特殊レコード
bridge_municipality_postal_code
市区町村 ↔ 郵便番号
bridge_address_postal
町字 ↔ 郵便レコード
bridge_address_postal_code
町字 ↔ 郵便番号
p.6 人口（国勢調査）・廃置分合
census_population_numbering_area
番号区画の人口
census_population_municipality
市区町村の人口
municipality_lineage_edge
廃置分合 旧→新
municipality_change_raw
廃置分合 原表
census_population_raw
人口 原表
census_population_age_summary
平均年齢・年齢中位数
census_population_age
年齢別人口
p.2 住所（ABR 町字）と市区町村
address_lineage
町字の分割・統合
address_history
町字の属性変更
address_entity
町字の実体・ID 台帳
address_code
町字の各種コード
address
町字（ABR）
address_rsdt_variant
住居表示の版
municipality_version
市区町村の版（名称）
municipality
市区町村
address_key_conflict
鍵が衝突した行（保留）

jpac 2.2.0+data-2026-10-15　住所（ABR 町字）と市区町村　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）

address_id（同じ ID）

address_id

address_id

lg_code

old_address_id → address_id

new_address_id → address_id

lg_code（現行は is_current = 1）

lg_code

lg_code + machiaza_id

address_entity　町字の実体・ID 台帳

TEXT	address_id	PK
TEXT	genesis_lg_code	
TEXT	genesis_machiaza_id	
TEXT	entity_status	
TEXT	identity_match_rule	
TEXT	first_observed_snapshot_id	
TEXT	last_observed_snapshot_id	
TEXT	created_at	
TEXT	retired_at	
TEXT	retire_reason	

municipality　市区町村

TEXT	lg_code	PK
TEXT	jis_city_code	
TEXT	first_observed_snapshot_id	

address　町字（ABR）

TEXT	address_id	PK	→ address_entity
TEXT	lg_code	FK	→ municipality
TEXT	jis_city_code		
TEXT	machiaza_id		
TEXT	machiaza_type		
TEXT	pref		
TEXT	county		
TEXT	city		
TEXT	ward		
TEXT	oaza_cho		
TEXT	chome		
TEXT	chome_number		
TEXT	koaza		
TEXT	machiaza_dist		
TEXT	oaza_cho_kana		
TEXT	chome_kana		
TEXT	koaza_kana		
TEXT	oaza_cho_roma		
TEXT	koaza_roma		
TEXT	rsdt_addr_flg		
TEXT	rsdt_addr_mtd_code		
TEXT	oaza_cho_aka_flg		
TEXT	koaza_aka_code		
TEXT	status_flg		
TEXT	wake_num_flg		
TEXT	src_code		
TEXT	remarks		
TEXT	full_name_raw		
TEXT	full_name_normalized		
TEXT	normalization_profile		
INTEGER	rsdt_variant_count		
TEXT	valid_from		
TEXT	valid_to		
TEXT	observed_from		
TEXT	observed_to		
TEXT	source_snapshot_id		

address_key_conflict　鍵が衝突した行（保留）

TEXT	lg_code	FK	→ municipality
TEXT	machiaza_id		
TEXT	machiaza_type		
TEXT	pref		
TEXT	pref_kana		
TEXT	pref_roma		
TEXT	county		
TEXT	county_kana		
TEXT	county_roma		
TEXT	city		
TEXT	city_kana		
TEXT	city_roma		
TEXT	ward		
TEXT	ward_kana		
TEXT	ward_roma		
TEXT	oaza_cho		
TEXT	oaza_cho_kana		
TEXT	oaza_cho_roma		
TEXT	chome		
TEXT	chome_kana		
TEXT	chome_number		
TEXT	koaza		
TEXT	koaza_kana		
TEXT	koaza_roma		
TEXT	machiaza_dist		
TEXT	rsdt_addr_flg		
TEXT	rsdt_addr_mtd_code		
TEXT	oaza_cho_aka_flg		
TEXT	koaza_aka_code		
TEXT	oaza_cho_gsi_uncmn		
TEXT	koaza_gsi_uncmn		
TEXT	status_flg		
TEXT	wake_num_flg		
TEXT	efct_date		
TEXT	ablt_date		
TEXT	src_code		
TEXT	post_code		
TEXT	remarks		
TEXT	jis_city_code		
TEXT	full_name_raw		
TEXT	full_name_normalized		

address_code　町字の各種コード

TEXT	address_id	FK	→ address_entity
TEXT	code_type		
TEXT	code_value		
TEXT	valid_from		
TEXT	valid_to		
TEXT	observed_from		
TEXT	observed_to		
TEXT	source_snapshot_id		

address_history　町字の属性変更

TEXT	history_id	PK	
TEXT	address_id	FK	→ address_entity
TEXT	field_name		
TEXT	old_value		
TEXT	new_value		
TEXT	valid_from		
TEXT	observed_at		
TEXT	source_snapshot_id		

address_lineage　町字の分割・統合


TEXT	lineage_id	PK	
TEXT	old_address_id	FK	→ address_entity
TEXT	new_address_id	FK	→ address_entity
TEXT	relation_type		
TEXT	effective_date		
TEXT	observed_at		
TEXT	evidence		
TEXT	evidence_source		
TEXT	source_snapshot_id		

municipality_version　市区町村の版（名称）


TEXT	municipality_version_id	PK	
TEXT	lg_code		→ municipality
TEXT	jis_city_code		
TEXT	pref		
TEXT	county		
TEXT	city		
TEXT	ward		
TEXT	pref_kana		
TEXT	county_kana		
TEXT	city_kana		
TEXT	ward_kana		
TEXT	pref_roma		
TEXT	county_roma		
TEXT	city_roma		
TEXT	ward_roma		
TEXT	valid_from		
TEXT	valid_to		
TEXT	observed_from		
TEXT	observed_to		
INTEGER	is_current		
TEXT	source_snapshot_id		


address_rsdt_variant　住居表示の版

TEXT	rsdt_variant_id	PK	
TEXT	lg_code	FK	→ address, municipality
TEXT	machiaza_id		→ address
TEXT	rsdt_addr_flg		
TEXT	rsdt_addr_mtd_code		
TEXT	efct_date		
TEXT	ablt_date		


jpac 2.2.0+data-2026-10-15　郵便番号　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
postal_code_entity　郵便番号
TEXT postal_code PK
INTEGER record_count
TEXT observed_from
TEXT observed_to
TEXT source_snapshot_id
postal_record　郵便レコード
TEXT postal_record_id PK
TEXT postal_code FK → postal_code_entity
TEXT jis_city_code
TEXT first_observed_snapshot_id
match_run　照合の実行（→ p.7 来歴）
TEXT match_run_id PK
municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）
TEXT lg_code PK
address_entity　町字の実体・ID 台帳（→ p.2 住所（ABR 町字）と市区町村）
TEXT address_id PK
bridge_address_postal_code　町字 ↔ 郵便番号
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_code FK → postal_code_entity
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_municipality_postal_code　市区町村 ↔ 郵便番号
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_code FK → postal_code_entity
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_address_postal　町字 ↔ 郵便レコード
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_record_id FK → postal_record
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
bridge_municipality_postal　市区町村 ↔ 郵便特殊レコード
TEXT bridge_id PK
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT postal_record_id FK → postal_record
TEXT direction
TEXT relation_type
TEXT match_method
TEXT matching_rule_id
REAL confidence
TEXT candidate_group_id
INTEGER candidate_count
INTEGER candidate_count_is_complete
INTEGER is_unique_match
TEXT verification_status
INTEGER override_stale
TEXT derivation
TEXT coverage_type
TEXT normalization_profile
TEXT mismatch_note
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT match_run_id FK → match_run
TEXT source_snapshot_id
TEXT matching_rule_version
TEXT normalization_profile_version
TEXT created_at
TEXT updated_at
postal_record_version　郵便レコードの版
TEXT postal_record_version_id PK
TEXT postal_record_id → postal_record
TEXT postal_code
TEXT jis_city_code
TEXT old_postal_code_raw
TEXT old_postal_code
TEXT pref_kana
TEXT city_kana
TEXT town_kana
TEXT pref
TEXT city
TEXT town
TEXT town_raw
TEXT town_normalized
TEXT parenthetical_raw
TEXT parenthetical_class
TEXT flag_multi_code
TEXT flag_koaza_banchi
TEXT flag_has_chome
TEXT flag_multi_town
TEXT update_flag
TEXT change_reason
TEXT record_kind
TEXT valid_from
TEXT valid_to
TEXT observed_from
TEXT observed_to
INTEGER is_current
TEXT source_snapshot_id
postal_code
postal_code
postal_code
match_run_id
match_run_id
lg_code
address_id
lg_code
address_id
lg_code
address_id
match_run_id
lg_code
address_id
match_run_id
address_id
postal_record_id
postal_record_id（現行は is_current = 1）

jpac 2.2.0+data-2026-10-15　国土交通省 位置参照・市外局番　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）




jpac 2.2.0+data-2026-10-15　駅・路線・バス停　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
p11_bus_stop　バス停（P11）
TEXT p11_stop_id PK
TEXT pref_code
TEXT stop_name_raw
TEXT operator_name_raw
TEXT note_raw
TEXT source_snapshot_id
municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）
TEXT lg_code PK
TEXT jis_city_code
n02_railroad_line　路線（N02）
TEXT line_name_raw PK
TEXT operator_name_raw PK
INTEGER section_count
TEXT railway_class
TEXT operator_class
INTEGER railway_class_variants
INTEGER operator_class_variants
TEXT source_snapshot_id
n02_station　駅（N02 駅グループ）
TEXT n02_group_code PK
INTEGER feature_count
TEXT station_name_raw
TEXT line_name_raw
TEXT operator_name_raw
TEXT railway_class
TEXT operator_class
TEXT n02_station_code
INTEGER station_name_variants
INTEGER line_variants
INTEGER operator_variants
TEXT source_snapshot_id
p11_stop_id
lg_code
lg_code
lg_code
jis_city_code（2020年の境界）
line_name_raw + operator_name_raw
n02_group_code
n02_group_code
bridge_bus_stop_municipality　バス停 ↔ 市区町村
TEXT p11_stop_id FK → p11_bus_stop
TEXT stop_name_raw
TEXT operator_name_raw
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER candidate_count
INTEGER is_unique_match
TEXT verification_status
TEXT mismatch_note
TEXT source_snapshot_id
bridge_line_municipality　路線 ↔ 市区町村
TEXT line_name_raw FK → n02_railroad_line
TEXT operator_name_raw FK → n02_railroad_line
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER sample_hits
INTEGER municipality_count
TEXT verification_status
TEXT mismatch_note
TEXT source_snapshot_id
estat_small_area　e-Stat 小地域（形状なし）
TEXT key_code
TEXT pref_code
TEXT city_code
TEXT s_area
TEXT pref_name_raw
TEXT city_name_raw
TEXT s_name_raw
TEXT hcode
TEXT kigo_e
TEXT area_max_f
TEXT kigo_d
TEXT n_ken
TEXT n_city
TEXT kigo_i
TEXT jis_city_code → municipality
TEXT reconcile_status
TEXT source_snapshot_id
bridge_station_municipality　駅 ↔ 市区町村
TEXT n02_group_code FK → n02_station
TEXT station_name_raw
TEXT operator_name_raw
TEXT lg_code FK → municipality
TEXT boundary_jis_city_code
TEXT relation_type
TEXT match_method
REAL confidence
INTEGER candidate_count
INTEGER is_unique_match
TEXT verification_status
TEXT placement_point
TEXT mismatch_note
TEXT source_snapshot_id
bridge_station_line　駅 ↔ 路線
TEXT n02_group_code FK → n02_station
TEXT station_name_raw
TEXT line_name_raw FK → n02_railroad_line
TEXT operator_name_raw FK → n02_railroad_line
INTEGER feature_count
TEXT match_method
TEXT source_snapshot_id

telephone_area　番号区画（→ p.4 国土交通省 位置参照・市外局番）		
TEXT	numbering_area_code	PK

numbering_area_code

census_population_numbering_area　番号区画の人口			
INTEGER	census_year	PK	
TEXT	numbering_area_code	PK	→ telephone_area
INTEGER	municipality_count		
INTEGER	population_total		
INTEGER	population_male		
INTEGER	population_female		
INTEGER	households_total		
TEXT	value_status		
TEXT	valid_from		
TEXT	source_snapshot_id		

municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）		
TEXT	lg_code	PK

lg_code

lg_code

lg_code（census_year ごと）

new_lg_code（現行コード のとき）

census_population_age_summary　平均年齢・年齢中位数			
INTEGER	census_year	PK	
TEXT	region_key	PK	
TEXT	lg_code	FK	→ municipality
TEXT	area_level_raw		
TEXT	pref_2000_raw		
TEXT	area_code_2000_raw		
TEXT	year_2000_raw		
TEXT	pref_2025_raw		
TEXT	area_code_2025_raw		
TEXT	area_name_raw		
TEXT	nationality_raw	PK	
TEXT	sex_raw	PK	
REAL	mean_age		
TEXT	mean_age_raw		
REAL	median_age		
TEXT	median_age_raw		
TEXT	valid_from		
TEXT	source_snapshot_id		

census_population_municipality　市区町村の人口			
INTEGER	census_year	PK	
TEXT	lg_code	PK	→ municipality
TEXT	area_level		
INTEGER	population_total		
INTEGER	population_male		
INTEGER	population_female		
INTEGER	population_2020_rebased		
INTEGER	population_change_5y		
INTEGER	households_total		
INTEGER	households_general		
INTEGER	households_institutional		
INTEGER	households_2020_rebased		
INTEGER	households_change_5y		
INTEGER	household_members_total		
INTEGER	household_members_general		
INTEGER	household_members_institutional		
TEXT	value_status		
TEXT	valid_from		
TEXT	source_snapshot_id		

municipality_change_raw　廃置分合 原表		
INTEGER	row_ordinal	PK
TEXT	event_pattern_raw	
TEXT	subprefecture_county_raw	
TEXT	subprefecture_county_kana_raw	
TEXT	area_code_raw	
TEXT	pref_raw	
TEXT	parent_raw	
TEXT	parent_kana_raw	
TEXT	municipality_raw	
TEXT	municipality_kana_raw	
TEXT	effective_date_raw	
TEXT	reason_raw	
TEXT	notice_date_raw	
TEXT	notice_number_raw	
TEXT	row_sha256	
TEXT	hs_flag	
TEXT	parse_status	
TEXT	unresolved_reason	
TEXT	source_snapshot_id	

source_row_ordinals（; 区切り）

municipality_lineage_edge　廃置分合 旧→新			
TEXT	effective_date		
TEXT	old_jis_code		
TEXT	new_jis_code		
TEXT	event_type		
TEXT	area_qualifier_raw		
TEXT	parse_rule_id		
TEXT	source_row_ordinals		→ municipality_change_raw
INTEGER	candidate_count		
TEXT	old_lg_code		
TEXT	new_lg_code		→ municipality
INTEGER	is_unique_match		
TEXT	edge_id	PK	
TEXT	source_snapshot_id		

region_key + 国籍 + 性別

region_key

census_population_raw　人口 原表			
TEXT	table_id	PK	
INTEGER	row_ordinal	PK	
TEXT	area_level_raw		
TEXT	pref_2000_raw		
TEXT	area_code_2000_raw		
TEXT	year_2000_raw		
TEXT	pref_2025_raw		
TEXT	area_code_2025_raw		
TEXT	area_name_raw		
TEXT	population_total_raw		
TEXT	population_male_raw		
TEXT	population_female_raw		
TEXT	population_2020_rebased_raw		
TEXT	population_change_5y_raw		
TEXT	population_change_rate_5y_raw		
TEXT	sex_ratio_raw		
TEXT	households_total_raw		
TEXT	households_general_raw		
TEXT	households_institutional_raw		
TEXT	households_2020_rebased_raw		
TEXT	households_change_5y_raw		
TEXT	households_change_rate_5y_raw		
TEXT	household_members_total_raw		
TEXT	household_members_general_raw		
TEXT	household_members_institutional_raw		
TEXT	region_key		→ census_population_age_summary
TEXT	source_snapshot_id		

census_population_age　年齢別人口			
INTEGER	census_year	PK	
TEXT	region_key	PK	→ census_population_age_summary
TEXT	lg_code	FK	→ municipality
TEXT	area_level_raw		
TEXT	pref_2000_raw		
TEXT	area_code_2000_raw		
TEXT	year_2000_raw		
TEXT	pref_2025_raw		
TEXT	area_code_2025_raw		
TEXT	area_name_raw		
TEXT	nationality_raw	PK	→ census_population_age_summary
TEXT	sex_raw	PK	→ census_population_age_summary
TEXT	age_class_raw	PK	
INTEGER	population		
TEXT	population_raw		
TEXT	valid_from		
TEXT	source_snapshot_id		

jpac 2.2.0+data-2026-10-15　来歴　（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）

match_run　照合の実行		
TEXT	match_run_id	PK
TEXT	started_at	
TEXT	matching_rule_version	
TEXT	normalization_profile_version	
TEXT	code_version	

source_snapshot　取得した元データ		
TEXT	source_snapshot_id	PK
TEXT	provider	
TEXT	dataset_name	
TEXT	source_page_url	
TEXT	download_url	
TEXT	license_name	
TEXT	license_url	
TEXT	license_text_sha256	
TEXT	source_version	
TEXT	published_at	
TEXT	edition_origin	
TEXT	downloaded_at	
TEXT	etag	
TEXT	last_modified	
TEXT	sha256	
INTEGER	file_size	
INTEGER	row_count	
TEXT	schema_fingerprint	
TEXT	parser_version	
TEXT	resolved_via	
TEXT	status	

match_run_id


source_snapshot_id

source_snapshot_id

match_run_input　実行が読んだ元データ			
TEXT	match_run_id	FK	→ match_run
TEXT	source_snapshot_id		→ source_snapshot
TEXT	role		

snapshot_license_artifact　規約の照合記録		
TEXT	artifact_id	
TEXT	source	
TEXT	role	
TEXT	license_name	
TEXT	license_url	
TEXT	text_sha256	
TEXT	baseline_sha256	
TEXT	reviewed_on	
TEXT	review_decision	
TEXT	note	
TEXT	source_snapshot_id	→ source_snapshot

jpac 2.2.0+data-2026-10-15　座標（別アセット jp_address_crosswalk_points.zip。SQLite には無い）（実線 = 宣言された FOREIGN KEY ／ 点線 = 宣言のない結合）
n02_station　駅（N02 駅グループ）（→ p.5 駅・路線・バス停）
TEXT
n02_group_code
PK
p11_bus_stop　バス停（P11）（→ p.5 駅・路線・バス停）
TEXT
p11_stop_id
PK
source_snapshot　取得した元データ（→ p.7 来歴）
TEXT
source_snapshot_id
PK
mext_school　学校（文部科学省 学校コード）（→ p.9 学校（文部科学省 学校コード））
TEXT
school_code
PK
n02_group_code（1対1）
p11_stop_id（1対1）
source_snapshot_id
source_snapshot_id
source_snapshot_id
school_code（キャンパスごと）
station_point　駅の代表点（座標アセット）
TEXT
n02_group_code
PK
→ n02_station
TEXT
station_name_raw
TEXT
operator_name_raw
REAL
longitude
REAL
latitude
TEXT
placement_point
TEXT
source_snapshot_id
→ source_snapshot
bus_stop_point　バス停の点（座標アセット）
TEXT
p11_stop_id
PK
→ p11_bus_stop
TEXT
stop_name_raw
TEXT
operator_name_raw
REAL
longitude
REAL
latitude
TEXT
source_snapshot_id
→ source_snapshot
school_point　学校の点（座標アセット、P29）
TEXT
school_code
PK
→ mext_school
TEXT
campus_code
PK
TEXT
school_name_raw
TEXT
campus_note_raw
TEXT
p29_admin_code
TEXT
closed_code_raw
REAL
longitude
REAL
latitude
TEXT
source_snapshot_id
→ source_snapshot


municipality　市区町村（→ p.2 住所（ABR 町字）と市区町村）
TEXT lg_code PK
address_entity　町字の実体・ID 台帳（→ p.2 住所（ABR 町字）と市区町村）
TEXT address_id PK
mext_school　学校（文部科学省 学校コード）
TEXT school_code PK
TEXT school_type_code
TEXT school_type_name
TEXT pref_code
TEXT founder_code
TEXT founder_name
TEXT branch_code
TEXT branch_name
TEXT school_name_raw
TEXT address_raw
TEXT postal_code_raw
TEXT attribute_set_date
TEXT attribute_abolished_date
TEXT old_survey_number_raw
TEXT successor_school_codes_raw
INTEGER is_active
INTEGER check_digit_valid
TEXT source_snapshot_id
lg_code
address_id
school_code
school_code（廃止した学校）
successor_school_code（一覧に無いことがある）
bridge_school_address　学校 ↔ 町字・市区町村
TEXT school_code FK → mext_school
TEXT address_id FK → address_entity
TEXT lg_code FK → municipality
TEXT relation_type
TEXT match_method
TEXT matched_town_name
REAL confidence
INTEGER candidate_count
INTEGER is_unique_match
TEXT postal_check
TEXT verification_status
TEXT mismatch_note
TEXT source_snapshot_id
mext_school_succession　学校の移行（廃止 → 移行後）
TEXT school_code PK → mext_school
TEXT successor_school_code PK → mext_school
INTEGER successor_listed
TEXT source_snapshot_id