

Ghidra - 961264-10.2764.u31

```
//
// ram
// ram:0000-ram:1fff
//

*****
*                               *
*                               *
*****

thunk undefined RST0()
Thunked-Function: terminal_boot_sequence
undefined <UNASSIGNED> <RETURN>
RST0 XREF[1]: Entry Point(*)

ram:0000 f3 DI
| Address Range | Size | Mapped Chip | ROM/RAM...
|-----|-----|-----|-----|
| 0000-1FFF | 8 KB | `_u31` | ROM ...
| 2000-3FFF | 8 KB | `_u32` | ROM ...
| 4000-47FF | 2 KB | `_u33` | ROM ...
| 4800-4FFF | 2 KB | `_u34` | ROM ...
| 5000-57FF | 2 KB | `_u35` | ROM ...
| 5800-5FFF | 2 KB | `_u38` | RAM ...
| 6000-7FFF | 8 KB | `_displayMemory` or `_u43` | RAM / E...

ram:0001 c3 e9 01 JMP terminal_boot_sequence undefinedterminal_boot_sequence()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:0004 00 NOP
ram:0005 00 NOP
ram:0006 00 NOP
ram:0007 00 NOP

RST1
ram:0008 f3 DI
ram:0009 e5 PUSH HL
ram:000a 2a 10 5c LHLD (ISR_RETURN_ADDRESS) = ??
ram:000d e3 XTHL
ram:000e c9 RET
ram:000f 00 NOP

RST2
ram:0010 fb EI
ram:0011 c9 RET
ram:0012 00 NOP
ram:0013 00 NOP
ram:0014 00 NOP
ram:0015 00 NOP
ram:0016 00 NOP
ram:0017 00 NOP

RST3
ram:0018 fb EI
ram:0019 c9 RET
ram:001a 00 NOP
ram:001b 00 NOP
ram:001c 00 NOP
ram:001d 00 NOP
ram:001e 00 NOP
ram:001f 00 NOP

RST4
ram:0020 f3 DI
ram:0021 c3 95 02 JMP host_serial_interrupt_handler undefinedhost_serial_interrupt_...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

TRAP
ram:0024 c3 06 04 JMP power_fail_interrupt_handler undefinedpower_fail_interrupt_h...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0027 00 NOP

RST5
ram:0028 f3 DI
ram:0029 c3 95 02 JMP host_serial_interrupt_handler undefinedhost_serial_interrupt_...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

RST5.5
ram:002c f3 DI
ram:002d c3 43 04 JMP keyboard_interrupt_handler undefinedkeyboard_interrupt_han...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

RST6
ram:0030 f3 DI
ram:0031 c3 8e 04 JMP printer_interrupt_handler undefinedprinter_interrupt_hand...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

RST6.5
ram:0034 f3 DI
```

Ghidra - 961264-10.2764.u31

```

ram:0035 c3 3d 04      JMP          ISR_RST_6.5                      undefined ISR_RST_6.5()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

RST7
ram:0038 fb          EI
ram:0039 c9          RET
ram:003a 00          NOP
ram:003b 00          NOP

ISR_VSYNC_RST7_5
ram:003c f3          DI
ram:003d c3 2c 05      JMP          vsync_interrupt_handler                undefined vsync_interrupt_handle...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined thunk_FUN_ram_1476()
Thunked-Function: FUN_ram_1476
undefined          <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1476                                XREF[1]:    ram:29b9(c)
ram:0040 c3 76 14      JMP          FUN_ram_1476                    undefined FUN_ram_1476()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined thunk_FUN_ram_1489()
Thunked-Function: FUN_ram_1489
undefined          <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1489                                XREF[1]:    ram:29b3(c)
ram:0043 c3 89 14      JMP          FUN_ram_1489                    undefined FUN_ram_1489()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined thunk_FUN_ram_1498()
Thunked-Function: FUN_ram_1498
undefined          <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1498                                XREF[2]:    FUN_ram_25b4:26e8(c),
ram:0046 c3 98 14      JMP          FUN_ram_1498                    FUN_ram_25b4:276b(c)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined thunk_FUN_ram_14a6()
Thunked-Function: FUN_ram_14a6
undefined          <UNASSIGNED>  <RETURN>
thunk_FUN_ram_14a6                                XREF[2]:    FUN_ram_25b4:25d7(c),
ram:0049 c3 a6 14      JMP          FUN_ram_14a6                    FUN_ram_25b4:267b(c)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined check_display_attribute_port()
Thunked-Function: check_display_attribute...
undefined          <UNASSIGNED>  <RETURN>
check_display_attribute_port                      XREF[5]:    set_attribute_processing_mode:22,
ram:004c c3 28 10      JMP          check_display_attribute_port    ram:29f8(c), ram:2c1b(c),
set_display_attribute_bit:37a4c...
FUN_ram_3fe2:3fec(c)

*****
*                      THUNK FUNCTION                          *
*****
thunk undefined thunk_FUN_ram_1035()
Thunked-Function: FUN_ram_1035
undefined          <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1035                                XREF[3]:    ram:35fd(c),
FUN_ram_3607:361a(c),
FUN_ram_3fe2:3fe9(c)
ram:004f c3 35 10      JMP          FUN_ram_1035
ram:0052 c3 52 10      JMP          FUN_ram_1052                    undefined FUN_ram_1052()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1061()
  Thunked-Function: FUN_ram_1061
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1061                                XREF[3]:  FUN_ram_25b4:2732(c),
                                                    ram:2a13(c),
                                                    check_auto_wrap_condition:36a1(c)

ram:0055 c3 61 10      JMP      FUN_ram_1061                                undefined FUN_ram_1061()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0058 c3 6e 10      JMP      wait_for_hardware_ready_bit2                undefinedwait_for_hardware_read..
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1074()
  Thunked-Function: FUN_ram_1074
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1074                                XREF[1]:  FUN_ram_25b4:25ed(c)
                                                    undefined FUN_ram_1074()
ram:005b c3 74 10      JMP      FUN_ram_1074                                undefined FUN_ram_1074()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:005e c3 7a 10      JMP      check_hardware_ready_bit2                undefinedcheck_hardware_ready_b...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0061 c3 80 10      JMP      FUN_ram_1080                                undefinedFUN_ram_1080()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined send_keyboard_init_command()
  Thunked-Function: write_to_keyboard_retu..
undefined  ⚠️<UNASSIGNED>  <RETURN>
send_keyboard_init_command                        XREF[6]:  FUN_ram_25b4:25fb(c),
                                                    FUN_ram_25b4:277c(c),
                                                    FUN_ram_25b4:2787(c),
                                                    FUN_ram_25b4:2883(c),
                                                    FUN_ram_35f4:35f4(c),
                                                    FUN_ram_40c4:40c4(c)
ram:0064 c3 11 10      JMP      write_to_keyboard_return_carry_if_busy        undefinedwrite_to_keyboard_retu...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined setup_cursor_position()
  Thunked-Function: setup_cursor_position
undefined  ⚠️<UNASSIGNED>  <RETURN>
setup_cursor_position                            XREF[2]:  ram:2ca7(c), ram:31d8(c)
ram:0067 c3 43 13      JMP      setup_cursor_position                undefinedsetup_cursor_position()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_134c()
  Thunked-Function: FUN_ram_134c
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_134c                                XREF[6]:  ram:29bf(c), ram:2adc(c),
                                                    ram:31c2(c),
                                                    FUN_ram_362c:3671(c),
                                                    write_character_with_cursor_wrap..
                                                    FUN_ram_41c0:41ff(c)
ram:006a c3 4c 13      JMP      FUN_ram_134c                                undefined FUN_ram_134c()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:006d c3 59 13      JMP      FUN_ram_1359                                undefined FUN_ram_1359()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0070 c3 60 13      JMP      FUN_ram_1360                                undefined FUN_ram_1360()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1376()
  Thunked-Function: FUN_ram_1376
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1376                                XREF[4]:  FUN_ram_362c:3647(c),
                                                    FUN_ram_4230:4237(j),
                                                    FUN_ram_4230:424f(c),
                                                    FUN_ram_4230:425a(c)
ram:0073 c3 76 13      JMP      FUN_ram_1376                                undefined FUN_ram_1376()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               THUNK FUNCTION                               *
*****
thunk void __stdcall advance_cursor_position(void)
    Thunked-Function: increase_cursor_character..
void    <VOID>    <RETURN>
advance_cursor_position    XREF[9]:    FUN_ram_25b4:260(c),
                                     ram:29db(c), ram:2a66(c),
                                     ram:2ae4(c), ram:2ed1(c),
                                     FUN_ram_362c:3640(c),
                                     FUN_ram_362c:3643(c),
                                     write_character_with_cursor_wrap..
                                     FUN_ram_36e9:3747(c)

ram:0076 c3 82 13    JMP    increase_cursor_character    voidincrease_cursor_character(v...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0079 c3 ad 13    JMP    FUN_ram_13ad    undefined FUN_ram_13ad()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:007c c3 b4 13    JMP    FUN_ram_13b4    undefined FUN_ram_13b4()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_13ca()
    Thunked-Function: FUN_ram_13ca
undefined    ⚠<UNASSIGNED>    <RETURN>
thunk_FUN_ram_13ca    XREF[3]:    ram:2a24(c), ram:2a3d(c),
                                     FUN_ram_4230:4232(j)
                                     undefined FUN_ram_13ca()

ram:007f c3 ca 13    JMP    FUN_ram_13ca
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_13d6()
    Thunked-Function: FUN_ram_13d6
undefined    ⚠<UNASSIGNED>    <RETURN>
thunk_FUN_ram_13d6    XREF[3]:    ram:2a31(c), ram:2a3a(c),
                                     ram:2a4a(c)
                                     undefined FUN_ram_13d6()

ram:0082 c3 d6 13    JMP    FUN_ram_13d6
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0085 c3 07 14    JMP    FUN_ram_1407    undefined FUN_ram_1407()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_13fd()
    Thunked-Function: FUN_ram_13fd
undefined    ⚠<UNASSIGNED>    <RETURN>
thunk_FUN_ram_13fd    XREF[1]:    ram:2c9b(c)
                                     undefined FUN_ram_13fd()

ram:0088 c3 fd 13    JMP    FUN_ram_13fd
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:008b c3 33 14    JMP    FUN_ram_1433    undefined FUN_ram_1433()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1429()
    Thunked-Function: FUN_ram_1429
undefined    ⚠<UNASSIGNED>    <RETURN>
thunk_FUN_ram_1429    XREF[2]:    ram:2aa4(c), ram:2abd(c)
                                     undefined FUN_ram_1429()

ram:008e c3 29 14    JMP    FUN_ram_1429
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1452()
    Thunked-Function: FUN_ram_1452
undefined    ⚠<UNASSIGNED>    <RETURN>
thunk_FUN_ram_1452    XREF[4]:    FUN_ram_25b4:2670(c),
                                     FUN_ram_25b4:2678(c),
                                     FUN_ram_2857:285a(c),
                                     FUN_ram_2864:2869(c)
                                     undefined FUN_ram_1452()

ram:0091 c3 52 14    JMP    FUN_ram_1452
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
thunk undefined update_cursor_addresses()
  Thunked-Function: update_cursor_addresses
undefined  <UNASSIGNED>  <RETURN>
update_cursor_addresses      XREF[29]:  ram:2a60(c), ram:2a88(c),
                                     ram:2a9b(c), ram:2bf2(c),
                                     ram:2c07(c), ram:2d2f(c),
                                     ram:2d38(c), ram:3152(c),
                                     ram:319c(c), ram:31b4(c),
                                     ram:324f(c),
                                     FUN_ram_362c:365f(c),
                                     FUN_ram_370b:3715(c),
                                     FUN_ram_3728:3735(c),
                                     FUN_ram_36e9:3751(c),
                                     FUN_ram_4167:416b(c),
                                     FUN_ram_4170:4174(c),
                                     FUN_ram_41c0:41c9(c),
                                     FUN_ram_41c0:41d5(c),
                                     FUN_ram_41c0:4209(c), [more]

ram:0094 c3 5c 14      JMP      update_cursor_addresses

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1472()
  Thunked-Function: FUN_ram_1472
undefined  <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1472      XREF[30]:  FUN_ram_25b4:264c(c),
                                     FUN_ram_25b4:2673(c),
                                     ram:29c2(c), ram:2a5b(c),
                                     ram:2a81(c), ram:2a8e(c),
                                     FUN_ram_2b4c:2b6b(c),
                                     ram:2cee(c), ram:2d25(c),
                                     ram:300f(c), ram:3107(c),
                                     ram:3155(c), ram:326b(c),
                                     FUN_ram_362c:3637(c),
                                     FUN_ram_362c:3650(c),
                                     check_auto_wrap_condition:3694(c),
                                     FUN_ram_36d1:36d7(c),
                                     FUN_ram_36e9:36ef(c),
                                     FUN_ram_36e9:373e(c),
                                     FUN_ram_41b3:41b6(c), [more]
                                     undefined FUN_ram_1472()

ram:0097 c3 72 14      JMP      FUN_ram_1472
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1605()
  Thunked-Function: FUN_ram_1605
undefined  <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1605      XREF[1]:  FUN_ram_41c0:41dd(c)
ram:009a c3 05 16      JMP      FUN_ram_1605      undefined FUN_ram_1605()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_15d9()
  Thunked-Function: FUN_ram_15d9
undefined  <UNASSIGNED>  <RETURN>
thunk_FUN_ram_15d9      XREF[2]:  main_character_processor:2193(c),
                                     FUN_ram_2b4c:2b64(c)
ram:009d c3 d9 15      JMP      FUN_ram_15d9      undefined FUN_ram_15d9()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_15b8()
  Thunked-Function: FUN_ram_15b8
undefined  <UNASSIGNED>  <RETURN>
thunk_FUN_ram_15b8      XREF[1]:  ram:2f08(c)
ram:00a0 c3 b8 15      JMP      FUN_ram_15b8      undefined FUN_ram_15b8()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1596()
  Thunked-Function: FUN_ram_1596
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1596                                XREF[22]:  setup_display_mode_handlers:2202,
                                                    FUN_ram_25b4:25de(c),
                                                    FUN_ram_27fd:2812(c),
                                                    FUN_ram_27fd:2819(c),
                                                    FUN_ram_25b4:2878(c),
                                                    ram:2b02(c), ram:2bbf(c),
                                                    ram:2d0e(c), ram:2f18(c),
                                                    ram:2f1e(c), ram:2f2c(c),
                                                    ram:302c(c), ram:3091(c),
                                                    ram:309c(c), ram:30d1(c),
                                                    ram:30f8(c), ram:32df(c),
                                                    ram:3555(c),
                                                    write_character_with_cursor_wrap,
                                                    FUN_ram_36e9:36ff(c), [more]
                                                    undefined FUN_ram_1596()

ram:00a3 c3 96 15      JMP      FUN_ram_1596
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_15a5()
  Thunked-Function: FUN_ram_15a5
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_15a5                                XREF[11]:  FUN_ram_25b4:2768(c),
                                                    ram:2f15(c), ram:2f32(c),
                                                    ram:3056(c), ram:3094(c),
                                                    ram:30a2(c), ram:3506(c),
                                                    ram:3563(c),
                                                    FUN_ram_36e9:3702(c),
                                                    initialize_terminal_display_mode,
                                                    FUN_ram_41c0:41e0(c)
                                                    undefined FUN_ram_15a5()

ram:00a6 c3 a5 15      JMP      FUN_ram_15a5
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk void write_char_to_video_memory(void)
  Thunked-Function: write_to_display
void        <VOID>      <RETURN>
write_char_to_video_memory                        XREF[9]:  FUN_ram_25b4:2609(c),
                                                    FUN_ram_2b4c:2b5f(c),
                                                    ram:2ece(c),
                                                    FUN_ram_3629:3629(c),
                                                    write_character_with_cursor_wrap,
                                                    FUN_ram_41c0:41eb(c),
                                                    FUN_ram_41c0:41f6(c),
                                                    FUN_ram_4230:4249(c),
                                                    FUN_ram_4230:4254(c)
                                                    voidwrite_to_display(void)

ram:00a9 c3 59 16      JMP      write_to_display
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined display_string_until_control_char()
  Thunked-Function: write_string
undefined  ⚠️<UNASSIGNED>  <RETURN>
display_string_until_control_char                XREF[1]:  FUN_ram_41c0:420f(c)
                                                    undefined write_string()

ram:00ac c3 7f 16      JMP      write_string
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00af c3 3d 16      JMP      FUN_ram_163d
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_0fbd()
  Thunked-Function: FUN_ram_0fbd
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_0fbd                                XREF[1]:  FUN_ram_3f97:3fa2(c)

ram:00b2 c3 bd 0f      JMP      FUN_ram_0fbd
ram:00b5 c3 e4 0f      JMP      FUN_ram_0fe4
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00b8 c3 f0 0f      JMP      FUN_ram_0ff0
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
thunk undefined check_mem_5dbd_and_5d9d_return_val_in_A...
Thunked-Function: check_mem_5dbd_and_5d9d..
undefined   <UNASSIGNED> <RETURN>
check_mem_5dbd_and_5d9d_return_val_in_A      XREF[8]:    main_character_processor:213f(c),
                                                FUN_ram_25b4:25f3(c),
                                                FUN_ram_25b4:2603(c),
                                                FUN_ram_25b4:267e(c),
                                                FUN_ram_25b4:2796(c),
                                                FUN_ram_25b4:2886(c),
                                                ram:2ee9(c),
                                                FUN_ram_41c0:421a(c)

ram:00bb c3 fb 0f      JMP      check_mem_5dbd_and_5d9d_return_val_in_A      undefinedcheck_mem_5dbd_and_5d9d..
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined transmit_to_host_serial(void)
Thunked-Function: keyboard_to_host_transm..
undefined   <UNASSIGNED> <RETURN>
transmit_to_host_serial      XREF[1]:    main_character_processor:20d7(c)
ram:00be c3 3c 0f      JMP      keyboard_to_host_transmission      undefinedkeyboard_to_host_trans...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00c1 c3 ac 0f      JMP      FUN_ram_0fac      undefinedFUN_ram_0fac()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00c4 c3 1c 0f      JMP      configure_host_tx_register      undefinedconfigure_host_tx_regi...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00c7 c3 92 0f      JMP      send_data_to_printer      undefinedsend_data_to_printer()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_0ed4()
Thunked-Function: FUN_ram_0ed4
undefined   <UNASSIGNED> <RETURN>
thunk_FUN_ram_0ed4      XREF[1]:    terminal_character_output:2573c..
ram:00ca c3 d4 0e      JMP      FUN_ram_0ed4      undefinedFUN_ram_0ed4()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00cd c3 b6 0e      JMP      FUN_ram_0eb6      undefinedFUN_ram_0eb6()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_0e0c()
Thunked-Function: FUN_ram_0e0c
undefined   <UNASSIGNED> <RETURN>
thunk_FUN_ram_0e0c      XREF[1]:    control_character_handler:232@c..
ram:00d0 c3 0c 0e      JMP      FUN_ram_0e0c      undefinedFUN_ram_0e0c()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_0df1()
Thunked-Function: FUN_ram_0df1
undefined   <UNASSIGNED> <RETURN>
thunk_FUN_ram_0df1      XREF[1]:    control_character_handler:232h(c..
ram:00d3 c3 f1 0d      JMP      FUN_ram_0df1      undefinedFUN_ram_0df1()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00d6 c3 48 0e      JMP      FUN_ram_0e48      undefinedFUN_ram_0e48()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00d9 c3 5d 0e      JMP      FUN_ram_0e5d      undefinedFUN_ram_0e5d()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined set_host_port_status()
Thunked-Function: SetChannelA_Status
undefined   <UNASSIGNED> <RETURN>
set_host_port_status      XREF[1]:    FUN_ram_403c:4057(c)
ram:00dc c3 8c 0e      JMP      SetChannelA_Status      undefinedSetChannelA_Status()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

Ghidra - 961264-10.2764.u31

```

*****
*                               *
*****
thunk undefined thunk_FUN_ram_0d6b()
  Thunked-Function: FUN_ram_0d6b
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_0d6b                                XREF[1]:  FUN_ram_403c:40aa(c)
ram:00df c3 6b 0d      JMP      FUN_ram_0d6b                                undefined FUN_ram_0d6b()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00e2 c3 b5 14      JMP      wait_display_refresh_cycles                voidwait_display_refresh_cycles..
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00e5 c3 ce 14      JMP      FUN_ram_14ce                                undefined FUN_ram_14ce()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00e8 c3 eb 14      JMP      FUN_ram_14eb                                undefined FUN_ram_14eb()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00eb c3 04 15      JMP      FUN_ram_1504                                undefined FUN_ram_1504()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00ee c3 68 15      JMP      FUN_ram_1568                                undefined FUN_ram_1568()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00f1 c3 17 15      JMP      FUN_ram_1517                                undefined FUN_ram_1517()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1571()
  Thunked-Function: FUN_ram_1571
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1571                                XREF[1]:  FUN_ram_36a5:36ac(c)
ram:00f4 c3 71 15      JMP      FUN_ram_1571                                undefined FUN_ram_1571()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_152a()
  Thunked-Function: FUN_ram_152a
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_152a                                XREF[2]:  write_character_with_cursor_wrap,
                                                FUN_ram_36a5:36a9(c)
ram:00f7 c3 2a 15      JMP      FUN_ram_152a                                undefined FUN_ram_152a()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00fa c3 79 15      JMP      FUN_ram_1579                                undefined FUN_ram_1579()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:00fd c3 4b 15      JMP      FUN_ram_154b                                undefined FUN_ram_154b()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1589()
  Thunked-Function: FUN_ram_1589
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1589                                XREF[1]:  ram:2c39(c)
ram:0100 c3 89 15      JMP      FUN_ram_1589                                undefined FUN_ram_1589()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_155b()
  Thunked-Function: FUN_ram_155b
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_155b                                XREF[1]:  ram:2c36(c)
ram:0103 c3 5b 15      JMP      FUN_ram_155b                                undefined FUN_ram_155b()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1726()
  Thunked-Function: FUN_ram_1726
undefined  ⚠️<UNASSIGNED>  <RETURN>
thunk_FUN_ram_1726                                XREF[3]:  FUN_ram_25b4:2873(c),
                                                ram:29cd(c), ram:3240(c)
ram:0106 c3 26 17      JMP      FUN_ram_1726                                undefined FUN_ram_1726()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```



```

*****
*                               *
*****
thunk undefined clear_display_memory_range()
  Thunked-Function: clear_display_memory_ra..
undefined   <UNASSIGNED>  <RETURN>
clear_display_memory_range                                XREF[7]:    FUN_ram_25b4:25da(c),
                                                             FUN_ram_25b4:2765(c),
                                                             ram:2c65(c), ram:3249(c),
                                                             ram:3503(c),
                                                             FUN_ram_41c0:41c3(c),
                                                             FUN_ram_41c0:425d(c)
                                                             undefinedclear_display_memory_r...

ram:0109 c3 52 17      JMP      clear_display_memory_range
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1778()
  Thunked-Function: FUN_ram_1778
undefined   <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1778                                XREF[6]:    ram:3138(c), ram:314b(c),
                                                             ram:317f(c), ram:31ae(c),
                                                             ram:31d1(c),
                                                             cursor_movement_handler:3224(c)
                                                             undefinedFUN_ram_1778()

ram:010c c3 78 17      JMP      FUN_ram_1778
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:010f c3 9e 16      JMP      FUN_ram_169e
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0112 c3 a1 18      JMP      FUN_ram_18a1
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_17a3()
  Thunked-Function: FUN_ram_17a3
undefined   <UNASSIGNED>  <RETURN>
thunk_FUN_ram_17a3                                XREF[1]:    ram:32c4(c)
                                                             undefinedFUN_ram_17a3()

ram:0115 c3 a3 17      JMP      FUN_ram_17a3
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0118 c3 e6 17      JMP      FUN_ram_17e6
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1816()
  Thunked-Function: FUN_ram_1816
undefined   <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1816                                XREF[1]:    ram:32ca(c)
                                                             undefinedFUN_ram_1816()

ram:011b c3 16 18      JMP      FUN_ram_1816
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:011e c3 2a 18      JMP      FUN_ram_182a
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined save_config_to_nvram()
  Thunked-Function: write_to_nvram
undefined   <UNASSIGNED>  <RETURN>
save_config_to_nvram                                XREF[5]:    terminal_main_loop:208a(c),
                                                             FUN_ram_37bb:380b(c),
                                                             FUN_ram_3820:3832(c),
                                                             FUN_ram_3820:3837(c),
                                                             ram:4114(c)
                                                             undefinedwrite_to_nvram()

ram:0121 c3 ef 11      JMP      write_to_nvram
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined thunk_FUN_ram_1221()
  Thunked-Function: FUN_ram_1221
undefined   <UNASSIGNED>  <RETURN>
thunk_FUN_ram_1221                                XREF[4]:    FUN_ram_3820:3826(c),
                                                             FUN_ram_3820:383c(c),
                                                             FUN_ram_3820:3844(c),
                                                             FUN_ram_40cb:40ee(c)
                                                             undefinedFUN_ram_1221()

ram:0124 c3 21 12      JMP      FUN_ram_1221
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0127 c3 cf 08      JMP      setup_serial_and_display_ports
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

Ghidra - 961264-10.2764.u31

```

ram:012a c3 e7 16      JMP      FUN_ram_16e7              undefined FUN_ram_16e7()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:012d c3 16 14      JMP      FUN_ram_1416              undefined FUN_ram_1416()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:0130 c3 3f 14      JMP      FUN_ram_143f              undefined FUN_ram_143f()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined disable_cha_rx()
  Thunked-Function: disable_cha_rx
undefined           <UNASSIGNED> <RETURN>
disable_cha_rx      XREF[1]:  FUN_ram_403c:404b(c)
ram:0133 c3 b5 0d      JMP      disable_cha_rx              undefined disable_cha_rx()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined update_chA_reg3_Rx_maybe()
  Thunked-Function: update_chA_reg3_Rx_maybe
undefined           <UNASSIGNED> <RETURN>
update_chA_reg3_Rx_maybe      XREF[1]:  FUN_ram_403c:4051(c)
ram:0136 c3 c8 0d      JMP      update_chA_reg3_Rx_maybe      undefined update_chA_reg3_Rx_may...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined configure_z80sio_channels()
  Thunked-Function: setup_serial_channel_A...
undefined           <UNASSIGNED> <RETURN>
configure_z80sio_channels      XREF[1]:  FUN_ram_25b4:27b4(c)
ram:0139 c3 13 09      JMP      setup_serial_channel_A_and_B      undefined setup_serial_channel_A...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined di_push_all()
  Thunked-Function: di_push_all
undefined           <UNASSIGNED> <RETURN>
di_push_all          XREF[2]:  FUN_ram_25b4:25bd(c),
ram:013c c3 99 09      JMP      di_push_all              FUN_ram_25b4:27b1(c)
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)      undefined di_push_all()

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined something_write_controlport2()
  Thunked-Function: something_write_contro...
undefined           <UNASSIGNED> <RETURN>
something_write_controlport2      XREF[3]:  FUN_ram_25b4:2613(c),
ram:013f c3 dc 08      JMP      something_write_controlport2      FUN_ram_25b4:2799(c),
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)      ram:34e2(c)
      undefined something_write_contro...

*****
*                      THUNK FUNCTION                      *
*****
thunk undefined thunk_FUN_ram_1634()
  Thunked-Function: FUN_ram_1634
undefined           <UNASSIGNED> <RETURN>
thunk_FUN_ram_1634      XREF[16]:  main_character_processor:20fa(c),
      main_character_processor:213d(c),
      FUN_ram_2847:284f(c),
      ram:2f60(c), ram:2fa4(c),
      ram:30a5(c), ram:315e(c),
      cursor_movement_handler:31e9(c),
      cursor_movement_handler:31f9(c),
      ram:3275(c), ram:32fe(c),
      ram:330a(c), ram:3332(c),
      ram:336f(c),
      FUN_ram_3f18:3f2f(c),
      FUN_ram_3f18:3f4e(c)

ram:0142 c3 34 16      JMP      FUN_ram_1634

```

```

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1650()
  Thunked-Function: FUN_ram_1650
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_1650                                XREF[12]:  ram:29e2(c), ram:2f64(c),
                                                    ram:2f73(c), ram:2f97(c),
                                                    ram:2f9f(c), ram:2fa8(c),
                                                    ram:2fb2(c), ram:3030(c),
                                                    ram:305a(c), ram:30b0(c),
                                                    ram:30d5(c), ram:32e7(c)
                                                    undefined FUN_ram_1650()

ram:0145 c3 50 16      JMP      FUN_ram_1650
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_15af()
  Thunked-Function: FUN_ram_15af
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_15af                                XREF[4]:  ram:304d(c), ram:3078(c),
                                                    FUN_ram_36e9:36f2(c),
                                                    FUN_ram_3f18:3f20(c)

ram:0148 c3 af 15      JMP      FUN_ram_15af

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_15d0()
  Thunked-Function: FUN_ram_15d0
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_15d0                                XREF[1]:  main_character_processor:2109(c)
                                                    undefined FUN_ram_15d0()

ram:014b c3 d0 15      JMP      FUN_ram_15d0
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_15f5()
  Thunked-Function: FUN_ram_15f5
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_15f5                                XREF[6]:  FUN_ram_25b4:2655(c),
                                                    FUN_ram_25b4:266d(c),
                                                    ram:2c53(c), ram:2f5a(c),
                                                    ram:2fba(c),
                                                    FUN_ram_36a5:36c5(c)

ram:014e c3 f5 15      JMP      FUN_ram_15f5
ram:0151 c3 74 16      JMP      FUN_ram_1674                                undefined FUN_ram_1674()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:0154 c3 20 1f      JMP      FUN_ram_1f20                                undefined FUN_ram_1f20()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:0157 c3 e4 01      JMP      default_function_handler                undefined default_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined write_nvram_configuration()
  Thunked-Function: write_nvram_configurati..
undefined  ⚠️<UNASSIGNED> <RETURN>
write_nvram_configuration                        XREF[3]:  terminal_main_loop:2046(c),
                                                    FUN_ram_25b4:274b(c),
                                                    FUN_ram_37bb:37db(c)
                                                    undefined write_nvram_configurat...

ram:015a c3 a6 12      JMP      write_nvram_configuration
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_12f7()
  Thunked-Function: FUN_ram_12f7
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_12f7                                XREF[1]:  FUN_ram_25b4:273d(c)

ram:015d c3 f7 12      JMP      FUN_ram_12f7

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1a25()
  Thunked-Function: FUN_ram_1a25
undefined  ⚠️<UNASSIGNED> <RETURN>
thunk_FUN_ram_1a25                                XREF[1]:  FUN_ram_25b4:27e2(c)

ram:0160 c3 25 1a      JMP      FUN_ram_1a25

```

```

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1c62()
  Thunked-Function: FUN_ram_1c62
undefined  ⚠️<UNASSIGNED>  <RETURN>
ram:0163 c3 62 1c  thunk_FUN_ram_1c62                                XREF[1]:  FUN_ram_25b4:27ee(c)
                  JMP      FUN_ram_1c62

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1e2d()
  Thunked-Function: FUN_ram_1e2d
undefined  ⚠️<UNASSIGNED>  <RETURN>
ram:0166 c3 2d 1e  thunk_FUN_ram_1e2d                                XREF[1]:  ram:2e83(c)
                  JMP      FUN_ram_1e2d                                undefined FUN_ram_1e2d()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1e72()
  Thunked-Function: FUN_ram_1e72
undefined  ⚠️<UNASSIGNED>  <RETURN>
ram:0169 c3 72 1e  thunk_FUN_ram_1e72                                XREF[2]:  main_character_processor:2389(c),
                  JMP      FUN_ram_1e72                                ram:2e1d(c)
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:016c c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:016f c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0172 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0175 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0178 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:017b c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:017e c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0181 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0184 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0187 c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:018a c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:018d c3 e4 01  JMP      default_function_handler                undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:0190 c3 3c 19  JMP      FUN_ram_193c                                undefined FUN_ram_193c()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_195f()
  Thunked-Function: FUN_ram_195f
undefined  ⚠️<UNASSIGNED>  <RETURN>
ram:0193 c3 5f 19  thunk_FUN_ram_195f                                XREF[1]:  ram:33d5(c)
                  JMP      FUN_ram_195f                                undefined FUN_ram_195f()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1982()
  Thunked-Function: FUN_ram_1982
undefined  ⚠️<UNASSIGNED>  <RETURN>
ram:0196 c3 82 19  thunk_FUN_ram_1982                                XREF[1]:  ram:33c7(c)
                  JMP      FUN_ram_1982                                undefined FUN_ram_1982()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_19a6()
  Thunked-Function: FUN_ram_19a6
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:0199 c3 a6 19  JMP      FUN_ram_19a6      XREF[1]:  ram:33ce(c)
                                         undefined FUN_ram_19a6()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_19d1()
  Thunked-Function: FUN_ram_19d1
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:019c c3 d1 19  JMP      FUN_ram_19d1      XREF[1]:  ram:2cf7(c)
                                         undefined FUN_ram_19d1()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1a11()
  Thunked-Function: FUN_ram_1a11
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:019f c3 11 1a  JMP      FUN_ram_1a11      XREF[1]:  ram:2ef4(c)
                                         undefined FUN_ram_1a11()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1f2d()
  Thunked-Function: FUN_ram_1f2d
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:01a2 c3 2d 1f  JMP      FUN_ram_1f2d      XREF[4]:  FUN_ram_25b4:265d(c),
                                         FUN_ram_25b4:26e2(c),
                                         FUN_ram_27fd:2815(c),
                                         FUN_ram_2857:2860(c)
                                         undefined FUN_ram_1f2d()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined thunk_FUN_ram_1ef1()
  Thunked-Function: FUN_ram_1ef1
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:01a5 c3 f1 1e  JMP      FUN_ram_1ef1      XREF[2]:  FUN_ram_2864:286d(c),
                                         FUN_ram_41c0:41cf(c)
                                         undefined FUN_ram_1ef1()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01a8 c3 e4 01  JMP      default_function_handler  undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01ab c3 e4 01  JMP      default_function_handler  undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01ae c3 e4 01  JMP      default_function_handler  undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01b1 c3 3c 06  JMP      FUN_ram_063c      undefined FUN_ram_063c()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01b4 c3 54 06  JMP      FUN_ram_0654      undefined FUN_ram_0654()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01b7 c3 e4 01  JMP      default_function_handler  undefineddefault_function_handl...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               THUNK FUNCTION                               *
*****
thunk undefined display_decimal_number()
  Thunked-Function: display_decimal_number
undefined  ⚠️<UNASSIGNED> <RETURN>
ram:01ba c3 d9 06  JMP      display_decimal_number  XREF[1]:  FUN_ram_41c0:4213(c)
                                         undefineddisplay_decimal_number()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01bd c3 ff 06  JMP      display_error_code_custom_chars  undefineddisplay_error_code_cus...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01c0 c3 40 07  JMP      validate_hex_character  undefinedvalidate_hex_character()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01c3 c3 24 07  JMP      parse_hex_byte      undefinedparse_hex_byte()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
thunk undefined wait_vertical_sync()
Thunked-Function: wait_for_VSYNC
undefined  <UNASSIGNED>  <RETURN>
wait_vertical_sync      XREF[1]:  FUN_ram_25b4:278f(c)
ram:01c6 c3 ca 06      JMP      wait_for_VSYNC      undefined wait_for_VSYNC()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
thunk undefined check_D_eq_H()
Thunked-Function: check_D_eq_H
undefined  <UNASSIGNED>  <RETURN>
check_D_eq_H      XREF[4]:  terminal_main_loop:2013(c),
                           escape_sequence_parser:2305(c),
                           FUN_ram_37bb:37c9(c),
                           FUN_ram_3820:386b(c)
                           undefined check_D_eq_H()
ram:01c9 c3 6e 07      JMP      check_D_eq_H
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01cc c3 74 07      JMP      FUN_ram_0774      undefined FUN_ram_0774()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01cf c3 7a 07      JMP      FUN_ram_077a      undefined FUN_ram_077a()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01d2 c3 d8 0a      JMP      load_nvram_config      undefined load_nvram_config()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01d5 c3 e1 0a      JMP      test_nvram      undefined test_nvram()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01d8 c3 e8 0b      JMP      initialize_display_memory      undefined initialize_display_mem...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01db c3 38 0c      JMP      test_z80sio_ports      undefined test_z80sio_ports()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01de c3 f5 0c      JMP      test_keyboard_communication      undefined test_keyboard_communic...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:01e1 c3 cc 0b      JMP      FUN_ram_0bcc      undefined FUN_ram_0bcc()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined default_function_handler()
Thunked-Function: default_function_handler
undefined  <UNASSIGNED>  <RETURN>
default_function_handler      XREF[17]:  ram:0157(c), ram:016c(c),
                           ram:016f(c), ram:0172(c),
                           ram:0175(c), ram:0178(c),
                           ram:017b(c), ram:017e(c),
                           ram:0181(c), ram:0184(c),
                           ram:0187(c), ram:018a(c),
                           ram:018d(c), ram:01a8(c),
                           ram:01ab(c), ram:01ae(c),
                           ram:01b7(c)
ram:01e4 37          STC
ram:01e5 3f          CMC
ram:01e6 c9          RET
ram:01e7 00          NOP
ram:01e8 fd          ??      FDh

*****
*                               *
*****
undefined terminal_boot_sequence()
Thunked-Function: TDV 2215 Terminal Boot Sequence - Power-on self test and init...
terminal_boot_sequence      XREF[1]:  RST0:0000(T), RST0:0001(c)
ram:01e9 f3          DI
ram:01ea 3e 48      MVI      A,0x48
ram:01ec d3 50      OUT      (ControlPort1)      = ??
ram:01ee 3e df      MVI      A,0xdf
Initial delay loop - Allow hardware to stabilize after power-...
ram:01f0 d3 60      OUT      (out_ControlPort2_in_StatusPor...)      = ??
ram:01f2 d3 3e      OUT      (VDC.START_TIMING_CHAIN)      = ??
ram:01f4 d3 3a      OUT      (VDC.RESET)      = ??
ram:01f6 3e 6f      MVI      A,0x6f
ram:01f8 d3 30      OUT      (VDC.LOAD_CONTROL_REGISTER_0)      = ??
ram:01fa 3e 6f      MVI      A,0x6f
ram:01fc d3 31      OUT      (VDC.LOAD_CONTROL_REGISTER_3)      = ??
ram:01fe 3e 6d      MVI      A,0x6d
ram:0200 d3 32      OUT      (VDC.LOAD_CONTROL_REGISTER_3)      = ??
Check for presence of ROM at 0x8000 - Extended memory test
ram:0202 3e 18      MVI      A,0x18
ram:0204 d3 33      OUT      (VDC.LOAD_CONTROL_REGISTER_3)      = ??
ram:0206 3e 49      MVI      A,0x49

```

Ghidra - 961264-10.2764.u31

```

ram:0208 d3 34      OUT      (VDC_LOAD_CONTROL_REGISTER_4)      = ??
ram:020a 3e 20      MVI      A,0x20
ram:020c d3 35      OUT      (VDC_LOAD_CONTROL_REGISTER_5_Vertical_data_sta = ??
ram:020e 3e 18      MVI      A,0x18
ram:0210 d3 36      OUT      (VDC_LOAD_CONTROL_REGISTER_6)      = ??
ram:0212 97         SUB      A
ram:0213 d3 3c      OUT      (VDC_LOAD_CURSOR_CHARACTER_ADDRESS$) = ??
                Check system status word for cold boot vs warm boot
ram:0215 d3 3d      OUT      (VDC_LOAD_CURSOR_ROW_ADDRESS$)      = ??
ram:0217 d3 3e      OUT      (VDC_START_TIMING_CHAIN)             = ??
ram:0219 21 00 30   LXI      HL,0x3000                          Set loop counter = 0x3000 loops

                delay_loop
ram:021c 2b         DCX      HL
ram:021d 7d         MOV      A,L
ram:021e b4         ORA      H
ram:021f c2 1c 02   JNZ      delay_loop
                MAIN logic starts after the wait loop

ram:0222 31 ff 5f   LXI      SP,0x5fff
                Check if we have ROM in 0x8000
ram:0225 21 00 80   LXI      HL,0x8000
ram:0228 7e         MOV      A,(HL=>DAT_ram_8000)
ram:0229 23         INX      HL
ram:022a 86         ADD      (HL=>DAT_ram_8001)
ram:022b c2 37 02   JNZ      no_extra_ROM_in_0x8000
ram:022e d2 37 02   JNC      no_extra_ROM_in_0x8000
ram:0231 cd fd 07   CALL     initialize_system_variables          undefinedinitialize_system_vari...
                = ??
ram:0234 c3 02 80   JMP      LAB_ram_8002

                Display startup message and initialize keyboard
no_extra_ROM_in_0x8000
ram:0237 3e 03      MVI      A,0x3
ram:0239 d3 c0      OUT      (unknown_io_c0)                     = ??
ram:023b 2a 0c 5e   LHLD     (system_status_word)                   HL = RAM[5E0C]

ram:023e 7c         MOV      A,H
ram:023f 85         ADD      L
ram:0240 3f         CMC
ram:0241 c2 47 02   JNZ      LAB_ram_0247
ram:0244 d2 4a 02   JNC      LAB_ram_024a

LAB_ram_0247
ram:0247 cd ab 0a   CALL     hardware_power_on_test                  XREF[1]:      ram:0241(j)
                Call hardware_power_on_test - so...

                Hardware Power-On Test sequence begins - comprehensive hardwa...
LAB_ram_024a
ram:024a cd fd 07   CALL     initialize_system_variables          undefinedinitialize_system_vari...
                = ??
ram:024d f5         PUSH     AF=>boot_progress_marker            CRITICAL: Push error code to sta...
                This is where errors 0x51 ('Q') ...

ram:024e d2 61 02   JNC      maybe_no_error
ram:0251 21 8a 02   LXI      HL,0x28a
ram:0254 cd 7f 16   CALL     write_string
                Display "ERROR NO.:" string
ram:0257 f1         POP      AF=>boot_progress_marker            Get error code from stack into A...
ram:0258 f5         PUSH     AF=>boot_progress_marker            store A+PSW back to stack
ram:0259 cd ff 06   CALL     display_error_code_custom_chars                  Display error code: A=0x51 shows...
ram:025c 3e 18      MVI      A,0x18
ram:025e cd 11 10   CALL     write_to_keyboard_return_carry_if_busy        undefinedwrite_to_keyboard_retu...
                = ??

                maybe_no_error
ram:0261 21 80 80   LXI      HL,0x8080
ram:0264 22 0c 5e   SHLD     (system_status_word)                          Store LH/0x8080 to 0x5E0C,
ram:0267 21 00 20   LXI      HL,0x2000
ram:026a cd 7c 02   CALL     call_hardware_extension                            undefinedcall_hardware_extensio...
                = ??
ram:026d 21 00 c0   LXI      HL,0xc000
ram:0270 cd 7c 02   CALL     call_hardware_extension                            undefinedcall_hardware_extensio...
                = ??
ram:0273 21 86 02   LXI      HL,0x286
ram:0276 cd 7f 16   CALL     write_string
                Set pointer to "???"
                undefinedwrite_string()
                = ??

                loop_in_main
ram:0279 c3 79 02   JMP      loop_in_main
                XREF[1]:      ram:0279(j)

```

Ghidra - 961264-10.2764.u31

```

*****
*                               *
*****
undefined call hardware_extension()
byte      <UNASSIGNED> <RETURN>
          Stack[0x2]:1 in_stack_00000002
          call hardware_extension          XREF[2]: terminal_boot_sequence:026a(c),
                                           terminal_boot_sequence:0270(c)

ram:027c 7e      MOV      A, (HL)
ram:027d 23      INX      HL
ram:027e 86      ADD      (HL)
ram:027f c0      RNZ
ram:0280 d0      RNC
ram:0281 23      INX      HL
ram:0282 d1      POP      DE
ram:0283 f1      POP      AF
ram:0284 fb      EI
ram:0285 e9      PCHL          PC = HL (jump to HL+2 from inita...

error_unknown_fallback_string
ram:0286 3f 3f 3f 00 ds      "???"          Error code number is stored here

error_number_display_prefix
ram:028a 45 52 52 ds      "ERROR NO.:"
4f 52 20
4e 4f 2e ...

*****
*                               *
*****
undefined host_serial_interrupt_handler()
byte      <UNASSIGNED> <RETURN>
          host_serial_interrupt_handler    XREF[2]: ram:0021(c), ram:0029(c)

ram:0295 e5      PUSH     HL
ram:0296 21 21 5e LXI      HL,0x5e21
ram:0299 74      MOV      (HL=>interrupt_activity_flag),H    = ??
ram:029a 2a 14 5c LHLD     (RETURN_ADDRESS_ISR_SERIAL_pointer_to_0x29F Load HL from memory address 5c14
                                           h=0x02 l=0x9f
ram:029d e3      XTHL
ram:029e c9      RET          Exchange HL with SP
                                           RET TO 0x29F (next line)
ram:029f f5      PUSH     AF
ram:02a0 c5      PUSH     BC
ram:02a1 e5      PUSH     HL          The real PC for RET (saved for l...

ISR_Serial_line_update_UART_AB_Status    XREF[13]: ram:02ee(j), ram:033f(j),
                                           ram:034a(j), ram:0360(j),
                                           ram:036b(j), ram:037b(j),
                                           ram:039d(j), ram:03a8(j),
                                           ram:03b3(j), ram:03be(j),
                                           ram:03d3(j), ram:03e8(j),
                                           ram:03ff(j)

ram:02a2 97      SUB      A
ram:02a3 d3 01   OUT      (Channel_A_Command_Status)    = ??
ram:02a5 db 01   IN       (Channel_A_Command_Status)    = ??
ram:02a7 47      MOV      B,A
ram:02a8 e6 02   ANI      0x2          Bit 1 - Interrupt pending

ram:02aa ca d7 02 JZ      SIO2_ChaA_Return_From_Interrupt    Jump if no interrupt from Channe...
ram:02ad 3e 02   MVI      A,0x2
ram:02af d3 03   OUT      (Channel_B_Command_Status)    = ??
ram:02b1 db 03   IN       (Channel_B_Command_Status)    Read Channel B interrupt vector

ram:02b3 e6 0e   ANI      0xe
ram:02b5 fe 0c   CPI      0xc          C = 1100 (Vector 3 and Vector 2)
ram:02b7 ca e0 02 JZ      read_cha_data_and_B_DATA
ram:02ba fe 08   CPI      0x8          Vector 3
ram:02bc ca 6e 03 JZ      CH_B_Vector_3
ram:02bf fe 0e   CPI      0xe          E = 1110 (Vector 3,2 and 1)
ram:02c1 ca c1 03 JZ      CHB_Vector_3_2_1
ram:02c4 fe 04   CPI      0x4
ram:02c6 ca 58 03 JZ      CH_B_Vector_2
ram:02c9 a7      ANA      A
ram:02ca ca ab 03 JZ      LAB_ram_03ab
ram:02cd fe 06   CPI      0x6
ram:02cf ca d6 03 JZ      LAB_ram_03d6
ram:02d2 fe 0a   CPI      0xa
ram:02d4 ca eb 03 JZ      LAB_ram_03eb

SIO2_ChaA_Return_From_Interrupt          XREF[1]: ram:02aa(j)
ram:02d7 3e 38   MVI      A,0x38

```


Ghidra - 961264-10.2764.u31

```

0x38 = RETURN FROM INTERRUPT

SIO2: Write V:38 => A:0002 Register:Channel_A_Command
Z80SIO Channel A Reg 0 <- 0x56
Z80SIO Channel A Return from interrupt
ram:02d9 d3 01      OUT      (Channel_A_Command_Status)      = ??
ram:02db e1         POP      HL
ram:02dc c1         POP      BC
ram:02dd f1         POP      AF
ram:02de fb         EI
ram:02df c9         RET

read_cha_data_and_B_DATA                                XREF[1]:  ram:02b7(j)
ram:02e0 db 00      IN        (Channel_A_Data)
ram:02e2 47         MOV      B,A
ram:02e3 3a 1b 5e   LDA      (BYTE_ram_5e1b)                = ??
ram:02e6 a0         ANA      B
ram:02e7 2a 1e 5c   LHLD     (pointer_to_0x29e_1)           = ??
ram:02ea a7         ANA      A
ram:02eb cd 57 03   CALL     read_keyboard_data              undefinedread_keyboard_data()
ram:02ee da a2 02   JC      ISR_Serial_line_update_UART_AB_Status
ram:02f1 47         MOV      B,A
ram:02f2 3a 13 5f   LDA      (keyboard_transmission_enable) = ??
ram:02f5 a7         ANA      A
ram:02f6 ca 38 03   JZ      LAB_ram_0338
ram:02f9 3a 2e 5d   LDA      (keyboard_buffer_counted)      = ??
ram:02fc fe be     CPI      0xbe
ram:02fe c2 38 03   JNZ     LAB_ram_0338
ram:0301 3a 1d 5e   LDA      (keyboard_data_ready_flag)     = ??
ram:0304 a7         ANA      A
ram:0305 c2 38 03   JNZ     LAB_ram_0338
ram:0308 3e 13     MVI      A,0x13

LAB_ram_030a                                XREF[1]:  update_cursor_addresses:145d(*)
ram:030a cd 4d 03   CALL     read_keyboard_data_with_param   undefinedread_keyboard_data_wit...
ram:030d da 33 03   JC      LAB_ram_0333
ram:0310 4f         MOV      C,A
ram:0311 3a 24 5e   LDA      (some_variable_5e24)                = ??
ram:0314 a7         ANA      A
ram:0315 c2 38 03   JNZ     LAB_ram_0338
ram:0318 3a 51 5d   LDA      (serial_transmission_state)    = ??
ram:031b a7         ANA      A
ram:031c c2 2a 03   JNZ     LAB_ram_032a
ram:031f 79         MOV      A,C
ram:0320 d3 00     OUT      (Channel_A_Data)
ram:0322 3e 01     MVI      A,0x1
ram:0324 32 51 5d   STA      (serial_transmission_state)    = ??
LAB_ram_0327+1                                XREF[0,1]: update_cursor_addresses:145d(*)
ram:0327 c3 33 03   JMP      LAB_ram_0333

LAB_ram_032a                                XREF[1]:  ram:031c(j)
ram:032a fe 03     CPI      0x3
ram:032c ca 33 03   JZ      LAB_ram_0333
ram:032f 79         MOV      A,C
ram:0330 32 24 5e   STA      (some_variable_5e24)                = ??

LAB_ram_0333                                XREF[3]:  ram:030d(j), ram:0327(j),
ram:0333 3e 01     MVI      A,0x1                                ram:032c(j)
ram:0335 32 1d 5e   STA      (keyboard_data_ready_flag)     = ??

LAB_ram_0338                                XREF[4]:  ram:02f6(j), ram:02fe(j),
ram:0338 78         MOV      A,B                                ram:0305(j), ram:0315(j)
ram:0339 cd 07 11   CALL     FUN_ram_1107                      undefinedFUN_ram_1107()
ram:033c da 42 03   JC      LAB_ram_0342
ram:033f c3 a2 02   JMP     ISR_Serial_line_update_UART_AB_Status

LAB_ram_0342                                XREF[1]:  ram:033c(j)
ram:0342 2a 26 5c   LHLD     (pointer_to_0x29e_4)           = ??
ram:0345 3e 80     MVI      A,0x80
ram:0347 cd 57 03   CALL     read_keyboard_data              undefinedread_keyboard_data()
ram:034a c3 a2 02   JMP     ISR_Serial_line_update_UART_AB_Status

```

```

*****
*                               *
*****
undefined read_keyboard_data_with_param()
    <UNASSIGNED> <RETURN>
    Read Keyboard Data with Parameter
    Gets function pointer from 0x5c24 and calls keyboard handler
    This is the main interface between terminal software and keyboard handler
    Parameter in A register specifies what type of keyboard operation
    read_keyboard_data_with_param          XREF[3]:    ram:030a(c),
                                                handle_keyboard_communication:0a,
                                                keyboard_to_host_transmission:0f.

ram:034d e5      PUSH      HL
ram:034e a7      ANA       A
ram:034f 2a 24 5c LHL      (keyboard_handler_function_pointer)    Load keyboard handler function pointer
ram:0352 cd 57 03 CALL     read_keyboard_data              undefined read_keyboard_data()
ram:0355 e1      POP       HL
ram:0356 c9      RET

*****
*                               *
*****
undefined read_keyboard_data()
    <UNASSIGNED> <RETURN>
    read_keyboard_data          XREF[10]:    ram:02eb(c), ram:0347(c),
                                                read_keyboard_data_with_param:0a,
                                                ram:0368(c), ram:03cc(c),
                                                ram:03e1(c),
                                                power_fail_interrupt_handler:04a,
                                                ram:0475(c),
                                                FUN_ram_051c:0520(c),
                                                vsync_interrupt_handler:0618(c)
                                                PCHL - Jump to keyboard handler ...

ram:0357 e9      PCHL

    CH_B_Vector_2          XREF[1]:    ram:02c6(j)
    IN                    = ??
    CALL FUN_ram_1134      undefined FUN_ram_1134()
    JC LAB_ram_0363
    JMP ISR_Serial_line_update_UART_AB_Status

    LAB_ram_0363          XREF[1]:    ram:035d(j)
    LHL      (pointer_to_0x29e_9)      = ??
    MVI      A,0x80
    CALL read_keyboard_data              undefined read_keyboard_data()
    JMP ISR_Serial_line_update_UART_AB_Status

    CH_B_Vector_3          XREF[1]:    ram:02bc(j)
    LDA      (some_variable_5e24)      = ??
    ANA      A
    JZ LAB_ram_037e
    OUT      (Channel_A_Data)
    SUB      A
    STA      (some_variable_5e24)      = ??
    JMP ISR_Serial_line_update_UART_AB_Status

    LAB_ram_037e          XREF[1]:    ram:0372(j)
    LDA      (serial_transmission_state) = ??
    CPI      0x1
    JNZ LAB_ram_03a4
    LDA      (z80sio_channel_a_test_status) = ??
    ANA      A
    JZ LAB_ram_0395
    MVI      A,0x2
    STA      (serial_transmission_state) = ??
    JMP LAB_ram_03a4

    LAB_ram_0395          XREF[1]:    ram:038a(j)
    CALL FUN_ram_10e5      undefined FUN_ram_10e5()
    JC LAB_ram_03a0
    OUT      (Channel_A_Data)
    JMP ISR_Serial_line_update_UART_AB_Status

    LAB_ram_03a0          XREF[1]:    ram:0398(j)
    SUB      A
    STA      (serial_transmission_state) = ??

    LAB_ram_03a4          XREF[2]:    ram:0383(j), ram:0392(j)
    MVI      A,0x28
    OUT      (Channel_A_Command_Status) = ??
    JMP ISR_Serial_line_update_UART_AB_Status

    LAB_ram_03ab          XREF[1]:    ram:02ca(j)
    CALL load_A_from_???_return_carry_if_zero undefined load_A_from_???_return...
    JC LAB_ram_03b6

```

Ghidra - 961264-10.2764.u31

```

ram:03b1 d3 02      OUT      (Channel_B_Data)                = ??
ram:03b3 c3 a2 02   JMP      ISR_Serial_line_update_UART_AB_Status

LAB_ram_03b6
ram:03b6 3e 28      MVI      A,0x28
ram:03b8 d3 03      OUT      (Channel_B_Command_Status)      = ??
ram:03ba 97         SUB      A
ram:03bb 32 99 5d   STA      (BYTE_ram_5d99)                  = ??
ram:03be c3 a2 02   JMP      ISR_Serial_line_update_UART_AB_Status

CHB_Vector_3_2_1
ram:03c1 3e 01      MVI      A,0x1
ram:03c3 d3 01      OUT      (Channel_A_Command_Status)      = ??
ram:03c5 db 01      IN       (Channel_A_Command_Status)      = ??
ram:03c7 e6 70      ANI      0x70
ram:03c9 2a 26 5c   LHLD     (pointer_to_0x29e_4)              = ??
ram:03cc cd 57 03   CALL     read_keyboard_data                undefinedread_keyboard_data()
ram:03cf 3e 30      MVI      A,0x30
ram:03d1 d3 01      OUT      (Channel_A_Command_Status)      = ??
ram:03d3 c3 a2 02   JMP      ISR_Serial_line_update_UART_AB_Status

LAB_ram_03d6
ram:03d6 3e 01      MVI      A,0x1
ram:03d8 d3 03      OUT      (Channel_B_Command_Status)      = ??
ram:03da db 03      IN       (Channel_B_Command_Status)      = ??
ram:03dc e6 70      ANI      0x70
ram:03de 2a 28 5c   LHLD     (pointer_to_0x29e_3)              = ??
ram:03e1 cd 57 03   CALL     read_keyboard_data                undefinedread_keyboard_data()
ram:03e4 3e 30      MVI      A,0x30
ram:03e6 d3 03      OUT      (Channel_B_Command_Status)      = ??
ram:03e8 c3 a2 02   JMP      ISR_Serial_line_update_UART_AB_Status

LAB_ram_03eb
ram:03eb 78         MOV      A,B
ram:03ec e6 28      ANI      0x28
ram:03ee 47         MOV      B,A
ram:03ef 3a f7 5d   LDA      (expected_control_port2_value_mayb) = ??
ram:03f2 e6 03      ANI      0x3
ram:03f4 b0         ORA      B
ram:03f5 32 f7 5d   STA      (expected_control_port2_value_mayb) = ??
ram:03f8 cd 02 04   CALL     jump_to_${5c22}_can_be_0x29e_return_From_isr undefinedjump_to_${5c22}_can_be...
ram:03fb 3e 10      MVI      A,0x10
ram:03fd d3 01      OUT      (Channel_A_Command_Status)      = ??
ram:03ff c3 a2 02   JMP      ISR_Serial_line_update_UART_AB_Status

*****
*                               FUNCTION                               *
*****
undefined jump_to_${5c22}_can_be_0x29e_return_From_isr
undefined  <UNASSIGNED> <RETURN>
jump_to_${5c22}_can_be_0x29e_return_From_isr XREF[2]: ram:03f8(c),
vsync_interrupt_handler:054e(c)

ram:0402 2a 22 5c   LHLD     (pointer_to_0x29e_3)                = ??
ram:0405 e9         PCHL

*****
*                               FUNCTION                               *
*****
undefined power_fail_interrupt_handler()
undefined  <UNASSIGNED> <RETURN>
power_fail_interrupt_handler XREF[2]: ram:0024(c),
FUN_ram_1221:1253(c)

ram:0406 e5         PUSH     HL
ram:0407 f5         PUSH     AF
ram:0408 2a 0c 5e   LHLD     (system_status_word)                = ??
ram:040b 7c         MOV      A,H
ram:040c fe 80      CPI      0x80
ram:040e c2 2a 04   JNZ      LAB_ram_042a
ram:0411 85         ADD      L
ram:0412 c2 2a 04   JNZ      LAB_ram_042a
ram:0415 3a 20 5e   LDA      (BYTE_ram_5e20)                = ??
ram:0418 a7         ANA      A
ram:0419 ca 24 04   JZ       LAB_ram_0424
ram:041c 3e 02      MVI      A,0x2
ram:041e 32 20 5e   STA      (BYTE_ram_5e20)                = ??
ram:0421 f1         POP      AF
ram:0422 e1         POP      HL
ram:0423 c9         RET

LAB_ram_0424
ram:0424 2a 12 5c   LHLD     (nvram_test_current_address)            = ??
ram:0427 cd 57 03   CALL     read_keyboard_data                undefinedread_keyboard_data()

LAB_ram_042a
ram:042a 20         RIM
XREF[2]: ram:040e(j), ram:0412(j)

```

Ghidra - 961264-10.2764.u31

```

ram:042b e6 08      ANI      0x8
ram:042d ca 31 04    JZ      LAB_ram_0431
ram:0430 fb         EI

LAB_ram_0431
XREF[1]: ram:042d(j)
ram:0431 f1         POP      AF
ram:0432 e1         POP      HL
ram:0433 c9         RET

Sleep_0xAc22_loops
ram:0434 c5         PUSH     BC
ram:0435 01 22 ac    LXI      BC,0xac22
ram:0438 cd c0 06    CALL     sleep_BC_loops      undefined sleep_BC_loops()
ram:043b c1         POP      BC
ram:043c c9         RET

*****
* FUNCTION
*****
undefined ISR_RST_6.5()
undefined <UNASSIGNED> <RETURN>
XREF[1]: ram:0035(c)
ram:043d e5         PUSH     HL
ram:043e 2a 1c 5c    LHLD     (ISR_65_RETURN_ADDRESS) = ??
ram:0441 e3         XTHL
ram:0442 c9         RET

*****
* FUNCTION
*****
undefined keyboard_interrupt_handler()
undefined <UNASSIGNED> <RETURN>
XREF[1]: ram:002d(c)
ram:0443 e5         PUSH     HL
ram:0444 21 21 5e    LXI      HL,0x5e21
ram:0447 74         MOV      (HL=>interrupt_activity_flag,H = ??
ram:0448 2a 16 5c    LHLD     (pointer_to_0x44d) = ??
ram:044b e3         XTHL
ram:044c c9         RET
ram:044d f5         PUSH     AF
ram:044e e5         PUSH     HL
ram:044f db 10       IN        (Keyboard_Read(StatusRegister)_Write(ControlPa = ??
ram:0451 f5         PUSH     AF
ram:0452 e6 70       ANI      0x70
ram:0454 c4 8a 04    CNZ      call_function_pointer_6      undefined call_function_pointer_...
ram:0457 f1         POP      AF
ram:0458 e6 01       ANI      0x1
ram:045a ca 86 04    JZ      LAB_ram_0486
ram:045d db 11       IN        (Keyboard_Read(ReceiveDataRegister)_Write(Trans = ??
ram:045f 67         MOV      H,A
ram:0460 e6 fc       ANI      0xfc
ram:0462 fe dc       CPI      0xdc
ram:0464 c2 70 04    JNZ      LAB_ram_0470
ram:0467 7c         MOV      A,H
ram:0468 e6 03       ANI      0x3
ram:046a cd 80 07    CALL     FUN_ram_0780      undefined FUN_ram_0780()
ram:046d c3 86 04    JMP      LAB_ram_0486

LAB_ram_0470
XREF[1]: ram:0464(j)
ram:0470 7c         MOV      A,H
ram:0471 2a 20 5c    LHLD     (pointer_to_0x29e_2) = ??
ram:0474 a7         ANA      A
ram:0475 cd 57 03    CALL     read_keyboard_data      undefined read_keyboard_data()
ram:0478 da 86 04    JC      LAB_ram_0486
ram:047b cd c2 10    CALL     variables_at_5d9d_and_5dbd      undefined variables_at_5d9d_and_...
ram:047e d2 86 04    JNC     LAB_ram_0486
ram:0481 3e 80       MVI      A,0x80
ram:0483 cd 8a 04    CALL     call_function_pointer_6      undefined call_function_pointer_...

LAB_ram_0486
XREF[4]: ram:045a(j), ram:046d(j),
ram:0486 e1         POP      HL
ram:0487 f1         POP      AF
ram:0488 fb         EI
ram:0489 c9         RET

*****
* FUNCTION
*****
undefined call_function_pointer_6()
undefined <UNASSIGNED> <RETURN>
XREF[2]: ram:0454(c), ram:0483(c)
ram:048a 2a 2a 5c    LHLD     (pointer_to_0x29e_0) = ??
ram:048d e9         PCHL

```

```

*****
*                               *
*****
undefined printer_interrupt_handler()
    ▲<UNASSIGNED> <RETURN>
printer_interrupt_handler                                XREF[1]:    ram:0031(c)

ram:048e e5      PUSH    HL
ram:048f 2a 18 5c  LHLD    (pointer_to_0x494)           = ??
ram:0492 e3      XTHL
ram:0493 c9      RET
ram:0494 f5      PUSH    AF
ram:0495 c5      PUSH    BC
ram:0496 db 18   IN      (Printer_Read(StatusRegister)_Write(ControlReg, = ??
ram:0498 47      MOV     B,A
ram:0499 e6 02   ANI     0x2
ram:049b c4 b5 04 CNZ     FUN_ram_04b5                undefined FUN_ram_04b5()
ram:049e 3a 17 5f LDA     (BYTE_ram_5f17)              = ??
ram:04a1 a7      ANA     A
ram:04a2 ca b1 04 JZ      LAB_ram_04b1
ram:04a5 78      MOV     A,B
ram:04a6 e6 01   ANI     0x1
ram:04a8 c4 ef 04 CNZ     FUN_ram_04ef                undefined FUN_ram_04ef()
ram:04ab 78      MOV     A,B
ram:04ac e6 70   ANI     0x70
ram:04ae c4 1c 05 CNZ     FUN_ram_051c                undefined FUN_ram_051c()

LAB_ram_04b1                                XREF[1]:    ram:04a2(j)
ram:04b1 c1      POP     BC
ram:04b2 f1      POP     AF
ram:04b3 fb      EI
ram:04b4 c9      RET

*****
*                               *
*****
undefined FUN_ram_04b5()
    ▲<UNASSIGNED> <RETURN>
FUN_ram_04b5                                XREF[1]:    ram:049b(c)

ram:04b5 0e 00   MVI     C,0x0
ram:04b7 3a e0 5d LDA     (BYTE_ram_5de0)              = ??
ram:04ba fe 01   CPI     0x1
ram:04bc da 25 05 JC      FUN_ram_0525
ram:04bf c0      RNZ
ram:04c0 3a 17 5f LDA     (BYTE_ram_5f17)              = ??
ram:04c3 a7      ANA     A
ram:04c4 c2 e1 04 JNZ     LAB_ram_04e1
ram:04c7 db 60   IN      (out_ControlPort2_in_StatusPort) = ??
ram:04c9 e6 01   ANI     0x1
ram:04cb ca e1 04 JZ      LAB_ram_04e1
ram:04ce e5      PUSH    HL
ram:04cf 21 b8 0b LXI     HL,0xbb8
ram:04d2 22 29 5e SHLD    (BYTE_ram_5e29)              = ??
ram:04d5 e1      POP     HL
ram:04d6 3a 25 5e LDA     (timer_channel_flags)          = ??
ram:04d9 f6 08   ORI     0x8
ram:04db 32 25 5e STA     (timer_channel_flags)          = ??
ram:04de c3 25 05 JMP     FUN_ram_0525                undefined FUN_ram_0525()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_04e1                                XREF[2]:    ram:04c4(j), ram:04cb(j)
ram:04e1 cd b6 11 CALL     FUN_ram_11b6                undefined FUN_ram_11b6()
ram:04e4 da ea 04 JC      LAB_ram_04ea
ram:04e7 d3 19   OUT     (Printer_Read(ReceiveDataRegister)_Write(Trans, = ??
ram:04e9 c9      RET

LAB_ram_04ea                                XREF[1]:    ram:04e4(j)
ram:04ea 97      SUB     A

LAB_ram_04eb                                XREF[2]:    FUN_ram_04ef:0504(j),
ram:04eb 32 e0 5d STA     (BYTE_ram_5de0)              FUN_ram_04ef:0513(j)
ram:04ee c9      RET                                = ??

*****
*                               *
*****
undefined FUN_ram_04ef()
    ▲<UNASSIGNED> <RETURN>
FUN_ram_04ef                                XREF[1]:    ram:04a8(c)

ram:04ef 3a 09 5f LDA     (BYTE_ram_5f09)              = ??
ram:04f2 a7      ANA     A
ram:04f3 db 19   IN      (Printer_Read(ReceiveDataRegister)_Write(Trans, = ??
ram:04f5 ca 16 05 JZ      LAB_ram_0516
ram:04f8 fe 13   CPI     0x13

```

Ghidra - 961264-10.2764.u31

```

ram:04fa c2 07 05      JNZ      LAB_ram_0507
ram:04fd 0e 80         MVI      C,0x80
ram:04ff cd 25 05      CALL     FUN_ram_0525
ram:0502 3e 02         MVI      A,0x2
ram:0504 c3 eb 04      JMP      LAB_ram_04eb

LAB_ram_0507
XREF[2]:  ram:04fa(j),
          update_cursor_addresses:145d*)

ram:0507 fe 11        CPI      0x11
ram:0509 c2 16 05      JNZ      LAB_ram_0516
ram:050c 0e a0         MVI      C,0xa0
ram:050e cd 25 05      CALL     FUN_ram_0525
ram:0511 3e 01         MVI      A,0x1
ram:0513 c3 eb 04      JMP      LAB_ram_04eb

LAB_ram_0516
XREF[2]:  ram:04f5(j), ram:0509(j)
          undefinedFUN_ram_114b()

ram:0516 cd 4b 11      CALL     FUN_ram_114b
ram:0519 d0            RNC
ram:051a 3e 80         MVI      A,0x80

*****
*                               *
*                               *
*****
undefined FUN_ram_051c()
XREF[2]:  ram:04ae(c),
          vsync_interrupt_handler:05ea(c)
          = ??
          undefinedread_keyboard_data()

ram:051c e5           PUSH     HL
ram:051d 2a 2c 5c      LHLD     (pointer_to_0x29e_)
ram:0520 cd 57 03      CALL     read_keyboard_data
ram:0523 e1           POP      HL
ram:0524 c9           RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0525()
XREF[4]:  FUN_ram_04b5:04bc(j),
          FUN_ram_04b5:04de(c),
          FUN_ram_04ef:04ff(c),
          FUN_ram_04ef:050e(c)
          = ??

ram:0525 3a 11 5e      LDA      (BYTE_ram_5e11)
ram:0528 b1           ORA      C
ram:0529 d3 18         OUT      (Printer_Read(StatusRegister)_Write(ControlReg,
ram:052b c9           RET

*****
*                               *
*                               *
*****
undefined vsync_interrupt_handler()
XREF[1]:  ram:003d(c)

ram:052c e5           PUSH     HL
ram:052d f5           PUSH     AF
ram:052e c5           PUSH     BC
ram:052f d5           PUSH     DE
ram:0530 3e 01         MVI      A,0x1
ram:0532 32 f5 5d      STA      (set_to_1_by_vsynd)
ram:0535 db 60         IN       (out_ControlPort2_in_StatusPort)
ram:0537 e6 0c         ANI      0xc
ram:0539 0f           RRC
ram:053a 0f           RRC
ram:053b 67           MOV      H,A
ram:053c 3a f7 5d      LDA      (expected_control_port2_value_mayb
ram:053f e6 03         ANI      0x3
ram:0541 bc           CMP      H
ram:0542 ca 51 05      JZ       signal_CAR_and_CI_both_HIGH
ram:0545 3a f7 5d      LDA      (expected_control_port2_value_mayb
ram:0548 e6 28         ANI      0x28
ram:054a b4           ORA      H
ram:054b 32 f7 5d      STA      (expected_control_port2_value_mayb
ram:054e cd 02 04      CALL     jump_to_5c22_can_be_0x29e_return_From_isr

signal_CAR_and_CI_both_HIGH
XREF[1]:  ram:0542(j)

ram:0551 01 00 ff      LXI      BC,0xff00
ram:0554 3a f9 5d      LDA      (display_refresh_control)
ram:0557 07           RLC
ram:0558 e6 06         ANI      0x6
ram:055a 32 f9 5d      STA      (display_refresh_control)
ram:055d ca 6a 05      JZ       LAB_ram_056a
ram:0560 fe 02        CPI      0x2
ram:0562 c2 73 05      JNZ      LAB_ram_0573
ram:0565 06 ef        MVI      B,0xef
ram:0567 c3 73 05      JMP      LAB_ram_0573

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_056a
ram:056a 3a 27 5e    LDA    (vsync_variable_5e27)
ram:056d a7         ANA     A
ram:056e c2 73 05    JNZ     LAB_ram_0573
ram:0571 0e 10      MVI     C,0x10

LAB_ram_0573
ram:0573 3a 21 5e    LDA     (interrupt_activity_flag)
ram:0576 a7         ANA     A
ram:0577 c2 94 05    JNZ     flag_5e21_from_isr_not_zero
ram:057a 3a 0d 5f    LDA     (BYTE_ram_5f0d)
ram:057d a7         ANA     A
ram:057e c2 a5 05    JNZ     LAB_ram_05a5
ram:0581 2a 22 5e    LHLD    (DAT_ram_5e22)
ram:0584 2b         DCX     HL
ram:0585 22 22 5e    SHLD    (DAT_ram_5e22)
ram:0588 7c         MOV     A,H
ram:0589 b5         ORA     L
ram:058a c2 a5 05    JNZ     LAB_ram_05a5
ram:058d 79         MOV     A,C
ram:058e f6 08      ORI     0x8
ram:0590 4f         MOV     C,A
ram:0591 c3 a5 05    JMP     LAB_ram_05a5

flag_5e21_from_isr_not_zero
ram:0594 21 30 75    LXI     HL,0x7530
ram:0597 22 22 5e    SHLD    (DAT_ram_5e22)
ram:059a 3a 26 5e    LDA     (BYTE_ram_5e26)
ram:059d a7         ANA     A
ram:059e c2 a5 05    JNZ     LAB_ram_05a5
ram:05a1 78         MOV     A,B
ram:05a2 e6 f7      ANI     0xf7
ram:05a4 47         MOV     B,A

LAB_ram_05a5
ram:05a5 3a 0e 5e    LDA     (value_for_statusport_2)
ram:05a8 a0         ANA     B
ram:05a9 b1         ORA     C
ram:05aa 32 0e 5e    STA     (value_for_statusport_2)
ram:05ad 3a 0f 5e    LDA     (statusport2_flag)
ram:05b0 a7         ANA     A
ram:05b1 c2 b9 05    JNZ     LAB_ram_05b9
ram:05b4 3a 0e 5e    LDA     (value_for_statusport_2)
ram:05b7 d3 60      OUT     (out_ControlPort2_in_StatusPort)

LAB_ram_05b9
ram:05b9 97         SUB     A
ram:05ba 32 21 5e    STA     (interrupt_activity_flag)
ram:05bd 3a 25 5e    LDA     (timer_channel_flags)
ram:05c0 47         MOV     B,A
ram:05c1 e6 0f      ANI     0xf
ram:05c3 ca 34 06    JZ      LAB_ram_0634
ram:05c6 e6 08      ANI     0x8
ram:05c8 ca f4 05    JZ      LAB_ram_05f4
ram:05cb db 60      IN      (out_ControlPort2_in_StatusPort)
ram:05cd e6 01      ANI     0x1
ram:05cf c2 dc 05    JNZ     LAB_ram_05dc
ram:05d2 3a 11 5e    LDA     (BYTE_ram_5e11)
ram:05d5 f6 20      ORI     0x20
ram:05d7 d3 18      OUT     (Printer_Read(StatusRegister)_Write(ControlReg)
ram:05d9 c3 f0 05    JMP     LAB_ram_05f0

LAB_ram_05dc
ram:05dc 2a 29 5e    LHLD    (BYTE_ram_5e29)
ram:05df 2b         DCX     HL
ram:05e0 22 29 5e    SHLD    (BYTE_ram_5e29)
ram:05e3 7c         MOV     A,H
ram:05e4 b5         ORA     L
ram:05e5 c2 f4 05    JNZ     LAB_ram_05f4
ram:05e8 3e 08      MVI     A,0x8
ram:05ea cd 1c 05    CALL    FUN_ram_051c
ram:05ed cd a7 09    CALL    check_printer_status

LAB_ram_05f0
ram:05f0 78         MOV     A,B
ram:05f1 e6 f7      ANI     0xf7
ram:05f3 47         MOV     B,A

LAB_ram_05f4
ram:05f4 78         MOV     A,B
ram:05f5 e6 07      ANI     0x7
ram:05f7 ca 30 06    JZ      LAB_ram_0630

XREF[1]: ram:055d(j) = ??
XREF[3]: ram:0562(j), ram:0567(j), ram:056e(j)
XREF[1]: ram:0577(j)
XREF[4]: ram:057e(j), ram:058a(j), ram:0591(j), ram:059e(j)
XREF[1]: ram:05b1(j)
XREF[1]: ram:05cf(j)
XREF[1]: ram:05d9(j)
XREF[2]: ram:05c8(j), ram:05e5(j)

```

Ghidra - 961264-10.2764.u31

```

ram:05fa 0e 03      MVI      C,0x3
ram:05fc 21 00 5c    LXI      HL,0x5c00

LAB_ram_05ff
ram:05ff 78      MOV      A,B
ram:0600 0f      RRC
ram:0601 47      MOV      B,A
ram:0602 d2 23 06   JNC      LAB_ram_0623
ram:0605 5e      MOV      E,(HL=>DAT_ram_5c00)
ram:0606 23      INX      HL
ram:0607 56      MOV      D,(HL=>DAT_ram_5c01)
ram:0608 1b      DCX      DE
ram:0609 72      MOV      (HL=>DAT_ram_5c01),D
ram:060a 2b      DCX      HL
ram:060b 73      MOV      (HL=>DAT_ram_5c00),E
ram:060c 7b      MOV      A,E
ram:060d b2      ORA      D
ram:060e c2 23 06   JNZ      LAB_ram_0623
ram:0611 23      INX      HL
ram:0612 23      INX      HL
ram:0613 5e      MOV      E,(HL=>DAT_ram_5c02)
ram:0614 23      INX      HL
ram:0615 56      MOV      D,(HL=>DAT_ram_5c03)
ram:0616 23      INX      HL
ram:0617 eb      XCHG
ram:0618 cd 57 03   CALL     read_keyboard_data
ram:061b eb      XCHG
ram:061c 78      MOV      A,B
ram:061d e6 7f      ANI      0x7f
ram:061f 47      MOV      B,A
ram:0620 c3 27 06   JMP      LAB_ram_0627

LAB_ram_0623
ram:0623 23      INX      HL
ram:0624 23      INX      HL
ram:0625 23      INX      HL
ram:0626 23      INX      HL

LAB_ram_0627
ram:0627 0d      DCR      C
ram:0628 c2 ff 05   JNZ      LAB_ram_05ff
ram:062b 78      MOV      A,B
ram:062c 07      RLC
ram:062d 07      RLC
ram:062e 07      RLC
ram:062f 47      MOV      B,A

LAB_ram_0630
ram:0630 78      MOV      A,B
ram:0631 32 25 5e   STA      (timer_channel_flags)

LAB_ram_0634
ram:0634 d1      POP      DE
ram:0635 c1      POP      BC
ram:0636 f1      POP      AF
ram:0637 2a 1a 5c   LHLD     (ISR_VSCYN_RETURN_ADDRESS)
ram:063a e3      XTHL
ram:063b c9      RET

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_063c()
undefined <UNASSIGNED> <RETURN>
FUN_ram_063c
XREF[8]: ram:01b1(c),
        FUN_ram_0654:0657(c),
        FUN_ram_1452:1453(c),
        FUN_ram_169e:16a7(c),
        FUN_ram_169e:16b1(c),
        FUN_ram_16e7:16f0(c),
        FUN_ram_16e7:16fa(c),
        FUN_ram_1726:172b(c)

ram:063c f5      PUSH     AF
ram:063d 7d      MOV      A,L
ram:063e a7      ANA      A
ram:063f ca 51 06   JZ       LAB_ram_0651
ram:0642 fe 51      CPI      0x51
ram:0644 d2 51 06   JNC      LAB_ram_0651
ram:0647 7c      MOV      A,H
ram:0648 a7      ANA      A
ram:0649 ca 51 06   JZ       LAB_ram_0651
ram:064c fe 1a      CPI      0x1a
ram:064e da f3 07   JC       pop_hl_and_af_return_no_carry:pop_af_return_

```


Ghidra - 961264-10.2764.u31

```

LAB_ram_0651
XREF[3]: ram:063f(j), ram:0644(j),
ram:0649(j)
ram:0651 f1 POP AF
ram:0652 37 STC
ram:0653 c9 RET

*****
* FUNCTION
*****
undefined FUN_ram_0654()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0654
XREF[4]: ram:01b4(c),
FUN_ram_1605:1609(c),
FUN_ram_1778:177f(c),
FUN_ram_18a1:18a5(c)

ram:0654 f5 PUSH AF
ram:0655 e5 PUSH HL
ram:0656 d5 PUSH DE
ram:0657 cd 3c 06 CALL FUN_ram_063c
ram:065a d2 69 06 JNC LAB_ram_0669
ram:065d 7c MOV A,H
ram:065e fe 1a CPI 0x1a
ram:0660 c2 f8 07 JNZ LAB_ram_07f8
ram:0663 7d MOV A,L
ram:0664 fe 01 CPI 0x1
ram:0666 c2 f8 07 JNZ LAB_ram_07f8

LAB_ram_0669
XREF[1]: ram:065a(j)
ram:0669 eb XCHG
ram:066a 2a 16 5e LHLD (next_cursor_character_address)
ram:066d eb XCHG
ram:066e cd 6e 07 CALL check_D_eq_H
ram:0671 d2 f8 07 JNC LAB_ram_07f8
ram:0674 c3 f1 07 JMP LAB_ram_07f1

*****
* FUNCTION
*****
undefined FUN_ram_0677()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0677
XREF[10]: FUN_ram_15f5:15fb(c),
FUN_ram_15f5:15ff(c),
FUN_ram_1605:1611(c),
FUN_ram_1778:1785(c),
FUN_ram_17a3:17da(c),
FUN_ram_17a3:17e0(c),
FUN_ram_17a3:183b(c),
FUN_ram_17a3:183f(c),
FUN_ram_17a3:1846(c),
FUN_ram_18a1:18ab(c)

ram:0677 f5 PUSH AF
ram:0678 7c MOV A,H
ram:0679 fe 1a CPI 0x1a
ram:067b c2 85 06 JNZ LAB_ram_0685
ram:067e 21 01 01 LXI HL,0x101
ram:0681 c3 85 06 JMP LAB_ram_0685

*****
* FUNCTION
*****
undefined return_register_a()
undefined <UNASSIGNED> <RETURN>
return_register_a
XREF[10]: update_cursor_addresses:1461(c),
FUN_ram_15af:15b2(c),
FUN_ram_15d0:15d3(c),
FUN_ram_1634:1637(c),
FUN_ram_1650:1653(c),
FUN_ram_169e:16ad(c),
FUN_ram_169e:16b7(c),
FUN_ram_16e7:16f6(c),
FUN_ram_16e7:1700(c),
FUN_ram_1726:1731(c)

ram:0684 f5 PUSH AF

LAB_ram_0685
XREF[2]: FUN_ram_0677:067b(j),
FUN_ram_0677:0681(j)

ram:0685 2d DCR L
ram:0686 3a 1a 5e LDA (BYTE_ram_5e1a)
ram:0689 84 ADD H
ram:068a fe 19 CPI 0x19
ram:068c da 91 06 JC LAB_ram_0691
ram:068f d6 19 SUI 0x19

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_0691
ram:0691 c6 60      ADI      0x60
ram:0693 67        MOV      H,A
ram:0694 f1        POP      AF
ram:0695 c9        RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_0696()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0696
XREF[6]:  initialize_display_memory:0bfe(c),
           initialize_display_memory:0c1dc(c),
           FUN_ram_1605:1625(c),
           FUN_ram_1778:1797(c),
           FUN_ram_18a1:18df(c),
           FUN_ram_18a1:190f(c)

ram:0696 2c        INR      L
ram:0697 c3 a3 06   JMP      LAB_ram_06a3
ram:069a 2d        DCR      L
ram:069b c3 a3 06   JMP      LAB_ram_06a3

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_069e()
undefined <UNASSIGNED> <RETURN>
FUN_ram_069e
XREF[3]:  FUN_ram_17a3:1868(c),
           FUN_ram_17a3:186c(c),
           FUN_ram_17a3:1879(c)
           = ??

ram:069e 3a 2d 5e   LDA      (init_ram_5e2d)
ram:06a1 85        ADD      L
ram:06a2 6f        MOV      L,A

LAB_ram_06a3
ram:06a3 7d        MOV      A,L
ram:06a4 fe 50     CPI      0x50
ram:06a6 ca b6 06   JZ      LAB_ram_06b6
ram:06a9 fe ff     CPI      0xff
ram:06ab c0        RNZ
ram:06ac 2e 4f     MVI      L,0x4f
ram:06ae 25        DCR      H
ram:06af 7c        MOV      A,H
ram:06b0 fe 5f     CPI      0x5f
ram:06b2 c0        RNZ
ram:06b3 26 78     MVI      H,0x78
ram:06b5 c9        RET

LAB_ram_06b6
ram:06b6 2e 00     MVI      L,0x0
ram:06b8 24        INR      H
ram:06b9 7c        MOV      A,H
ram:06ba fe 79     CPI      0x79
ram:06bc c0        RNZ
ram:06bd 26 60     MVI      H,0x60
ram:06bf c9        RET

*****
*                      FUNCTION                      *
*****
undefined sleep_BC_loops()
undefined <UNASSIGNED> <RETURN>
sleep_BC_loops
XREF[7]:  ram:0438(c),
           initialize_system_variables:083f,
           initialize_system_variables:089a,
           test_keyboard_to_host_transmissi,
           send_keyboard_command_and_wait:0,
           FUN_ram_1269:1283(c),
           FUN_ram_1269:128f(c)

ram:06c0 f5        PUSH     AF

LAB_ram_06c1
ram:06c1 0b        DCX      BC
ram:06c2 97        SUB      A
ram:06c3 b0        ORA      B
ram:06c4 b1        ORA      C
ram:06c5 c2 c1 06   JNZ      LAB_ram_06c1
ram:06c8 f1        POP      AF
ram:06c9 c9        RET

```

```

*****
*                               *
*****
undefined wait_for_VSYNC()
undefined <UNASSIGNED> <RETURN>
wait_for_VSYNC                                XREF[8]:    wait_vertical_sync:01c0(T),
                                                wait_vertical_sync:01c0(c),
                                                wait_display_refresh_cycles:14b0,
                                                FUN_ram_14ce:14d0(c),
                                                FUN_ram_14eb:14ef(c),
                                                FUN_ram_14eb:14fa(c),
                                                FUN_ram_1504:1506(c),
                                                clear_display_memory_range:1772,
                                                FUN_ram_18a1:1924(c)

ram:06ca fb      EI
ram:06cb f5      PUSH      AF
ram:06cc 97      SUB       A
ram:06cd 32 f5 5d STA       (set_to_1_by_vsync)          = ??

                                loop_wait_for_ram_value      XREF[1]:    ram:06d4(j)
ram:06d0 3a f5 5d LDA       (set_to_1_by_vsync)          = ??
ram:06d3 a7      ANA       A
ram:06d4 ca d0 06 JZ       loop_wait_for_ram_value
ram:06d7 f1      POP       AF
ram:06d8 c9      RET

*****
*                               *
*****
undefined display_decimal_number()
undefined <UNASSIGNED> <RETURN>
display_decimal_number                        XREF[2]:    display_decimal_number:01ba(T),
                                                display_decimal_number:01ba(c),
                                                FUN_ram_1c62:1c85(c)

ram:06d9 f5      PUSH      AF
ram:06da e5      PUSH      HL
ram:06db fe 64   CPI       0x64
ram:06dd d2 f9 07 JNC      LAB_ram_07f9
ram:06e0 26 30   MVI       H,0x30

                                LAB_ram_06e2                XREF[1]:    ram:06e8(j)
ram:06e2 d6 0a   SUI       0xa
ram:06e4 da eb 06 JC      LAB_ram_06eb
ram:06e7 24      INR       H
ram:06e8 c3 e2 06 JMP      LAB_ram_06e2

                                LAB_ram_06eb                XREF[1]:    ram:06e4(j)
ram:06eb c6 3a   ADI       0x3a
ram:06ed 6f      MOV       L,A
ram:06ee 7c      MOV       A,H
ram:06ef cd 1e 07 CALL     write_char_and_advance_cursor      undefinedwrite_char_and_advance...
ram:06f2 da f9 07 JC      LAB_ram_07f9
ram:06f5 7d      MOV       A,L
ram:06f6 cd 1e 07 CALL     write_char_and_advance_cursor      undefinedwrite_char_and_advance...
ram:06f9 da f9 07 JC      LAB_ram_07f9
ram:06fc c3 f2 07 JMP      pop_hl_and_af_return_no_carry

*****
*                               *
*****
undefined display_error_code_custom_chars()
undefined <UNASSIGNED> <RETURN>
Error Code Display Using Custom Character Set
Converts 8-bit error code to 2 custom characters (NOT standar...
Error 0x14: high nibble 1-'q', low nibble 4-'t', displays as...
Uses custom conversion: 0-9-p-y, A-F-extended chars
This explains why error codes don't show as normal hex digits!
display_error_code_custom_chars              XREF[3]:    ram:01bd(c),
                                                terminal_boot_sequence:0259(c),
                                                FUN_ram_1c62:1d06(c)

ram:06ff f5      PUSH      AF
ram:0700 e5      PUSH      HL
ram:0701 67      MOV       H,A
ram:0702 07      RLC
ram:0703 07      RLC
ram:0704 07      RLC
ram:0705 07      RLC
ram:0706 cd 16 07 CALL     convert_nibble_to_custom_char      undefinedconvert_nibble_to_cust...
ram:0709 da f9 07 JC      LAB_ram_07f9
ram:070c 7c      MOV       A,H
ram:070d cd 16 07 CALL     convert_nibble_to_custom_char      undefinedconvert_nibble_to_cust...
ram:0710 da f9 07 JC      LAB_ram_07f9
ram:0713 c3 f2 07 JMP      pop_hl_and_af_return_no_carry      undefinedpop_hl_and_af_return_n...

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
undefined convert_nibble_to_custom_char()
    ▲<UNASSIGNED> <RETURN>
byte      A:1      uVar2      XREF[1]:      ram:071d(W)
Custom Nibble-to-Character Conversion (NOT standard hex!)
Algorithm: AND 0xF → ADD 0x90 → DAA → ADC 0x40 → DAA
Results: 0→'p', 1→'q', 2→'r', 3→'s', 4→'t', 5→'u', 6→'v', ...
         A→'à', B→'á', C→'â', D→'ã', E→'ä', F→'å'
ERROR 0x14 displays as 'qt' (nibble 1→'q', nibble 4→'t')
convert_nibble_to_custom_char      XREF[2]:      display_error_code_custom_chars...
                                         display_error_code_custom_chars...
                                         CRITICAL BUG: This function shou...
                                         But it's actually producing 'Q' ...

ram:0716 e6 0f      ANI      0xf
ram:0718 c6 90      ADI      0x90
ram:071a 27        DAA
ram:071b ce 40      ACI      0x40
ram:071d 27        DAA

*****
*                               *
*****
undefined write_char_and_advance_cursor()
    ▲<UNASSIGNED> <RETURN>
write_char_and_advance_cursor      XREF[7]:      display_decimal_number:06ef(c),
                                         display_decimal_number:06f8(c),
                                         FUN_ram_1a25:1a52(c),
                                         FUN_ram_1a25:1a55(c),
                                         FUN_ram_1a25:1a61(c),
                                         FUN_ram_1c62:1cb4(c),
                                         send_to_display:1faf(c)
                                         Character display call - A shoul...
                                         voidincrease_cursor_character(v...

ram:071e cd 59 16      CALL      write_to_display
ram:0721 c3 82 13      JMP      increase_cursor_character
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined parse_hex_byte()
    ▲<UNASSIGNED> <RETURN>
parse_hex_byte      XREF[2]:      ram:01c3(c),
                                         FUN_ram_1c62:1d3d(c)
                                         undefinedvalidate_hex_character()

ram:0724 cd 40 07      CALL      validate_hex_character
ram:0727 d8      RC
ram:0728 17      RAL
ram:0729 17      RAL
ram:072a 17      RAL
ram:072b 17      RAL
ram:072c e6 f0      ANI      0xf0
ram:072e c5      PUSH      BC
ram:072f 47      MOV      B,A
ram:0730 cd 40 07      CALL      validate_hex_character
ram:0733 da 3d 07      JC      LAB_ram_073d
ram:0736 e6 0f      ANI      0xf
ram:0738 b0      ORA      B
ram:0739 c1      POP      BC
ram:073a 37      STC
ram:073b 3f      CMC
ram:073c c9      RET

LAB_ram_073d
ram:073d c1      POP      BC      XREF[1]:      ram:0733(j)

LAB_ram_073e
ram:073e 37      STC      XREF[1]:      validate_hex_character:074f(j)
ram:073f c9      RET

*****
*                               *
*****
undefined validate_hex_character()
    ▲<UNASSIGNED> <RETURN>
validate_hex_character      XREF[3]:      ram:01c0(c),
                                         parse_hex_byte:0724(c),
                                         parse_hex_byte:0730(c)
                                         undefinedread_and_normalize_cha...

ram:0740 cd 55 07      CALL      read_and_normalize_character
ram:0743 d6 30      SUI      0x30
ram:0745 d8      RC
ram:0746 fe 0a      CPI      0xa
ram:0748 da 52 07      JC      LAB_ram_0752
ram:074b d6 07      SUI      0x7
ram:074d fe 10      CPI      0x10
ram:074f d2 3e 07      JNC      LAB_ram_073e

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_0752                                XREF[1]:    ram:0748(j)
ram:0752 37      STC
ram:0753 3f      CMC
ram:0754 c9      RET

*****
*                                *
*                                *
*****
undefined read_and_normalize_character()
undefined <UNASSIGNED> <RETURN>
read_and_normalize_character                XREF[2]:    validate_hex_character:0740(c),
ram:0758(j)
ram:0755 cd fb 0f    CALL    check_mem_5dbd_and_5d9d_return_val_in_A
ram:0758 da 55 07    JC      read_and_normalize_character
ram:075b fe 60      CPI      0x60
ram:075d d8      RC
ram:075e fe e0      CPI      0xe0
ram:0760 da 6b 07    JC      LAB_ram_076b
ram:0763 fe ea      CPI      0xea
ram:0765 d2 6b 07    JNC     LAB_ram_076b
ram:0768 d6 b0      SUI      0xb0
ram:076a c9      RET

LAB_ram_076b                                XREF[2]:    ram:0760(j), ram:0765(j)
ram:076b e6 5f      ANI      0x5f
ram:076d c9      RET

*****
*                                *
*                                *
*****
undefined check_D_eq_H()
undefined <UNASSIGNED> <RETURN>
check_D_eq_H                                XREF[21]:    check_D_eq_H:01c9(T),
check_D_eq_H:01c9(c),
FUN_ram_0654:066e(c),
FUN_ram_0a6e:0a71(c),
memory_test:0b91(c),
memory_test:0b9f(c),
memory_test:0ba9(c),
memory_test:0bb7(c),
FUN_ram_0bcc:0bd2(c),
initialize_display_memory:0c01(c),
initialize_display_memory:0c1f(c),
FUN_ram_1178:1191(c),
FUN_ram_1178:11a1(c),
FUN_ram_11b6:11da(c),
FUN_ram_1359:136b(c),
FUN_ram_13ad:13bf(c),
FUN_ram_1416:141e(c),
FUN_ram_143f:1447(c),
FUN_ram_1605:1628(c),
FUN_ram_1778:179a(c), [more]

ram:076e 7a      MOV      A,D
ram:076f bc      CMP      H
ram:0770 c0      RNZ
ram:0771 7b      MOV      A,E
ram:0772 bd      CMP      L
ram:0773 c9      RET

*****
*                                *
*                                *
*****
undefined FUN_ram_0774()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0774                                XREF[2]:    ram:01cc(c),
FUN_ram_17a3:1873(c)

ram:0774 78      MOV      A,B
ram:0775 bc      CMP      H
ram:0776 c0      RNZ
ram:0777 79      MOV      A,C
ram:0778 bd      CMP      L
ram:0779 c9      RET

*****
*                                *
*                                *
*****
undefined FUN_ram_077a()
undefined <UNASSIGNED> <RETURN>
FUN_ram_077a                                XREF[5]:    ram:01cf(c),
FUN_ram_17a3:17c6(c),
FUN_ram_17a3:17d1(c),
FUN_ram_17e6:1806(c),
FUN_ram_17a3:1862(c)

ram:077a 78      MOV      A,B

```

Ghidra - 961264-10.2764.u31

```

ram:077b ba      CMP      D
ram:077c c0      RNZ
ram:077d 79      MOV      A,C
ram:077e bb      CMP      E
ram:077f c9      RET

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined FUN_ram_0780()
<UNASSIGNED> <RETURN>
FUN_ram_0780                                XREF[2]:  ram:046a(c),
                                             initialize_system_variables:08b0.

ram:0780 f5      PUSH     AF
ram:0781 e6 01    ANI      0x1
ram:0783 32 0b 5e STA      (BYTE_ram_5e0b) = ??
ram:0786 f1      POP      AF
ram:0787 e6 02    ANI      0x2
ram:0789 c8      RZ
ram:078a c5      PUSH     BC
ram:078b 3a 0e 5e LDA      (value_for_statusport_2) = ??
ram:078e f6 08    ORI      0x8
ram:0790 d3 60    OUT      (out_ControlPort2_in_StatusPort) = ??

LAB_ram_0792                                XREF[3]:  ram:0796(j), ram:07a0(j),
                                             ram:07ac(j)

ram:0792 db 10    IN       (Keyboard_Read(StatusRegister)_Write(ControlPort2_in_StatusPort) = ??
ram:0794 e6 01    ANI      0x1
ram:0796 ca 92 07 JZ       LAB_ram_0792
ram:0799 db 11    IN       (Keyboard_Read(ReceiveDataRegister)_Write(TracePort2_in_StatusPort) = ??
ram:079b 47      MOV      B,A
ram:079c e6 fc    ANI      0xfc
ram:079e fe dc    CPI      0xdc
ram:07a0 c2 92 07 JNZ      LAB_ram_0792
ram:07a3 78      MOV      A,B
ram:07a4 e6 01    ANI      0x1
ram:07a6 32 0b 5e STA      (BYTE_ram_5e0b) = ??
ram:07a9 78      MOV      A,B
ram:07aa e6 02    ANI      0x2
ram:07ac c2 92 07 JNZ      LAB_ram_0792
ram:07af 3a 0e 5e LDA      (value_for_statusport_2) = ??
ram:07b2 d3 60    OUT      (out_ControlPort2_in_StatusPort) = ??
ram:07b4 c1      POP      BC
ram:07b5 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_07b6()
<UNASSIGNED> <RETURN>
FUN_ram_07b6                                XREF[7]:  FUN_ram_169e:16a2(c),
                                             FUN_ram_16e7:16eb(c),
                                             FUN_ram_1778:177a(c),
                                             FUN_ram_17a3:17a7(c),
                                             FUN_ram_17e6:17ea(c),
                                             FUN_ram_1816:181a(c),
                                             FUN_ram_182a:182e(c)

ram:07b6 fe 03    CPI      0x3
ram:07b8 da bd 07 JC       LAB_ram_07bd
ram:07bb 3e 02    MVI      A,0x2

LAB_ram_07bd                                XREF[1]:  ram:07b8(j)

ram:07bd 3c      INR      A
ram:07be 4f      MOV      C,A

*****
*                               *
*                               *
*****
undefined FUN_ram_07bf()
<UNASSIGNED> <RETURN>
FUN_ram_07bf                                XREF[4]:  FUN_ram_15d9:15e3(c),
                                             FUN_ram_1605:161a(c),
                                             FUN_ram_1726:1736(c),
                                             FUN_ram_1ef1:1efa(c)

ram:07bf f3      DI
ram:07c0 3a 0e 5e LDA      (value_for_statusport_2) = ??
ram:07c3 e6 fc    ANI      0xfc
ram:07c5 b1      ORA      C

```

```

*****
*                               *
*****
undefined send_A_to_statusport()
    ▲<UNASSIGNED> <RETURN>
send_A_to_statusport      XREF[1]:  FUN_ram_07cf:07d7(c)
ram:07c6 d3 60            OUT        (out_ControlPort2_in_StatusPort)  = ??
ram:07c8 3e 01            MVI        A,0x1
ram:07ca 32 0f 5e          STA        (statusport2_flag)              = ??
ram:07cd fb               EI
ram:07ce c9               RET

*****
*                               *
*****
undefined FUN_ram_07cf()
    ▲<UNASSIGNED> <RETURN>
FUN_ram_07cf              XREF[3]:  initialize_display_memory:0bed(c)...
                                clear_display_memory_range:1754...
                                FUN_ram_18a1:18b4(c)
ram:07cf f3              DI
ram:07d0 3a 0e 5e          LDA        (value_for_statusport_2)        = ??
ram:07d3 e6 d4            ANI        0xd4
ram:07d5 f6 0b            ORI        0xb
ram:07d7 c3 c6 07          JMP        send_A_to_statusport              undefinedsend_A_to_statusport()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined write_AttributeRegister_And_ControlPort2()
    ▲<UNASSIGNED> <RETURN>
write_AttributeRegister_And_ControlPort2  XREF[7]:  FUN_ram_15d9:15ee(c),
                                FUN_ram_1605:162e(c),
                                write_attr_and_control2_and_pop...
                                FUN_ram_1930:1930(c),
                                FUN_ram_169e:1936(c),
                                FUN_ram_1fce:1fcf(c),
                                FUN_ram_1ef1:1fd9(c)
ram:07da 3a f6 5d          LDA        (AttributeRegisterValue)        = ??
ram:07dd d3 70            OUT        (AttributeRegister)              = ??
ram:07df f3              DI
ram:07e0 97              SUB        A
ram:07e1 32 0f 5e          STA        (statusport2_flag)              = ??
ram:07e4 3a 0e 5e          LDA        (value_for_statusport_2)        = ??
ram:07e7 d3 60            OUT        (out_ControlPort2_in_StatusPort)  = ??
ram:07e9 fb               EI
ram:07ea c9               RET

*****
*                               *
*****
undefined popall_and_ret()
    ▲<UNASSIGNED> <RETURN>
popall_and_ret            XREF[2]:  write_nvramp_configuration:12b0(c)...
                                write_attr_and_control2_and_pop...
ram:07eb c1              POP        BC
ram:07ec d1              POP        DE
ram:07ed e1              POP        HL
ram:07ee f1              POP        AF
ram:07ef c9               RET

*****
*                               *
*****
undefined FUN_ram_07f0()
    ▲<UNASSIGNED> <RETURN>
FUN_ram_07f0              XREF[9]:  FUN_ram_1221:125a(c),
                                FUN_ram_12f7:1340(c),
                                FUN_ram_1605:1631(c),
                                FUN_ram_1930:1933(c),
                                FUN_ram_193c:1957(j),
                                FUN_ram_195f:197a(j),
                                FUN_ram_1982:199e(j),
                                FUN_ram_19a6:19c2(j),
                                FUN_ram_193c:19ce(c)
ram:07f0 c1              POP        BC
LAB_ram_07f1              XREF[1]:  ram:0674(j)
ram:07f1 d1              POP        DE

```

```

*****
*                               *
*****
undefined pop_hl_and_af_return_no_carry()
undefined  <UNASSIGNED> <RETURN>
pop_hl_and_af_return_no_carry          XREF[3]:  display_decimal_number:06fd(j),
                                         display_error_code_custom_chars:..
                                         FUN_ram_19d1:1a0e(j)

ram:07f2 e1      POP      HL

pop_af_return_no_carry          XREF[3]:  FUN_ram_063c:064e(j),
                                         FUN_ram_0ff0:0ff5(j),
                                         FUN_ram_1061:1066(j)

ram:07f3 f1      POP      AF
ram:07f4 37      STC
ram:07f5 3f      CMC
ram:07f6 c9      RET

*****
*                               *
*****
undefined FUN_ram_07f7()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_07f7          XREF[14]:  FUN_ram_1221:1229(j),
                                FUN_ram_1221:1257(j),
                                FUN_ram_12f7:1335(j),
                                FUN_ram_1605:160c(j),
                                FUN_ram_1726:172e(j),
                                FUN_ram_169e:1939(c),
                                FUN_ram_193c:1948(j),
                                FUN_ram_193c:1952(j),
                                FUN_ram_195f:196b(j),
                                FUN_ram_195f:1975(j),
                                FUN_ram_1982:198e(j),
                                FUN_ram_1982:1999(j),
                                FUN_ram_19a6:19b2(j),
                                FUN_ram_19a6:19bd(j)

ram:07f7 c1      POP      BC

LAB_ram_07f8          XREF[3]:  ram:0660(j), ram:0666(j),
                                ram:0671(j)

ram:07f8 d1      POP      DE

LAB_ram_07f9          XREF[8]:  display_decimal_number:06dd(j),
                                display_decimal_number:06f2(j),
                                display_decimal_number:06f9(j),
                                ram:0709(j), ram:0710(j),
                                FUN_ram_19d1:19d7(j),
                                FUN_ram_19d1:19dc(j),
                                FUN_ram_1a11:1a17(j)

ram:07f9 e1      POP      HL

LAB_ram_07fa          XREF[6]:  FUN_ram_0d6b:0d6e(j),
                                FUN_ram_1407:140c(j),
                                FUN_ram_1407:140f(j),
                                FUN_ram_1416:1422(j),
                                FUN_ram_1433:1438(j),
                                FUN_ram_143f:144b(j)

ram:07fa f1      POP      AF

LAB_ram_07fb          XREF[1]:  calculate_nvram_address:1260(j)
ram:07fb 37      STC
ram:07fc c9      RET

*****
*                               *
*****
undefined initialize_system_variables()
undefined  <UNASSIGNED> <RETURN>
initialize_system_variables          XREF[3]:  terminal_boot_sequence:0231(c),
                                         terminal_boot_sequence:024a(c),
                                         hardware_power_on_test:0ab6(c)

ram:07fd f3      DI
ram:07fe f5      PUSH     AF
ram:07ff 21 00 5c LXI      HL,0x5c00
ram:0802 11 cf 5f LXI      DE,0x5fcf
ram:0805 cd 6e 0a CALL     FUN_ram_0a6e          undefined FUN_ram_0a6e()
ram:0808 3e 0a    MVI      A,0xa
ram:080a 30      SIM
ram:080b 3e 48    MVI      A,0x48
ram:080d d3 50    OUT      (ControlPort1)          = ??
ram:080f 32 10 5e STA      (ControlPort1_value)    = ??
ram:0812 3e f2    MVI      A,0xf2
ram:0814 32 0e 5e STA      (value_for_statusport_2) = ??

```


Ghidra - 961264-10.2764.u31

```

ram:0817 d3 60      OUT      (out_ControlPort2_in_StatusPort) = ??
ram:0819 3e 18      MVI      A,0x18
ram:081b 32 1a 5e    STA      (BYTE_ram_5e1a) = ??
ram:081e 21 00 60    LXI      HL,0x6000
ram:0821 22 18 5e    SHLD     (current_cursor_character_address) = ??
ram:0824 21 01 01    LXI      HL,0x101
ram:0827 22 16 5e    SHLD     (next_cursor_character_address) = ??
ram:082a 21 30 75    LXI      HL,0x7530
ram:082d 22 22 5e    SHLD     (DAT_ram_5e22) = ??
ram:0830 3e 97      MVI      A,0x97
ram:0832 d3 10      OUT      (Keyboard_Read(StatusRegister)_Write(ControlPa = ??
ram:0834 3e 92      MVI      A,0x92
ram:0836 d3 10      OUT      (Keyboard_Read(StatusRegister)_Write(ControlPa = ??
ram:0838 3e 20      MVI      A,0x20
ram:083a d3 11      OUT      (Keyboard_Read(ReceiveDataRegister)_Write(Trac = ??
ram:083c 01 90 01    LXI      BC,0x190
ram:083f cd c0 06    CALL     sleep_BC_loops                undefinedsleep_BC_loops()
ram:0842 21 10 00    LXI      HL,0x10
ram:0845 22 10 5c    SHLD     (ISR_RETURN_ADDRESS) = ??
ram:0848 22 1c 5c    SHLD     (ISR_65_RETURN_ADDRESS) = ??
ram:084b 22 1a 5c    SHLD     (ISR_VSCYN_RETURN_ADDRESS) = ??
ram:084e 21 34 04    LXI      HL,0x434
ram:0851 22 12 5c    SHLD     (nvram_test_current_address) = ??
ram:0854 21 9f 02    LXI      HL,0x29f
ram:0857 22 14 5c    SHLD     (RETURN_ADDRESS_ISR_SERIAL_pointer_to_0x29f) = ??
ram:085a 21 4d 04    LXI      HL,0x44d
ram:085d 22 16 5c    SHLD     (pointer_to_0x44d) = ??
ram:0860 21 94 04    LXI      HL,0x494
ram:0863 22 18 5c    SHLD     (pointer_to_0x494) = ??
ram:0866 21 9e 02    LXI      HL,0x29e
ram:0869 22 1e 5c    SHLD     (pointer_to_0x29e_1) = ??
ram:086c 22 20 5c    SHLD     (pointer_to_0x29e_2) = ??
ram:086f 22 22 5c    SHLD     (pointer_to_0x29e_3) = ??
ram:0872 22 26 5c    SHLD     (pointer_to_0x29e_4) = ??
ram:0875 22 28 5c    SHLD     (pointer_to_0x29e_5) = ??
ram:0878 22 2a 5c    SHLD     (pointer_to_0x29e_6) = ??
ram:087b 22 2c 5c    SHLD     (pointer_to_0x29e_7) = ??
ram:087e 22 24 5c    SHLD     (keyboard_handler_function_pointer) = ??
ram:0881 21 a0 0a    LXI      HL,0xaa0
ram:0884 22 fa 5d    SHLD     (pointer_to_0xaa0_or_0x3ed) = ??
ram:0887 cd a6 12    CALL     write_nvram_configuration    undefinedwrite_nvram_configurat...
ram:088a cd cf 08    CALL     setup_serial_and_display_ports undefinedsetup_serial_and_displ...
ram:088d f3         DI

read_keyboard_locks                                XREF[1]:      ram:0892(j)
ram:088e db 10      IN        (Keyboard_Read(StatusRegister)_Write(ControlPa = ??
ram:0890 e6 02      ANI      0x2
ram:0892 ca 8e 08    JZ       read_keyboard_locks
ram:0895 3e 2a      MVI      A,0x2a
ram:0897 d3 11      OUT      (Keyboard_Read(ReceiveDataRegister)_Write(Trac = ??
ram:0899 2e 09      MVI      L,0x9

check_keyboard_locks                                XREF[1]:      ram:08b3(j)
ram:089b 01 00 09    LXI      BC,0x900
ram:089e cd c0 06    CALL     sleep_BC_loops                undefinedsleep_BC_loops()
ram:08a1 db 10      IN        (Keyboard_Read(StatusRegister)_Write(ControlPa = ??
ram:08a3 e6 01      ANI      0x1
ram:08a5 ca c3 08    JZ       error_no_data_From_keyboard
ram:08a8 db 11      IN        (Keyboard_Read(ReceiveDataRegister)_Write(Trac = ??
ram:08aa 67         MOV      H,A
ram:08ab e6 fc      ANI      0xfc
ram:08ad fe dc      CPI      0xdc
ram:08af ca b9 08    JZ       keyboard_locks_ok
ram:08b2 2d         DCR      L
ram:08b3 c2 9b 08    JNZ     check_keyboard_locks
ram:08b6 c3 c3 08    JMP      error_no_data_From_keyboard

keyboard_locks_ok                                    XREF[1]:      ram:08af(j)
ram:08b9 7c         MOV      A,H
ram:08ba e6 03      ANI      0x3
ram:08bc cd 80 07    CALL     FUN_ram_0780                undefinedFUN_ram_0780()
ram:08bf 97         SUB      A
ram:08c0 c3 c9 08    JMP      LAB_ram_08c9

error_no_data_From_keyboard                            XREF[2]:      ram:08a5(j), ram:08b6(j)
ram:08c3 97         SUB      A
ram:08c4 32 0b 5e    STA      (BYTE_ram_5e0b) = ??
ram:08c7 3e 01      MVI      A,0x1

LAB_ram_08c9                                    XREF[1]:      ram:08c0(j)
ram:08c9 32 0a 5e    STA      (BYTE_ram_5e0a) = ??
ram:08cc f1         POP      AF
ram:08cd fb         EI
ram:08ce c9         RET

```

```

*****
*                               *
*****
undefined setup_serial_and_display_ports()
    <UNASSIGNED> <RETURN>
    setup_serial_and_display_ports      XREF[2]:  ram:0127(c),
                                             initialize_system_variables:088a..
ram:08cf cd dc 08      CALL      something_write_controlport2      undefinedsomething_write_contro...
ram:08d2 cd 13 09      CALL      setup_serial_channel_A_and_B      undefinedsetup_serial_channel_A...
ram:08d5 cd 99 09      CALL      di_push_all      undefineddi_push_all()
ram:08d8 cd 52 17      CALL      clear_display_memory_range      undefinedclear_display_memory_r...
ram:08db c9          RET

*****
*                               *
*****
undefined something_write_controlport2()
    <UNASSIGNED> <RETURN>
    something_write_controlport2      XREF[2]:  something_write_controlport2:01a..
                                             something_write_controlport2:01a..
                                             setup_serial_and_display_ports:0..

ram:08dc f3          DI
ram:08dd f5          PUSH      AF
ram:08de c5          PUSH      BC
ram:08df 06 00      MVI        B,0x0
ram:08e1 3a 0c 5f      LDA      (BYTE_ram_5f0c)      = ??
ram:08e4 a7          ANA      A
ram:08e5 ca ea 08      JZ      LAB_ram_08ea
ram:08e8 06 04      MVI        B,0x4

LAB_ram_08ea
ram:08ea 3a 0e 5e      LDA      (value_for_statusport_2      = ??
ram:08ed e6 fb      ANI        0xfb
ram:08ef b0          ORA      B
ram:08f0 32 0e 5e      STA      (value_for_statusport_2      = ??
ram:08f3 d3 60      OUT      (out_ControlPort2_in_StatusPort)      = ??

LAB_ram_08f5
ram:08f5 3a 14 5f      LDA      (BYTE_ram_5f14)      = ??
ram:08f8 a7          ANA      A
ram:08f9 cc 6e 10      CZ      wait_for_hardware_ready_bit2      undefinedwait_for_hardware_read...
ram:08fc c4 74 10      CNZ      FUN_ram_1074      undefinedFUN_ram_1074()
ram:08ff da f5 08      JC      LAB_ram_08f5

LAB_ram_0902
ram:0902 3a 15 5f      LDA      (BYTE_ram_5f15)      = ??
ram:0905 a7          ANA      A
ram:0906 cc 7a 10      CZ      check_hardware_ready_bit2      undefinedcheck_hardware_ready_b...
ram:0909 c4 80 10      CNZ      FUN_ram_1080      undefinedFUN_ram_1080()
ram:090c da 02 09      JC      LAB_ram_0902
ram:090f c1          POP      BC
ram:0910 f1          POP      AF
ram:0911 fb          EI
ram:0912 c9          RET

*****
*                               *
*****
undefined setup_serial_channel_A_and_B()
    <UNASSIGNED> <RETURN>
    Z80SIO Dual Channel Setup - Channel A and B initialization
    Sets up both serial channels with standard parameters
    Channel A and B both configured with WR0, WR4, WR5 registers
    setup_serial_channel_A_and_B      XREF[2]:  configure_z80sio_channels:0139T...
                                             configure_z80sio_channels:0139c...
                                             setup_serial_and_display_ports:0..

ram:0913 f3          DI
ram:0914 f5          PUSH      AF
ram:0915 c5          PUSH      BC
ram:0916 d5          PUSH      DE
ram:0917 e5          PUSH      HL
ram:0918 3a 0f 5f      LDA      (BYTE_ram_5f0f)      = ??
ram:091b 07          RLC
ram:091c 47          MOV      B,A
ram:091d 3a 0e 5f      LDA      (BYTE_ram_5f0e)      = ??
ram:0920 2f          CMA
ram:0921 e6 01      ANI        0x1
ram:0923 b0          ORA      B
ram:0924 07          RLC
ram:0925 07          RLC
ram:0926 07          RLC
ram:0927 e6 18      ANI        0x18
ram:0929 f6 40      ORI        0x40
ram:092b 32 10 5e      STA      (ContolPort1_value)      = ??

```

Ghidra - 961264-10.2764.u31

```

ram:092e d3 50      OUT      (ControlPort1)          = ??
ram:0930 21 2e 5c    LXI      HL,0x5c2e
ram:0933 11 9d 5d    LXI      DE,0x5d9d
ram:0936 cd 6e 0a    CALL     FUN_ram_0a6e              undefinedFUN_ram_0a6e()
ram:0939 cd e6 09    CALL     init_host_serial_port          undefinedinit_host_serial_port()

        Initialize serial port B similar to A

ram:093c 3e 18      MVI      A,0x18
ram:093e d3 03      OUT      (Channel_B_Command_Status) Channel B - RESET
ram:0940 3e 04      MVI      A,0x4
ram:0942 d3 03      OUT      (Channel_B_Command_Status) Ready register 4
ram:0944 3a 01 5f    LDA      (BYTE_ram_5f01)          = ??
ram:0947 4f         MOV      C,A
ram:0948 3a 02 5f    LDA      (BYTE_ram_5f02)          = ??
ram:094b cd 22 0a    CALL     calculate_serial_config_byte undefinedcalculate_serial_config_byte
ram:094e d3 03      OUT      (Channel_B_Command_Status) 0x44 => ODD,1stop, RTS=1,DTR=1 (...)
ram:0950 3e 05      MVI      A,0x5
ram:0952 d3 03      OUT      (Channel_B_Command_Status) Ready Register 5
ram:0954 3a 00 5f    LDA      (BYTE_ram_5f00)          = ??
ram:0957 cd 3c 0a    CALL     find_memory_Address_xx             pointer16find_memory_Address_xx...
ram:095a d3 03      OUT      (Channel_B_Command_Status) = ??
ram:095c 79         MOV      A,C
ram:095d 32 1c 5e    STA      (BYTE_ram_5e1c)          = ??
ram:0960 3e 03      MVI      A,0x3
ram:0962 d3 03      OUT      (Channel_B_Command_Status) = ??
ram:0964 78         MOV      A,B
ram:0965 f6 01      ORI      0x1
ram:0967 d3 03      OUT      (Channel_B_Command_Status) = ??
ram:0969 3e 01      MVI      A,0x1
ram:096b d3 03      OUT      (Channel_B_Command_Status) = ??
ram:096d 3e 16      MVI      A,0x16
ram:096f d3 03      OUT      (Channel_B_Command_Status) = ??
ram:0971 3a 07 5f    LDA      (BYTE_ram_5f07)          = ??
ram:0974 cd 4d 0a    CALL     delay_loop              undefineddelay_loop()
ram:0977 3e 36      MVI      A,0x36
ram:0979 d3 23      OUT      (Timer.ControlWord)        = ??
ram:097b 7e         MOV      A,(HL=>DAT_ram_5c2e)        = ??
ram:097c d3 20      OUT      (Timer.Counter_0)          = ??
ram:097e 23         INX      HL
ram:097f 7e         MOV      A,(HL=>DAT_ram_5c2f)        = ??
ram:0980 d3 20      OUT      (Timer.Counter_0)          = ??
ram:0982 3a 03 5f    LDA      (BYTE_ram_5f03)          = ??
ram:0985 cd 4d 0a    CALL     delay_loop              undefineddelay_loop()
ram:0988 3e 76      MVI      A,0x76
ram:098a d3 23      OUT      (Timer.ControlWord)        = ??
ram:098c 7e         MOV      A,(HL=>DAT_ram_5c2f)        = ??
ram:098d d3 21      OUT      (Timer.Counter_1)          = ??
ram:098f 23         INX      HL
ram:0990 7e         MOV      A,(HL=>DAT_ram_5c30)        = ??
ram:0991 d3 21      OUT      (Timer.Counter_1)          = ??
ram:0993 cd 58 0a    CALL     handle_keyboard_communication undefinedhandle_keyboard_commun...
ram:0996 c3 a1 09    JMP      pop_and_return_EI

*****
*                               *
*                               *
*****
undefined di_push_all()
      <UNASSIGNED> <RETURN>
di_push_all                                XREF[2]:    di_push_all:013c(T),
                                              di_push_all:013c(c),
                                              setup_serial_and_display_ports:0.

ram:0999 f3         DI
ram:099a f5         PUSH     AF
ram:099b c5         PUSH     BC
ram:099c d5         PUSH     DE
ram:099d e5         PUSH     HL
ram:099e cd a7 09    CALL     check_printer_status          undefinedcheck_printer_status()

        pop_and_return_EI
XREF[1]:    ram:0996(j)
ram:09a1 e1         POP      HL
ram:09a2 d1         POP      DE
ram:09a3 c1         POP      BC
ram:09a4 f1         POP      AF
ram:09a5 fb         EI
ram:09a6 c9         RET

*****
*                               *
*                               *
*****
undefined check_printer_status()
      <UNASSIGNED> <RETURN>
check_printer_status                      XREF[2]:    vsync_interrupt_handler:05ed(c),
                                              di_push_all:099e(c)

ram:09a7 c5         PUSH     BC
ram:09a8 21 c0 5d    LXI      HL,0x5dc0
ram:09ab 11 f5 5d    LXI      DE,0x5df5

```

Ghidra - 961264-10.2764.u31

```

ram:09ae cd 6e 0a      CALL      FUN_ram_0a6e                      undefined FUN_ram_0a6e()
ram:09b1 3e 97         MVI        A,0x97
ram:09b3 d3 18         OUT        (Printer_Read(StatusRegister)_Write(ControlReg, = ??
ram:09b5 3a 08 5f      LDA        (BYTE_ram_5f08)                = ??
ram:09b8 07           RLC
ram:09b9 07           RLC
ram:09ba 47           MOV        B,A
ram:09bb 3a 0a 5f      LDA        (BYTE_ram_5f0a)                = ??
ram:09be b0           ORA        B
ram:09bf e6 07         ANI        0x7
ram:09c1 47           MOV        B,A
ram:09c2 21 90 0a      LXI        HL,0xa90

LAB_ram_09c5
ram:09c5 7e           MOV        A,(HL=>DAT_ram_0a90)                XREF[1]:  ram:09c9(j)
ram:09c6 23           INX        HL                                = 1h
ram:09c7 23           INX        HL
ram:09c8 b8           CMP        B
ram:09c9 c2 c5 09      JNZ        LAB_ram_09c5
ram:09cc 2b           DCX        HL
ram:09cd 7e           MOV        A,(HL=>DAT_ram_0a91)                = 15h
ram:09ce d3 18         OUT        (Printer_Read(StatusRegister)_Write(ControlReg, = ??
ram:09d0 32 11 5e      STA        (BYTE_ram_5e11)                = ??
ram:09d3 3a 0b 5f      LDA        (BYTE_ram_5f0b)                = ??
ram:09d6 cd 4d 0a      CALL      delay_loop                      undefined delay_loop()
ram:09d9 3e b6         MVI        A,0xb6
ram:09db d3 23         OUT        (Timer.ControlWord)                = ??
ram:09dd 7e           MOV        A,(HL=>DAT_ram_0a91)                = 15h
ram:09de d3 22         OUT        (Timer.Counter_2)                = ??
ram:09e0 23           INX        HL
ram:09e1 7e           MOV        A,(HL=>some_config_)                = 1h
ram:09e2 d3 22         OUT        (Timer.Counter_2)                = ??
ram:09e4 c1           POP        BC
ram:09e5 c9           RET

*****
*                               *
*                               *
*****
undefined init_host_serial_port()
init_host_serial_port() <RETURN>
Z80SIO Channel A Initialization
Configures: WR0 (reset), WR4 (RX/TX modes), WR5 (TX control),...
Standard Z80SIO setup for serial communication
init_host_serial_port
XREF[3]:  setup_serial_channel_A_and_B:092a,
          test_z80sio_ports:0c44(c),
          test_z80sio_ports:0cc2(c)

ram:09e6 3e 18         MVI        A,0x18
ram:09e8 d3 01         OUT        (Channel_A_Command_Status)      CH-1 - WR0_CHANNEL_RESET -> devi...
ram:09ea 3e 04         MVI        A,0x4
ram:09ec d3 01         OUT        (Channel_A_Command_Status)      Register WR0 = 0x04

ram:09ee 3a 05 5f      LDA        (BYTE_ram_5f05)                = ??
ram:09f1 4f           MOV        C,A
ram:09f2 3a 06 5f      LDA        (BYTE_ram_5f06)                = ??
ram:09f5 cd 22 0a      CALL      calculate_serial_config_byte      undefined calculate_serial_conf...
ram:09f8 d3 01         OUT        (Channel_A_Command_Status)      when A=0x44 => SET RX/TX = 1NE, ...
ram:09fa 3e 05         MVI        A,0x5
ram:09fc d3 01         OUT        (Channel_A_Command_Status)      m_wr0 = 5 (next write is regist...
ram:09fe 3a 04 5f      LDA        (BYTE_ram_5f04)                = ??
ram:0a01 cd 3c 0a      CALL      find_memory_Address_xx            pointer16 find_memory_Address_xx...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:0a04 d3 01         OUT        (Channel_A_Command_Status)      when A=0x28 (transmit enable, 7 ...
ram:0a06 32 1f 5e      STA        (Last_Channel_A_Command)        = ??
ram:0a09 79           MOV        A,C
ram:0a0a 32 1b 5e      STA        (BYTE_ram_5e1b)                = ??
ram:0a0d 3e 03         MVI        A,0x3
ram:0a0f d3 01         OUT        (Channel_A_Command_Status)      m_wr0 = 3 (next write is regist...
ram:0a11 78           MOV        A,B
ram:0a12 f6 01         ORI        0x1
ram:0a14 32 1e 5e      STA        (chA_register3_value)            = ??
ram:0a17 d3 01         OUT        (Channel_A_Command_Status)      when a=0x41 (Enable receiver, 7 ...
ram:0a19 3e 01         MVI        A,0x1
ram:0a1b d3 01         OUT        (Channel_A_Command_Status)      m_wr0 = 3 (next write is regist...
ram:0a1d 3e 13         MVI        A,0x13
ram:0a1f d3 01         OUT        (Channel_A_Command_Status)      0x13 => Ext Int & Trannsmitt Int ...
ram:0a21 c9           RET

*****
*                               *
*                               *
*****
undefined calculate_serial_config_byte()
calculate_serial_config_byte
XREF[2]:  setup_serial_channel_A_and_B:094a,
          init_host_serial_port:09f5(c)

ram:0a22 06 40         MVI        B,0x40

```

May 28, 2025 11:10 AM

Page 37 of 319

```

*****
*                               *
*****
undefined FUN_ram_0a6e()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_0a6e                                     XREF[5]:   initialize_system_variables:0805,
                                                setup_serial_channel_A_and_B:092,
                                                check_printer_status:09ad(c),
                                                ram:0a74(j), memory_test:0bc6(c)

ram:0a6e 36 00      MVI      (HL),0x0
ram:0a70 23        INX      HL
ram:0a71 cd 6e 07   CALL     check_D_eq_H
ram:0a74 c2 6e 0a   JNZ      FUN_ram_0a6e
ram:0a77 c9        RET
ram:0a78 00        ??      00h
ram:0a79 06        ??      06h
ram:0a7a 00        ??      00h
ram:0a7b 04        ??      04h
ram:0a7c ba        ??      BAh
ram:0a7d 02        ??      02h
ram:0a7e 3b        ??      3Bh      ;
ram:0a7f 02        ??      02h
ram:0a80 80        ??      80h
ram:0a81 01        ??      01h
ram:0a82 00        ??      00h
ram:0a83 01        ??      01h
ram:0a84 80        ??      80h
ram:0a85 00        ??      00h
ram:0a86 40        ??      40h      @
ram:0a87 00        ??      00h
ram:0a88 20        ??      20h
ram:0a89 00        ??      00h
ram:0a8a 10        ??      10h
ram:0a8b 00        ??      00h
ram:0a8c 08        ??      08h
ram:0a8d 00        ??      00h
ram:0a8e 04        ??      04h
ram:0a8f 00        ??      00h

ram:0a90          DAT_ram_0a90
undefined1 00h
XREF[1]:   check_printer_status:09c5(R)

ram:0a91          DAT_ram_0a91
undefined1 15h
XREF[2]:   check_printer_status:09cd(R),
           check_printer_status:09dd(R)

ram:0a92          some_config_
undefined1 15h
XREF[2]:   check_printer_status:09c5(R),
           check_printer_status:09e1(R)

ram:0a92 01        db      1h
ram:0a93 01        db      1h
ram:0a94 02        db      2h
ram:0a95 05        db      5h
ram:0a96 03        db      3h
ram:0a97 01        db      1h
ram:0a98 04        db      4h
ram:0a99 15        db      15h
ram:0a9a 05        db      5h
ram:0a9b 19        db      19h
ram:0a9c 06        db      6h
ram:0a9d 1d        db      1Dh
ram:0a9e 07        db      7h
ram:0a9f 19        db      19h

terminal_config_data_table
ram:0aa0 e8        db      E8h
ram:0aa1 e8        db      E8h
ram:0aa2 e8        db      E8h
ram:0aa3 ff        db      FFh
ram:0aa4 f8        db      F8h
ram:0aa5 af        db      AFh
ram:0aa6 80        db      80h
ram:0aa7 80        db      80h
ram:0aa8 80        db      80h
ram:0aa9 80        db      80h
ram:0aaa 80        db      80h

*****
*                               *
*****
undefined hardware_power_on_test()
undefined  <UNASSIGNED> <RETURN>
Step 1: RAM Memory Test - Write/Read pattern test for system ...
hardware_power_on_test
XREF[1]:   terminal_boot_sequence:0247(c)

ram:0aab 21 00 58   LXI      HL,0x5800

```

Ghidra - 961264-10.2764.u31

```

ram:0aae 11 f0 5f      LXI      DE,0x5ff0
ram:0ab1 cd 8e 0b      CALL     memory_test           check RAM from 0x5800->0x5ff0 ??
ram:0ab4 3e 06         MVI      A,0x6
ram:0ab6 cd fd 07      CALL     initialize_system_variables      undefinedinitialize_system_vari...
ram:0ab9 d4 e8 0b      CNC       initialize_display_memory      Fails with CRC
ram:0abc d4 38 0c      CNC       test_z80sio_ports      Step 3: Test Z80SIO and keyboard...
ram:0abf d4 f5 0c      CNC       test_keyboard_communication      Step 4: Test keyboard communicat...
ram:0ac2 d4 e1 0a      CNC       test_nvram      fails with Carry
ram:0ac5 d4 d8 0a      CNC       load_nvram_config      OK
ram:0ac8 c9           RET

*****
*                               *
*                               *
*****

undefined pop_and_return_OK()
undefined   <UNASSIGNED>  <RETURN>
pop_and_return_OK      XREF[5]:  nvram_test_and_load_config:0b54...
                               nvram_test_and_load_config:0b5a...
                               initialize_display_memory:0c28c...
                               test_z80sio_ports:0cc7(j),
                               test_keyboard_communication:0d5b...

ram:0ac9 f1          POP       AF
ram:0aca e1          POP       HL
ram:0acb d1          POP       DE
ram:0acc c1          POP       BC
ram:0acd 37          STC
ram:0ace 3f          CMC
ram:0acf c9          RET

*****
*                               *
*                               *
*****

undefined pop_and_return_with_carry()
undefined   <UNASSIGNED>  <RETURN>
pop_and_return_with_carry      XREF[6]:  nvram_test_and_load_config:0b09...
                               nvram_test_and_load_config:0b60...
                               nvram_test_and_load_config:0b68...
                               initialize_display_memory:0c39c...
                               test_z80sio_ports:0cca(c),
                               test_keyboard_communication:0d5e...
                               ERROR CODE RETURN: A register co...
                               Error 0x51 will display as 'Q', ...

ram:0ad0 47          MOV       B,A
ram:0ad1 f1          POP       AF
ram:0ad2 78          MOV       A,B
ram:0ad3 e1          POP       HL
ram:0ad4 d1          POP       DE
ram:0ad5 c1          POP       BC
ram:0ad6 37          STC
ram:0ad7 c9          RET

*****
*                               *
*                               *
*****

undefined load_nvram_config()
undefined   <UNASSIGNED>  <RETURN>
Step 5: Load NVRAM Configuration - Restore saved terminal set...
load_nvram_config      XREF[2]:  ram:01d2(c),
                               hardware_power_on_test:0ac9(c)

ram:0ad8 c5          PUSH      BC
ram:0ad9 d5          PUSH      DE
ram:0ada e5          PUSH      HL
ram:0adb f5          PUSH      AF
ram:0adc 0e 01       MVI      C,0x1
ram:0ade c3 ea 0a     JMP       nvram_test_and_load_config      bytenvram_test_and_load_config(...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****

undefined test_nvram()
undefined   <UNASSIGNED>  <RETURN>
Step 4: NVRAM Test - Verify non-volatile memory for configura...
test_nvram      XREF[2]:  ram:01d5(c),
                               hardware_power_on_test:0ac2(c)

ram:0ae1 c5          PUSH      BC
ram:0ae2 d5          PUSH      DE
ram:0ae3 e5          PUSH      HL
ram:0ae4 f5          PUSH      AF
ram:0ae5 0e 00       MVI      C,0x0
ram:0ae7 c3 ea 0a     JMP       nvram_test_and_load_config      bytenvram_test_and_load_config(...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               FUNCTION                               *
*****

byte nvram_test_and_load_config(void)
    A:1 <RETURN>
NVram Test and Configuration Load Function
CRITICAL: This function generates high error codes including ...
Error 0x51 (81 dec) displays as 'Q' - likely NVRAM checksum f...
Error 0x54 (84 dec) displays as 'T' - likely NVRAM validation...
Returns error codes via pop_and_return_with_carry function
nvram_test_and_load_config                                XREF[2]:    load_nvram_config:0ade(c),
                                                         test_nvram:0ae7(c)
                                                         Start NVRAM test at address 0x50
                                                         = ??
ram:0aea 21 50 00    LXI        HL,0x50
ram:0aed 22 03 5e    SHLD        (nvram_test_current_address)
ram:0af0 cd ef 11    CALL        write_to_nvram                undefined write_to_nvram()
ram:0af3 fe 80      CPI        0x80
ram:0af5 c2 03 0b    JNZ        LAB_ram_0b03
ram:0af8 21 5f 00    LXI        HL,0x5f
ram:0afb cd ef 11    CALL        write_to_nvram                undefined write_to_nvram()
ram:0afe fe 80      CPI        0x80
ram:0b00 ca 08 0b    JZ         LAB_ram_0b08

LAB_ram_0b03                                XREF[1]:    ram:0af5(j)
ram:0b03 3e 1a      MVI        A,0x1a                        Return error 0x1A (26 dec) for N...
ram:0b05 c3 d0 0a    JMP        pop_and_return_with_carry        undefined pop_and_return_with_ca...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_0b08                                XREF[1]:    ram:0b00(j)
ram:0b08 21 00 00    LXI        HL,0x0
ram:0b0b 97         SUB        A
ram:0b0c 32 01 5e    STA        (nvram_checksum_accumulator)    = ??

LAB_ram_0b0f                                XREF[1]:    ram:0b4d(j)
ram:0b0f eb        XCHG
ram:0b10 2a 03 5e    LHLD        (nvram_test_current_address)    = ??
ram:0b13 23         INX        HL
ram:0b14 7d         MOV        A,L
ram:0b15 fe 5f      CPI        0x5f
ram:0b17 ca 50 0b    JZ         LAB_ram_0b50
ram:0b1a 22 03 5e    SHLD        (nvram_test_current_address)    = ??
ram:0b1d cd ef 11    CALL        write_to_nvram                undefined write_to_nvram()
ram:0b20 eb        XCHG
ram:0b21 47         MOV        B,A
ram:0b22 1f        RAR
ram:0b23 1f        RAR
ram:0b24 1f        RAR
ram:0b25 cd 6b 0b    CALL        FUN_ram_0b6b                undefined FUN_ram_0b6b()
ram:0b28 78         MOV        A,B
ram:0b29 e6 c0      ANI        0xc0
ram:0b2b fe 40      CPI        0x40
ram:0b2d c2 3b 0b    JNZ        LAB_ram_0b3b
ram:0b30 79         MOV        A,C
ram:0b31 a7         ANA        A
ram:0b32 c2 48 0b    JNZ        LAB_ram_0b48
ram:0b35 cd 8e 0b    CALL        memory_test                undefined memory_test()
ram:0b38 da 63 0b    JC         LAB_ram_0b63

LAB_ram_0b3b                                XREF[1]:    ram:0b2d(j)
ram:0b3b 78         MOV        A,B
ram:0b3c e6 c0      ANI        0xc0
ram:0b3e fe 80      CPI        0x80
ram:0b40 c2 48 0b    JNZ        LAB_ram_0b48
ram:0b43 79         MOV        A,C
ram:0b44 a7         ANA        A
ram:0b45 c4 cc 0b    CNZ        FUN_ram_0bcc                undefined FUN_ram_0bcc()

LAB_ram_0b48                                XREF[2]:    ram:0b32(j), ram:0b40(j)
ram:0b48 78         MOV        A,B
ram:0b49 cd 6b 0b    CALL        FUN_ram_0b6b                undefined FUN_ram_0b6b()
ram:0b4c eb        XCHG
ram:0b4d c3 0f 0b    JMP        LAB_ram_0b0f

LAB_ram_0b50                                XREF[1]:    ram:0b17(j)
ram:0b50 79         MOV        A,C
ram:0b51 a7         ANA        A
ram:0b52 ca c9 0a    JZ         pop_and_return_OK
ram:0b55 3a 01 5e    LDA        (nvram_checksum_accumulator)    = ??
ram:0b58 fe aa      CPI        0xaa
ram:0b5a ca c9 0a    JZ         pop_and_return_OK
ram:0b5d 3e 19      MVI        A,0x19                        Return error 0x19 (25 dec) for c...
ram:0b5f 37        STC
ram:0b60 c3 d0 0a    JMP        pop_and_return_with_carry        undefined pop_and_return_with_ca...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```


Ghidra - 961264-10.2764.u31

```

LAB_ram_0b63
ram:0b63 3a 03 5e    LDA      (nvram_test_current_address)
                                XREF[1]:    ram:0b38(j)
                                CRITICAL ERROR GENERATION: Load ...
ERROR CODE CALCULATION MYSTERY:
Code calculates: current_address - 0x50
But actual error codes suggest the full address (0x51, 0x54) ...
This indicates either:
1. Different error path than shown here, OR
2. The address itself becomes the error code through another ...
INVESTIGATION NEEDED: Trace exactly how 0x51/0x54 get into A ...

ram:0b66 d6 50      SUI      0x50
                                Calculate error code: current_ad...
                                If current_address = 0x51, error...
                                If current_address = 0x54, error...
                                BUT ACTUAL ERROR = address itsel...

ram:0b68 c3 d0 0a    JMP      pop_and_return_with_carry
                                Jump to pop_and_return_with_carr...
                                BUT ERROR CODES 0x51/0x54 sugges...

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined FUN_ram_0b6b()
    <UNASSIGNED> <RETURN>
    FUN_ram_0b6b
                                XREF[2]:    nvram_test_and_load_config:0b29...
                                nvram_test_and_load_config:0b49...

ram:0b6b e6 07      ANI      0x7
ram:0b6d ca 86 0b    JZ      LAB_ram_0b86
ram:0b70 fe 07      CPI      0x7
ram:0b72 ca 8a 0b    JZ      LAB_ram_0b8a
ram:0b75 e5         PUSH     HL
ram:0b76 eb         XCHG
ram:0b77 21 00 04    LXI      HL,0x400

LAB_ram_0b7a
ram:0b7a 3d         DCR      A
                                XREF[1]:    ram:0b7f(j)
ram:0b7b ca 82 0b    JZ      LAB_ram_0b82
ram:0b7e 29         DAD      HL,HL
ram:0b7f c3 7a 0b    JMP      LAB_ram_0b7a

LAB_ram_0b82
ram:0b82 19         DAD      HL,DE
                                XREF[1]:    ram:0b7b(j)
ram:0b83 eb         XCHG
ram:0b84 e1         POP      HL
ram:0b85 c9         RET

LAB_ram_0b86
ram:0b86 11 00 80    LXI      DE,0x8000
                                XREF[1]:    ram:0b6d(j)
ram:0b89 c9         RET

LAB_ram_0b8a
ram:0b8a 11 00 c0    LXI      DE,0xc000
                                XREF[1]:    ram:0b72(j)
ram:0b8d c9         RET

*****
*                               *
*                               *
*****
undefined memory_test()
    <UNASSIGNED> <RETURN>
Memory test function - if this fails, generates address-based...
Likely source of errors 0x51 and 0x54 when memory test fails ...
memory_test
                                XREF[2]:    hardware_power_on_test:0ab1(c),
                                nvram_test_and_load_config:0b39...

ram:0b8e e5         PUSH     HL

LAB_ram_0b8f
ram:0b8f 75         MOV      (HL),L
                                XREF[1]:    ram:0b94(j)
                                Write L to memory(HL)
ram:0b90 23         INX      HL
ram:0b91 cd 6e 07    CALL     check_D_eq_H
                                undefined check_D_eq_H()
ram:0b94 c2 8f 0b    JNZ      LAB_ram_0b8f
ram:0b97 e1         POP      HL
ram:0b98 e5         PUSH     HL

LAB_ram_0b99
ram:0b99 7e         MOV      A,(HL)
                                XREF[1]:    ram:0ba2(j)
ram:0b9a bd         CMP      L
ram:0b9b c2 c2 0b    JNZ      LAB_ram_0bc2
ram:0b9e 23         INX      HL
ram:0b9f cd 6e 07    CALL     check_D_eq_H
                                undefined check_D_eq_H()
ram:0ba2 c2 99 0b    JNZ      LAB_ram_0b99
ram:0ba5 e1         POP      HL
ram:0ba6 e5         PUSH     HL

LAB_ram_0ba7
ram:0ba7 74         MOV      (HL),H
                                XREF[1]:    ram:0bac(j)
ram:0ba8 23         INX      HL

```

Ghidra - 961264-10.2764.u31

```

ram:0ba9 cd 6e 07      CALL      check_D_eq_H()          undefined check_D_eq_H()
ram:0bac c2 a7 0b      JNZ       LAB_ram_0ba7
ram:0baf e1            POP        HL
ram:0bb0 e5            PUSH       HL

LAB_ram_0bb1
ram:0bb1 7e            MOV        A, (HL)
ram:0bb2 bc            CMP        H
ram:0bb3 c2 c2 0b      JNZ       LAB_ram_0bc2
ram:0bb6 23            INX        HL
ram:0bb7 cd 6e 07      CALL      check_D_eq_H()          undefined check_D_eq_H()
ram:0bba c2 b1 0b      JNZ       LAB_ram_0bb1
ram:0bbd e1            POP        HL
ram:0bbe a7            ANA        A
ram:0bbf c3 c4 0b      JMP        LAB_ram_0bc4

LAB_ram_0bc2
ram:0bc2 e1            POP        HL
ram:0bc3 37            STC

LAB_ram_0bc4
ram:0bc4 f5            PUSH       AF
ram:0bc5 e5            PUSH       HL
ram:0bc6 cd 6e 0a      CALL      FUN_ram_0a6e()          undefined FUN_ram_0a6e()
ram:0bc9 e1            POP        HL
ram:0bca f1            POP        AF
ram:0bcb c9            RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0bcc()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0bcc
XREF[2]: ram:01e1(c),
nvrAm_test_and_load_config:0b45...

ram:0bcc f5            PUSH       AF
ram:0bcd e5            PUSH       HL
ram:0bce 97            SUB        A

LAB_ram_0bcf
ram:0bcf 86            ADD        (HL)
ram:0bd0 23            INX        HL
ram:0bd1 f5            PUSH       AF
ram:0bd2 cd 6e 07      CALL      check_D_eq_H()          undefined check_D_eq_H()
ram:0bd5 ca dc 0b      JZ        LAB_ram_0bdc
ram:0bd8 f1            POP        AF
ram:0bd9 c3 cf 0b      JMP        LAB_ram_0bcf

LAB_ram_0bdc
ram:0bdc f1            POP        AF
ram:0bdd 67            MOV        H,A
ram:0bde 3a 01 5e      LDA        (nvram_checksum_accumulator) = ??
ram:0be1 84            ADD        H
ram:0be2 32 01 5e      STA        (nvram_checksum_accumulator) = ??
ram:0be5 e1            POP        HL
ram:0be6 f1            POP        AF
ram:0be7 c9            RET

*****
*                               *
*                               *
*****
undefined initialize_display_memory()
undefined <UNASSIGNED> <RETURN>
Step 2: Display Memory Test - Initialize and verify video RAM...
initialize_display_memory
XREF[2]: ram:01d8(c),
hardware_power_on_test:0ab9(c)

ram:0be8 c5            PUSH       BC
ram:0be9 d5            PUSH       DE
ram:0bea e5            PUSH       HL
ram:0beb f5            PUSH       AF
ram:0bec cd cf 07      CALL      FUN_ram_07cf()          undefined FUN_ram_07cf()
ram:0bef 0e 00          MVI        C,0x0
ram:0bf1 21 00 60      LXI        HL,0x6000
ram:0bf4 11 00 60      LXI        DE,0x6000
ram:0bf7 d5            PUSH       DE=>display_memory_start = ??
ram:0bf8 e5            PUSH       HL=>display_memory_start = ??

LAB_ram_0bf9
ram:0bf9 79            MOV        A,C
ram:0bfa d3 70          OUT        (AttributeRegister) = ??
ram:0bfc 77            MOV        (HL=>display_memory_start),A = ??
ram:0bfd 0c            INR        C
ram:0bfe cd 96 06      CALL      FUN_ram_0696()          undefined FUN_ram_0696()
ram:0c01 cd 6e 07      CALL      check_D_eq_H()          undefined check_D_eq_H()
ram:0c04 c2 f9 0b      JNZ       LAB_ram_0bf9

```

Ghidra - 961264-10.2764.u31

```

ram:0c07 e1      POP      HL
ram:0c08 d1      POP      DE
ram:0c09 0e 00   MVI      C,0x0

LAB_ram_0c0b
ram:0c0b 7e      MOV      A,(HL=>display_memory_start)
ram:0c0c b9      CMP      C
ram:0c0d c2 2b 0c JNZ      LAB_ram_0c2b
ram:0c10 e6 0f   ANI      0xf
ram:0c12 47      MOV      B,A
ram:0c13 db 70   IN       (AttributeRegister)
ram:0c15 e6 0f   ANI      0xf
ram:0c17 b8      CMP      B
ram:0c18 c2 30 0c JNZ      LAB_ram_0c30
ram:0c1b 0c      INR      C
ram:0c1c cd 96 06 CALL     FUN_ram_0696
ram:0c1f cd 6e 07 CALL     check_D_eq_H
ram:0c22 c2 0b 0c JNZ      LAB_ram_0c0b
ram:0c25 cd 52 17 CALL     clear_display_memory_range
ram:0c28 c3 c9 0a JMP      pop_and_return_OK
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_0c2b
ram:0c2b 3e 0f   MVI      A,0xf
ram:0c2d c3 32 0c JMP      LAB_ram_0c32

LAB_ram_0c30
ram:0c30 3e 11   MVI      A,0x11

LAB_ram_0c32
ram:0c32 cd 52 17 CALL     clear_display_memory_range
ram:0c35 c3 d0 0a JMP      pop_and_return_with_carry
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined test_z80sio_ports()
undefined <UNASSIGNED> <RETURN>
Z80SIO and Keyboard Integration Test
Tests complete keyboard-to-host communication path:
1. Initialize Z80SIO host serial port
2. Test keyboard controller response and data transmission
3. Verify DTR/RTS control signals work
4. Confirm keyboard data can be sent to host via serial
This is NOT a loopback test - it's testing keyboard controller...
Error 0x14 indicates keyboard controller not responding to co...
test_z80sio_ports
XREF[2]: ram:01db(c),
hardware_power_on_test:0abd(c)

ram:0c38 f3      DI
ram:0c39 c5      PUSH     BC
ram:0c3a d5      PUSH     DE
ram:0c3b e5      PUSH     HL
ram:0c3c f5      PUSH     AF
ram:0c3d 3a 0e 5e LDA      (value_for_statusport_2)
ram:0c40 e6 bf   ANI      0xbf
ram:0c42 d3 60   OUT      (out_ControlPort2_in_StatusPort)
ram:0c44 3e 01   MVI      A,0x1
ram:0c46 32 0f 5e STA      (statusport2_flag)
ram:0c49 cd e6 09 CALL     init_host_serial_port

LAB_ram_0c4c
ram:0c4c cd 3c 0f CALL     keyboard_to_host_transmission
ram:0c4f d2 4c 0c JNC      LAB_ram_0c4c
ram:0c52 21 00 00 LXI      HL,0x0
ram:0c55 22 52 5d SHLD     (z80sio_channel_a_test_status)
ram:0c58 22 54 5d SHLD     (z80sio_channel_b_test_status)
ram:0c5b 2a 26 5c LHL     (pointer_to_0x29e_4)
ram:0c5e 22 05 5e SHLD     (BYTE_ram_5e05)
ram:0c61 21 f1 0c LXI      HL,0xcf1
ram:0c64 22 26 5c SHLD     (pointer_to_0x29e_4)
ram:0c67 06 00   MVI      B,0x0
ram:0c69 cd cd 0c CALL     update_uart_txcontrol_check_DTR_RTS
ram:0c6c ca a4 0c JZ      set_A_0x12_return_ERR
ram:0c6f 06 80   MVI      B,0x80
ram:0c71 cd cd 0c CALL     update_uart_txcontrol_check_DTR_RTS
ram:0c74 c2 a4 0c JNZ      set_A_0x12_return_ERR
ram:0c77 06 02   MVI      B,0x2
ram:0c79 cd cd 0c CALL     update_uart_txcontrol_check_DTR_RTS
ram:0c7c c2 a4 0c JNZ      set_A_0x12_return_ERR
ram:0c7f 97      SUB      A
ram:0c80 32 07 5e STA      (counter?_init_0)
ram:0c83 3e 55   MVI      A,0x55

```

Ghidra - 961264-10.2764.u31

```

This is the place it fails right now!!
ram:0c85 cd e4 0c CALL test_keyboard_to_host_transmission undefinedtest_keyboard_to_host_...
ram:0c88 da a9 0c JC set_A_0x14_return_ERR Check if expected response was r...
ram:0c8b fe 55 CPI 0x55
ram:0c8d c2 ae 0c JNZ LAB_ram_0cae
ram:0c90 3e 2a MVI A,0x2a Second keyboard-to-host test wit...
Verifies keyboard controller can...

ram:0c92 cd e4 0c CALL test_keyboard_to_host_transmission undefinedtest_keyboard_to_host_...
ram:0c95 da a9 0c JC set_A_0x14_return_ERR
ram:0c98 fe 2a CPI 0x2a
ram:0c9a c2 ae 0c JNZ LAB_ram_0cae
ram:0c9d 3a 07 5e LDA (counter?_init_0) = ??
ram:0ca0 a7 ANA A
ram:0ca1 ca b1 0c JZ LAB_ram_0cb1

set_A_0x12_return_ERR XREF[3]: ram:0c6c(j), ram:0c74(j),
ram:0ca4 3e 12 MVI A,0x12 ram:0c7c(j)
ram:0ca6 c3 b0 0c JMP jump_set_carry_return_ERR

set_A_0x14_return_ERR XREF[2]: ram:0c88(j), ram:0c95(j)
ram:0ca9 3e 14 MVI A,0x14 ERROR 0x14 - Keyboard controller...
ram:0cab c3 b0 0c JMP jump_set_carry_return_ERR

LAB_ram_0cae XREF[2]: ram:0c8d(j), ram:0c9a(j)
ram:0cae 3e 13 MVI A,0x13

jump_set_carry_return_ERR XREF[2]: ram:0ca6(j), ram:0cab(j)
ram:0cb0 37 STC

LAB_ram_0cb1 XREF[1]: ram:0cal(j)
ram:0cb1 f5 PUSH AF
ram:0cb2 f3 DI
ram:0cb3 2a 05 5e LHLD (BYTE_ram_5e05) = ??
ram:0cb6 22 26 5c SHLD (pointer_to_0x29e_4) = ??
ram:0cb9 97 SUB A
ram:0cba 32 0f 5e STA (statusport2_flag) = ??
ram:0cbd 3a 0e 5e LDA (value_for_statusport_2) = ??
ram:0cc0 d3 60 OUT (out_ControlPort2_in_StatusPort) = ??
ram:0cc2 cd e6 09 CALL init_host_serial_port undefinedinit_host_serial_port()
ram:0cc5 f1 POP AF
ram:0cc6 fb EI
ram:0cc7 d2 c9 0a JNC pop_and_return_OK
ram:0cca c3 d0 0a JMP pop_and_return_with_carry undefinedpop_and_return_with_ca...

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
* FUNCTION *
*****
undefined update_uart_txcontrol_check_DTR_RT4)
undefined <UNASSIGNED> <RETURN>
update_uart_txcontrol_check_DTR_RTS XREF[3]: test_z80sio_ports:0c6%(c),
test_z80sio_ports:0c71(c),
test_z80sio_ports:0c7%(c)

ram:0ccd 3e 05 MVI A,0x5
ram:0ccf d3 01 OUT (Channel_A_Command_Status) = ??
ram:0cd1 3a 1f 5e LDA (Last_Channel_A_Command) = ??
ram:0cd4 e6 6d ANI 0x6d
ram:0cd6 f6 08 ORI 0x8
ram:0cd8 b0 ORA B
ram:0cd9 d3 01 OUT (Channel_A_Command_Status) = ??
ram:0cdb 3e 10 MVI A,0x10
ram:0cdd d3 01 OUT (Channel_A_Command_Status) = ??
ram:0cdf db 60 IN (out_ControlPort2_in_StatusPort) = ??
ram:0ce1 e6 02 ANI 0x2
ram:0ce3 c9 RET

*****
* FUNCTION *
*****
undefined test_keyboard_to_host_transmission()
undefined <UNASSIGNED> <RETURN>
Test Keyboard-to-Host Transmission Path
1. Configure host serial TX register for transmission
2. Wait for timing stabilization
3. Attempt keyboard-to-host data transmission
Used by Z80SIO test to verify complete keyboard=serial=host ...
Input: A = test parameter (0x55 or 0x2A)
Output: Carry = set if keyboard controller fails to respond
test_keyboard_to_host_transmission XREF[2]: test_z80sio_ports:0c85(c),
test_z80sio_ports:0c92(c)

ram:0ce4 cd 1c 0f CALL configure_host_tx_register Test keyboard-to-host transmissi...
ram:0ce7 01 00 5b LXI BC,0x5b00 Wait 0x5b00 loops for transmissi...
ram:0cea cd c0 06 CALL sleep_BC_loops undefinedsleep_BC_loops()

```

Ghidra - 961264-10.2764.u31

```

ram:0ced cd 3c 0f      CALL      keyboard_to_host_transmission      Attempt keyboard-to-host data tr...
ram:0cf0 c9           RET
                        stora A to counter, return

ram:0cf1 32 07 5e      STA      (counter?_init_0)      = ??
ram:0cf4 c9           RET

*****
*                      FUNCTION                      *
*****
undefined test_keyboard_communication()
undefined <UNASSIGNED> <RETURN>
byte      F:1         in_AF
byte      CY_flag:1   cVar1                XREF[1]:   ram:0cf9(W)
byte      A:1         uVar1                XREF[1]:   ram:0d5e(W)

Keyboard Communication Test - Step 4 of hardware_power_on_test
Tests keyboard interface with handshake protocol expecting 0x...
Sets up interrupt handler at 0xcf1 and enables interrupts dur...
Error codes: 0x15, 0x16, 0x17, 0x18 for various keyboard comm...
This function verifies that the keyboard controller responds ...
test_keyboard_communication                XREF[2]:   ram:01de(c),
                                                hardware_power_on_test:0abf(c)

ram:0cf5 c5           PUSH      BC
ram:0cf6 d5           PUSH      DE
ram:0cf7 e5           PUSH      HL
ram:0cf8 f5           PUSH      in_AF

LAB_ram_0cf9                XREF[1]:   ram:0d00(j)
ram:0cf9 af          XRA      A                      Clear keyboard test status flag
ram:0cfa 32 07 5e      STA      (counter?_init_0)      = ??
ram:0cfd cd fb 0f      CALL      check_mem_5dbd_and_5d9d_return_val_in_A      undefinedcheck_mem_5dbd_and_5d9...
ram:0d00 d2 f9 0c      JNC      LAB_ram_0cf9
ram:0d03 2a 2a 5c      LHLD     (pointer_to_0x29e_0)      Save current interrupt handler a...
ram:0d06 22 05 5e      SHLD     (BYTE_ram_5e05)      = ??
ram:0d09 21 f1 0c      LXI      HL,0xcf1                      Install keyboard test interrupt ...
ram:0d0c 22 2a 5c      SHLD     (pointer_to_0x29e_0)      = ??
ram:0d0f fb           EI                      Enable interrupts for keyboard c...
ram:0d10 3a 0a 5e      LDA      (BYTE_ram_5e0a)      = ??
ram:0d13 a7           ANA      A
ram:0d14 3e 2d      MVI      A,0x2d
ram:0d16 ca 1b 0d      JZ      LAB_ram_0d1b
ram:0d19 3e 81      MVI      A,0x81

LAB_ram_0d1b                XREF[1]:   ram:0d16(j)
ram:0d1b 01 10 2d      LXI      BC,0x2d10
ram:0d1e cd 61 0d      CALL      send_keyboard_command_and_wait      First keyboard test sequence - s...
ram:0d21 da 52 0d      JC      LAB_ram_0d52
ram:0d24 fe aa      CPI      0xaa                      Check for expected response 0xAA...
ram:0d26 3e 17      MVI      A,0x17                      Error 0x17 - First keyboard test...
ram:0d28 c2 54 0d      JNZ      LAB_ram_0d54
ram:0d2b 3a 0a 5e      LDA      (BYTE_ram_5e0a)      = ??
ram:0d2e a7           ANA      A
ram:0d2f 3e 2e      MVI      A,0x2e
ram:0d31 ca 36 0d      JZ      LAB_ram_0d36
ram:0d34 3e 82      MVI      A,0x82

LAB_ram_0d36                XREF[1]:   ram:0d31(j)
ram:0d36 01 d0 30      LXI      BC,0x30d0
ram:0d39 cd 61 0d      CALL      send_keyboard_command_and_wait      Second keyboard test sequence - ...
ram:0d3c da 52 0d      JC      LAB_ram_0d52
ram:0d3f fe aa      CPI      0xaa                      Check for expected response 0xAA...
ram:0d41 3e 18      MVI      A,0x18                      Error 0x18 - Second keyboard tes...
ram:0d43 c2 54 0d      JNZ      LAB_ram_0d54
ram:0d46 3a 07 5e      LDA      (counter?_init_0)      = ??
ram:0d49 a7           ANA      A
ram:0d4a ca 55 0d      JZ      LAB_ram_0d55
ram:0d4d 3e 15      MVI      A,0x15                      Error 0x15 - Keyboard communicat...
ram:0d4f c3 54 0d      JMP      LAB_ram_0d54

LAB_ram_0d52                XREF[2]:   ram:0d21(j), ram:0d3c(j)
ram:0d52 3e 16      MVI      A,0x16                      Error 0x16 - Keyboard command tr...

LAB_ram_0d54                XREF[3]:   ram:0d28(j), ram:0d43(j),
ram:0d54 37           STC                                                ram:0d4f(j)

LAB_ram_0d55                XREF[1]:   ram:0d4a(j)
ram:0d55 2a 05 5e      LHLD     (BYTE_ram_5e05)      Restore original interrupt handler
ram:0d58 22 2a 5c      SHLD     (pointer_to_0x29e_0)      = ??
ram:0d5b d2 c9 0a      JNC      pop_and_return_OK
ram:0d5e c3 d0 0a      JMP      pop_and_return_with_carry      undefinedpop_and_return_with_ca...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
undefined send_keyboard_command_and_wait()
    <UNASSIGNED> <RETURN>
    Send command to keyboard, wait for response
    Sequence: send command -> delay -> check response
    Used by keyboard communication test to verify handshake proto...
    send_keyboard_command_and_wait      XREF[2]: test_keyboard_communication:0d10,
                                           test_keyboard_communication:0d30,
                                           undefinedwrite_to_keyboard_retu...
ram:0d61 cd 11 10    CALL    write_to_keyboard_return_carry_if_busy    undefinedwrite_to_keyboard_retu...
ram:0d64 cd c0 06    CALL    sleep_BC_loops                        undefinedsleep_BC_loops()
ram:0d67 cd fb 0f    CALL    check_mem_5dbd_and_5d9d_return_val_in_A    undefinedcheck_mem_5dbd_and_5d9...
ram:0d6a c9         RET

*****
*                               *
*****
undefined FUN_ram_0d6b()
    <UNASSIGNED> <RETURN>
    FUN_ram_0d6b      XREF[1]: thunk_FUN_ram_0d6b:00dff(T),
                                           thunk_FUN_ram_0d6b:00dff(c)
ram:0d6b f5         PUSH    AF
ram:0d6c fe 03      CPI     0x3
ram:0d6e d2 fa 07   JNC     LAB_ram_07fa
ram:0d71 f3        DI
ram:0d72 c5        PUSH    BC
ram:0d73 fe 01      CPI     0x1
ram:0d75 da 93 0d   JC      LAB_ram_0d93
ram:0d78 ca 87 0d   JZ      LAB_ram_0d87
ram:0d7b 22 0a 5c   SHLD    (DAT_ram_5c0a)      = ??
ram:0d7e eb        XCHG
ram:0d7f 22 08 5c   SHLD    (DAT_ram_5c08)      = ??
ram:0d82 06 04      MVI     B,0x4
ram:0d84 c3 9c 0d   JMP     LAB_ram_0d9c
LAB_ram_0d87      XREF[1]: ram:0d78(j)
ram:0d87 22 06 5c   SHLD    (DAT_ram_5c06)      = ??
ram:0d8a eb        XCHG
ram:0d8b 22 04 5c   SHLD    (DAT_ram_5c04)      = ??
ram:0d8e 06 02      MVI     B,0x2
ram:0d90 c3 9c 0d   JMP     LAB_ram_0d9c
LAB_ram_0d93      XREF[1]: ram:0d75(j)
ram:0d93 22 02 5c   SHLD    (DAT_ram_5c02)      = ??
ram:0d96 eb        XCHG
ram:0d97 22 00 5c   SHLD    (DAT_ram_5c00)      = ??
ram:0d9a 06 01      MVI     B,0x1
LAB_ram_0d9c      XREF[2]: ram:0d84(j), ram:0d90(j)
ram:0d9c eb        XCHG
ram:0d9d 7a        MOV     A,D
ram:0d9e b3        ORA     E
ram:0d9f c2 ab 0d   JNZ     LAB_ram_0dab
ram:0da2 78        MOV     A,B
ram:0da3 2f        CMA
ram:0da4 3a 25 5e   LDA     (timer_channel_flags) = ??
ram:0da7 a0        ANA     B
ram:0da8 c3 af 0d   JMP     LAB_ram_0daf
LAB_ram_0dab      XREF[1]: ram:0d9f(j)
ram:0dab 3a 25 5e   LDA     (timer_channel_flags) = ??
ram:0dae b0        ORA     B
LAB_ram_0daf      XREF[1]: ram:0da8(j)
ram:0daf 32 25 5e   STA     (timer_channel_flags) = ??
ram:0db2 c3 11 0f   JMP     LAB_ram_0f11
*****
*                               *
*****
undefined disable_cha_rx()
    <UNASSIGNED> <RETURN>
    disable_cha_rx      XREF[1]: disable_cha_rx:0133(T),
                                           disable_cha_rx:0133(c)
ram:0db5 f3        DI
ram:0db6 f5        PUSH    AF
ram:0db7 3e 03      MVI     A,0x3
ram:0db9 32 28 5e   STA     (channelA_last_Register_written) = ??
ram:0dbc d3 01      OUT     (Channel_A_Command_Status) = ??
ram:0dbe 3a 1e 5e   LDA     (chA_register3_value) = ??
ram:0dc1 e6 fe      ANI     0xfe                clear bit 0; RX_ENABLE
ram:0dc3 d3 01      OUT     (Channel_A_Command_Status) = ??
ram:0dc5 f1        POP     AF

```

Ghidra - 961264-10.2764.u31

```

ram:0dc6 fb      EI
ram:0dc7 c9      RET

*****
*                               *
*                               *
*****
undefined update_chA_reg3_Rx_maybe()
undefined <UNASSIGNED> <RETURN>
update_chA_reg3_Rx_maybe                                XREF[1]:  update_chA_reg3_Rx_maybe:0134(T),
                                                         update_chA_reg3_Rx_maybe:0134(c)

ram:0dc8 f3      DI
ram:0dc9 f5      PUSH      AF
ram:0dca 3a 28 5e LDA      (channelA_last_Register_writte) = ??
ram:0dcd a7      ANA      A
ram:0dce ca ee 0d JZ      update_done
ram:0dd1 3e 30    MVI      A,0x30
ram:0dd3 d3 01    OUT      (Channel_A_Command_Status) = ??
Clear A and all some variables

ram:0dd5 97      SUB      A
ram:0dd6 32 28 5e STA      (channelA_last_Register_writte) = ??
ram:0dd9 32 2e 5d STA      (keyboard_buffer_counter) = ??
ram:0ddc 32 2f 5d STA      (BYTE_ram_5d2f) = ??
ram:0ddf 32 30 5d STA      (BYTE_ram_5d30) = ??
Update ChannelA, register 3 (RX)
ram:0de2 3e 03    MVI      A,0x3
ram:0de4 d3 01    OUT      (Channel_A_Command_Status) = ??
ram:0de6 3a 1e 5e LDA      (chA_register3_value) = ??
ram:0de9 d3 01    OUT      (Channel_A_Command_Status) = ??
ram:0deb cd 58 0a CALL      handle_keyboard_communication undefinedhandle_keyboard_commun...

update_done                                XREF[1]:  ram:0dce(j)
ram:0dee f1      POP      AF
ram:0def fb      EI
ram:0df0 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0df1()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0df1                                XREF[1]:  thunk_FUN_ram_0df1:00d3(T),
                                                         thunk_FUN_ram_0df1:00d3(c)

ram:0df1 f3      DI
ram:0df2 f5      PUSH      AF
ram:0df3 3a 51 5d LDA      (serial_transmission_state) = ??
ram:0df6 a7      ANA      A
ram:0df7 ca 07 0e JZ      LAB_ram_0e07
ram:0dfa fe 01    CPI      0x1
ram:0dfc c2 45 0e JNZ      LAB_ram_0e45
ram:0dff 3e 01    MVI      A,0x1
ram:0e01 32 52 5d STA      (z80sio_channel_a_test_status) Set flag = 1
ram:0e04 c3 45 0e JMP      LAB_ram_0e45

LAB_ram_0e07                                XREF[1]:  ram:0df7(j)
ram:0e07 3e 02    MVI      A,0x2
ram:0e09 c3 42 0e JMP      LAB_ram_0e42

*****
*                               *
*                               *
*****
undefined FUN_ram_0e0c()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0e0c                                XREF[1]:  thunk_FUN_ram_0e0c:00d0(T),
                                                         thunk_FUN_ram_0e0c:00d0(c)

ram:0e0c f3      DI
ram:0e0d f5      PUSH      AF
ram:0e0e 3a 51 5d LDA      (serial_transmission_state) = ??
ram:0e11 fe 03    CPI      0x3
ram:0e13 ca 45 0e JZ      LAB_ram_0e45
ram:0e16 fe 01    CPI      0x1
ram:0e18 da 45 0e JC      LAB_ram_0e45
ram:0e1b c2 25 0e JNZ      LAB_ram_0e25
ram:0e1e 97      SUB      A
ram:0e1f 32 52 5d STA      (z80sio_channel_a_test_status) = ??
ram:0e22 c3 45 0e JMP      LAB_ram_0e45

LAB_ram_0e25                                XREF[1]:  ram:0e1b(j)
ram:0e25 97      SUB      A
ram:0e26 32 52 5d STA      (z80sio_channel_a_test_status) = ??
ram:0e29 3a 24 5e LDA      (some_variable_5e24) = ??
ram:0e2c a7      ANA      A
ram:0e2d c2 3a 0e JNZ      LAB_ram_0e3a
ram:0e30 cd e5 10 CALL      FUN_ram_10e5 undefinedFUN_ram_10e5()
ram:0e33 d2 3a 0e JNC      LAB_ram_0e3a

```

Ghidra - 961264-10.2764.u31

```

ram:0e36 97      SUB      A
ram:0e37 c3 42 0e    JMP      LAB_ram_0e42

LAB_ram_0e3a
ram:0e3a d3 00      OUT      (Channel_A_Data)
ram:0e3c 97      SUB      A
ram:0e3d 32 24 5e    STA      (some_variable_5e24) = ??
ram:0e40 3e 01      MVI      A,0x1

LAB_ram_0e42
ram:0e42 32 51 5d    STA      (serial_transmission_state) = ??

LAB_ram_0e45
ram:0e45 f1      POP      AF
ram:0e46 fb      EI
ram:0e47 c9      RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_0e48()
    <UNASSIGNED> <RETURN>
FUN_ram_0e48
XREF[1]: ram:00d6(c)
ram:0e48 f3      DI
ram:0e49 f5      PUSH     AF
ram:0e4a 3e 05      MVI      A,0x5
ram:0e4c d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0e4e 3a 1f 5e    LDA      (Last_Channel_A_Command) = ??
ram:0e51 f6 10      ORI      0x10
ram:0e53 d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0e55 32 1f 5e    STA      (Last_Channel_A_Command) = ??
ram:0e58 3e 03      MVI      A,0x3
ram:0e5a c3 42 0e    JMP      LAB_ram_0e42

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_0e5d()
    <UNASSIGNED> <RETURN>
FUN_ram_0e5d
XREF[1]: ram:00d9(c)
ram:0e5d f3      DI
ram:0e5e f5      PUSH     AF
ram:0e5f 3a 51 5d    LDA      (serial_transmission_state) = ??
ram:0e62 fe 03      CPI      0x3
ram:0e64 c2 45 0e    JNZ      LAB_ram_0e45
ram:0e67 3e 05      MVI      A,0x5
ram:0e69 d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0e6b 3a 1f 5e    LDA      (Last_Channel_A_Command) = ??
ram:0e6e e6 ef      ANI      0xef
ram:0e70 d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0e72 32 1f 5e    STA      (Last_Channel_A_Command) = ??
ram:0e75 97      SUB      A
ram:0e76 32 53 5d    STA      (BYTE_ram_5d53) = ??
ram:0e79 32 54 5d    STA      (z80sio_channel_b_test_status) = ??
ram:0e7c 32 55 5d    STA      (BYTE_ram_5d55) = ??
ram:0e7f 32 24 5e    STA      (some_variable_5e24) = ??
ram:0e82 97      SUB      A
ram:0e83 32 51 5d    STA      (serial_transmission_state) = ??
ram:0e86 cd 58 0a    CALL     handle_keyboard_communication undefinedhandle_keyboard_commun...
ram:0e89 f1      POP      AF
ram:0e8a fb      EI
ram:0e8b c9      RET

*****
*                      FUNCTION                      *
*****
undefined SetChannelA_Status()
    <UNASSIGNED> <RETURN>
SetChannelA_Status
XREF[1]: set_host_port_status:00dd(T),
        set_host_port_status:00dd(c)
ram:0e8c f3      DI
ram:0e8d f5      PUSH     AF
ram:0e8e c5      PUSH     BC
ram:0e8f 47      MOV      B,A
ram:0e90 e6 82      ANI      0x82
ram:0e92 4f      MOV      C,A
ram:0e93 3e 05      MVI      A,0x5
ram:0e95 d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0e97 3a 1f 5e    LDA      (Last_Channel_A_Command) = ??

```


Ghidra - 961264-10.2764.u31

```

ram:0e9a e6 7d      ANI      0x7d
ram:0e9c b1         ORA      C
ram:0e9d 32 1f 5e   STA      (Last_Channel_A_Command) = ??
ram:0ea0 d3 01      OUT      (Channel_A_Command_Status) = ??
ram:0ea2 78         MOV      A,B
ram:0ea3 2f         CMA
ram:0ea4 e6 20      ANI      0x20
ram:0ea6 4f         MOV      C,A
ram:0ea7 3a 10 5e   LDA      (ContolPort1_value) = ??
ram:0eaa e6 df      ANI      0xdf      Disable SIGNAL_SSE

ram:0eac b1         ORA      C
ram:0ead 32 10 5e   STA      (ContolPort1_value) = ??
ram:0eb0 d3 50      OUT      (ControlPort1) = ??
ram:0eb2 c1         POP      BC
ram:0eb3 f1         POP      AF
ram:0eb4 fb         EI
ram:0eb5 c9         RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0eb6()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0eb6      XREF[2]:  ram:00cd(c),
                        handle_keyboard_communication:0a,

ram:0eb6 f3         DI
ram:0eb7 f5         PUSH     AF
ram:0eb8 3a 51 5d   LDA      (serial_transmission_state) = ??
ram:0ebb fe 03      CPI      0x3
ram:0ebd ca 12 0f   JZ       return_ok
ram:0ec0 fe 01      CPI      0x1
ram:0ec2 c2 2a 0f   JNZ      LAB_ram_0f2a
ram:0ec5 3a 24 5e   LDA      (some_variable_5e24) = ??
ram:0ec8 a7         ANA      A
ram:0ec9 c2 18 0f   JNZ      LAB_ram_0f18
ram:0ecc f1         POP      AF
ram:0ecd 32 24 5e   STA      (some_variable_5e24) = ??
ram:0ed0 37         STC
ram:0ed1 3f         CMC
ram:0ed2 fb         EI
ram:0ed3 c9         RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0ed4()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0ed4      XREF[1]:  thunk_FUN_ram_0ed4:00ca(T),
                        thunk_FUN_ram_0ed4:00ca(c)

ram:0ed4 f3         DI
ram:0ed5 f5         PUSH     AF
ram:0ed6 c5         PUSH     BC
ram:0ed7 47         MOV      B,A
ram:0ed8 3a f8 5d   LDA      (BYTE_ram_5df8) = ??
ram:0edb fe 01      CPI      0x1
ram:0edd ca 0a 0f   JZ       LAB_ram_0f0a
ram:0ee0 fe 02      CPI      0x2
ram:0ee2 c2 11 0f   JNZ      LAB_ram_0f11
ram:0ee5 3a 51 5d   LDA      (serial_transmission_state) = ??
ram:0ee8 fe 03      CPI      0x3
ram:0eea ca 11 0f   JZ       LAB_ram_0f11
ram:0eed a7         ANA      A
ram:0eee c2 fc 0e   JNZ      LAB_ram_0efc
ram:0ef1 3e 01      MVI      A,0x1
ram:0ef3 32 51 5d   STA      (serial_transmission_state) = ??
ram:0ef6 78         MOV      A,B
ram:0ef7 d3 00      OUT      (Channel_A_Data)
ram:0ef9 c3 03 0f   JMP      LAB_ram_0f03

LAB_ram_0efc      XREF[1]:  ram:0eee(j)
ram:0efc 78         MOV      A,B
ram:0efd cd d9 10   CALL     FUN_ram_10d9      undefined FUN_ram_10d9()
ram:0f00 da 17 0f   JC       LAB_ram_0f17

LAB_ram_0f03      XREF[1]:  ram:0ef9(j)
ram:0f03 3a 10 5f   LDA      (BYTE_ram_5f10) = ??
ram:0f06 a7         ANA      A
ram:0f07 ca 11 0f   JZ       LAB_ram_0f11

LAB_ram_0f0a      XREF[1]:  ram:0edd(j)
ram:0f0a 78         MOV      A,B
ram:0f0b cd 07 11   CALL     FUN_ram_1107      undefined FUN_ram_1107()
ram:0f0e da 17 0f   JC       LAB_ram_0f17

```

```

LAB_ram_0f11
XREF[4]: FUN_ram_0d6b:0db2(j),
ram:0ee2(j), ram:0eea(j),
ram:0f07(j)

ram:0f11 c1 POP BC

return_ok
XREF[2]: ram:0ebd(j),
configure_host_tx_register:0f23...

ram:0f12 f1 POP AF
ram:0f13 37 STC
ram:0f14 3f CMC
ram:0f15 fb EI
ram:0f16 c9 RET

LAB_ram_0f17
XREF[2]: ram:0f00(j), ram:0f0e(j)

ram:0f17 c1 POP BC

LAB_ram_0f18
XREF[1]: ram:0ec9(j)

ram:0f18 f1 POP AF
ram:0f19 37 STC
ram:0f1a fb EI
ram:0f1b c9 RET

*****
* FUNCTION *
*****
undefined configure_host_tx_register()
undefined <UNASSIGNED> <RETURN>
configure_host_tx_register
XREF[2]: ram:00c4(c),
test_keyboard_to_host_transmissi..

ram:0f1c f3 DI
ram:0f1d f5 PUSH AF
ram:0f1e 3a 51 5d LDA (serial_transmission_state) = ??
ram:0f21 fe 03 CPI 0x3
ram:0f23 ca 12 0f JZ FUN_ram_0eb6::return_ok
ram:0f26 a7 ANA A
ram:0f27 c2 36 0f JNZ LAB_ram_0f36

LAB_ram_0f2a
XREF[1]: ram:0ec2(j)

ram:0f2a 3e 01 MVI A,0x1
ram:0f2c 32 51 5d STA (serial_transmission_state) = ??
ram:0f2f f1 POP AF
ram:0f30 d3 00 OUT (Channel_A_Data)
ram:0f32 37 STC
ram:0f33 3f CMC
ram:0f34 fb EI
ram:0f35 c9 RET

LAB_ram_0f36
XREF[1]: ram:0f27(j)

ram:0f36 f1 POP AF
ram:0f37 cd d9 10 CALL FUN_ram_10d9
ram:0f3a fb EI
ram:0f3b c9 RET

*****
* FUNCTION *
*****
undefined keyboard_to_host_transmission(void)
undefined <UNASSIGNED> <RETURN>
Keyboard-to-Host Serial Transmission Handler
Main function for handling keyboard input and sending it to h...
Flow: 1) Read keyboard data, 2) Check transmission state, 3) ...
Manages transmission buffers, retry counters, and flow control
This is the core function that bridges keyboard input to host...
keyboard_to_host_transmission
XREF[3]: transmit_to_host_serial:00be(T),
transmit_to_host_serial:00be(c),
test_z80sio_ports:0c4d(c),
test_keyboard_to_host_transmissi..

ram:0f3c f3 DI
ram:0f3d c5 PUSH BC
ram:0f3e f5 PUSH AF
ram:0f3f 3a 13 5f LDA (keyboard_transmission_enable) Push A + PSW
ram:0f42 a7 ANA A Check transmission enable flag -...
ram:0f43 ca 84 0f JZ LAB_ram_0f84
ram:0f46 3a 1d 5e LDA (keyboard_data_ready_flag) Check keyboard data ready flag -...
ram:0f49 a7 ANA A
ram:0f4a ca 84 0f JZ LAB_ram_0f84
ram:0f4d 3a 2e 5d LDA (keyboard_buffer_counter) Check buffer counter - must equa...
ram:0f50 fe 20 CPI 0x20
ram:0f52 c2 84 0f JNZ LAB_ram_0f84
ram:0f55 3e 11 MVI A,0x11 Send command 0x11 to keyboard co...
ram:0f57 cd 4d 03 CALL read_keyboard_data_with_param Read keyboard data with paramete...
ram:0f5a da 80 0f JC LAB_ram_0f80
ram:0f5d 47 MOV B,A
ram:0f5e 3a 24 5e LDA (some_variable_5e24) = ??

```

Ghidra - 961264-10.2764.u31

```

ram:0f61 a7      ANA      A
ram:0f62 c2 84 0f JNZ      LAB_ram_0f84
ram:0f65 3a 51 5d LDA      (serial_transmission_state)      Check Z80SIO transmission state ...
ram:0f68 fe 03    CPI      0x3
ram:0f6a ca 80 0f JZ       LAB_ram_0f80
ram:0f6d a7      ANA      A
ram:0f6e c2 7c 0f JNZ      LAB_ram_0f7c
ram:0f71 78      MOV      A,B
ram:0f72 d3 00    OUT      (Channel_A_Data)      CRITICAL: Send keyboard data to ...
                                                    This is where keyboard input get...

ram:0f74 3e 01    MVI      A,0x1
ram:0f76 32 51 5d STA      (serial_transmission_state)      = ??
ram:0f79 c3 80 0f JMP      LAB_ram_0f80

LAB_ram_0f7c
ram:0f7c 78      MOV      A,B
ram:0f7d 32 24 5e STA      (some_variable_5e24)      = ??

LAB_ram_0f80
ram:0f80 97      SUB      A
ram:0f81 32 1d 5e STA      (keyboard_data_ready_flag)      = ??

LAB_ram_0f84
ram:0f84 cd 1e 11 CALL     decrement_tx_buffer_counter
ram:0f87 da 0c 10 JC       return_EI_and_CARRY_(check_mem)
ram:0f8a 47      MOV      B,A
ram:0f8b 3a 1b 5e LDA      (BYTE_ram_5e1b)      = ??
ram:0f8e a0      ANA      B
ram:0f8f c3 04 10 JMP      return_ok_value_in_A_(check_mem)

*****
*                               *
*                               *
*****
undefined send_data_to_printer()
undefined <UNASSIGNED> <RETURN>
send_data_to_printer      XREF[1]:      ram:00c7(c)

ram:0f92 f3      DI
ram:0f93 f5      PUSH     AF
ram:0f94 3a 99 5d LDA      (BYTE_ram_5d99)      = ??
ram:0f97 a7      ANA      A
ram:0f98 c2 a6 0f JNZ      LAB_ram_0fa6
ram:0f9b 3c      INR      A
ram:0f9c 32 99 5d STA      (BYTE_ram_5d99)      = ??
ram:0f9f f1      POP      AF
ram:0fa0 d3 02    OUT      (Channel_B_Data)      = ??
ram:0fa2 37      STC
ram:0fa3 3f      CMC
ram:0fa4 fb      EI
ram:0fa5 c9      RET

LAB_ram_0fa6
ram:0fa6 f1      POP      AF
ram:0fa7 cd f0 10 CALL     FUN_ram_10f0      undefined FUN_ram_10f0()
ram:0faa fb      EI
ram:0fab c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_0fac()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0fac      XREF[1]:      ram:00c1(c)

ram:0fac f3      DI
ram:0fad c5      PUSH     BC
ram:0fae f5      PUSH     AF
ram:0faf cd 40 11 CALL     FUN_ram_1140      undefined FUN_ram_1140()
ram:0fb2 da 0c 10 JC       return_EI_and_CARRY_(check_mem)
ram:0fb5 47      MOV      B,A
ram:0fb6 3a 1c 5e LDA      (BYTE_ram_5e1c)      = ??
ram:0fb9 a0      ANA      B
ram:0fba c3 04 10 JMP      keyboard_to_host_transmission::return_ok_value

*****
*                               *
*                               *
*****
undefined FUN_ram_0fbd()
undefined <UNASSIGNED> <RETURN>
FUN_ram_0fbd      XREF[1]:      thunk_FUN_ram_0fbd:00b2(T),
                                thunk_FUN_ram_0fbd:00b2(j)

ram:0fbd f3      DI
ram:0fbe f5      PUSH     AF
ram:0fbf 3a e0 5d LDA      (BYTE_ram_5de0)      = ??
ram:0fc2 a7      ANA      A

```

Ghidra - 961264-10.2764.u31

```

ram:0fc3 c2 de 0f      JNZ      LAB_ram_0fde
ram:0fc6 3a 17 5f      LDA      (BYTE_ram_5f17)
ram:0fc9 a7           ANA      A
ram:0fca 3a 11 5e      LDA      (BYTE_ram_5e11)
ram:0fcd ca d5 0f      JZ      LAB_ram_0fd5
ram:0fd0 f6 a0         ORI      0xa0
ram:0fd2 c3 d7 0f      JMP      LAB_ram_0fd7

LAB_ram_0fd5
ram:0fd5 f6 20         ORI      0x20
XREF[1]: ram:0fcd(j)

LAB_ram_0fd7
ram:0fd7 d3 18         OUT      (Printer_Read(StatusRegister)_Write(ControlReg, = ??
ram:0fd9 3e 01         MVI      A,0x1
ram:0fdb 32 e0 5d      STA      (BYTE_ram_5de0)
XREF[1]: ram:0fd2(j)

LAB_ram_0fde
ram:0fde f1           POP      AF
ram:0fdf cd 78 11      CALL     FUN_ram_1178
ram:0fe2 fb           EI
ram:0fe3 c9           RET
undefined FUN_ram_1178()

*****
* FUNCTION
*****
undefined FUN_ram_0fe4()
undefined <UNASSIGNED> <RETURN>
XREF[1]: ram:00b5(c)
FUN_ram_0fe4
ram:0fe4 f3           DI
ram:0fe5 c5           PUSH     BC
ram:0fe6 f5           PUSH     AF
ram:0fe7 cd 62 11      CALL     FUN_ram_1162
ram:0fea da 0c 10      JC      return_EI_and_CARRY_(check_mem)
ram:0fed c3 04 10      JMP      keyboard_to_host_transmission::return_ok_value

*****
* FUNCTION
*****
undefined FUN_ram_0ff0()
undefined <UNASSIGNED> <RETURN>
XREF[1]: ram:00b8(c)
FUN_ram_0ff0
ram:0ff0 f5           PUSH     AF
ram:0ff1 db 60         IN      (out_ControlPort2_in_StatusPort)
ram:0ff3 e6 01         ANI      0x1
ram:0ff5 ca f3 07      JZ      pop_hl_and_af_return_no_carry::pop_af_return_
ram:0ff8 f1           POP      AF
ram:0ff9 37           STC
ram:0ffa c9           RET

*****
* FUNCTION
*****
undefined check_mem_5dbd_and_5d9d_return_val_in_A(void)
undefined <UNASSIGNED> <RETURN>
bool CY_flag:1 in_CY_flag
byte A:1 uVar1
XREF[1]: ram:0ffe(W)
check_mem_5dbd_and_5d9d_return_val_in_A
XREF[8]: check_mem_5dbd_and_5d9d_return_v.
check_mem_5dbd_and_5d9d_return_v.
read_and_normalize_character:07a.
test_keyboard_communication:0cfa.
send_keyboard_command_and_wait:0.
FUN_ram_1a25:1a97(c),
FUN_ram_1aff:1b30(c),
FUN_ram_1c62:1d13(c),
FUN_ram_1c62:1d2f(c)

ram:0ffb f3           DI
ram:0ffc c5           PUSH     BC
ram:0ffd f5           PUSH     AF
ram:0ffe cd ce 10      CALL     load_from_variables_at_5dbd_and_5d9d
ram:1001 da 0c 10      JC      return_EI_and_CARRY_(check_mem)
return_ok_value_in_A_(check_mem)
XREF[3]: ram:0f8f(j),
FUN_ram_0fac:0fba(j),
FUN_ram_0fe4:0fed(j)

ram:1004 47           MOV      B,A
ram:1005 f1           POP      AF
ram:1006 78           MOV      A,B
ram:1007 c1           POP      BC
ram:1008 37           STC
ram:1009 3f           CMC
ram:100a fb           EI
ram:100b c9           RET

```

Ghidra - 961264-10.2764.u31

```

return_EI_and_CARRY_(check_mem)                                XREF[4]:    ram:0f87(j),
                                                             FUN_ram_0fac:0fb2(j),
                                                             FUN_ram_0fe4:0fea(j),
                                                             check_mem_5dbd_and_5d9d_return_w.

ram:100c f1      POP      AF
ram:100d c1      POP      BC
ram:100e 37      STC
ram:100f fb      EI
ram:1010 c9      RET

*****
*                      FUNCTION                      *
*****
undefined write_to_keyboard_return_carry_if_busy()
undefined      <UNASSIGNED>  <RETURN>
byte          F:1      in_AF
byte          A:1      uVar1                                XREF[1]:    ram:1018(W)
write_to_keyboard_return_carry_if_busy                    XREF[3]:    send_keyboard_init_command:0064...
                                                             send_keyboard_init_command:0064...
                                                             terminal_boot_sequence:025d(c),
                                                             send_keyboard_command_and_wait:0.

ram:1011 f5      PUSH     AF

LAB_ram_1012

XREF[10]:    check_display_attribute_port:102.
              FUN_ram_1035:1041(j),
              FUN_ram_1035:104a(j),
              FUN_ram_1035:104f(j),
              FUN_ram_1052:105e(j),
              FUN_ram_1061:106b(j),
              wait_for_hardware_ready_bit2:107.
              FUN_ram_1074:1077(j),
              check_hardware_ready_bit2:107d(j)...
              FUN_ram_1080:1083(j)

ram:1012 f3      DI
ram:1013 f5      PUSH     in_AF
ram:1014 db 10   IN       (Keyboard_Read(StatusRegister)_Write(ControlPa. = ??
ram:1016 e6 02   ANI      0x2
ram:1018 ca 23 10 JZ      keyboard_err_return_carry
ram:101b f1      POP      uVar1
ram:101c d3 11   OUT      (Keyboard_Read(ReceiveDataRegister)_Write(Tran. = ??

keyboard_byte_sent_ok                                XREF[5]:    check_display_attribute_port:102.
                                                             check_display_attribute_port:102.
                                                             FUN_ram_1035:103c(j),
                                                             FUN_ram_1052:1054(j),
                                                             FUN_ram_1052:1059(j)

ram:101e f1      POP      uVar1
ram:101f 37      STC
ram:1020 3f      CMC
ram:1021 fb      EI
ram:1022 c9      RET

keyboard_err_return_carry                                XREF[1]:    ram:1018(j)

ram:1023 f1      POP      uVar1
ram:1024 f1      POP      uVar1
ram:1025 37      STC
ram:1026 fb      EI
ram:1027 c9      RET

*****
*                      FUNCTION                      *
*****
undefined check_display_attribute_port()
undefined      <UNASSIGNED>  <RETURN>
check_display_attribute_port                                XREF[1]:    check_display_attribute_port:004.
                                                             check_display_attribute_port:004.

ram:1028 f5      PUSH     AF
ram:1029 a7      ANA      A
ram:102a ca 1e 10 JZ      write_to_keyboard_return_carry_if_busy::keyboa.
ram:102d fe 09   CPI      0x9
ram:102f d2 1e 10 JNC      write_to_keyboard_return_carry_if_busy::keyboa.
ram:1032 c3 12 10 JMP      LAB_ram_1012

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_1035()
undefined      <UNASSIGNED>  <RETURN>
FUN_ram_1035                                XREF[1]:    thunk_FUN_ram_1035:004f(T),
                                                             thunk_FUN_ram_1035:004f(j)

ram:1035 f5      PUSH     AF
ram:1036 a7      ANA      A
ram:1037 ca 44 10 JZ      LAB_ram_1044
ram:103a fe 09   CPI      0x9

```

Ghidra - 961264-10.2764.u31

```

ram:103c d2 1e 10      JNC      write_to_keyboard_return_carry_if_busy::keyboa
ram:103f c6 08         ADI      0x8
ram:1041 c3 12 10      JMP      LAB_ram_1012

LAB_ram_1044
ram:1044 3a 0a 5e      LDA      (BYTE_ram_5e0a)          XREF[1]: ram:1037(j)
ram:1047 a7           ANA      A                      = ??
ram:1048 3e 25        MVI      A,0x25
ram:104a ca 12 10     JZ       LAB_ram_1012
ram:104d 3e 30        MVI      A,0x30
ram:104f c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined FUN_ram_1052()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1052          XREF[1]: ram:0052(c)
ram:1052 f5          PUSH     AF
ram:1053 a7          ANA      A
ram:1054 ca 1e 10     JZ       write_to_keyboard_return_carry_if_busy::keyboa
ram:1057 fe 09        CPI      0x9
ram:1059 d2 1e 10     JNC      write_to_keyboard_return_carry_if_busy::keyboa
ram:105c c6 10        ADI      0x10
ram:105e c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined FUN_ram_1061()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1061          XREF[4]: thunk_FUN_ram_1061:0055(T),
                        thunk_FUN_ram_1061:0055(c),
                        FUN_ram_1a25:1ae4(c),
                        FUN_ram_1c62:1d43(c),
                        FUN_ram_1c62:1da9(c)
ram:1061 f5          PUSH     AF
ram:1062 3a 16 5f      LDA      (BYTE_ram_5f16)          = ??
ram:1065 a7          ANA      A
ram:1066 c2 f3 07      JNZ      pop_hl_and_af_return_no_carry::pop_af_return_
ram:1069 3e 24        MVI      A,0x24
ram:106b c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined wait_for_hardware_ready_bit2()
undefined <UNASSIGNED> <RETURN>
wait_for_hardware_ready_bit2 XREF[2]: ram:0058(c),
                        something_write_controlport2:08f.
ram:106e f5          PUSH     AF
ram:106f 3e 21        MVI      A,0x21
ram:1071 c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined FUN_ram_1074()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1074          XREF[2]: thunk_FUN_ram_1074:005b(T),
                        thunk_FUN_ram_1074:005b(c),
                        something_write_controlport2:08f.
ram:1074 f5          PUSH     AF
ram:1075 3e 22        MVI      A,0x22
ram:1077 c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined check_hardware_ready_bit2()
undefined <UNASSIGNED> <RETURN>
check_hardware_ready_bit2 XREF[2]: ram:005e(c),
                        something_write_controlport2:090.
ram:107a f5          PUSH     AF
ram:107b 3e 28        MVI      A,0x28
ram:107d c3 12 10     JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
FUNCTION
*****
undefined FUN_ram_1080()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1080          XREF[2]: ram:0061(c),
                        something_write_controlport2:090.
ram:1080 f5          PUSH     AF

```

Ghidra - 961264-10.2764.u31

```

ram:1081 3e 29      MVI      A,0x29
ram:1083 c3 12 10   JMP      LAB_ram_1012

*****
*                               *
*                               *
*****
undefined load_byte_from_HL()
undefined <UNASSIGNED> <RETURN>
byte      E:1      in_DE
byte *    HL:2      in_HL
byte      A:1      uVar1
byte      Stack[0x0]:1 in_stack_00000000
load_byte_from_HL
XREF[1]:    ram:1089(W)
XREF[5]:    variables_at_5d9d_and_5dbd:10ch...
            FUN_ram_10d9:10e2(c),
            FUN_ram_10f0:10f9(c),
            FUN_ram_1134:113d(c),
            FUN_ram_1178:1188(c)

ram:1086 7e        MOV      A,(HL)
ram:1087 fe 20      CPI      0x20
ram:1089 ca a2 10   JZ      LAB_ram_10a2
ram:108c 34        INR      (in_HL)
ram:108d 23        INX      in_HL
ram:108e 7e        MOV      uVar1,(in_HL)
ram:108f fe 1f      CPI      0x1f

LAB_ram_1091
XREF[2]:    FUN_ram_1107:111b(j),
            FUN_ram_114b:115f(j)

ram:1091 c2 96 10   JNZ      LAB_ram_1096
ram:1094 36 ff      MVI      (in_HL=>BYTE ram_5d2f),0xff
                        = ??

LAB_ram_1096
XREF[1]:    ram:1091(j)
                        = ??

ram:1096 34        INR      (in_HL=>BYTE ram_5d2f)
ram:1097 6f        MOV      in_HL,uVar1
ram:1098 26 00      MVI      in_HL,0x0
ram:109a 19        DAD      in_HL,in_DE

return_no_carry
XREF[1]:    FUN_ram_1178:11b3(j)
                        = ??

ram:109b f1        POP      uVar1
ram:109c 77        MOV      (in_HL),uVar1=>DAT ram_5c2e
ram:109d e1        POP      in_HL
ram:109e d1        POP      in_DE
ram:109f 37        STC
ram:10a0 3f        CMC
ram:10a1 c9        RET

LAB_ram_10a2
XREF[4]:    ram:1089(j),
            FUN_ram_1107:1113(j),
            FUN_ram_114b:1157(j),
            FUN_ram_1178:1194(j)

ram:10a2 f1        POP      uVar1

return_with_stc
XREF[4]:    ram:10a9(j),
            decrement_tx_buffer_counter:112&,
            FUN_ram_1162:116c(j),
            FUN_ram_11b6:11cd(j)

ram:10a3 e1        POP      in_HL
ram:10a4 d1        POP      in_DE
ram:10a5 37        STC
ram:10a6 c9        RET

*****
*                               *
*                               *
*****
undefined load_HL_check_zero()
undefined <UNASSIGNED> <RETURN>
byte      E:1      in_DE
byte *    HL:2      in_HL
load_HL_check_zero
XREF[5]:    load_from_variables_at_5dbd_and...
            FUN_ram_10e5:10ed(c),
            load_A_from_???_return_carry_if...
            FUN_ram_1140:1148(c),
            FUN_ram_11b6:11c5(c)

ram:10a7 7e        MOV      A,(HL)
ram:10a8 a7        ANA      A
ram:10a9 ca a3 10   JZ      return_with_stc
ram:10ac 35        DCR      (in_HL)
ram:10ad 23        INX      in_HL
ram:10ae 23        INX      in_HL
ram:10af 7e        MOV      A,(in_HL)
ram:10b0 fe 1f      CPI      0x1f

LAB_ram_10b2
XREF[2]:    decrement_tx_buffer_counter:1131..
            FUN_ram_1162:1175(j)

ram:10b2 c2 b7 10   JNZ      LAB_ram_10b7
ram:10b5 36 ff      MVI      (in_HL=>BYTE ram_5d30),0xff
                        = ??

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_10b7
ram:10b7 34      INR      (in_HL=>BYTE_ram_5d30)      XREF[1]:      ram:10b2(j)
ram:10b8 6f      MOV      in_HL,A                    = ??
ram:10b9 26 00    MVI      in_HL,0x0
ram:10bb 19      DAD      in_HL,in_DE

return_no_carry_a_from_5de4
ram:10bc 7e      MOV      A,(in_HL=>BYTE_ram_5de4)      XREF[1]:      FUN_ram_11b6:11ec(j)
ram:10bd e1      POP      in_HL                      = ??
ram:10be d1      POP      in_DE
ram:10bf 37      STC
ram:10c0 3f      CMC
ram:10c1 c9      RET

*****
*                      FUNCTION                      *
*****
undefined variables_at_5d9d_and_5dbd()
undefined   <UNASSIGNED> <RETURN>
variables_at_5d9d_and_5dbd      XREF[1]:      ram:047b(c)
ram:10c2 d5      PUSH     DE
ram:10c3 e5      PUSH     HL
ram:10c4 f5      PUSH     AF
ram:10c5 11 9d 5d LXI      DE,0x5d9d
ram:10c8 21 bd 5d LXI      HL,0x5dbd
ram:10cb c3 86 10 JMP      load_byte_from_HL      undefinedload_byte_from_HL()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined load_from_variables_at_5dbd_and_5d9d()
undefined   <UNASSIGNED> <RETURN>
load_from_variables_at_5dbd_and_5d9d      XREF[1]:      check_mem_5dbd_and_5d9d_return_v...
ram:10ce d5      PUSH     DE
ram:10cf e5      PUSH     HL
ram:10d0 21 bd 5d LXI      HL,0x5dbd
ram:10d3 11 9d 5d LXI      DE,0x5d9d
ram:10d6 c3 a7 10 JMP      load_HL_check_zero      undefinedload_HL_check_zero()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_10d9()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_10d9      XREF[2]:      FUN_ram_0ed4:0efd(c),
                                configure_host_tx_register:0f37...
ram:10d9 d5      PUSH     DE
ram:10da e5      PUSH     HL
ram:10db f5      PUSH     AF
ram:10dc 11 31 5d LXI      DE,0x5d31
ram:10df 21 53 5d LXI      HL,0x5d53
ram:10e2 c3 86 10 JMP      load_byte_from_HL      undefinedload_byte_from_HL()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_10e5()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_10e5      XREF[2]:      ram:0395(c),
                                FUN_ram_0e0c:0e30(c)
ram:10e5 d5      PUSH     DE
ram:10e6 e5      PUSH     HL
ram:10e7 11 31 5d LXI      DE,0x5d31
ram:10ea 21 53 5d LXI      HL,0x5d53
ram:10ed c3 a7 10 JMP      load_HL_check_zero      undefinedload_HL_check_zero()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_10f0()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_10f0      XREF[1]:      send_data_to_printer:0fa7(c)
ram:10f0 d5      PUSH     DE
ram:10f1 e5      PUSH     HL
ram:10f2 f5      PUSH     AF
ram:10f3 11 79 5d LXI      DE,0x5d79
ram:10f6 21 9a 5d LXI      HL,0x5d9a
ram:10f9 c3 86 10 JMP      load_byte_from_HL      undefinedload_byte_from_HL()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```



```

*****
*                               *
*****
undefined load_A_from_???_return_carry_if_zero()
undefined <UNASSIGNED> <RETURN>
load_A_from_???_return_carry_if_zero      XREF[1]:      ram:03ab(c)
ram:10fc d5      PUSH      DE
ram:10fd e5      PUSH      HL
ram:10fe 11 79 5d LXI      DE,0x5d79
ram:1101 21 9a 5d LXI      HL,0x5d9a
ram:1104 c3 a7 10 JMP      load_HL_check_zero      undefinedload_HL_check_zero()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_1107()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1107      XREF[2]:      ram:0339(c),
                        FUN_ram_0ed4:0f0b(c)
ram:1107 d5      PUSH      DE
ram:1108 e5      PUSH      HL
ram:1109 f5      PUSH      AF
ram:110a 21 2e 5d LXI      HL,0x5d2e
ram:110d 11 2e 5c LXI      DE,0x5c2e
ram:1110 7e      MOV      A,(HL=>keyboard_buffer_counter)      = ??
ram:1111 fe ff      CPI      0xff
ram:1113 ca a2 10 JZ      LAB_ram_10a2
ram:1116 34      INR      (HL=>keyboard_buffer_counter)      = ??
ram:1117 23      INX      HL
ram:1118 7e      MOV      A,(HL=>BYTE_ram_5d2f)      = ??
ram:1119 fe ff      CPI      0xff
ram:111b c3 91 10 JMP      LAB_ram_1091

*****
*                               *
*****
undefined decrement_tx_buffer_counter()
undefined <UNASSIGNED> <RETURN>
decrement_tx_buffer_counter      XREF[1]:      keyboard_to_host_transmission:0f.
ram:111e d5      PUSH      DE
ram:111f e5      PUSH      HL
ram:1120 21 2e 5d LXI      HL,0x5d2e
ram:1123 11 2e 5c LXI      DE,0x5c2e
ram:1126 7e      MOV      A,(HL=>keyboard_buffer_counter)      = ??
ram:1127 a7      ANA      A
ram:1128 ca a3 10 JZ      load_HL_check_zero::return_with_stc
ram:112b 35      DCR      (HL=>keyboard_buffer_counter)      = ??
ram:112c 23      INX      HL
ram:112d 23      INX      HL
ram:112e 7e      MOV      A,(HL=>BYTE_ram_5d30)      = ??
ram:112f fe ff      CPI      0xff
ram:1131 c3 b2 10 JMP      LAB_ram_10b2

*****
*                               *
*****
undefined FUN_ram_1134()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1134      XREF[1]:      ram:035a(c)
ram:1134 d5      PUSH      DE
ram:1135 e5      PUSH      HL
ram:1136 f5      PUSH      AF
ram:1137 11 56 5d LXI      DE,0x5d56
ram:113a 21 76 5d LXI      HL,0x5d76
ram:113d c3 86 10 JMP      load_byte_from_HL      undefinedload_byte_from_HL()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_1140()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1140      XREF[1]:      FUN_ram_0fac:0faf(c)
ram:1140 d5      PUSH      DE
ram:1141 e5      PUSH      HL
ram:1142 21 76 5d LXI      HL,0x5d76
ram:1145 11 56 5d LXI      DE,0x5d56
ram:1148 c3 a7 10 JMP      load_HL_check_zero      undefinedload_HL_check_zero()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
undefined FUN_ram_114b()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_114b                                XREF[1]:    FUN_ram_04ef:0516(c)

ram:114b d5      PUSH      DE
ram:114c e5      PUSH      HL
ram:114d f5      PUSH      AF
ram:114e 11 e4 5d LXI       DE,0x5de4
ram:1151 21 ec 5d LXI       HL,0x5dec
ram:1154 7e      MOV       A,(HL=>BYTE_ram_5dec)      = ??
ram:1155 fe 08   CPI       0x8
ram:1157 ca a2 10 JZ       LAB_ram_10a2
ram:115a 34      INR       (HL=>BYTE_ram_5dec)      = ??
ram:115b 23      INX       HL
ram:115c 7e      MOV       A,(HL=>BYTE_ram_5dec)      = ??
ram:115d fe 07   CPI       0x7
ram:115f c3 91 10 JMP      LAB_ram_1091

*****
*                               *
*****
undefined FUN_ram_1162()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1162                                XREF[1]:    FUN_ram_0fe4:0fe7(c)

ram:1162 d5      PUSH      DE
ram:1163 e5      PUSH      HL
ram:1164 11 e4 5d LXI       DE,0x5de4
ram:1167 21 ec 5d LXI       HL,0x5dec
ram:116a 7e      MOV       A,(HL=>BYTE_ram_5dec)      = ??
ram:116b a7      ANA       A
ram:116c ca a3 10 JZ       load_HL_check_zero::return_with_stc
ram:116f 35      DCR       (HL=>BYTE_ram_5dec)      = ??
ram:1170 23      INX       HL
ram:1171 23      INX       HL
ram:1172 7e      MOV       A,(HL=>BYTE_ram_5dec)      = ??
ram:1173 fe 07   CPI       0x7
ram:1175 c3 b2 10 JMP      LAB_ram_10b2

*****
*                               *
*****
undefined FUN_ram_1178()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1178                                XREF[1]:    FUN_ram_0fbd:0fdf(c)

ram:1178 d5      PUSH      DE
ram:1179 e5      PUSH      HL
ram:117a f5      PUSH      AF
ram:117b 3a fe 5d LDA       (BYTE_ram_5dfe)      = ??
ram:117e a7      ANA       A
ram:117f c2 8b 11 JNZ      LAB_ram_118b
ram:1182 11 c0 5d LXI       DE,0x5dc0
ram:1185 21 e1 5d LXI       HL,0x5de1
ram:1188 c3 86 10 JMP      load_byte_from_HL      undefinedload_byte_from_HL()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_118b                                XREF[1]:    ram:117f(j)
ram:118b 2a ef 5d LHLD      (BYTE_ram_5def)      = ??
ram:118e 11 d0 07 LXI       DE,0x7d0
ram:1191 cd 6e 07 CALL      check_D_eq_H      undefinedcheck_D_eq_H()
ram:1194 ca a2 10 JZ       LAB_ram_10a2
ram:1197 23      INX       HL
ram:1198 22 ef 5d SHLD      (BYTE_ram_5def)      = ??
ram:119b 2a f1 5d LHLD      (BYTE_ram_5df1)      = ??
ram:119e 11 cf 07 LXI       DE,0x7cf
ram:11a1 cd 6e 07 CALL      check_D_eq_H      undefinedcheck_D_eq_H()
ram:11a4 c2 aa 11 JNZ      LAB_ram_11aa
ram:11a7 21 ff ff LXI       HL,0xffff

LAB_ram_11aa                                XREF[1]:    ram:11a4(j)
ram:11aa 23      INX       HL
ram:11ab 22 f1 5d SHLD      (BYTE_ram_5df1)      = ??
ram:11ae eb      XCHG
ram:11af 2a ff 5d LHLD      (BYTE_ram_5dff)      = ??
ram:11b2 19      DAD      HL,DE
ram:11b3 c3 9b 10 JMP      load_byte_from_HL::return_no_carry

```

```

*****
*                               *
*****
undefined FUN_ram_11b6()
undefined <UNASSIGNED> <RETURN>
FUN_ram_11b6                                XREF[1]:  FUN_ram_04b5:04e1(c)

ram:11b6 d5      PUSH      DE
ram:11b7 e5      PUSH      HL
ram:11b8 3a fe 5d LDA      (BYTE_ram_5dfe)          = ??
ram:11bb a7      ANA       A
ram:11bc c2 c8 11 JNZ      LAB_ram_11c8
ram:11bf 11 c0 5d LXI      DE,0x5dc0
ram:11c2 21 e1 5d LXI      HL,0x5de1
ram:11c5 c3 a7 10 JMP      load_HL_check_zero          undefinedload_HL_check_zero()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_11c8                                XREF[1]:  ram:11bc(j)
ram:11c8 2a ef 5d LHLD      (BYTE_ram_5def)          = ??
ram:11cb 7d      MOV       A,L
ram:11cc b4      ORA       H
ram:11cd ca a3 10 JZ       load_HL_check_zero::return_with_stc
ram:11d0 2b      DCX       HL
ram:11d1 22 ef 5d SHLD      (BYTE_ram_5def)          = ??
ram:11d4 2a f3 5d LHLD      (BYTE_ram_5df3)          = ??
ram:11d7 11 cf 07 LXI      DE,0x7cf
ram:11da cd 6e 07 CALL      check_D_eq_H          undefinedcheck_D_eq_H()
ram:11dd c2 e3 11 JNZ      LAB_ram_11e3
ram:11e0 21 ff ff LXI      HL,0xffff

LAB_ram_11e3                                XREF[1]:  ram:11dd(j)
ram:11e3 23      INX       HL
ram:11e4 22 f3 5d SHLD      (BYTE_ram_5df3)          = ??
ram:11e7 eb      XCHG
ram:11e8 2a ff 5d LHLD      (BYTE_ram_5dff)          = ??
ram:11eb 19      DAD       HL,DE
ram:11ec c3 bc 10 JMP      load_HL_check_zero::return_no_carry_a_from_5de4

*****
*                               *
*****
undefined write_to_nvram()
undefined <UNASSIGNED> <RETURN>
write_to_nvram                                XREF[9]:  save_config_to_nvram:0124(T),
                                                save_config_to_nvram:0124(c),
                                                nvram_test_and_load_config:0af0(...
                                                nvram_test_and_load_config:0afh...
                                                nvram_test_and_load_config:0b1d...
                                                process_nvram_bit_data:12c7(c),
                                                FUN_ram_1c62:1ca0(c),
                                                FUN_ram_1c62:1cf1(c),
                                                FUN_ram_1c62:1dac(c),
                                                FUN_ram_1e72:1e81(c)

ram:11ef d5      PUSH      DE
ram:11f0 e5      PUSH      HL
ram:11f1 f5      PUSH      AF
ram:11f2 cd 5d 12 CALL      calculate_nvram_address          undefinedcalculate_nvram_addres...
ram:11f5 da 1c 12 JC       LAB_ram_121c
ram:11f8 f3      DI
ram:11f9 3a 10 5e LDA      (ControlPort1_value)          = ??
ram:11fc f6 04   ORI      0x4                          Enable NVSEL (None Volatile Memo...

ram:11fe d3 50   OUT      (ControlPort1)                = ??
ram:1200 7e      MOV      A,(HL)
ram:1201 e6 0f   ANI      0xf
ram:1203 57      MOV      D,A
ram:1204 24      INR      H
ram:1205 24      INR      H
ram:1206 7e      MOV      A,(HL)
ram:1207 17      RAL
ram:1208 17      RAL
ram:1209 17      RAL
ram:120a 17      RAL
ram:120b e6 f0   ANI      0xf0
ram:120d b2      ORA      D
ram:120e 57      MOV      D,A
ram:120f 3a 10 5e LDA      (ControlPort1_value)          = ??
ram:1212 d3 50   OUT      (ControlPort1)                = ??
ram:1214 fb      EI
ram:1215 f1      POP      AF
ram:1216 7a      MOV      A,D
ram:1217 e1      POP      HL
ram:1218 d1      POP      DE
ram:1219 37      STC
ram:121a 3f      CMC

```

Ghidra - 961264-10.2764.u31

```

ram:121b c9      RET

LAB_ram_121c
ram:121c f1      POP      AF
ram:121d e1      POP      HL
ram:121e d1      POP      DE
ram:121f 37      STC
ram:1220 c9      RET

*****
*                      *
*                      *
*****
undefined FUN_ram_1221()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1221
XREF[4]:  thunk_FUN_ram_1221:0124(T),
          thunk_FUN_ram_1221:0124(c),
          FUN_ram_12f7:1331(c),
          FUN_ram_1c62:1da6(c),
          FUN_ram_1e2d:1e59(c)

ram:1221 f5      PUSH     AF
ram:1222 e5      PUSH     HL
ram:1223 d5      PUSH     DE
ram:1224 c5      PUSH     BC
ram:1225 57      MOV      D,A
ram:1226 cd 5d 12 CALL     calculate_nvram_address undefinedcalculate_nvram_addres...
ram:1229 da f7 07 JC      FUN_ram_07f7
ram:122c 3e 01    MVI      A,0x1
ram:122e 32 20 5e STA      (BYTE_ram_5e20) = ??
ram:1231 7a      MOV      A,D
ram:1232 1f      RAR
ram:1233 1f      RAR
ram:1234 1f      RAR
ram:1235 1f      RAR
ram:1236 e6 0f    ANI      0xf
ram:1238 5f      MOV      E,A
ram:1239 7a      MOV      A,D
ram:123a e6 0f    ANI      0xf
ram:123c cd 69 12 CALL     FUN_ram_1269 undefined FUN_ram_1269()
ram:123f da 48 12 JC      LAB_ram_1248
ram:1242 24      INR      H
ram:1243 24      INR      H
ram:1244 7b      MOV      A,E
ram:1245 cd 69 12 CALL     FUN_ram_1269 undefined FUN_ram_1269()

LAB_ram_1248
ram:1248 f5      PUSH     AF
ram:1249 3a 20 5e LDA      (BYTE_ram_5e20) = ??
ram:124c fe 01    CPI      0x1
ram:124e 3e 00    MVI      A,0x0
ram:1250 32 20 5e STA      (BYTE_ram_5e20) = ??
ram:1253 c4 06 04 CNZ     power_fail_interrupt_handler undefinedpower_fail_interrupt_h...
ram:1256 f1      POP      AF
ram:1257 da f7 07 JC      FUN_ram_07f7
ram:125a c3 f0 07 JMP      FUN_ram_07f0 undefined FUN_ram_07f0()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      *
*                      *
*****
undefined calculate_nvram_address()
undefined <UNASSIGNED> <RETURN>
calculate_nvram_address
XREF[2]:  write_to_nvram:11f2(c),
          FUN_ram_1221:1226(c)

ram:125d 7c      MOV      A,H
ram:125e fe 02    CPI      0x2
ram:1260 d2 fb 07 JNC     LAB_ram_07fb
ram:1263 3e 60    MVI      A,0x60
ram:1265 84      ADD      H
ram:1266 67      MOV      H,A
ram:1267 a7      ANA      A
ram:1268 c9      RET

*****
*                      *
*                      *
*****
undefined FUN_ram_1269()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1269
XREF[2]:  FUN_ram_1221:123c(c),
          FUN_ram_1221:1245(c)

ram:1269 d5      PUSH     DE
ram:126a 57      MOV      D,A
ram:126b f3      DI
ram:126c 3a 10 5e LDA      (ControlPort1_value) = ??
ram:126f f6 04    ORI      0x4
ram:1271 d3 50    OUT      (ControlPort1) = ??

```

Ghidra - 961264-10.2764.u31

```

ram:1273 e5      PUSH      HL
ram:1274 7e      MOV       A, (HL)
ram:1275 e6 0f   ANI       0xf
ram:1277 ba      CMP       D
ram:1278 ca 9d 12 JZ        LAB_ram_129d
ram:127b 24      INR       H
ram:127c 24      INR       H
ram:127d 24      INR       H
ram:127e 24      INR       H
ram:127f 77      MOV       (HL), A
ram:1280 01 2a 05 LXI       BC, 0x52a
ram:1283 cd c0 06 CALL      sleep_BC_loops      undefined sleep_BC_loops()
ram:1286 e1      POP       HL
ram:1287 e5      PUSH      HL
ram:1288 7e      MOV       A, (HL)
ram:1289 e5      PUSH      HL
ram:128a e1      POP       HL
ram:128b 72      MOV       (HL), D
ram:128c 01 84 00 LXI       BC, 0x84
ram:128f cd c0 06 CALL      sleep_BC_loops      undefined sleep_BC_loops()
ram:1292 7e      MOV       A, (HL)
ram:1293 e5      PUSH      HL
ram:1294 e1      POP       HL
ram:1295 7e      MOV       A, (HL)
ram:1296 e6 0f   ANI       0xf
ram:1298 ba      CMP       D
ram:1299 ca 9d 12 JZ        LAB_ram_129d
ram:129c 37      STC

LAB_ram_129d
ram:129d 3a 10 5e LDA       (ControlPort1_value)      XREF[2]:  ram:1278(j), ram:1299(j)
ram:12a0 d3 50   OUT       (ControlPort1)              = ??
ram:12a2 fb      EI
ram:12a3 e1      POP       HL
ram:12a4 d1      POP       DE
ram:12a5 c9      RET

*****
*                               *
***** FUNCTION *****
*****
undefined write_nvram_configuration()
XREF[2]:  write_nvram_configuration:015a(T...
          write_nvram_configuration:015a(c...
          initialize_system_variables:0882..

ram:12a6 f5      PUSH      AF
ram:12a7 e5      PUSH      HL
ram:12a8 d5      PUSH      DE
ram:12a9 c5      PUSH      BC
ram:12aa 11 00 5f LXI       DE, 0x5f00
ram:12ad cd b3 12 CALL      process_nvram_bit_data      undefined process_nvram_bit_data()
ram:12b0 c3 eb 07 JMP       popall_and_ret      undefined popall_and_ret()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
***** FUNCTION *****
*****
undefined process_nvram_bit_data()
XREF[2]:  write_nvram_configuration:12ad(c...
          FUN_ram_1a25:1a3c(c)
          = ??

ram:12b3 2a fa 5d LHLD      (pointer_to_0xAA0_or_0x3eda)
ram:12b6 3e ff   MVI       A, 0xff
ram:12b8 f5      PUSH      AF
ram:12b9 e5      PUSH      HL

LAB_ram_12ba
ram:12ba e1      POP       HL
ram:12bb 4e      MOV       C, (HL)
ram:12bc 23      INX       HL
ram:12bd f1      POP       AF
ram:12be 3c      INR       A
ram:12bf fe 0b   CPI       0xb
ram:12c1 d0      RNC
ram:12c2 f5      PUSH      AF
ram:12c3 e5      PUSH      HL
ram:12c4 6f      MOV       L, A
ram:12c5 26 00   MVI       H, 0x0
ram:12c7 cd ef 11 CALL      write_to_nvram      undefined write_to_nvram()
ram:12ca 47      MOV       B, A
ram:12cb 26 08   MVI       H, 0x8
ram:12cd 79      MOV       A, C
ram:12ce 07      RLC

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_12cf
ram:12cf 2e 01      MVI      L,0x1      XREF[1]: ram:12f1(j)

LAB_ram_12d1
ram:12d1 07      RLC
ram:12d2 da e0 12  JC      LAB_ram_12e0
ram:12d5 f5      PUSH     AF
ram:12d6 7d      MOV      A,L
ram:12d7 85      ADD      L
ram:12d8 c6 01   ADI      0x1
ram:12da 6f      MOV      L,A
ram:12db f1      POP      AF
ram:12dc 25      DCR      H
ram:12dd c2 d1 12  JNZ      LAB_ram_12d1

LAB_ram_12e0
ram:12e0 f5      PUSH     AF
ram:12e1 78      MOV      A,B
ram:12e2 e5      PUSH     HL

LAB_ram_12e3
ram:12e3 25      DCR      H
ram:12e4 ca eb 12  JZ      LAB_ram_12eb
ram:12e7 0f      RRC
ram:12e8 c3 e3 12  JMP      LAB_ram_12e3

LAB_ram_12eb
ram:12eb e1      POP      HL
ram:12ec a5      ANA      L
ram:12ed 12      STAX     (DE)
ram:12ee 13      INX      DE
ram:12ef f1      POP      AF
ram:12f0 25      DCR      H
ram:12f1 c2 cf 12  JNZ      LAB_ram_12cf
ram:12f4 c3 ba 12  JMP      LAB_ram_12ba

*****
*                               *
*                               *
*****
undefined FUN_ram_12f7()
undefined <UNASSIGNED> <RETURN>
FUN_ram_12f7
ram:12f7 f5      PUSH     AF
ram:12f8 e5      PUSH     HL
ram:12f9 d5      PUSH     DE
ram:12fa c5      PUSH     BC
ram:12fb 11 00 5f  LXI      DE,0x5f00
ram:12fe 2a fa 5d  LHLD     (pointer_to_0xAA0_or_0x3ed4) = ??
ram:1301 0e 00      MVI      C,0x0

LAB_ram_1303
ram:1303 c5      PUSH     BC
ram:1304 0e 00      MVI      C,0x0
ram:1306 06 09      MVI      B,0x9
ram:1308 7e      MOV      A,(HL)
ram:1309 07      RLC

LAB_ram_130a
ram:130a 05      DCR      B
ram:130b ca 2b 13  JZ      LAB_ram_132b
ram:130e 07      RLC
ram:130f d2 0a 13  JNC      LAB_ram_130a
ram:1312 f5      PUSH     AF
ram:1313 c5      PUSH     BC
ram:1314 1a      LDAX     (DE=>BYTE_ram_5f00) = ??
ram:1315 13      INX      DE

LAB_ram_1316
ram:1316 05      DCR      B
ram:1317 ca 1e 13  JZ      LAB_ram_131e
ram:131a 07      RLC
ram:131b c3 16 13  JMP      LAB_ram_1316

LAB_ram_131e
ram:131e b1      ORA      C
ram:131f c1      POP      BC
ram:1320 4f      MOV      C,A
ram:1321 78      MOV      A,B
ram:1322 a7      ANA      A
ram:1323 ca 2a 13  JZ      LAB_ram_132a
ram:1326 f1      POP      AF
ram:1327 c3 0a 13  JMP      LAB_ram_130a
XREF[1]: ram:1317(j)

```

Ghidra - 961264-10.2764.u31

```

ram:132a f1      LAB_ram_132a      XREF[1]:      ram:1323(j)
                POP                AF

ram:132b 79      LAB_ram_132b      XREF[1]:      ram:130b(j)
                MOV                A,C
ram:132c c1      POP                BC
ram:132d e5      PUSH               HL
ram:132e 69      MOV                L,C
ram:132f 26 00   MVI                H,0x0
ram:1331 cd 21 12 CALL              FUN_ram_1221      undefined FUN_ram_1221()
ram:1334 e1      POP                HL
ram:1335 da f7 07 JC              FUN_ram_07f7
ram:1338 23      INX                HL
ram:1339 0c      INR                C
ram:133a 79      MOV                A,C
ram:133b fe 0b   CPI                0xb
ram:133d da 03 13 JC              LAB_ram_1303
ram:1340 c3 f0 07 JMP              FUN_ram_07f0      undefined FUN_ram_07f0()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined setup_cursor_position()
  setup_cursor_position      XREF[2]:      setup_cursor_position:0067(T),
                                setup_cursor_position:0067(c),
                                clear_display_memory_range:175d...

ram:1343 e5      PUSH               HL
ram:1344 21 01 01 LXI              HL,0x101
ram:1347 cd 5c 14 CALL              update_cursor_addresses      undefined update_cursor_addresse...
ram:134a e1      POP                HL
ram:134b c9      RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_134c()
  FUN_ram_134c      XREF[2]:      thunk_FUN_ram_134c:006a(T),
                                thunk_FUN_ram_134c:006a(c),
                                FUN_ram_1f84:1fal(c)

ram:134c f5      PUSH               AF
ram:134d 97      SUB                A
ram:134e d3 3c   OUT                (VDC_LOAD_CURSOR_CHARACTER_ADDRESS$)      = ??
ram:1350 32 18 5e STA              (current_cursor_character_address$)      = ??
ram:1353 3c      INR                A
ram:1354 32 16 5e STA              (next_cursor_character_address$)      = ??
ram:1357 f1      POP                AF
ram:1358 c9      RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_1359()
  FUN_ram_1359      XREF[1]:      ram:006d(c)
ram:1359 cd 76 13 CALL              FUN_ram_1376      undefined FUN_ram_1376()
ram:135c d8      RC
ram:135d c3 64 13 JMP              LAB_ram_1364

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_1360()
  FUN_ram_1360      XREF[1]:      ram:0070(c)
ram:1360 cd 82 13 CALL              increase_cursor_character      void increase_cursor_character(v...
ram:1363 d8      RC

LAB_ram_1364      XREF[1]:      ram:135d(j)

ram:1364 f5      PUSH               AF
ram:1365 d5      PUSH               DE
ram:1366 eb      XCHG
ram:1367 2a 16 5e LHL              (next_cursor_character_address$)      = ??
ram:136a eb      XCHG
ram:136b cd 6e 07 CALL              check_D_eq_H      undefined check_D_eq_H()
ram:136e d1      POP                DE
ram:136f d2 7f 13 JNC              increase_cursor_character::last_line_return_ca...
ram:1372 f1      POP                AF
ram:1373 37      STC
ram:1374 3f      CMC
ram:1375 c9      RET

```

```

*****
*                               *
*****
undefined FUN_ram_1376()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1376 XREF[2]:  thunk_FUN_ram_1376:0073(T),
                    thunk_FUN_ram_1376:0073(c),
                    FUN_ram_1359:1359(c)

ram:1376 f5      PUSH      AF
ram:1377 3a 16 5e LDA      (next_cursor_character_address) = ??
ram:137a fe 50   CPI       0x50
ram:137c c2 8b 13 JNZ      increase_cursor_character::update_vdc_and_incr

last_line_return_carry XREF[5]:  FUN_ram_1359:136f(j),
                    ram:139d(j),
                    FUN_ram_13ad:13c3(j),
                    FUN_ram_13d6:13f2(j),
                    FUN_ram_1452:1456(j)

ram:137f f1      POP       AF
ram:1380 37      STC
ram:1381 c9      RET

*****
*                               *
*****
void __stdcall increase_cursor_character(void)
void <VOID> <RETURN>
increase_cursor_character XREF[5]:  advance_cursor_position:0078(T),
                    advance_cursor_position:0078(c),
                    write_char_and_advance_cursor:02..
                    FUN_ram_1360:1360(c),
                    FUN_ram_1c62:1c88(c),
                    FUN_ram_1c62:1d7a(c)

ram:1382 f5      PUSH      AF
ram:1383 3a 16 5e LDA      (next_cursor_character_address) = ??
ram:1386 fe 50   CPI       0x50
ram:1388 ca 98 13 JZ       LAB_ram_1398

update_vdc_and_incrase_char_addr XREF[1]:  FUN_ram_1376:137c(j)

ram:138b d3 3c   OUT      (VDC_LOAD_CURSOR_CHARACTER_ADDRESS) = ??
ram:138d 32 18 5e STA      (current_cursor_character_address) = ??
ram:1390 3c      INR      A
ram:1391 32 16 5e STA      (next_cursor_character_address) = ??
ram:1394 f1      POP      AF
ram:1395 37      STC
ram:1396 3f      CMC
ram:1397 c9      RET

LAB_ram_1398 XREF[1]:  ram:1388(j)

ram:1398 3a 17 5e LDA      (current_cursor_row) = ??
ram:139b fe 19   CPI       0x19
ram:139d ca 7f 13 JZ       last_line_return_carry
ram:13a0 e5      PUSH     HL
ram:13a1 2e 01   MVI      L, 0x1
ram:13a3 67      MOV      H, A
ram:13a4 24      INR      H

LAB_ram_13a5 XREF[1]:  FUN_ram_13d6:13fa(j)
                    undefinedupdate_cursor_addresses..

ram:13a5 cd 5c 14 CALL     update_cursor_addresses
ram:13a8 e1      POP      HL
ram:13a9 f1      POP      AF
ram:13aa 37      STC
ram:13ab 3f      CMC
ram:13ac c9      RET

*****
*                               *
*****
undefined FUN_ram_13ad()
undefined <UNASSIGNED> <RETURN>
FUN_ram_13ad XREF[1]:  ram:0079(c)
                    undefined FUN_ram_13ca()

ram:13ad cd ca 13 CALL     FUN_ram_13ca
ram:13b0 d8      RC
ram:13b1 c3 b8 13 JMP      LAB_ram_13b8

*****
*                               *
*****
undefined FUN_ram_13b4()
undefined <UNASSIGNED> <RETURN>
FUN_ram_13b4 XREF[1]:  ram:007c(c)
                    undefined FUN_ram_13d6()

ram:13b4 cd d6 13 CALL     FUN_ram_13d6
ram:13b7 d8      RC

```


Ghidra - 961264-10.2764.u31

```

LAB_ram_13b8
ram:13b8 f5      PUSH      AF
ram:13b9 d5      PUSH      DE
ram:13ba eb      XCHG
ram:13bb 2a 16 5e LHL      (next_cursor_character_address) = ??
ram:13be eb      XCHG
ram:13bf cd 6e 07 CALL      check_D_eq_H             undefined check_D_eq_H()
ram:13c2 d1      POP       DE
ram:13c3 da 7f 13 JC        increase_cursor_character::last_line_return_ca
ram:13c6 f1      POP       AF
ram:13c7 37      STC
ram:13c8 3f      CMC
ram:13c9 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_13ca()
undefined <UNASSIGNED> <RETURN>
FUN_ram_13ca      XREF[2]:  thunk_FUN_ram_13ca:007ff(T),
                        thunk_FUN_ram_13ca:007ff(c),
                        FUN_ram_13ad:13ad(c)

ram:13ca f5      PUSH      AF
ram:13cb 3a 16 5e LDA      (next_cursor_character_address) = ??
ram:13ce fe 01    CPI      0x1
ram:13d0 c2 df 13 JNZ      LAB_ram_13df
ram:13d3 f1      POP       AF
ram:13d4 37      STC
ram:13d5 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_13d6()
undefined <UNASSIGNED> <RETURN>
FUN_ram_13d6      XREF[3]:  thunk_FUN_ram_13d6:0082ff(T),
                        thunk_FUN_ram_13d6:0082ff(c),
                        FUN_ram_13b4:13b4(c),
                        FUN_ram_1c62:1d8d(c)

ram:13d6 f5      PUSH      AF
ram:13d7 3a 16 5e LDA      (next_cursor_character_address) = ??
ram:13da fe 01    CPI      0x1
ram:13dc ca ed 13 JZ       LAB_ram_13ed

LAB_ram_13df      XREF[1]:  ram:13d0(j)
ram:13df 3d      DCR      A
ram:13e0 32 16 5e STA      (next_cursor_character_address) = ??
ram:13e3 3d      DCR      A
ram:13e4 d3 3c    OUT      (VDC_LOAD_CURSOR_CHARACTER_ADDRESS) = ??
ram:13e6 32 18 5e STA      (current_cursor_character_address) = ??
ram:13e9 f1      POP       AF
ram:13ea 37      STC
ram:13eb 3f      CMC
ram:13ec c9      RET

LAB_ram_13ed      XREF[1]:  ram:13dc(j)
ram:13ed 3a 17 5e LDA      (current_cursor_row) = ??
ram:13f0 fe 01    CPI      0x1
ram:13f2 ca 7f 13 JZ       increase_cursor_character::last_line_return_ca
ram:13f5 e5      PUSH      HL
ram:13f6 3d      DCR      A
ram:13f7 67      MOV      H,A
ram:13f8 2e 50    MVI      L,0x50
ram:13fa c3 a5 13 JMP      LAB_ram_13a5

*****
*                               *
*                               *
*****
undefined FUN_ram_13fd()
undefined <UNASSIGNED> <RETURN>
FUN_ram_13fd      XREF[3]:  thunk_FUN_ram_13fd:0088ff(T),
                        thunk_FUN_ram_13fd:0088ff(c),
                        FUN_ram_1407:1413(c),
                        FUN_ram_1416:1426(c)

ram:13fd e5      PUSH      HL
ram:13fe 2a 16 5e LHL      (next_cursor_character_address) = ??
ram:1401 25      DCR      H
ram:1402 cd 52 14 CALL      FUN_ram_1452             undefined FUN_ram_1452()
ram:1405 e1      POP       HL
ram:1406 c9      RET

```

```

*****
*                               *
*****
undefined FUN_ram_1407()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1407                                XREF[1]:    ram:0085(c)
ram:1407 f5      PUSH      AF
ram:1408 3a 17 5e LDA      (current_cursor_row) = ??
ram:140b bc      CMP      H
ram:140c da fa 07 JC       LAB_ram_07fa
ram:140f ca fa 07 JZ       LAB_ram_07fa
ram:1412 f1      POP      AF
ram:1413 c3 fd 13 JMP      FUN_ram_13fd          undefined FUN_ram_13fd()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_1416()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1416                                XREF[1]:    ram:012d(c)
ram:1416 f5      PUSH      AF
ram:1417 d5      PUSH      DE
ram:1418 eb      XCHG
ram:1419 2a 16 5e LHLD     (next_cursor_character_address) = ??
ram:141c 25      DCR      H
ram:141d eb      XCHG
ram:141e cd 6e 07 CALL     check_D_eq_H          undefined check_D_eq_H()
ram:1421 d1      POP      DE
ram:1422 da fa 07 JC       LAB_ram_07fa
ram:1425 f1      POP      AF
ram:1426 c3 fd 13 JMP      FUN_ram_13fd          undefined FUN_ram_13fd()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_1429()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1429                                XREF[3]:    thunk_FUN_ram_1429:008d(T),
thunk_FUN_ram_1429:008d(c),
FUN_ram_1433:143c(c),
FUN_ram_143f:144f(c)
ram:1429 e5      PUSH      HL
ram:142a 2a 16 5e LHLD     (next_cursor_character_address) = ??
ram:142d 24      INR      H
ram:142e cd 52 14 CALL     FUN_ram_1452          undefined FUN_ram_1452()
ram:1431 e1      POP      HL
ram:1432 c9      RET

*****
*                               *
*****
undefined FUN_ram_1433()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1433                                XREF[1]:    ram:008b(c)
ram:1433 f5      PUSH      AF
ram:1434 3a 17 5e LDA      (current_cursor_row) = ??
ram:1437 bc      CMP      H
ram:1438 d2 fa 07 JNC      LAB_ram_07fa
ram:143b f1      POP      AF
ram:143c c3 29 14 JMP      FUN_ram_1429          undefined FUN_ram_1429()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_143f()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_143f                                XREF[1]:    ram:0130(c)
ram:143f f5      PUSH      AF
ram:1440 d5      PUSH      DE
ram:1441 eb      XCHG
ram:1442 2a 16 5e LHLD     (next_cursor_character_address) = ??
ram:1445 24      INR      H
ram:1446 eb      XCHG
ram:1447 cd 6e 07 CALL     check_D_eq_H          undefined check_D_eq_H()
ram:144a d1      POP      DE
ram:144b d2 fa 07 JNC      LAB_ram_07fa
ram:144e f1      POP      AF
ram:144f c3 29 14 JMP      FUN_ram_1429          undefined FUN_ram_1429()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
undefined FUN_ram_1452()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1452                                XREF[6]:  thunk_FUN_ram_1452:0091(T),
                                                thunk_FUN_ram_1452:0091(c),
                                                FUN_ram_13fd:1402(c),
                                                FUN_ram_1429:142e(c),
                                                FUN_ram_1a25:1a42(c),
                                                FUN_ram_1b8c:1bca(c),
                                                FUN_ram_1c23:1c4b(c)

ram:1452 f5      PUSH      AF
ram:1453 cd 3c 06 CALL      FUN_ram_063c                undefined FUN_ram_063c()
ram:1456 da 7f 13 JC        increase_cursor_character::last_line_return_ca
ram:1459 f1      POP       AF
ram:145a 37      STC
ram:145b 3f      CMC

*****
*                               *
*****
undefined update_cursor_addresses()
undefined  <UNASSIGNED> <RETURN>
update_cursor_addresses                    XREF[14]:  update_cursor_addresses:0094(T),
                                                update_cursor_addresses:0094(j),
                                                setup_cursor_position:13a7(c),
                                                increase_cursor_character:13a5(c),
                                                wait_display_refresh_cycles:14e5,
                                                FUN_ram_19d1:19f7(c),
                                                FUN_ram_19d1:1a0b(c),
                                                FUN_ram_1c10:1c20(j),
                                                FUN_ram_1c62:1c6c(c),
                                                FUN_ram_1c62:1c81(c),
                                                FUN_ram_1c62:1cc9(c),
                                                FUN_ram_1c62:1cfd(c),
                                                FUN_ram_1c62:1d0a(c),
                                                FUN_ram_1ddd:1df9(j),
                                                FUN_ram_1ddd:1e06(j)

ram:145c f5      PUSH      AF
ram:145d e5      PUSH      HL=>LAB ram_0327+1
ram:145e 22 16 5e SHLD      (next_cursor_character_address) = ??
ram:1461 cd 84 06 CALL      return_register_a                undefined return_register_a()
ram:1464 7c      MOV       A,H
ram:1465 d6 60   SUI       0x60
ram:1467 d3 3d   OUT       (VDC_LOAD_CURSOR_ROW_ADDRESS) = ??
ram:1469 7d      MOV       A,L
ram:146a d3 3c   OUT       (VDC_LOAD_CURSOR_CHARACTER_ADDRESS) = ??
ram:146c 22 18 5e SHLD      (current_cursor_character_address) = ??
ram:146f e1      POP       HL
ram:1470 f1      POP       AF
ram:1471 c9      RET

*****
*                               *
*****
undefined FUN_ram_1472()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1472                                XREF[5]:  thunk_FUN_ram_1472:0097(T),
                                                thunk_FUN_ram_1472:0097(c),
                                                FUN_ram_19d1:19f0(c),
                                                FUN_ram_1a25:1a81(c),
                                                FUN_ram_1a25:1a8d(c),
                                                FUN_ram_1b8c:1bc5(c)
                                                = ??

ram:1472 2a 16 5e LHLD      (next_cursor_character_address)
ram:1475 c9      RET

*****
*                               *
*****
undefined FUN_ram_1476()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1476                                XREF[1]:  thunk_FUN_ram_1476:0040(T),
                                                thunk_FUN_ram_1476:0040(c)

ram:1476 f5      PUSH      AF
ram:1477 97      SUB       A
ram:1478 32 26 5e STA       (BYTE_ram_5e26) = ??
ram:147b f3      DI
ram:147c 3a 0e 5e LDA       (value_for_statusport_2) = ??
ram:147f e6 f7   ANI       0xf7

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_1481
XREF[5]: FUN_ram_1489:1495(j),
        FUN_ram_1498:14a3(j),
        FUN_ram_14a6:14b2(j),
        ram:15a2(j),
        FUN_ram_15a5:15ac(j)

ram:1481 d3 60      OUT      (out_ControlPort2_in_StatusPort) = ??
ram:1483 32 0e 5e    STA      (value_for_statusport_2) = ??
ram:1486 f1         POP      AF
ram:1487 fb         EI
ram:1488 c9         RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1489()
<UNASSIGNED> <RETURN>
FUN_ram_1489
XREF[1]: thunk_FUN_ram_1489:0043(T),
        thunk_FUN_ram_1489:0043(c)

ram:1489 f5         PUSH     AF
ram:148a 3e 01      MVI      A,0x1
ram:148c 32 26 5e    STA      (BYTE_ram_5e26) = ??
ram:148f f3         DI
ram:1490 3a 0e 5e    LDA      (value_for_statusport_2) = ??
ram:1493 f6 08      ORI      0x8
ram:1495 c3 81 14    JMP      LAB_ram_1481

*****
*                               *
*                               *
*****
undefined FUN_ram_1498()
<UNASSIGNED> <RETURN>
FUN_ram_1498
XREF[1]: thunk_FUN_ram_1498:0046(T),
        thunk_FUN_ram_1498:0046(j)

ram:1498 f5         PUSH     AF
ram:1499 97         SUB      A
ram:149a 32 27 5e    STA      (vsync_variable_5e27) = ??
ram:149d f3         DI
ram:149e 3a 0e 5e    LDA      (value_for_statusport_2) = ??
ram:14a1 f6 10      ORI      0x10
ram:14a3 c3 81 14    JMP      LAB_ram_1481

*****
*                               *
*                               *
*****
undefined FUN_ram_14a6()
<UNASSIGNED> <RETURN>
FUN_ram_14a6
XREF[1]: thunk_FUN_ram_14a6:0049(T),
        thunk_FUN_ram_14a6:0049(j)

ram:14a6 f5         PUSH     AF
ram:14a7 3e 01      MVI      A,0x1
ram:14a9 32 27 5e    STA      (vsync_variable_5e27) = ??
ram:14ac f3         DI
ram:14ad 3a 0e 5e    LDA      (value_for_statusport_2) = ??
ram:14b0 e6 ef      ANI      0xef
ram:14b2 c3 81 14    JMP      LAB_ram_1481

*****
*                               *
*                               *
*****
void __stdcall wait_display_refresh_cycles(void)
<VOID> <RETURN>
byte A:1 counter
wait_display_refresh_cycles
XREF[1]: ram:14b9(W)
XREF[3]: ram:00e2(c),
        FUN_ram_1568:156b(c),
        FUN_ram_1571:1573(c)

ram:14b5 f5         PUSH     AF
ram:14b6 e5         PUSH     HL
ram:14b7 3e 20      MVI      A,0x20

vsync_wait_loop
XREF[1]: ram:14c4(j)

ram:14b9 cd ca 06    CALL     wait_for_VSYNC
ram:14bc 3d         DCR      counter
ram:14bd fe 12      CPI      0x12
ram:14bf ca c7 14    JZ       LAB_ram_14c7
ram:14c2 d3 35      OUT      (VDC_LOAD_CONTROL_REGISTER_5_Veritical_data_sta. = ??
ram:14c4 c3 b9 14    JMP      vsync_wait_loop

LAB_ram_14c7
XREF[1]: ram:14bf(j)

ram:14c7 3e 20      MVI      counter,0x20
ram:14c9 d3 35      OUT      (VDC_LOAD_CONTROL_REGISTER_5_Veritical_data_sta. = ??
ram:14cb c3 d3 14    JMP      LAB_ram_14d3

```

```

*****
*                               *
*****
undefined FUN_ram_14ce()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_14ce                                XREF[3]:    ram:00e5(c),
                                                FUN_ram_1517:151a(c),
                                                FUN_ram_152a:1540(c)

ram:14ce f5      PUSH      AF
ram:14cf e5      PUSH      HL
ram:14d0 cd ca 06 CALL      wait_for_VSYNC                                undefined wait_for_VSYNC()

LAB_ram_14d3                                XREF[2]:    ram:14cb(j),
                                                FUN_ram_152a:153d(j)
                                                = ??

ram:14d3 3a 1a 5e LDA      (BYTE_ram_5e1a)
ram:14d6 3c      INR       counter
ram:14d7 fe 19   CPI      0x19
ram:14d9 da dd 14 JC      LAB_ram_14dd
ram:14dc 97      SUB      counter

LAB_ram_14dd                                XREF[3]:    ram:14d9(j),
                                                FUN_ram_14eb:150f(j),
                                                FUN_ram_14eb:1514(j)
                                                = ??
                                                = ??
                                                = ??

ram:14dd 32 1a 5e STA      (BYTE_ram_5e1a)
ram:14e0 d3 36   OUT      (VDC_LOAD_CONTROL_REGISTER_4)
ram:14e2 2a 16 5e LHLD     (next_cursor_character_address)
ram:14e5 cd 5c 14 CALL     update_cursor_addresses                      undefined update_cursor_addresses...
ram:14e8 e1      POP      HL
ram:14e9 f1      POP      counter
ram:14ea c9      RET

*****
*                               *
*****
undefined FUN_ram_14eb()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_14eb                                XREF[2]:    ram:00e8(c),
                                                FUN_ram_1579:1590(c)

ram:14eb f5      PUSH      AF
ram:14ec e5      PUSH      HL
ram:14ed 3e 20   MVI      A,0x20

LAB_ram_14ef                                XREF[1]:    ram:14f7(j)
ram:14ef cd ca 06 CALL     wait_for_VSYNC                                undefined wait_for_VSYNC()
ram:14f2 3c      INR      A
ram:14f3 d3 35   OUT      (VDC_LOAD_CONTROL_REGISTER_5_Veritical_data_sta = ??
ram:14f5 fe 2e   CPI      0x2e
ram:14f7 c2 ef 14 JNZ     LAB_ram_14ef
ram:14fa cd ca 06 CALL     wait_for_VSYNC                                undefined wait_for_VSYNC()
ram:14fd 3e 20   MVI      A,0x20
ram:14ff d3 35   OUT      (VDC_LOAD_CONTROL_REGISTER_5_Veritical_data_sta = ??
ram:1501 c3 09 15 JMP     LAB_ram_1509

*****
*                               *
*****
undefined FUN_ram_1504()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_1504                                XREF[2]:    ram:00eb(c),
                                                FUN_ram_154b:1562(c)

ram:1504 f5      PUSH      AF
ram:1505 e5      PUSH      HL
ram:1506 cd ca 06 CALL     wait_for_VSYNC                                undefined wait_for_VSYNC()

LAB_ram_1509                                XREF[1]:    ram:1501(j)
                                                = ??

ram:1509 3a 1a 5e LDA      (BYTE_ram_5e1a)
ram:150c 3d      DCR      A
ram:150d fe ff   CPI      0xff
ram:150f c2 dd 14 JNZ     LAB_ram_14dd
ram:1512 3e 18   MVI      A,0x18
ram:1514 c3 dd 14 JMP     LAB_ram_14dd

*****
*                               *
*****
undefined FUN_ram_1517()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_1517                                XREF[1]:    ram:00f1(c)

ram:1517 f5      PUSH      AF
ram:1518 d5      PUSH      DE
ram:1519 e5      PUSH      HL
ram:151a cd ce 14 CALL     FUN_ram_14ce                                undefined FUN_ram_14ce()

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_151d
ram:151d 26 18      MVI      H,0x18
ram:151f 16 19      MVI      D,0x19
ram:1521 3e 02      MVI      A,0x2
ram:1523 cd 9e 16   CALL     FUN_ram_169e
ram:1526 e1        POP      HL
ram:1527 d1        POP      DE
ram:1528 f1        POP      AF
ram:1529 c9        RET

*****
*                               *
*                               *
*****

undefined FUN_ram_152a()
undefined FUN_ram_152a() <UNASSIGNED> <RETURN>
XREF[1]:  thunk_FUN_ram_152a:00f7(T),
          thunk_FUN_ram_152a:00f7(c)

ram:152a f5        PUSH     AF
ram:152b e5        PUSH     HL
ram:152c 3a 13 5f   LDA      (keyboard_transmission_enabled) = ??
ram:152f a7        ANA      A
ram:1530 c2 40 15   JNZ     LAB_ram_1540
ram:1533 3a 2e 5d   LDA      (keyboard_buffer_counted) = ??
ram:1536 fe c4      CPI      0xc4
ram:1538 26 01      MVI      H,0x1
ram:153a d4 26 17   CNC      FUN_ram_1726
ram:153d d2 d3 14   JNC      LAB_ram_14d3

LAB_ram_1540
ram:1540 cd ce 14   CALL     FUN_ram_14ce
XREF[1]:  ram:1530(j)
          undefined FUN_ram_14ce()

LAB_ram_1543
ram:1543 26 19      MVI      H,0x19
ram:1545 cd 26 17   CALL     FUN_ram_1726
ram:1548 e1        POP      HL
ram:1549 f1        POP      AF
ram:154a c9        RET

*****
*                               *
*                               *
*****

undefined FUN_ram_154b()
undefined FUN_ram_154b() <UNASSIGNED> <RETURN>
XREF[1]:  ram:00fd(c)

ram:154b f5        PUSH     AF
ram:154c e5        PUSH     HL
ram:154d d5        PUSH     DE
ram:154e 26 19      MVI      H,0x19
ram:1550 16 18      MVI      D,0x18
ram:1552 3e 02      MVI      A,0x2
ram:1554 cd 9e 16   CALL     FUN_ram_169e
ram:1557 d1        POP      DE
ram:1558 c3 62 15   JMP      LAB_ram_1562

*****
*                               *
*                               *
*****

undefined FUN_ram_155b()
undefined FUN_ram_155b() <UNASSIGNED> <RETURN>
XREF[1]:  thunk_FUN_ram_155b:0103(T),
          thunk_FUN_ram_155b:0103(c)

ram:155b f5        PUSH     AF
ram:155c e5        PUSH     HL
ram:155d 26 19      MVI      H,0x19
ram:155f cd 26 17   CALL     FUN_ram_1726
          undefined FUN_ram_1726()

LAB_ram_1562
ram:1562 cd 04 15   CALL     FUN_ram_1504
ram:1565 e1        POP      HL
ram:1566 f1        POP      AF
ram:1567 c9        RET

*****
*                               *
*                               *
*****

undefined FUN_ram_1568()
undefined FUN_ram_1568() <UNASSIGNED> <RETURN>
XREF[1]:  ram:00ee(c)

ram:1568 f5        PUSH     AF
ram:1569 d5        PUSH     DE
ram:156a e5        PUSH     HL
ram:156b cd b5 14   CALL     wait_display_refresh_cycles
ram:156e c3 1d 15   JMP      LAB_ram_151d
          voidwait_display_refresh_cycles...

```

```

*****
*                               *
*****
undefined FUN_ram_1571()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1571                                XREF[1]:  thunk_FUN_ram_1571:00f4(T),
                                                thunk_FUN_ram_1571:00f4(c)

ram:1571 f5      PUSH      AF
ram:1572 e5      PUSH      HL
ram:1573 cd b5 14 CALL      wait_display_refresh_cycles    voidwait_display_refresh_cycles..
ram:1576 c3 43 15 JMP       LAB_ram_1543

*****
*                               *
*****
undefined FUN_ram_1579()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1579                                XREF[1]:  ram:00fa(c)

ram:1579 f5      PUSH      AF
ram:157a e5      PUSH      HL
ram:157b d5      PUSH      DE
ram:157c 26 19   MVI       H,0x19
ram:157e 16 18   MVI       D,0x18
ram:1580 3e 02   MVI       A,0x2
ram:1582 cd 9e 16 CALL      FUN_ram_169e    undefined FUN_ram_169e()
ram:1585 d1      POP       DE
ram:1586 c3 90 15 JMP       LAB_ram_1590

*****
*                               *
*****
undefined FUN_ram_1589()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1589                                XREF[1]:  thunk_FUN_ram_1589:0100(T),
                                                thunk_FUN_ram_1589:0100(c)

ram:1589 f5      PUSH      AF
ram:158a e5      PUSH      HL
ram:158b 26 19   MVI       H,0x19
ram:158d cd 26 17 CALL      FUN_ram_1726    undefined FUN_ram_1726()

LAB_ram_1590                                XREF[1]:  ram:1586(j)
ram:1590 cd eb 14 CALL      FUN_ram_14eb    undefined FUN_ram_14eb()
ram:1593 e1      POP       HL
ram:1594 f1      POP       AF
ram:1595 c9      RET

*****
*                               *
*****
undefined FUN_ram_1596()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1596                                XREF[14]:  thunk_FUN_ram_1596:00a3(T),
                                                thunk_FUN_ram_1596:00a3(c),
                                                FUN_ram_1a25:1a4d(c),
                                                FUN_ram_1a25:1a6a(c),
                                                FUN_ram_1a25:1aef(c),
                                                FUN_ram_1aff:1b14(c),
                                                FUN_ram_1c62:1c9d(c),
                                                FUN_ram_1c62:1caf(c),
                                                FUN_ram_1c62:1cd4(c),
                                                FUN_ram_1c62:1cdf(c),
                                                FUN_ram_1c62:1d02(c),
                                                FUN_ram_1c62:1d10(c),
                                                FUN_ram_1c62:1dc1(c),
                                                FUN_ram_1c62:1dcb(c),
                                                FUN_ram_1c62:1dd5(c)
                                                = ??
ram:1596 d3 70   OUT       (AttributeRegister)
ram:1598 32 f6 5d STA       (AttributeRegisterValue)
ram:159b f5      PUSH      AF
ram:159c f3      DI
ram:159d 3a 0e 5e LDA       (value_for_statusport_2)
ram:15a0 f6 01   ORI       0x1
ram:15a2 c3 81 14 JMP       LAB_ram_1481

*****
*                               *
*****
undefined FUN_ram_15a5()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_15a5                                XREF[3]:  thunk_FUN_ram_15a5:00a6(T),
                                                thunk_FUN_ram_15a5:00a6(c),
                                                FUN_ram_1c62:1c77(c),
                                                FUN_ram_1c62:1cc3(c)

ram:15a5 f5      PUSH      AF

```

Ghidra - 961264-10.2764.u31

```

ram:15a6 f3      DI
ram:15a7 3a 0e 5e LDA      (value_for_statusport_2)      = ??
ram:15aa e6 fe      ANI      0xfe
ram:15ac c3 81 14      JMP      LAB_ram_1481

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_15af()
undefined      <UNASSIGNED>  <RETURN>
FUN_ram_15af      XREF[1]:      thunk_FUN_ram_15af:0148(T),
                        thunk_FUN_ram_15af:0148(j)

ram:15af c5      PUSH      BC
ram:15b0 f5      PUSH      AF
ram:15b1 e5      PUSH      HL
ram:15b2 cd 84 06 CALL      return_register_a      undefinedreturn_register_a()
ram:15b5 c3 be 15      JMP      LAB_ram_15be

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_15b8()
undefined      <UNASSIGNED>  <RETURN>
FUN_ram_15b8      XREF[1]:      thunk_FUN_ram_15b8:00a0(T),
                        thunk_FUN_ram_15b8:00a0(c)

ram:15b8 c5      PUSH      BC
ram:15b9 f5      PUSH      AF
ram:15ba e5      PUSH      HL
ram:15bb 2a 18 5e      LHLD      (current_cursor_character_address)      = ??

LAB_ram_15be      XREF[1]:      ram:15b5(j)
ram:15be 06 80      MVI      B,0x80

LAB_ram_15c0      XREF[1]:      ram:15c3(j)
ram:15c0 4e      MOV      C, (HL)
ram:15c1 20      RIM
ram:15c2 a0      ANA      B
ram:15c3 c2 c0 15      JNZ      LAB_ram_15c0
ram:15c6 db 70      IN      (AttributeRegister)      = ??
ram:15c8 e6 0f      ANI      0xf
ram:15ca 47      MOV      B,A
ram:15cb e1      POP      HL
ram:15cc f1      POP      AF
ram:15cd 78      MOV      A,B
ram:15ce c1      POP      BC
ram:15cf c9      RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_15d0()
undefined      <UNASSIGNED>  <RETURN>
FUN_ram_15d0      XREF[1]:      thunk_FUN_ram_15d0:0148(T),
                        thunk_FUN_ram_15d0:0148(c)

ram:15d0 f5      PUSH      AF
ram:15d1 c5      PUSH      BC
ram:15d2 e5      PUSH      HL
ram:15d3 cd 84 06 CALL      return_register_a      undefinedreturn_register_a()
ram:15d6 c3 df 15      JMP      LAB_ram_15df

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_15d9()
undefined      <UNASSIGNED>  <RETURN>
FUN_ram_15d9      XREF[1]:      thunk_FUN_ram_15d9:009d(T),
                        thunk_FUN_ram_15d9:009d(c)

ram:15d9 f5      PUSH      AF
ram:15da c5      PUSH      BC
ram:15db e5      PUSH      HL
ram:15dc 2a 18 5e      LHLD      (current_cursor_character_address)      = ??

LAB_ram_15df      XREF[1]:      FUN_ram_15d0:15d6(j)
ram:15df d3 70      OUT      (AttributeRegister)      = ??
ram:15e1 0e 01      MVI      C,0x1
ram:15e3 cd bf 07      CALL      FUN_ram_07bf      undefinedFUN_ram_07bf()
ram:15e6 06 80      MVI      B,0x80

LAB_ram_15e8      XREF[1]:      ram:15eb(j)
ram:15e8 77      MOV      (HL),A
ram:15e9 20      RIM
ram:15ea a0      ANA      B
ram:15eb c2 e8 15      JNZ      LAB_ram_15e8
ram:15ee cd da 07      CALL      write_AttributeRegister_And_ControlPort2      undefinedwrite_AttributeRegiste...
ram:15f1 e1      POP      HL

```


Ghidra - 961264-10.2764.u31

```

ram:15f2 c1      POP      BC
ram:15f3 f1      POP      AF
ram:15f4 c9      RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_15f5()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_15f5                                     XREF[1]:  thunk_FUN_ram_15f5:014e(T),
                                                    thunk_FUN_ram_15f5:014e(j)

ram:15f5 f5      PUSH     AF
ram:15f6 e5      PUSH     HL
ram:15f7 d5      PUSH     DE
ram:15f8 c5      PUSH     BC
ram:15f9 d3 70   OUT      (AttributeRegister)      = ??
ram:15fb cd 77 06 CALL     FUN_ram_0677              undefined FUN_ram_0677()
ram:15fe eb      XCHG
ram:15ff cd 77 06 CALL     FUN_ram_0677              undefined FUN_ram_0677()
ram:1602 c3 18 16 JMP      LAB_ram_1618

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_1605()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1605                                     XREF[3]:  thunk_FUN_ram_1605:009a(T),
                                                    thunk_FUN_ram_1605:009a(c),
                                                    FUN_ram_1a25:1a87(c),
                                                    FUN_ram_1a25:1a94(c)

ram:1605 f5      PUSH     AF
ram:1606 e5      PUSH     HL
ram:1607 d5      PUSH     DE
ram:1608 c5      PUSH     BC
ram:1609 cd 54 06 CALL     FUN_ram_0654              undefined FUN_ram_0654()
ram:160c da f7 07 JC      FUN_ram_07f7
ram:160f d3 70   OUT      (AttributeRegister)      = ??
ram:1611 cd 77 06 CALL     FUN_ram_0677              undefined FUN_ram_0677()
ram:1614 eb      XCHG
ram:1615 2a 18 5e LHLD     (current_cursor_character_address) = ??

LAB_ram_1618
ram:1618 0e 01   MVI      C,0x1
ram:161a cd bf 07 CALL     FUN_ram_07bf              undefined FUN_ram_07bf()
ram:161d 06 80   MVI      B,0x80

LAB_ram_161f
ram:161f 77      MOV      (HL),A
ram:1620 20      RIM
ram:1621 a0      ANA      B
ram:1622 c2 1f 16 JNZ      LAB_ram_161f
ram:1625 cd 96 06 CALL     FUN_ram_0696              undefined FUN_ram_0696()
ram:1628 cd 6e 07 CALL     check_D_eq_H              undefined check_D_eq_H()
ram:162b c2 1f 16 JNZ      LAB_ram_161f
ram:162e cd da 07 CALL     write_AttributeRegister_And_ControlPort2 undefinedwrite_AttributeRegiste...
ram:1631 c3 f0 07 JMP      FUN_ram_07f0              undefined FUN_ram_07f0()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_1634()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1634                                     XREF[1]:  thunk_FUN_ram_1634:0142(T),
                                                    thunk_FUN_ram_1634:0142(j)

ram:1634 c5      PUSH     BC
ram:1635 f5      PUSH     AF
ram:1636 e5      PUSH     HL
ram:1637 cd 84 06 CALL     return_register_a              undefinedreturn_register_a()
ram:163a c3 43 16 JMP      LAB_ram_1643

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_163d()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_163d                                     XREF[1]:  ram:00af(c)

ram:163d c5      PUSH     BC
ram:163e f5      PUSH     AF
ram:163f e5      PUSH     HL
ram:1640 2a 18 5e LHLD     (current_cursor_character_address) = ??

LAB_ram_1643
ram:1643 06 80   MVI      B,0x80
XREF[1]:  ram:163a(j)

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_1645
ram:1645 4e      MOV      C, (HL)
ram:1646 20      RIM
ram:1647 a0      ANA      B
ram:1648 c2 45 16 JNZ      LAB_ram_1645
ram:164b e1      POP      HL
ram:164c f1      POP      AF
ram:164d 79      MOV      A,C
ram:164e c1      POP      BC
ram:164f c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1650()
<UNASSIGNED> <RETURN>
FUN_ram_1650
XREF[2]:  thunk_FUN_ram_1650:0145(T),
          thunk_FUN_ram_1650:0145(c),
          send_to_display:1fb8(c)

ram:1650 f5      PUSH     AF
ram:1651 c5      PUSH     BC
ram:1652 e5      PUSH     HL
ram:1653 cd 84 06 CALL     return_register_a
ram:1656 c3 5f 16 JMP      LAB_ram_165f
undefinedreturn_register_a()

*****
*                               *
*                               *
*****
void write_to_display(void)
<VOID> <RETURN>
Character display function - writes single character from A r...
Used by error display to show individual characters of error ...
write_to_display
XREF[8]:  write_char_to_video_memory:00a9...
          write_char_to_video_memory:00a9...
          write_char_and_advance_cursor:00...
          FUN_ram_1a25:1a66(c),
          FUN_ram_1b8c:1bcd(c),
          FUN_ram_1c62:1c8d(c),
          FUN_ram_1c62:1db9(c),
          FUN_ram_1c62:1dc6(c),
          FUN_ram_1f84:1f9e(c)
ram:1659 f5      PUSH     AF
ram:165a c5      PUSH     BC
ram:165b e5      PUSH     HL
ram:165c 2a 18 5e LHLD     (current_cursor_character_address)
= ??

LAB_ram_165f
ram:165f 4f      MOV      C,A
ram:1660 06 80   MVI      B,0x80
XREF[1]:  ram:1656(j)

loop_wait_for_RIM_NOT_0x80
ram:1662 71      MOV      (HL),C
ram:1663 20      RIM
ram:1664 a0      ANA      B
ram:1665 c2 62 16 JNZ      loop_wait_for_RIM_NOT_0x80
ram:1668 3a f9 5d LDA      (display_refresh_control)
= ??
ram:166b f6 01   ORI      0x1
ram:166d 32 f9 5d STA      (display_refresh_control)
= ??
ram:1670 e1      POP      HL
ram:1671 c1      POP      BC
ram:1672 f1      POP      AF
ram:1673 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1674()
<UNASSIGNED> <RETURN>
FUN_ram_1674
XREF[1]:  ram:0151(c)

ram:1674 f5      PUSH     AF
ram:1675 eb      XCHG
ram:1676 22 3d 5e SHLD     (BYTE_ram_5e3d)
= ??
ram:1679 eb      XCHG
ram:167a 3e 01   MVI      A,0x1
ram:167c c3 81 16 JMP      LAB_ram_1681

```

Ghidra - 961264-10.2764.u31

```

*****
*                               FUNCTION                               *
*****
undefined write_string()
    <UNASSIGNED> <RETURN>
String display function - displays "ERROR NO.:" prefix before...
HL register points to string to display
write_string                                XREF[5]:    display_string_until_control_cha.,
                                                display_string_until_control_cha.,
                                                terminal_boot_sequence:0254(c),
                                                terminal_boot_sequence:0274(c),
                                                FUN_ram_1c62:1ccf(c),
                                                FUN_ram_1c62:1cda(c)

ram:167f f5      PUSH      AF
ram:1680 97      SUB       A

LAB_ram_1681
ram:1681 32 3c 5e STA      (BYTE_ram_5e3c)          XREF[1]:    FUN_ram_1674:167c(j)
                                                = ??

loop_write_char                            XREF[1]:    ram:1691(j)
ram:1684 7e      MOV      A, (HL)
ram:1685 fe 20   CPI      0x20
ram:1687 da 94 16 JC      write_return_ok
ram:168a cd a6 1f CALL    send_to_display                undefined send_to_display()
ram:168d da 9a 16 JC      write_return_nok
ram:1690 23      INX      HL
ram:1691 c3 84 16 JMP      loop_write_char

write_return_ok                            XREF[1]:    ram:1687(j)
ram:1694 f1      POP      AF
ram:1695 7e      MOV      A, (HL)
ram:1696 23      INX      HL
ram:1697 37      STC
ram:1698 3f      CMC
ram:1699 c9      RET

write_return_nok                          XREF[1]:    ram:168d(j)
ram:169a f1      POP      AF
ram:169b 7e      MOV      A, (HL)
ram:169c 37      STC
ram:169d c9      RET

*****
*                               FUNCTION                               *
*****
undefined FUN_ram_169e()
    <UNASSIGNED> <RETURN>
FUN_ram_169e                                XREF[8]:    ram:010f(c),
                                                FUN_ram_1568:1523(c),
                                                FUN_ram_154b:1554(c),
                                                FUN_ram_1579:1582(c),
                                                FUN_ram_193c:194f(c),
                                                FUN_ram_195f:1972(c),
                                                FUN_ram_1982:1996(c),
                                                FUN_ram_19a6:19ba(c)

ram:169e f5      PUSH      AF
ram:169f e5      PUSH      HL
ram:16a0 d5      PUSH      DE
ram:16a1 c5      PUSH      BC
ram:16a2 cd b6 07 CALL    FUN_ram_07b6                undefined FUN_ram_07b6()
ram:16a5 6c      MOV      L, H
ram:16a6 5a      MOV      E, D
ram:16a7 cd 3c 06 CALL    FUN_ram_063c                undefined FUN_ram_063c()
ram:16aa da 36 19 JC      LAB_ram_1936
ram:16ad cd 84 16 CALL    return_register_a            undefined return_register_a()
ram:16b0 eb      XCHG
ram:16b1 cd 3c 06 CALL    FUN_ram_063c                undefined FUN_ram_063c()
ram:16b4 da 36 19 JC      LAB_ram_1936
ram:16b7 cd 84 06 CALL    return_register_a            undefined return_register_a()
ram:16ba eb      XCHG
ram:16bb 0e 80   MVI      C, 0x80
ram:16bd 1e 00   MVI      E, 0x0
ram:16bf 6b      MOV      L, E

LAB_ram_16c0
ram:16c0 46      MOV      B, (HL)
ram:16c1 20      RIM
ram:16c2 a1      ANA      C
ram:16c3 c2 c0 16 JNZ      LAB_ram_16c0
ram:16c6 eb      XCHG
ram:16c7 db 70   IN      (AttributeRegister)    = ??
ram:16c9 d3 70   OUT     (AttributeRegister)    = ??

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_16cb
ram:16cb 70      MOV      (HL),B
ram:16cc 20      RIM
ram:16cd a1      ANA      C
ram:16ce c2 cb 16 JNZ      LAB_ram_16cb
ram:16d1 eb      XCHG
ram:16d2 97      SUB      A
ram:16d3 d3 70   OUT      (AttributeRegister)          = ??

LAB_ram_16d5
ram:16d5 36 00   MVI      (HL),0x0
ram:16d7 20      RIM
ram:16d8 a1      ANA      C
ram:16d9 c2 d5 16 JNZ      LAB_ram_16d5
ram:16dc 2c      INR      L
ram:16dd 1c      INR      E
ram:16de 7d      MOV      A,L
ram:16df fe 50   CPI      0x50
ram:16e1 c2 c0 16 JNZ      LAB_ram_16c0
ram:16e4 c3 30 19 JMP      FUN_ram_1930          undefined FUN_ram_1930()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined FUN_ram_16e7()
<UNASSIGNED> <RETURN>
LAB_ram_16e7
ram:16e7 f5      PUSH     AF
ram:16e8 e5      PUSH     HL
ram:16e9 d5      PUSH     DE
ram:16ea c5      PUSH     BC
ram:16eb cd b6 07 CALL     FUN_ram_07b6          undefined FUN_ram_07b6()
ram:16ee 6c      MOV      L,H
ram:16ef 5a      MOV      E,D
ram:16f0 cd 3c 06 CALL     FUN_ram_063c          undefined FUN_ram_063c()
ram:16f3 da 36 19 JC       LAB_ram_1936
ram:16f6 cd 84 06 CALL     return_register_a          undefined return_register_a()
ram:16f9 eb      XCHG
ram:16fa cd 3c 06 CALL     FUN_ram_063c          undefined FUN_ram_063c()
ram:16fd da 36 19 JC       LAB_ram_1936
ram:1700 cd 84 06 CALL     return_register_a          undefined return_register_a()
ram:1703 eb      XCHG
ram:1704 0e 80   MVI      C,0x80
ram:1706 1e 00   MVI      E,0x0
ram:1708 6b      MOV      L,E

LAB_ram_1709
ram:1709 46      MOV      B,(HL)
ram:170a 20      RIM
ram:170b a1      ANA      C
ram:170c c2 09 17 JNZ      LAB_ram_1709
ram:170f eb      XCHG
ram:1710 db 70   IN       (AttributeRegister)          = ??
ram:1712 d3 70   OUT      (AttributeRegister)          = ??

LAB_ram_1714
ram:1714 70      MOV      (HL),B
ram:1715 20      RIM
ram:1716 a1      ANA      C
ram:1717 c2 14 17 JNZ      LAB_ram_1714
ram:171a eb      XCHG
ram:171b 2c      INR      L
ram:171c 1c      INR      E
ram:171d 7d      MOV      A,L
ram:171e fe 50   CPI      0x50
ram:1720 c2 09 17 JNZ      LAB_ram_1709
ram:1723 c3 30 19 JMP      FUN_ram_1930          undefined FUN_ram_1930()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

```

*****
*                               *
*****
undefined FUN_ram_1726()
    <UNASSIGNED> <RETURN>
    FUN_ram_1726
XREF[10]:  thunk_FUN_ram_1726:0100(T),
            thunk_FUN_ram_1726:0100(c),
            FUN_ram_152a:153a(c),
            FUN_ram_1571:1545(c),
            FUN_ram_155b:155f(c),
            FUN_ram_1589:158d(c),
            FUN_ram_193c:19cb(c),
            FUN_ram_1aff:1b68(c),
            FUN_ram_1aff:1b6c(c),
            FUN_ram_1aff:1b70(c),
            FUN_ram_1b75:1b78(c)

ram:1726 f5      PUSH      AF
ram:1727 e5      PUSH      HL
ram:1728 d5      PUSH      DE
ram:1729 c5      PUSH      BC
ram:172a 6c      MOV       L,H
ram:172b cd 3c 06 CALL      FUN_ram_063c
ram:172e da f7 07 JC       FUN_ram_07f7
ram:1731 cd 84 06 CALL      return_register_a
ram:1734 0e 03    MVI      C,0x3
ram:1736 cd bf 07 CALL      FUN_ram_07bf
ram:1739 fb      EI
ram:173a 97      SUB       A
ram:173b d3 70    OUT      (AttributeRegister)
ram:173d 2e 00    MVI      L,0x0
ram:173f 01 50 80 LXI      BC,0x8050

LAB_ram_1742
ram:1742 36 00    MVI      (HL),0x0
ram:1744 20      RIM
ram:1745 a0      ANA       B
ram:1746 c2 42 17 JNZ      LAB_ram_1742
ram:1749 2c      INR       L
ram:174a 7d      MOV       A,L
ram:174b b9      CMP       C
ram:174c c2 42 17 JNZ      LAB_ram_1742
ram:174f c3 30 19 JMP       FUN_ram_1930
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined clear_display_memory_range()
    <UNASSIGNED> <RETURN>
    clear_display_memory_range
XREF[8]:  clear_display_memory_range:0109...
            clear_display_memory_range:0109...
            setup_serial_and_display_ports:0...
            initialize_display_memory:0c25c...
            initialize_display_memory:0c32c...
            FUN_ram_1a25:1a29(c),
            FUN_ram_1a25:1aeb(c),
            FUN_ram_1c62:1c66(c),
            FUN_ram_1c62:1dd1(c)

ram:1752 f5      PUSH      AF
ram:1753 e5      PUSH      HL
ram:1754 d5      PUSH      DE
ram:1755 c5      PUSH      BC
ram:1756 cd 43 13 CALL      setup_cursor_position
ram:1759 21 50 60 LXI      HL,0x6050
ram:175c 97      SUB       A
ram:175d d3 70    OUT      (AttributeRegister)
ram:175f cd cf 07 CALL      FUN_ram_07cf
ram:1762 06 00    MVI      B,0x0

LAB_ram_1764
ram:1764 2d      DCR       L
ram:1765 70      MOV       (HL=>display_ram_11a),B
ram:1766 c2 64 17 JNZ      LAB_ram_1764
ram:1769 2e 50    MVI      L,0x50
ram:176b 24      INR       H
ram:176c 7c      MOV       A,H
ram:176d fe 7a    CPI      0x7a
ram:176f c2 64 17 JNZ      LAB_ram_1764
ram:1772 cd ca 06 CALL      wait_for_VSYNC
ram:1775 c3 2a 19 JMP       write_attr_and_control2_and_pop_Return
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```

Ghidra - 961264-10.2764.u31

```

*****
*                               *
*****
undefined FUN_ram_1778()
    <UNASSIGNED> <RETURN>
    FUN_ram_1778                                XREF[1]:  thunk_FUN_ram_1778:010d(T),
                                                    thunk_FUN_ram_1778:010d(c)

ram:1778 f5      PUSH      AF
ram:1779 e5      PUSH      HL
ram:177a d5      PUSH      DE
ram:177b c5      PUSH      BC
ram:177c cd b6 07 CALL      FUN_ram_07b6                undefined FUN_ram_07b6()
ram:177f cd 54 06 CALL      FUN_ram_0654                undefined FUN_ram_0654()
ram:1782 da 36 19 JC        LAB_ram_1936
ram:1785 cd 77 06 CALL      FUN_ram_0677                undefined FUN_ram_0677()
ram:1788 eb      XCHG
ram:1789 2a 18 5e LHLD      (current_cursor_character_address) = ??
ram:178c 97      SUB        A
ram:178d d3 70   OUT        (AttributeRegister) = ??
ram:178f 0e 80   MVI        C,0x80

LAB_ram_1791                                XREF[2]:  ram:1794(j), ram:179d(j)
ram:1791 70      MOV        (HL),B
ram:1792 20      RIM
ram:1793 a1      ANA        C
ram:1794 c2 91 17 JNZ      LAB_ram_1791
ram:1797 cd 96 06 CALL      FUN_ram_0696                undefined FUN_ram_0696()
ram:179a cd 6e 07 CALL      check_D_eq_H                undefined check_D_eq_H()
ram:179d c2 91 17 JNZ      LAB_ram_1791
ram:17a0 c3 30 19 JMP       FUN_ram_1930                undefined FUN_ram_1930()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_17a3()
    <UNASSIGNED> <RETURN>
    FUN_ram_17a3                                XREF[1]:  thunk_FUN_ram_17a3:0115(T),
                                                    thunk_FUN_ram_17a3:0115(c)

ram:17a3 f5      PUSH      AF
ram:17a4 e5      PUSH      HL
ram:17a5 d5      PUSH      DE
ram:17a6 c5      PUSH      BC
ram:17a7 cd b6 07 CALL      FUN_ram_07b6                undefined FUN_ram_07b6()
ram:17aa cd 96 18 CALL      FUN_ram_1896                undefined FUN_ram_1896()
ram:17ad 44      MOV        B,H
ram:17ae 4d      MOV        C,L
ram:17af 2a 16 5e LHLD      (next_cursor_character_address) = ??

LAB_ram_17b2                                XREF[1]:  FUN_ram_182a:1838(j)
ram:17b2 e5      PUSH      HL
ram:17b3 3e 01   MVI        A,0x1
ram:17b5 32 2d 5e STA        (init_ram_5e2d) = ??

LAB_ram_17b8                                XREF[1]:  ram:17c1(j)
ram:17b8 7a      MOV        A,D
ram:17b9 b3      ORA        E
ram:17ba ca c4 17 JZ        LAB_ram_17c4
ram:17bd cd 8b 18 CALL      FUN_ram_188b                undefined FUN_ram_188b()
ram:17c0 1b      DCX        DE
ram:17c1 c3 b8 17 JMP       LAB_ram_17b8

LAB_ram_17c4                                XREF[1]:  ram:17ba(j)
ram:17c4 eb      XCHG
ram:17c5 e1      POP        HL
ram:17c6 cd 7a 07 CALL      FUN_ram_077a                undefined FUN_ram_077a()
ram:17c9 d2 3b 18 JNC      LAB_ram_183b
ram:17cc eb      XCHG
ram:17cd cd 96 18 CALL      FUN_ram_1896                undefined FUN_ram_1896()

LAB_ram_17d0                                XREF[1]:  FUN_ram_17e6:1813(j)
ram:17d0 eb      XCHG
ram:17d1 cd 7a 07 CALL      FUN_ram_077a                undefined FUN_ram_077a()
ram:17d4 c2 36 19 JNZ      LAB_ram_1936
ram:17d7 eb      XCHG
ram:17d8 60      MOV        H,B
ram:17d9 69      MOV        L,C
ram:17da cd 77 06 CALL      FUN_ram_0677                undefined FUN_ram_0677()
ram:17dd 44      MOV        B,H
ram:17de 4d      MOV        C,L
ram:17df eb      XCHG
ram:17e0 cd 77 06 CALL      FUN_ram_0677                undefined FUN_ram_0677()
ram:17e3 c3 7c 18 JMP       LAB_ram_187c

```

```

*****
*                               *
*****
undefined FUN_ram_17e6()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_17e6                                XREF[1]:  ram:0118(c)

ram:17e6 f5      PUSH      AF
ram:17e7 e5      PUSH      HL
ram:17e8 d5      PUSH      DE
ram:17e9 c5      PUSH      BC
ram:17ea cd b6 07 CALL      FUN_ram_07b6                undefined FUN_ram_07b6()
ram:17ed 44      MOV       B,H
ram:17ee 4d      MOV       C,L
ram:17ef 2a 16 5e LHLD      (next_cursor_character_address) = ??

LAB_ram_17f2                                XREF[1]:  FUN_ram_1816:1827(j)
ram:17f2 e5      PUSH      HL
ram:17f3 3e ff    MVI       A,0xff
ram:17f5 32 2d 5e STA       (init_ram_5e2d) = ??

LAB_ram_17f8                                XREF[1]:  ram:1801(j)
ram:17f8 7a      MOV       A,D
ram:17f9 b3      ORA       E
ram:17fa ca 04 18 JZ        LAB_ram_1804
ram:17fd cd 96 18 CALL      FUN_ram_1896                undefined FUN_ram_1896()
ram:1800 1b      DCX       DE
ram:1801 c3 f8 17 JMP        LAB_ram_17f8

LAB_ram_1804                                XREF[1]:  ram:17fa(j)
ram:1804 eb      XCHG
ram:1805 e1      POP       HL
ram:1806 cd 7a 07 CALL      FUN_ram_077a                undefined FUN_ram_077a()
ram:1809 da 3b 18 JC        LAB_ram_183b
ram:180c ca 3b 18 JZ        LAB_ram_183b
ram:180f eb      XCHG
ram:1810 cd 8b 18 CALL      FUN_ram_188b                undefined FUN_ram_188b()
ram:1813 c3 d0 17 JMP        LAB_ram_17d0

*****
*                               *
*****
undefined FUN_ram_1816()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_1816                                XREF[1]:  thunk_FUN_ram_1816:011b(T),
                                                thunk_FUN_ram_1816:011b(c)

ram:1816 f5      PUSH      AF
ram:1817 e5      PUSH      HL
ram:1818 d5      PUSH      DE
ram:1819 c5      PUSH      BC
ram:181a cd b6 07 CALL      FUN_ram_07b6                undefined FUN_ram_07b6()
ram:181d cd 96 18 CALL      FUN_ram_1896                undefined FUN_ram_1896()
ram:1820 e5      PUSH      HL
ram:1821 2a 16 5e LHLD      (next_cursor_character_address) = ??
ram:1824 44      MOV       B,H
ram:1825 4d      MOV       C,L
ram:1826 e1      POP       HL
ram:1827 c3 f2 17 JMP        LAB_ram_17f2

*****
*                               *
*****
undefined FUN_ram_182a()
undefined   <UNASSIGNED> <RETURN>
FUN_ram_182a                                XREF[1]:  ram:011e(c)

ram:182a f5      PUSH      AF
ram:182b e5      PUSH      HL
ram:182c d5      PUSH      DE
ram:182d c5      PUSH      BC
ram:182e cd b6 07 CALL      FUN_ram_07b6                undefined FUN_ram_07b6()
ram:1831 e5      PUSH      HL
ram:1832 2a 16 5e LHLD      (next_cursor_character_address) = ??
ram:1835 44      MOV       B,H
ram:1836 4d      MOV       C,L
ram:1837 e1      POP       HL
ram:1838 c3 b2 17 JMP        LAB_ram_17b2

LAB_ram_183b                                XREF[3]:  ram:17c9(j),
                                                FUN_ram_17e6:1809(j),
                                                FUN_ram_17e6:180c(j)
ram:183b cd 77 06 CALL      FUN_ram_0677                undefined FUN_ram_0677()
ram:183e eb      XCHG
ram:183f cd 77 06 CALL      FUN_ram_0677                undefined FUN_ram_0677()
ram:1842 eb      XCHG
ram:1843 e5      PUSH      HL

```

May 28, 2025 11:10 AM

Page 80 of 319

Ghidra - 961264-10.2764.u31

```

*****
*                               *
*                               *
*****
undefined FUN_ram_18a1()
undefined <UNASSIGNED> <RETURN>
FUN_ram_18a1                                XREF[2]:    ram:0112(c),
                                                FUN_ram_19d1:1a03(c)

ram:18a1 f5      PUSH      AF
ram:18a2 e5      PUSH      HL
ram:18a3 d5      PUSH      DE
ram:18a4 c5      PUSH      BC
ram:18a5 cd 54 06 CALL      FUN_ram_0654          undefined FUN_ram_0654()
ram:18a8 da 36 19 JC        LAB_ram_1936
ram:18ab cd 77 06 CALL      FUN_ram_0677          undefined FUN_ram_0677()
ram:18ae 22 12 5e SHLD      (BYTE_ram_5e12)      = ??
ram:18b1 2a 18 5e LHL      (current_cursor_character_address) = ??
ram:18b4 cd cf 07 CALL      FUN_ram_07cf          undefined FUN_ram_07cf()

LAB_ram_18b7                                XREF[1]:    ram:1920(j)
ram:18b7 7e      MOV       A, (HL)
ram:18b8 32 14 5e STA       (BYTE_ram_5e14)          = ??
ram:18bb db 70   IN        (AttributeRegister)      = ??
ram:18bd 32 15 5e STA       (BYTE_ram_5e15)          = ??
ram:18c0 0a      LDAX      (BC)
ram:18c1 0f      RRC
ram:18c2 0f      RRC
ram:18c3 0f      RRC
ram:18c4 0f      RRC
ram:18c5 e6 0f   ANI        0xf
ram:18c7 d3 70   OUT        (AttributeRegister)      = ??
ram:18c9 1a      LDAX      (DE)
ram:18ca 77      MOV       (HL), A
ram:18cb 3a 14 5e LDA       (BYTE_ram_5e14)          = ??
ram:18ce 12      STAX      (DE)
ram:18cf d5      PUSH      DE
ram:18d0 3a 15 5e LDA       (BYTE_ram_5e15)          = ??
ram:18d3 07      RLC
ram:18d4 07      RLC
ram:18d5 07      RLC
ram:18d6 07      RLC
ram:18d7 e6 f0   ANI        0xf0
ram:18d9 57      MOV       D, A
ram:18da 0a      LDAX      (BC)
ram:18db e6 0f   ANI        0xf
ram:18dd b2      ORA       D
ram:18de 02      STAX      (BC)
ram:18df cd 96 06 CALL      FUN_ram_0696          undefined FUN_ram_0696()
ram:18e2 eb      XCHG
ram:18e3 2a 12 5e LHL      (BYTE_ram_5e12)          = ??
ram:18e6 cd 6e 07 CALL      check_D_eq_H          undefined check_D_eq_H()
ram:18e9 ca 23 19 JZ        LAB_ram_1923
ram:18ec eb      XCHG
ram:18ed d1      POP       DE
ram:18ee 13      INX       DE
ram:18ef 7e      MOV       A, (HL)
ram:18f0 32 14 5e STA       (BYTE_ram_5e14)          = ??
ram:18f3 db 70   IN        (AttributeRegister)      = ??
ram:18f5 32 15 5e STA       (BYTE_ram_5e15)          = ??
ram:18f8 0a      LDAX      (BC)
ram:18f9 e6 0f   ANI        0xf
ram:18fb d3 70   OUT        (AttributeRegister)      = ??
ram:18fd 1a      LDAX      (DE)
ram:18fe 77      MOV       (HL), A
ram:18ff 3a 14 5e LDA       (BYTE_ram_5e14)          = ??
ram:1902 12      STAX      (DE)
ram:1903 d5      PUSH      DE
ram:1904 3a 15 5e LDA       (BYTE_ram_5e15)          = ??
ram:1907 e6 0f   ANI        0xf
ram:1909 57      MOV       D, A
ram:190a 0a      LDAX      (BC)
ram:190b e6 f0   ANI        0xf0
ram:190d b2      ORA       D
ram:190e 02      STAX      (BC)
ram:190f cd 96 06 CALL      FUN_ram_0696          undefined FUN_ram_0696()
ram:1912 eb      XCHG
ram:1913 2a 12 5e LHL      (BYTE_ram_5e12)          = ??
ram:1916 cd 6e 07 CALL      check_D_eq_H          undefined check_D_eq_H()
ram:1919 ca 23 19 JZ        LAB_ram_1923
ram:191c eb      XCHG
ram:191d d1      POP       DE
ram:191e 13      INX       DE
ram:191f 03      INX       BC
ram:1920 c3 b7 18 JMP       LAB_ram_18b7

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_1923                                XREF[2]:    ram:18e9(j), ram:1919(j)
ram:1923 d1      POP      DE
ram:1924 cd ca 06    CALL    wait_for_VSYNC          undefined wait_for_VSYNC()
ram:1927 c3 30 19    JMP     FUN_ram_1930            undefined FUN_ram_1930()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined write_attr_and_control2_and_pop_Return()
undefined  <UNASSIGNED> <RETURN>
ram:192a cd da 07    CALL    write_attr_and_control2_and_pop_Return    XREF[1]:    clear_display_memory_range:1775...
ram:192d c3 eb 07    JMP     popall_and_ret          undefined write_AttributeRegister_And_ControlPort2
                                                    undefined popall_and_ret()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_1930()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1930                                XREF[6]:    FUN_ram_169e:16e4(c),
                                                    FUN_ram_16e7:1723(c),
                                                    FUN_ram_1726:174f(c),
                                                    FUN_ram_1778:17a0(c),
                                                    FUN_ram_17a3:1876(j),
                                                    FUN_ram_18a1:1927(c)
ram:1930 cd da 07    CALL    write_AttributeRegister_And_ControlPort2    undefined write_AttributeRegister_And_ControlPort2
ram:1933 c3 f0 07    JMP     FUN_ram_07f0            undefined FUN_ram_07f0()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_1936                                XREF[7]:    ram:16aa(j), ram:16b4(j),
                                                    FUN_ram_16e7:16f3(j),
                                                    FUN_ram_16e7:16fd(j),
                                                    FUN_ram_1778:1782(j),
                                                    FUN_ram_17a3:17d4(j),
                                                    FUN_ram_18a1:18a8(j)
ram:1936 cd da 07    CALL    write_AttributeRegister_And_ControlPort2    undefined write_AttributeRegister_And_ControlPort2
ram:1939 c3 f7 07    JMP     FUN_ram_07f7            undefined FUN_ram_07f7()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined FUN_ram_193c()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_193c                                XREF[1]:    ram:0190(c)
ram:193c f5      PUSH     AF
ram:193d e5      PUSH     HL
ram:193e d5      PUSH     DE
ram:193f c5      PUSH     BC
ram:1940 4f      MOV      C,A
ram:1941 3a 17 5e    LDA     (current_cursor_row)    = ??
ram:1944 bc      CMP      H
ram:1945 ca ca 19    JZ      LAB_ram_19ca
ram:1948 d2 f7 07    JNC     FUN_ram_07f7
ram:194b 47      MOV      B,A
ram:194c 54      MOV      D,H
ram:194d 25      DCR      H

LAB_ram_194e                                XREF[1]:    ram:195c(j)
ram:194e 79      MOV      A,C
ram:194f cd 9e 16    CALL    FUN_ram_169e          undefined FUN_ram_169e()
ram:1952 da f7 07    JC      FUN_ram_07f7
ram:1955 7c      MOV      A,H
ram:1956 b8      CMP      B
ram:1957 ca f0 07    JZ      FUN_ram_07f0
ram:195a 25      DCR      H
ram:195b 15      DCR      D
ram:195c c3 4e 19    JMP     LAB_ram_194e

*****
*                               *
*****
undefined FUN_ram_195f()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_195f                                XREF[1]:    thunk_FUN_ram_195f:0193(T),
                                                    thunk_FUN_ram_195f:0193(c)
ram:195f f5      PUSH     AF
ram:1960 e5      PUSH     HL
ram:1961 d5      PUSH     DE
ram:1962 c5      PUSH     BC
ram:1963 4f      MOV      C,A
ram:1964 3a 17 5e    LDA     (current_cursor_row)    = ??

```

Ghidra - 961264-10.2764.u31

```

ram:1967 bc      CMP      H
ram:1968 ca ca 19  JZ       LAB_ram_19ca
ram:196b da f7 07  JC       FUN_ram_07f7
ram:196e 47      MOV      B,A
ram:196f 54      MOV      D,H
ram:1970 24      INR      H

LAB_ram_1971
ram:1971 79      MOV      A,C
XREF[1]: ram:197f(j)
ram:1972 cd 9e 16  CALL     FUN_ram_169e
undefined FUN_ram_169e()
ram:1975 da f7 07  JC       FUN_ram_07f7
ram:1978 7c      MOV      A,H
ram:1979 b8      CMP      B
ram:197a ca f0 07  JZ       FUN_ram_07f0
ram:197d 24      INR      H
ram:197e 14      INR      D
ram:197f c3 71 19  JMP      LAB_ram_1971

*****
* FUNCTION *
*****
undefined FUN_ram_1982()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1982
XREF[1]: thunk_FUN_ram_1982:019a(T),
thunk_FUN_ram_1982:019a(c)

ram:1982 f5      PUSH     AF
ram:1983 e5      PUSH     HL
ram:1984 d5      PUSH     DE
ram:1985 c5      PUSH     BC
ram:1986 4f      MOV      C,A
ram:1987 3a 17 5e LDA      (current_cursor_row) = ??
ram:198a bc      CMP      H
ram:198b ca ca 19  JZ       LAB_ram_19ca
ram:198e d2 f7 07  JNC      FUN_ram_07f7
ram:1991 44      MOV      B,H
ram:1992 67      MOV      H,A
ram:1993 57      MOV      D,A
ram:1994 24      INR      H

LAB_ram_1995
ram:1995 79      MOV      A,C
XREF[1]: ram:19a3(j)
ram:1996 cd 9e 16  CALL     FUN_ram_169e
undefined FUN_ram_169e()
ram:1999 da f7 07  JC       FUN_ram_07f7
ram:199c 7c      MOV      A,H
ram:199d b8      CMP      B
ram:199e ca f0 07  JZ       FUN_ram_07f0
ram:19a1 24      INR      H
ram:19a2 14      INR      D
ram:19a3 c3 95 19  JMP      LAB_ram_1995

*****
* FUNCTION *
*****
undefined FUN_ram_19a6()
undefined <UNASSIGNED> <RETURN>
FUN_ram_19a6
XREF[1]: thunk_FUN_ram_19a6:019a(T),
thunk_FUN_ram_19a6:019a(c)

ram:19a6 f5      PUSH     AF
ram:19a7 e5      PUSH     HL
ram:19a8 d5      PUSH     DE
ram:19a9 c5      PUSH     BC
ram:19aa 4f      MOV      C,A
ram:19ab 3a 17 5e LDA      (current_cursor_row) = ??
ram:19ae bc      CMP      H
ram:19af ca ca 19  JZ       LAB_ram_19ca
ram:19b2 da f7 07  JC       FUN_ram_07f7
ram:19b5 44      MOV      B,H
ram:19b6 67      MOV      H,A
ram:19b7 57      MOV      D,A
ram:19b8 25      DCR      H

LAB_ram_19b9
ram:19b9 79      MOV      A,C
XREF[1]: ram:19c7(j)
ram:19ba cd 9e 16  CALL     FUN_ram_169e
undefined FUN_ram_169e()
ram:19bd da f7 07  JC       FUN_ram_07f7
ram:19c0 78      MOV      A,B
ram:19c1 bc      CMP      H
ram:19c2 ca f0 07  JZ       FUN_ram_07f0
ram:19c5 25      DCR      H
ram:19c6 15      DCR      D
ram:19c7 c3 b9 19  JMP      LAB_ram_19b9

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_19ca
XREF[4]: ram:1945(j),
          FUN_ram_195f:1968(j),
          FUN_ram_1982:198b(j),
          FUN_ram_19a6:19af(j)

ram:19ca 67      MOV      H,A
ram:19cb cd 26 17 CALL      FUN_ram_1726
ram:19ce c3 f0 07 JMP       FUN_ram_07f0
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined FUN_ram_19d1()
undefined <UNASSIGNED> <RETURN>
FUN_ram_19d1
XREF[1]: thunk_FUN_ram_19d1:019d(T),
          thunk_FUN_ram_19d1:019d(c)

ram:19d1 f5      PUSH     AF
ram:19d2 e5      PUSH     HL
ram:19d3 2e 01   MVI      L,0x1
ram:19d5 7c      MOV      A,H
ram:19d6 a7      ANA      A
ram:19d7 ca f9 07 JZ       LAB_ram_07f9
ram:19da fe 1a   CPI      0x1a
ram:19dc d2 f9 07 JNC      LAB_ram_07f9
ram:19df 7c      MOV      A,H
ram:19e0 32 3f 5e STA      (BYTE_ram_5e3f)
ram:19e3 e5      PUSH     HL
ram:19e4 21 40 5e LXI      HL,0x5e40
ram:19e7 3e 78   MVI      A,0x78

LAB_ram_19e9
XREF[1]: ram:19ed(j)

ram:19e9 36 00   MVI      (HL=>BYTE_ram_5e40),0x0
ram:19eb 23      INX      HL
ram:19ec 3d      DCR      A
ram:19ed c2 e9 19 JNZ      LAB_ram_19e9

LAB_ram_19f0
XREF[1]: FUN_ram_1a11:1a22(j)

ram:19f0 cd 72 14 CALL      FUN_ram_1472
ram:19f3 22 2b 5e SHLD     (BYTE_ram_5e2b)
ram:19f6 e1      POP      HL
ram:19f7 cd 5c 14 CALL      update_cursor_addresses
ram:19fa 24      INR      H
ram:19fb c5      PUSH     BC
ram:19fc d5      PUSH     DE
ram:19fd 11 40 5e LXI      DE,0x5e40
ram:1a00 01 90 5e LXI      BC,0x5e90
ram:1a03 cd a1 18 CALL      FUN_ram_18a1
ram:1a06 d1      POP      DE
ram:1a07 c1      POP      BC
ram:1a08 2a 2b 5e LHLD     (BYTE_ram_5e2b)
ram:1a0b cd 5c 14 CALL      update_cursor_addresses
ram:1a0e c3 f2 07 JMP       pop_hl_and_af_return_no_carry

*****
*                               *
*                               *
*****
undefined FUN_ram_1a11()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1a11
XREF[1]: thunk_FUN_ram_1a11:019f(T),
          thunk_FUN_ram_1a11:019f(c)

ram:1a11 f5      PUSH     AF
ram:1a12 e5      PUSH     HL
ram:1a13 3a 3f 5e LDA      (BYTE_ram_5e3f)
ram:1a16 a7      ANA      A
ram:1a17 ca f9 07 JZ       LAB_ram_07f9
ram:1a1a 67      MOV      H,A
ram:1a1b 97      SUB      A
ram:1a1c 32 3f 5e STA      (BYTE_ram_5e3f)
ram:1a1f 2e 01   MVI      L,0x1
ram:1a21 e5      PUSH     HL
ram:1a22 c3 f0 19 JMP       LAB_ram_19f0

*****
*                               *
*                               *
*****
undefined FUN_ram_1a25()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1a25
XREF[1]: thunk_FUN_ram_1a25:0160(T),
          thunk_FUN_ram_1a25:0160(j)

ram:1a25 c5      PUSH     BC
ram:1a26 d5      PUSH     DE
ram:1a27 e5      PUSH     HL
ram:1a28 f5      PUSH     AF
ram:1a29 cd 52 17 CALL      clear_display_memory_range

```

Ghidra - 961264-10.2764.u31

```

ram:1a2c 11 2e 5e LXI DE,0x5e2e
ram:1a2f 06 05 MVI B,0x5

LAB_ram_1a31 XREF[1]: ram:1a36(j)
ram:1a31 7e MOV A,(HL)
ram:1a32 12 STAX (DE=>BYTE ram_5e2e) = ??
ram:1a33 23 INX HL
ram:1a34 13 INX DE
ram:1a35 05 DCR B
ram:1a36 c2 31 1a JNZ LAB_ram_1a31
ram:1a39 11 b8 5e LXI DE,0x5eb8
ram:1a3c cd b3 12 CALL process_nvram_bit_data undefinedprocess_nvram_bit_data()
ram:1a3f 21 08 01 LXI HL,0x108
ram:1a42 cd 52 14 CALL FUN_ram_1452 undefinedFUN_ram_1452()
ram:1a45 2a 2e 5e LHLD (BYTE_ram_5e2e) = ??
ram:1a48 cd f1 1e CALL FUN_ram_1ef1 undefinedFUN_ram_1ef1()
ram:1a4b 3e 0e MVI A,0xe
ram:1a4d cd 96 15 CALL FUN_ram_1596 undefinedFUN_ram_1596()
ram:1a50 3e 20 MVI A,0x20
ram:1a52 cd 1e 07 CALL write_char_and_advance_cursor undefinedwrite_char_and_advance...
ram:1a55 cd 1e 07 CALL write_char_and_advance_cursor undefinedwrite_char_and_advance...
ram:1a58 3a 30 5e LDA (BYTE_ram_5e30) = ??
ram:1a5b a7 ANA A
ram:1a5c ca 69 1a JZ LAB_ram_1a69
ram:1a5f c6 30 ADI 0x30
ram:1a61 cd 1e 07 CALL write_char_and_advance_cursor undefinedwrite_char_and_advance...
ram:1a64 3e 20 MVI A,0x20
ram:1a66 cd 59 16 CALL write_to_display voidwrite_to_display(void)

LAB_ram_1a69 XREF[1]: ram:1a5c(j)
ram:1a69 97 SUB A
ram:1a6a cd 96 15 CALL FUN_ram_1596 undefinedFUN_ram_1596()
ram:1a6d 3a 31 5e LDA (BYTE_ram_5e31) = ??
ram:1a70 47 MOV B,A

LAB_ram_1a71 XREF[1]: ram:1a7a(j)
ram:1a71 cd 75 1b CALL FUN_ram_1b75 undefinedFUN_ram_1b75()
ram:1a74 04 INR B
ram:1a75 3a 32 5e LDA (BYTE_ram_5e32) = ??
ram:1a78 3c INR A
ram:1a79 b8 CMP B
ram:1a7a c2 71 1a JNZ LAB_ram_1a71

LAB_ram_1a7d XREF[1]: ram:1aaa(j)
ram:1a7d 3a 31 5e LDA (BYTE_ram_5e31) = ??
ram:1a80 47 MOV B,A

LAB_ram_1a81 XREF[3]: ram:1aba(j), ram:1ac6(j),
ram:1a81 cd 72 14 CALL FUN_ram_1472 undefinedFUN_ram_1472()
ram:1a84 2e 34 MVI L,0x34
ram:1a86 97 SUB A
ram:1a87 cd 05 16 CALL FUN_ram_1605 undefinedFUN_ram_1605()

LAB_ram_1a8a XREF[1]: ram:1aa5(j)
ram:1a8a cd 75 1b CALL FUN_ram_1b75 undefinedFUN_ram_1b75()
ram:1a8d cd 72 14 CALL FUN_ram_1472 undefinedFUN_ram_1472()
ram:1a90 2e 34 MVI L,0x34
ram:1a92 3e 03 MVI A,0x3
ram:1a94 cd 05 16 CALL FUN_ram_1605 undefinedFUN_ram_1605()

LAB_ram_1a97 XREF[4]: ram:1a9a(j), ram:1ab6(j),
ram:1a97 cd fb 0f CALL check_mem_5dbd_and_5d9d_return_val_in_A undefinedcheck_mem_5dbd_and_5d9...
ram:1a9a da 97 1a JC LAB_ram_1a97
ram:1a9d fe ed CPI 0xed
ram:1a9f c2 a8 1a JNZ LAB_ram_1aa8
ram:1aa2 cd ff 1a CALL FUN_ram_1aff undefinedFUN_ram_1aff()
ram:1aa5 c3 8a 1a JMP LAB_ram_1a8a

LAB_ram_1aa8 XREF[1]: ram:1a9f(j)
ram:1aa8 fe b8 CPI 0xb8
ram:1aaa ca 7d 1a JZ LAB_ram_1a7d
ram:1aad fe b1 CPI 0xb1
ram:1aaf c2 bd 1a JNZ LAB_ram_1abd
ram:1ab2 3a 31 5e LDA (BYTE_ram_5e31) = ??
ram:1ab5 b8 CMP B
ram:1ab6 ca 97 1a JZ LAB_ram_1a97
ram:1ab9 05 DCR B
ram:1aba c3 81 1a JMP LAB_ram_1a81

LAB_ram_1abd XREF[1]: ram:1aaf(j)
ram:1abd fe b2 CPI 0xb2
ram:1abf c2 cd 1a JNZ LAB_ram_1acd
ram:1ac2 3a 32 5e LDA (BYTE_ram_5e32) = ??

```

Ghidra - 961264-10.2764.u31

```

ram:1ac5 b8      CMP      B
ram:1ac6 ca 81 1a JZ       LAB_ram_1a81
ram:1ac9 04      INR      B
ram:1aca c3 81 1a JMP      LAB_ram_1a81

LAB_ram_1acd
ram:1acd fe f8   CPI      0xf8
ram:1acf ca ea 1a JZ       LAB_ram_1aea
ram:1ad2 fe db   CPI      0xdb
ram:1ad4 ca ea 1a JZ       LAB_ram_1aea
ram:1ad7 fe fc   CPI      0xfc
ram:1ad9 c2 e4 1a JNZ      LAB_ram_1ae4
ram:1adc c5      PUSH     BC
ram:1add cd f8 1a CALL     FUN_ram_1af8
ram:1ae0 c1      POP      BC
ram:1ae1 c3 97 1a JMP      LAB_ram_1a97

LAB_ram_1ae4
ram:1ae4 cd 61 10 CALL     FUN_ram_1061
ram:1ae7 c3 97 1a JMP      LAB_ram_1a97

LAB_ram_1aea
ram:1aea 47      MOV      B,A
ram:1aeb cd 52 17 CALL     clear_display_memory_range
ram:1aee 97      SUB      A
ram:1aef cd 96 15 CALL     FUN_ram_1596
ram:1af2 f1      POP      AF
ram:1af3 78      MOV      A,B
ram:1af4 e1      POP      HL
ram:1af5 d1      POP      DE
ram:1af6 c1      POP      BC
ram:1af7 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1af8()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1af8
XREF[2]: FUN_ram_1a25:1add(c),
        FUN_ram_1c62:1d21(c)
        = ??

ram:1af8 2a 08 5e LHLD     (BYTE_ram_5e08)
ram:1afb 7c      MOV      A,H
ram:1afc b5      ORA      L
ram:1afd c8      RZ
ram:1afe e9      PCHL

*****
*                               *
*                               *
*****
undefined FUN_ram_1aff()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1aff
XREF[1]: FUN_ram_1a25:1aa2(c)
        = ??

ram:1aff c5      PUSH     BC
ram:1b00 2a 37 5e LHLD     (BYTE_ram_5e37)
ram:1b03 46      MOV      B,(HL)
ram:1b04 04      INR      B
ram:1b05 0e 00   MVI      C,0x0

LAB_ram_1b07
ram:1b07 0c      INR      C
ram:1b08 cd 23 1c CALL     FUN_ram_1c23
ram:1b0b 78      MOV      A,B
ram:1b0c b9      CMP      C
ram:1b0d 3e 00   MVI      A,0x0
ram:1b0f c2 14 1b JNZ      LAB_ram_1b14
ram:1b12 3e 03   MVI      A,0x3

LAB_ram_1b14
ram:1b14 cd 96 15 CALL     FUN_ram_1596
ram:1b17 cd dc 1b CALL     FUN_ram_1bdc
ram:1b1a 3a 39 5e LDA      (BYTE_ram_5e39)
ram:1b1d b9      CMP      C
ram:1b1e c2 07 1b JNZ      LAB_ram_1b07
ram:1b21 2a 35 5e LHLD     (BYTE_ram_5e35)
ram:1b24 7e      MOV      A,(HL)
ram:1b25 b9      CMP      C
ram:1b26 da 2b 1b JC       LAB_ram_1b2b
ram:1b29 3e 00   MVI      A,0x0

LAB_ram_1b2b
ram:1b2b 4f      MOV      C,A
ram:1b2c 0c      INR      C
XREF[1]: ram:1b26(j)

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_1b2d
XREF[3]: ram:1b42(j), ram:1b4e(j),
ram:1b5e(j)
ram:1b2d cd 23 1c CALL FUN_ram_1c23 undefined FUN_ram_1c23()

LAB_ram_1b30
XREF[3]: ram:1b33(j), ram:1b53(j),
ram:1b5a(j)
ram:1b30 cd fb 0f CALL check_mem_5dbd_and_5d9d_return_val_in_A undefined check_mem_5dbd_and_5d9...
ram:1b33 da 30 1b JC LAB_ram_1b30
ram:1b36 fe ed CPI 0xed
ram:1b38 ca 61 1b JZ LAB_ram_1b61
ram:1b3b fe b8 CPI 0xb8
ram:1b3d c2 45 1b JNZ LAB_ram_1b45

LAB_ram_1b40
XREF[1]: ram:1b4b(j)
ram:1b40 0e 01 MVI C,0x1
ram:1b42 c3 2d 1b JMP LAB_ram_1b2d

LAB_ram_1b45
XREF[1]: ram:1b3d(j)
ram:1b45 fe b4 CPI 0xb4
ram:1b47 c2 51 1b JNZ LAB_ram_1b51
ram:1b4a 0d DCR C
ram:1b4b ca 40 1b JZ LAB_ram_1b40
ram:1b4e c3 2d 1b JMP LAB_ram_1b2d

LAB_ram_1b51
XREF[1]: ram:1b47(j)
ram:1b51 fe b3 CPI 0xb3
ram:1b53 c2 30 1b JNZ LAB_ram_1b30
ram:1b56 3a 39 5e LDA (BYTE_ram_5e39)
ram:1b59 b9 CMP C
ram:1b5a ca 30 1b JZ LAB_ram_1b30
ram:1b5d 0c INR C
ram:1b5e c3 2d 1b JMP LAB_ram_1b2d

LAB_ram_1b61
XREF[1]: ram:1b38(j)
ram:1b61 2a 35 5e LHLD (BYTE_ram_5e35)
ram:1b64 0d DCR C
ram:1b65 71 MOV (HL),C
ram:1b66 26 17 MVI H,0x17
ram:1b68 cd 26 17 CALL FUN_ram_1726 undefined FUN_ram_1726()
ram:1b6b 24 INR H
ram:1b6c cd 26 17 CALL FUN_ram_1726 undefined FUN_ram_1726()
ram:1b6f 24 INR H
ram:1b70 cd 26 17 CALL FUN_ram_1726 undefined FUN_ram_1726()
ram:1b73 c1 POP BC
ram:1b74 c9 RET

*****
* FUNCTION *
*****
undefined FUN_ram_1b75()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1b75
XREF[2]: FUN_ram_1a25:1a71(c),
FUN_ram_1a25:1a8a(c)
ram:1b75 cd 10 1c CALL FUN_ram_1c10 undefined FUN_ram_1c10()
ram:1b78 cd 26 17 CALL FUN_ram_1726 undefined FUN_ram_1726()
ram:1b7b cd 8c 1b CALL FUN_ram_1b8c undefined FUN_ram_1b8c()
ram:1b7e cd 15 1c CALL FUN_ram_1c15 undefined FUN_ram_1c15()
ram:1b81 2a 35 5e LHLD (BYTE_ram_5e35)
ram:1b84 4e MOV C,(HL)
ram:1b85 0c INR C
ram:1b86 cd dc 1b CALL FUN_ram_1bdc undefined FUN_ram_1bdc()
ram:1b89 c3 10 1c JMP FUN_ram_1c10 undefined FUN_ram_1c10()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
* FUNCTION *
*****
undefined FUN_ram_1b8c()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1b8c
XREF[1]: FUN_ram_1b75:1b7b(c)
ram:1b8c c5 PUSH BC
ram:1b8d 2a 2e 5e LHLD (BYTE_ram_5e2e)
ram:1b90 cd 00 1c CALL FUN_ram_1c00 undefined FUN_ram_1c00()

LAB_ram_1b93
XREF[1]: ram:1ba4(j)
ram:1b93 05 DCR B
ram:1b94 ca a7 1b JZ LAB_ram_1ba7
ram:1b97 cd 00 1c CALL FUN_ram_1c00 undefined FUN_ram_1c00()
ram:1b9a 23 INX HL
ram:1b9b 5e MOV E,(HL)
ram:1b9c 23 INX HL

LAB_ram_1b9d
XREF[1]: ram:1ba1(j)
ram:1b9d cd 08 1c CALL FUN_ram_1c08 undefined FUN_ram_1c08()

```

Ghidra - 961264-10.2764.u31

```

ram:1ba0 1d      DCR      E
ram:1ba1 c2 9d 1b JNZ      LAB_ram_1b9d
ram:1ba4 c3 93 1b JMP      LAB_ram_1b93

LAB_ram_1ba7
ram:1ba7 cd 2d 1f CALL     FUN_ram_1f2d
ram:1baa 5e      MOV      E, (HL)
ram:1bab 16 00   MVI      D, 0x0
ram:1bad e5      PUSH     HL
ram:1bae 21 00 5f LXI      HL, 0x5f00
ram:1bb1 19      DAD      HL, DE
ram:1bb2 22 35 5e SHLD     (BYTE_ram_5e35)
ram:1bb5 7e      MOV      A, (HL=>BYTE_ram_5f00)
ram:1bb6 21 b8 5e LXI      HL, 0x5eb8
ram:1bb9 19      DAD      HL, DE
ram:1bba 22 37 5e SHLD     (BYTE_ram_5e37)
ram:1bbd be      CMP      (HL=>DAT_ram_5eb8)
ram:1bbe 3e 20   MVI      A, 0x20
ram:1bc0 ca c5 1b JZ       LAB_ram_1bc5
ram:1bc3 3e 2a   MVI      A, 0x2a

LAB_ram_1bc5
ram:1bc5 cd 72 14 CALL     FUN_ram_1472
ram:1bc8 2e 26   MVI      L, 0x26
ram:1bca cd 52 14 CALL     FUN_ram_1452
ram:1bcd cd 59 16 CALL     write_to_display
ram:1bd0 e1      POP      HL
ram:1bd1 23      INX      HL
ram:1bd2 7e      MOV      A, (HL)
ram:1bd3 32 39 5e STA      (BYTE_ram_5e39)
ram:1bd6 23      INX      HL
ram:1bd7 22 33 5e SHLD     (BYTE_ram_5e33)
ram:1bda c1      POP      BC
ram:1bdb c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1bdc()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1bdc
ram:1bdc c5      PUSH     BC
ram:1bdd 2a 33 5e LHLD     (BYTE_ram_5e33)
LAB_ram_1be0
ram:1be0 0d      DCR      C
ram:1be1 ca ea 1b JZ       LAB_ram_1bea
ram:1be4 cd 08 1c CALL     FUN_ram_1c08
ram:1be7 c3 e0 1b JMP      LAB_ram_1be0
LAB_ram_1bea
ram:1bea 7e      MOV      A, (HL)
ram:1beb fe 80   CPI      0x80
ram:1bed d2 f5 1b JNC      LAB_ram_1bf5
LAB_ram_1bf0
ram:1bf0 cd 2d 1f CALL     FUN_ram_1f2d
ram:1bf3 c1      POP      BC
ram:1bf4 c9      RET
LAB_ram_1bf5
ram:1bf5 21 3a 5e LXI      HL, 0x5e3a
ram:1bf8 77      MOV      (HL=>BYTE_ram_5e3a), A
ram:1bf9 23      INX      HL
ram:1bfa 36 00   MVI      (HL=>BYTE_ram_5e3b), 0x0
ram:1bfc 2b      DCX      HL
ram:1bfd c3 f0 1b JMP      LAB_ram_1bf0

*****
*                               *
*                               *
*****
undefined FUN_ram_1c00()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1c00
ram:1c00 7e      MOV      A, (HL)
ram:1c01 23      INX      HL
ram:1c02 fe 20   CPI      0x20
ram:1c04 d2 00 1c JNC      FUN_ram_1c00
ram:1c07 c9      RET
XREF[1]: ram:1b94(j)
undefined FUN_ram_1f2d()
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
XREF[1]: ram:1bc0(j)
undefined FUN_ram_1472()
undefined FUN_ram_1452()
void write_to_display(void)
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
XREF[2]: FUN_ram_1aff:1b17(c),
FUN_ram_1b75:1b86(c)
= ??
XREF[1]: ram:1be7(j)
undefined FUN_ram_1c08()
XREF[1]: ram:1be1(j)
XREF[1]: ram:1bfd(j)
undefined FUN_ram_1f2d()
XREF[1]: ram:1bed(j)
= ??
= ??
= ??
XREF[4]: FUN_ram_1b8c:1b90(c),
FUN_ram_1b8c:1b97(c),
ram:1c04(j),
FUN_ram_1c08:1c0b(j)

```



```

*****
*                               *
*****
undefined FUN_ram_1c08()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1c08                                XREF[2]:    FUN_ram_1b8c:1b9d(c),
                                                FUN_ram_1bdc:1be4(c)

ram:1c08 7e      MOV     A, (HL)
ram:1c09 fe 80   CPI     0x80
ram:1c0b da 00 1c JC     FUN_ram_1c00
ram:1c0e 23      INX     HL
ram:1c0f c9      RET

*****
*                               *
*****
undefined FUN_ram_1c10()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1c10                                XREF[2]:    FUN_ram_1b75:1b75(c),
                                                FUN_ram_1b75:1b89(c)

ram:1c10 2e 0a   MVI     L, 0xa
ram:1c12 c3 17 1c JMP     LAB_ram_1c17

*****
*                               *
*****
undefined FUN_ram_1c15()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1c15                                XREF[1]:    FUN_ram_1b75:1b7e(c)

ram:1c15 2e 28   MVI     L, 0x28

LAB_ram_1c17                                XREF[1]:    ram:1c12(j)
                                                = ??
ram:1c17 3a 31 5e LDA     (BYTE_ram_5e31)
ram:1c1a 4f      MOV     C, A
ram:1c1b 78      MOV     A, B
ram:1c1c 91      SUB     C
ram:1c1d c6 03   ADI     0x3
ram:1c1f 67      MOV     H, A
ram:1c20 c3 5c 14 JMP     update_cursor_addresses

*****
*                               *
*****
undefined FUN_ram_1c23()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_1c23                                XREF[2]:    FUN_ram_1aff:1b08(c),
                                                FUN_ram_1aff:1b2d(c)

ram:1c23 c5      PUSH    BC
ram:1c24 21 01 19 LXI     HL, 0x1901
ram:1c27 3a 39 5e LDA     (BYTE_ram_5e39)
ram:1c2a fe 07   CPI     0x7
ram:1c2c da 38 1c JC     LAB_ram_1c38
ram:1c2f 26 18   MVI     H, 0x18
ram:1c31 fe 0d   CPI     0xd
ram:1c33 da 38 1c JC     LAB_ram_1c38
ram:1c36 26 17   MVI     H, 0x17

LAB_ram_1c38                                XREF[4]:    ram:1c2c(j), ram:1c33(j),
                                                ram:1c42(j), ram:1c48(j)

ram:1c38 0d      DCR     C
ram:1c39 ca 4b 1c JZ     LAB_ram_1c4b
ram:1c3c 7d      MOV     A, L
ram:1c3d c6 0d   ADI     0xd
ram:1c3f 6f      MOV     L, A
ram:1c40 fe 45   CPI     0x45
ram:1c42 da 38 1c JC     LAB_ram_1c38
ram:1c45 2e 01   MVI     L, 0x1
ram:1c47 24      INR     H
ram:1c48 c3 38 1c JMP     LAB_ram_1c38

LAB_ram_1c4b                                XREF[1]:    ram:1c39(j)

ram:1c4b cd 52 14 CALL    FUN_ram_1452
ram:1c4e c1      POP     BC
ram:1c4f c9      RET
ram:1c50 43 75 72 ds      "Cursor position : "
73 6f 72
20 70 6f ...

```

```

*****
*                               *
*****
undefined FUN_ram_1c62()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1c62                                XREF[1]:  thunk_FUN_ram_1c62:0163(T),
                                                thunk_FUN_ram_1c62:0163(j)

ram:1c62 f5      PUSH      AF
ram:1c63 c5      PUSH      BC
ram:1c64 d5      PUSH      DE
ram:1c65 e5      PUSH      HL
ram:1c66 cd 52 17 CALL      clear_display_memory_range      undefinedclear_display_memory_r...
ram:1c69 21 14 01 LXI       HL,0x114
ram:1c6c cd 5c 14 CALL      update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:1c6f 21 0e 1e LXI       HL,0x1e0e
ram:1c72 cd f1 1e CALL      FUN_ram_1ef1      undefinedFUN_ram_1ef1()
ram:1c75 06 01      MVI       B,0x1

LAB_ram_1c77                                XREF[1]:  ram:1cc0(j)
ram:1c77 cd a5 15      CALL      FUN_ram_15a5      undefinedFUN_ram_15a5()
ram:1c7a cd dd 1d      CALL      FUN_ram_1ddd      undefinedFUN_ram_1ddd()
ram:1c7d 7d          MOV      A,L
ram:1c7e d6 04      SUI       0x4
ram:1c80 6f          MOV      L,A
ram:1c81 cd 5c 14      CALL      update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:1c84 78          MOV      A,B
ram:1c85 cd d9 06      CALL      display_decimal_number      undefineddisplay_decimal_number()
ram:1c88 cd 82 13      CALL      increase_cursor_character      voidincrease_cursor_character(v...
ram:1c8b 3e 3a      MVI       A,0x3a
ram:1c8d cd 59 16      CALL      write_to_display      voidwrite_to_display(void)
ram:1c90 cd dd 1d      CALL      FUN_ram_1ddd      undefinedFUN_ram_1ddd()
ram:1c93 78          MOV      A,B
ram:1c94 3d          DCR      A
ram:1c95 cd be 1e      CALL      FUN_ram_1ebe      undefinedFUN_ram_1ebe()
ram:1c98 cd a5 1e      CALL      FUN_ram_1ea5      undefinedFUN_ram_1ea5()

LAB_ram_1c9b                                XREF[1]:  ram:1cb9(j)
ram:1c9b 3e 04      MVI       A,0x4
ram:1c9d cd 96 15      CALL      FUN_ram_1596      undefinedFUN_ram_1596()
ram:1ca0 cd ef 11      CALL      write_to_nvram      undefinedwrite_to_nvram()
ram:1ca3 fe 20      CPI       0x20
ram:1ca5 da ad 1c      JC       LAB_ram_1cad
ram:1ca8 fe 80      CPI       0x80
ram:1caa da b4 1c      JC       LAB_ram_1cb4

LAB_ram_1cad                                XREF[1]:  ram:1ca5(j)
ram:1cad 3e 07      MVI       A,0x7
ram:1caf cd 96 15      CALL      FUN_ram_1596      undefinedFUN_ram_1596()
ram:1cb2 3e 20      MVI       A,0x20

LAB_ram_1cb4                                XREF[1]:  ram:1caa(j)
ram:1cb4 cd 1e 07      CALL      write_char_and_advance_cursor      undefinedwrite_char_and_advance...
ram:1cb7 23          INX      HL
ram:1cb8 0d          DCR      C
ram:1cb9 c2 9b 1c      JNZ      LAB_ram_1c9b
ram:1cbc 04          INR      B
ram:1cbd 78          MOV      A,B
ram:1cbe fe 11      CPI       0x11
ram:1cc0 c2 77 1c      JNZ      LAB_ram_1c77
ram:1cc3 cd a5 15      CALL      FUN_ram_15a5      undefinedFUN_ram_15a5()
ram:1cc6 21 19 19      LXI       HL,0x1919
ram:1cc9 cd 5c 14      CALL      update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:1ccc 21 1c 1e      LXI       HL,0x1e1c
ram:1ccf cd 7f 16      CALL      write_string      undefinedwrite_string()
ram:1cd2 3e 01      MVI       A,0x1
ram:1cd4 cd 96 15      CALL      FUN_ram_1596      undefinedFUN_ram_1596()
ram:1cd7 21 28 1e      LXI       HL,0x1e28
ram:1cda cd 7f 16      CALL      write_string      undefinedwrite_string()
ram:1cdd 3e 04      MVI       A,0x4
ram:1cdf cd 96 15      CALL      FUN_ram_1596      undefinedFUN_ram_1596()

LAB_ram_1ce2                                XREF[2]:  ram:1d50(j), ram:1d59(j)
ram:1ce2 06 01      MVI       B,0x1

LAB_ram_1ce4                                XREF[2]:  ram:1d5c(j), ram:1d6b(j)
ram:1ce4 cd dd 1d      CALL      FUN_ram_1ddd      undefinedFUN_ram_1ddd()
ram:1ce7 78          MOV      A,B
ram:1ce8 3d          DCR      A
ram:1ce9 cd a5 1e      CALL      FUN_ram_1ea5      undefinedFUN_ram_1ea5()
ram:1cec cd be 1e      CALL      FUN_ram_1ebe      undefinedFUN_ram_1ebe()
ram:1cef 16 01      MVI       D,0x1

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_1cf1
ram:1cf1 cd ef 11 CALL write_to_nvram
ram:1cf4 5f MOV E,A
ram:1cf5 e5 PUSH HL=>DAT_1e28
ram:1cf6 2a 16 5e LHL (next_cursor_character_address)
ram:1cf9 e5 PUSH HL
ram:1cfa 21 25 19 LXI HL,0x1925
ram:1cfd cd 5c 14 CALL update_cursor_addresses
ram:1d00 3e 01 MVI A,0x1
ram:1d02 cd 96 15 CALL FUN_ram_1596
ram:1d05 7b MOV A,E
ram:1d06 cd ff 06 CALL display_error_code_custom_chars
ram:1d09 e1 POP HL
ram:1d0a cd 5c 14 CALL update_cursor_addresses
ram:1d0d e1 POP HL
ram:1d0e 3e 04 MVI A,0x4
ram:1d10 cd 96 15 CALL FUN_ram_1596

LAB_ram_1d13
ram:1d13 cd fb 0f CALL check_mem_5dbd_and_5d9d_return_val_in_A
ram:1d16 da 13 1d JC LAB_ram_1d13
ram:1d19 fe fc CPI 0xfc
ram:1d1b c2 2a 1d JNZ LAB_ram_1d2a
ram:1d1e c5 PUSH BC
ram:1d1f d5 PUSH DE
ram:1d20 e5 PUSH HL=>DAT_1e28
ram:1d21 cd f8 1a CALL FUN_ram_1af8
ram:1d24 e1 POP HL
ram:1d25 d1 POP DE
ram:1d26 c1 POP BC
ram:1d27 c3 13 1d JMP LAB_ram_1d13

LAB_ram_1d2a
ram:1d2a fe cf CPI 0xcf
ram:1d2c c2 38 1d JNZ LAB_ram_1d38

LAB_ram_1d2f
ram:1d2f cd fb 0f CALL check_mem_5dbd_and_5d9d_return_val_in_A
ram:1d32 da 2f 1d JC LAB_ram_1d2f
ram:1d35 c3 93 1d JMP LAB_ram_1d93

LAB_ram_1d38
ram:1d38 fe ce CPI 0xce
ram:1d3a c2 49 1d JNZ LAB_ram_1d49
ram:1d3d cd 24 07 CALL parse_hex_byte
ram:1d40 d2 93 1d JNC LAB_ram_1d93

LAB_ram_1d43
ram:1d43 cd 61 10 CALL FUN_ram_1061
ram:1d46 c3 13 1d JMP LAB_ram_1d13

LAB_ram_1d49
ram:1d49 fe db CPI 0xdb
ram:1d4b ca d1 1d JZ LAB_ram_1dd1
ram:1d4e fe b8 CPI 0xb8
ram:1d50 ca e2 1c JZ LAB_ram_1ce2
ram:1d53 fe b1 CPI 0xb1
ram:1d55 c2 5f 1d JNZ LAB_ram_1d5f

LAB_ram_1d58
ram:1d58 05 DCR B
ram:1d59 ca e2 1c JZ LAB_ram_1ce2
ram:1d5c c3 e4 1c JMP LAB_ram_1ce4

LAB_ram_1d5f
ram:1d5f fe b2 CPI 0xb2
ram:1d61 c2 6e 1d JNZ LAB_ram_1d6e
ram:1d64 04 INR B
ram:1d65 78 MOV A,B
ram:1d66 fe 11 CPI 0x11
ram:1d68 ca 58 1d JZ LAB_ram_1d58
ram:1d6b c3 e4 1c JMP LAB_ram_1ce4

LAB_ram_1d6e
ram:1d6e fe b3 CPI 0xb3
ram:1d70 c2 80 1d JNZ LAB_ram_1d80

LAB_ram_1d73
ram:1d73 7a MOV A,D
ram:1d74 b9 CMP C
ram:1d75 ca f1 1c JZ LAB_ram_1cf1

XREF[3]: ram:1d75(j), ram:1d7d(j),
ram:1d90(j)
undefinedwrite_to_nvram()
= 20h
= ??
undefinedupdate_cursor_addresse...
undefinedFUN_ram_1596()
undefineddisplay_error_code_cus...
undefinedupdate_cursor_addresse...
undefinedFUN_ram_1596()

XREF[4]: ram:1d16(j), ram:1d27(j),
ram:1d46(j), ram:1d88(j)
undefinedcheck_mem_5dbd_and_5d9...

XREF[1]: ram:1d1b(j)

XREF[1]: ram:1d32(j)
undefinedcheck_mem_5dbd_and_5d9...

XREF[1]: ram:1d2c(j)

XREF[3]: ram:1d94(j), ram:1d99(j),
ram:1da3(j)
undefinedFUN_ram_1061()

XREF[1]: ram:1d3a(j)

XREF[1]: ram:1d68(j)

XREF[1]: ram:1d55(j)

XREF[1]: ram:1d61(j)

XREF[2]: ram:1dbc(j), ram:1dce(j)

```

Ghidra - 961264-10.2764.u31

```

ram:1d78 14      INR      D
ram:1d79 23      INX      HL
ram:1d7a cd 82 13 CALL     increase_cursor_character      voidincrease_cursor_character(v...
ram:1d7d c3 f1 1c JMP      LAB_ram_1cf1

LAB_ram_1d80
ram:1d80 fe b4    CPI      0xb4
ram:1d82 c2 93 1d JNZ      LAB_ram_1d93
ram:1d85 7a      MOV      A,D
ram:1d86 fe 01    CPI      0x1
ram:1d88 ca 13 1d JZ       LAB_ram_1d13
ram:1d8b 15      DCR      D
ram:1d8c 2b      DCX      HL
ram:1d8d cd d6 13 CALL     FUN_ram_13d6      undefined FUN_ram_13d6()
ram:1d90 c3 f1 1c JMP      LAB_ram_1cf1

LAB_ram_1d93
ram:1d93 a7      ANA      A
ram:1d94 ca 43 1d JZ       LAB_ram_1d43
ram:1d97 fe f8    CPI      0xf8
ram:1d99 d2 43 1d JNC      LAB_ram_1d43
ram:1d9c fe b0    CPI      0xb0
ram:1d9e d2 a6 1d JNC      LAB_ram_1da6
ram:1da1 fe a0    CPI      0xa0
ram:1da3 d2 43 1d JNC      LAB_ram_1d43

LAB_ram_1da6
ram:1da6 cd 21 12 CALL     FUN_ram_1221      undefined FUN_ram_1221()
ram:1da9 dc 61 10 CC       FUN_ram_1061      undefined FUN_ram_1061()
ram:1dac cd ef 11 CALL     write_to_nvram      undefined write_to_nvram()
ram:1daf fe 80    CPI      0x80
ram:1db1 d2 bf 1d JNC      LAB_ram_1dbf
ram:1db4 fe 20    CPI      0x20
ram:1db6 da bf 1d JC       LAB_ram_1dbf
ram:1db9 cd 59 16 CALL     write_to_display      voidwrite_to_display(void)
ram:1dbc c3 73 1d JMP      LAB_ram_1d73

LAB_ram_1dbf
ram:1dbf 3e 07    MVI      A,0x7
ram:1dc1 cd 96 15 CALL     FUN_ram_1596      undefined FUN_ram_1596()
ram:1dc4 3e 20    MVI      A,0x20
ram:1dc6 cd 59 16 CALL     write_to_display      voidwrite_to_display(void)
ram:1dc9 3e 04    MVI      A,0x4
ram:1dcb cd 96 15 CALL     FUN_ram_1596      undefined FUN_ram_1596()
ram:1dce c3 73 1d JMP      LAB_ram_1d73

LAB_ram_1dd1
ram:1dd1 cd 52 17 CALL     clear_display_memory_range undefinedclear_display_memory_r...
ram:1dd4 97      SUB      A
ram:1dd5 cd 96 15 CALL     FUN_ram_1596      undefined FUN_ram_1596()
ram:1dd8 e1      POP      HL
ram:1dd9 d1      POP      DE
ram:1dda c1      POP      BC
ram:1ddb f1      POP      AF
ram:1ddc c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_1ddd()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1ddd
XREF[3]:  FUN_ram_1c62:1c7a(c),
          FUN_ram_1c62:1c90(c),
          FUN_ram_1c62:1ce4(c)

ram:1ddd 78      MOV      A,B
ram:1dde 26 03    MVI      H,0x3
ram:1de0 fe 05    CPI      0x5
ram:1de2 da f5 1d JC       LAB_ram_1df5
ram:1de5 d6 04    SUI      0x4
ram:1de7 26 05    MVI      H,0x5
ram:1de9 fe 05    CPI      0x5
ram:1deb da f5 1d JC       LAB_ram_1df5
ram:1dee d6 04    SUI      0x4
ram:1df0 26 08    MVI      H,0x8
ram:1df2 c3 03 1e JMP      LAB_ram_1e03

LAB_ram_1df5
ram:1df5 2e 07    MVI      L,0x7
ram:1df7 5f      MOV      E,A

LAB_ram_1df8
ram:1df8 1d      DCR      E
ram:1df9 ca 5c 14 JZ       update_cursor_addresses
ram:1dfc 7d      MOV      A,L

```

Ghidra - 961264-10.2764.u31

```

ram:1dfd c6 12      ADI      0x12
ram:1dff 6f         MOV      L,A
ram:1e00 c3 f8 1d    JMP      LAB_ram_1df8

                                LAB_ram_1e03
ram:1e03 2e 07      MVI      L,0x7                                XREF[1]: ram:1df2(j)

                                LAB_ram_1e05
ram:1e05 3d         DCR      A                                XREF[1]: ram:1e0b(j)
ram:1e06 ca 5c 14    JZ       update_cursor_addresses
ram:1e09 24         INR      H
ram:1e0a 24         INR      H
ram:1e0b c3 05 1e    JMP      LAB_ram_1e05

                                push_key_menu_title
ram:1e0e 50 55 53    ds       "PUSH-KEY MENU"
                                48 2d 4b
                                45 59 20 ...

                                hex_code_prompt_string
ram:1e1c 48 45 58    ds       "HEX CODE : "
                                20 43 4f
                                44 45 20 ...

                                DAT_ram_1e28
ram:1e28 20         ??       20h                                XREF[2]: FUN_ram_1c62:1cf5(*),
ram:1e29 20         ??       20h                                FUN_ram_1c62:1d20(*)
ram:1e2a 20         ??       20h
ram:1e2b 20         ??       20h
ram:1e2c 00         ??       00h

*****
*                               FUNCTION                               *
*****
undefined FUN_ram_1e2d()
undefined <UNASSIGNED> <RETURN>
                                FUN_ram_1e2d
ram:1e2d c5         PUSH     BC                                XREF[1]: thunk_FUN_ram_1e2d:0168(T),
ram:1e2e f5         PUSH     AF                                thunk_FUN_ram_1e2d:0168(c)
ram:1e2f cd a5 1e    CALL     FUN_ram_1ea5
ram:1e32 da 6e 1e    JC       LAB_ram_1e6e                                undefined FUN_ram_1ea5()
ram:1e35 d5         PUSH     DE
ram:1e36 e5         PUSH     HL
ram:1e37 eb         XCHG
ram:1e38 cd be 1e    CALL     FUN_ram_1ebe                                undefined FUN_ram_1ebe()
ram:1e3b 06 01      MVI      B,0x1

                                LAB_ram_1e3d
ram:1e3d 78         MOV      A,B                                XREF[1]: ram:1e62(j)
ram:1e3e a7         ANA      A
ram:1e3f ca 56 1e    JZ       LAB_ram_1e56
ram:1e42 1a         LDAX     (DE)
ram:1e43 a7         ANA      A
ram:1e44 ca 56 1e    JZ       LAB_ram_1e56
ram:1e47 fe f8      CPI      0xf8
ram:1e49 d2 56 1e    JNC     LAB_ram_1e56
ram:1e4c fe b0      CPI      0xb0
ram:1e4e d2 59 1e    JNC     LAB_ram_1e59
ram:1e51 fe a0      CPI      0xa0
ram:1e53 da 59 1e    JC       LAB_ram_1e59

                                LAB_ram_1e56
ram:1e56 06 00      MVI      B,0x0                                XREF[3]: ram:1e3f(j), ram:1e44(j),
ram:1e58 97         SUB      A                                ram:1e49(j)

                                LAB_ram_1e59
ram:1e59 cd 21 12    CALL     FUN_ram_1221                                XREF[2]: ram:1e4e(j), ram:1e53(j)
ram:1e5c da 6c 1e    JC       LAB_ram_1e6c                                undefined FUN_ram_1221()
ram:1e5f 13         INX      DE
ram:1e60 23         INX      HL
ram:1e61 0d         DCR      C
ram:1e62 c2 3d 1e    JNZ     LAB_ram_1e3d
ram:1e65 e1         POP      HL
ram:1e66 d1         POP      DE
ram:1e67 f1         POP      AF
ram:1e68 c1         POP      BC
ram:1e69 37         STC
ram:1e6a 3f         CMC
ram:1e6b c9         RET

                                LAB_ram_1e6c
ram:1e6c e1         POP      HL

```

Ghidra - 961264-10.2764.u31

```

ram:1e6d d1      POP      DE

LAB_ram_1e6e

XREF[2]:  ram:1e32(j),
          FUN_ram_1e72:1e77(j)

ram:1e6e f1      POP      AF
ram:1e6f c1      POP      BC
ram:1e70 37      STC
ram:1e71 c9      RET

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_1e72()
<UNASSIGNED> <RETURN>
FUN_ram_1e72

XREF[1]:  thunk_FUN_ram_1e72:0169(T),
          thunk_FUN_ram_1e72:0169(c)

ram:1e72 c5      PUSH     BC
ram:1e73 f5      PUSH     AF
ram:1e74 cd a5 1e CALL     FUN_ram_1ea5
ram:1e77 da 6e 1e JC       LAB_ram_1e6e
ram:1e7a d5      PUSH     DE
ram:1e7b e5      PUSH     HL
ram:1e7c eb      XCHG
ram:1e7d 41      MOV      B,C
ram:1e7e cd be 1e CALL     FUN_ram_1ebe

undefined FUN_ram_1ebe()

LAB_ram_1e81

XREF[1]:  ram:1e88(j)
          undefined write_to_nvram()

ram:1e81 cd ef 11 CALL     write_to_nvram
ram:1e84 12      STAX     (DE)
ram:1e85 13      INX      DE
ram:1e86 23      INX      HL
ram:1e87 0d      DCR      C
ram:1e88 c2 81 1e JNZ     LAB_ram_1e81
ram:1e8b eb      XCHG
ram:1e8c 36 00      MVI     (HL),0x0

LAB_ram_1e8e

XREF[1]:  ram:1e9a(j)

ram:1e8e 2b      DCX      HL
ram:1e8f 7e      MOV      A,(HL)
ram:1e90 fe 20      CPI     0x20
ram:1e92 c2 9d 1e JNZ     LAB_ram_1e9d
ram:1e95 36 00      MVI     (HL),0x0
ram:1e97 0c      INR      C
ram:1e98 79      MOV      A,C
ram:1e99 b8      CMP      B
ram:1e9a c2 8e 1e JNZ     LAB_ram_1e8e

LAB_ram_1e9d

XREF[1]:  ram:1e92(j)

ram:1e9d e1      POP      HL
ram:1e9e d1      POP      DE
ram:1e9f f1      POP      AF
ram:1ea0 78      MOV      A,B
ram:1ea1 c1      POP      BC
ram:1ea2 37      STC
ram:1ea3 3f      CMC
ram:1ea4 c9      RET

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_1ea5()
<UNASSIGNED> <RETURN>
FUN_ram_1ea5

XREF[4]:  FUN_ram_1c62:1c98(c),
          FUN_ram_1c62:1ce9(c),
          FUN_ram_1e2d:1e2f(c),
          FUN_ram_1e72:1e74(c)

ram:1ea5 0e 0c      MVI     C,0xc
ram:1ea7 fe 08      CPI     0x8
ram:1ea9 da bc 1e JC       LAB_ram_1ebc
ram:1eac 0e 20      MVI     C,0x20
ram:1eae fe 0c      CPI     0xc
ram:1eb0 da bc 1e JC       LAB_ram_1ebc
ram:1eb3 0e 30      MVI     C,0x30
ram:1eb5 fe 10      CPI     0x10
ram:1eb7 da bc 1e JC       LAB_ram_1ebc
ram:1eba 37      STC
ram:1ebb c9      RET

LAB_ram_1ebc

XREF[3]:  ram:1ea9(j), ram:1eb0(j),
          ram:1eb7(j)

ram:1ebc a7      ANA      A
ram:1ebd c9      RET

```

```

*****
*                               *
*****
undefined FUN_ram_lebe()
undefined <UNASSIGNED> <RETURN>
FUN_ram_lebe                                XREF[4]:  FUN_ram_1c62:1c95(c),
                                                FUN_ram_1c62:1cec(c),
                                                FUN_ram_1e2d:1e38(c),
                                                FUN_ram_1e72:1e7e(c)

ram:1ebe d5      PUSH      DE
ram:1ebf 21 d1 1e  LXI      HL,0x1ed1
ram:1ec2 f5      PUSH      AF
ram:1ec3 e6 0f    ANI      0xf
ram:1ec5 87      ADD      A
ram:1ec6 5f      MOV      E,A
ram:1ec7 16 00    MVI      D,0x0
ram:1ec9 19      DAD      HL,DE
ram:1eca 5e      MOV      E,(HL=>data_for_0x1EBE_1)           = 60h
ram:1ecb 23      INX      HL
ram:1ecc 56      MOV      D,(HL=>data_for_0x1EBE_2)
ram:1ecd f1      POP      AF
ram:1ece eb      XCHG
ram:1ecf d1      POP      DE
ram:1ed0 c9      RET

data_for_0x1EBE_1                                XREF[1]:  FUN_ram_1ebe:1eca(R)
ram:1ed1 60      db        60h

data_for_0x1EBE_2                                XREF[1]:  FUN_ram_1ebe:1ecc(R)
ram:1ed2 00      db        0h
ram:1ed3 6c      db        6Ch
ram:1ed4 00      db        0h
ram:1ed5 78      db        78h
ram:1ed6 00      db        0h
ram:1ed7 84      db        84h
ram:1ed8 00      db        0h
ram:1ed9 90      db        90h
ram:1eda 00      db        0h
ram:1edb 9c      db        9Ch
ram:1edc 00      db        0h
ram:1edd a8      db        A8h
ram:1ede 00      db        0h
ram:1edf b4      db        B4h
ram:1ee0 00      db        0h
ram:1ee1 c0      db        C0h
ram:1ee2 00      db        0h
ram:1ee3 e0      db        E0h
ram:1ee4 00      db        0h
ram:1ee5 00      db        0h
ram:1ee6 01      db        1h
ram:1ee7 20      db        20h
ram:1ee8 01      db        1h
ram:1ee9 40      db        40h
ram:1eea 01      db        1h
ram:1eeb 70      db        70h
ram:1eec 01      db        1h
ram:1eed a0      db        A0h
ram:1eee 01      db        1h
ram:1eeef d0     db        D0h
ram:1ef0 01      db        1h

*****
*                               *
*****
undefined FUN_ram_1ef1()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1ef1                                XREF[3]:  thunk_FUN_ram_1ef1:01a5(T),
                                                thunk_FUN_ram_1ef1:01a5(c),
                                                FUN_ram_1a25:1a48(c),
                                                FUN_ram_1c62:1c72(c)

ram:1ef1 c5      PUSH      BC
ram:1ef2 d5      PUSH      DE
ram:1ef3 f5      PUSH      AF
ram:1ef4 97      SUB      A
ram:1ef5 32 3c 5e STA      (BYTE_ram_5e3c)           = ??
ram:1ef8 0e 03    MVI      C,0x3
ram:1efa cd bf 07 CALL     FUN_ram_07bf                     undefined FUN_ram_07bf()
ram:1efd 3a 16 5e LDA      (next_cursor_character_address) = ??
ram:1f00 fe 4f    CPI      0x4f
ram:1f02 d2 ce 1f JNC      FUN_ram_1fce
ram:1f05 e6 01    ANI      0x1
ram:1f07 ca 12 1f JZ       LAB_ram_1f12
ram:1f0a 97      SUB      A
ram:1f0b d3 70    OUT      (AttributeRegister)           = ??

```

Ghidra - 961264-10.2764.u31

```

ram:1f0d 3e 20      MVI      A,0x20
ram:1f0f cd a6 1f    CALL     send_to_display          undefined send_to_display()

LAB_ram_1f12                                XREF[1]:      ram:1f07(j)
ram:1f12 3e 0e      MVI      A,0xe
ram:1f14 d3 70      OUT      (AttributeRegister)      = ??
ram:1f16 3e 20      MVI      A,0x20
ram:1f18 cd a6 1f    CALL     send_to_display          undefined send_to_display()
ram:1f1b 0e 01      MVI      C,0x1
ram:1f1d c3 36 1f    JMP      LAB_ram_1f36

*****
*                               *
*****
undefined FUN_ram_1f20()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1f20                                XREF[1]:      ram:0154(c)
ram:1f20 c5        PUSH     BC
ram:1f21 d5        PUSH     DE
ram:1f22 f5        PUSH     AF
ram:1f23 eb        XCHG
ram:1f24 22 3d 5e   SHLD     (BYTE_ram_5e3d)            = ??
ram:1f27 eb        XCHG
ram:1f28 3e 01      MVI      A,0x1
ram:1f2a c3 31 1f    JMP      LAB_ram_1f31

*****
*                               *
*****
undefined FUN_ram_1f2d()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1f2d                                XREF[3]:      thunk_FUN_ram_1f2d:01a2(T),
                                                    thunk_FUN_ram_1f2d:01a2(c),
                                                    FUN_ram_1b8c:1ba7(c),
                                                    FUN_ram_1bdc:1bf0(c)
ram:1f2d c5        PUSH     BC
ram:1f2e d5        PUSH     DE
ram:1f2f f5        PUSH     AF
ram:1f30 97        SUB      A

LAB_ram_1f31                                XREF[1]:      FUN_ram_1f20:1f2a(j)
ram:1f31 32 3c 5e   STA      (BYTE_ram_5e3c)            = ??
ram:1f34 0e 00      MVI      C,0x0

LAB_ram_1f36                                XREF[4]:      ram:1f1d(j), ram:1f48(j),
                                                    ram:1f76(j), ram:1f81(j)
ram:1f36 7e        MOV      A,(HL)
ram:1f37 23        INX      HL
ram:1f38 fe 20      CPI      0x20
ram:1f3a da d8 1f    JC      LAB_ram_1fd8
ram:1f3d fe 80      CPI      0x80
ram:1f3f d2 4b 1f    JNC      LAB_ram_1f4b
ram:1f42 cd 84 1f    CALL     FUN_ram_1f84              undefined FUN_ram_1f84()
ram:1f45 da ce 1f    JC      FUN_ram_1fce
ram:1f48 c3 36 1f    JMP      LAB_ram_1f36

LAB_ram_1f4b                                XREF[1]:      ram:1f3f(j)
ram:1f4b e5        PUSH     HL
ram:1f4c d6 80      SUI      0x80
ram:1f4e 5f        MOV      E,A
ram:1f4f 2a fc 5d    LHLD     (pointer_to_0x3921)        = ??
ram:1f52 7c        MOV      A,H
ram:1f53 b5        ORA      L
ram:1f54 ca 72 1f    JZ      LAB_ram_1f72
ram:1f57 7b        MOV      A,E
ram:1f58 83        ADD      E
ram:1f59 5f        MOV      E,A
ram:1f5a 16 00      MVI      D,0x0
ram:1f5c 19        DAD      HL,DE
ram:1f5d 5e        MOV      E,(HL)
ram:1f5e 23        INX      HL
ram:1f5f 56        MOV      D,(HL)
ram:1f60 eb        XCHG

LAB_ram_1f61                                XREF[1]:      ram:1f6b(j)
ram:1f61 7e        MOV      A,(HL)
ram:1f62 23        INX      HL
ram:1f63 fe 20      CPI      0x20
ram:1f65 da 72 1f    JC      LAB_ram_1f72
ram:1f68 cd 84 1f    CALL     FUN_ram_1f84              undefined FUN_ram_1f84()
ram:1f6b d2 61 1f    JNC      LAB_ram_1f61
ram:1f6e e1        POP      HL
ram:1f6f c3 ce 1f    JMP      FUN_ram_1fce              undefined FUN_ram_1fce()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

```


Ghidra - 961264-10.2764.u31

```

LAB_ram_1f72
ram:1f72 e1      POP      HL
ram:1f73 7e      MOV      A, (HL)
ram:1f74 fe 80   CPI      0x80
ram:1f76 da 36 1f JC      LAB_ram_1f36
ram:1f79 3e 20   MVI      A, 0x20
ram:1f7b cd 84 1f CALL     FUN_ram_1f84
ram:1f7e da ce 1f JC      FUN_ram_1fce
ram:1f81 c3 36 1f JMP      LAB_ram_1f36

*****
*                               *
*                               *
*****
undefined FUN_ram_1f84()
undefined <UNASSIGNED> <RETURN>
FUN_ram_1f84
XREF[2]: ram:1f54(j), ram:1f65(j)
XREF[3]: FUN_ram_1ef1:1f42(c),
          FUN_ram_1ef1:1f68(c),
          FUN_ram_1ef1:1f7b(c)

ram:1f84 cd a6 1f CALL     send_to_display
ram:1f87 da a4 1f JC      LAB_ram_1fa4
ram:1f8a 79      MOV      A, C
ram:1f8b a7      ANA      A
ram:1f8c c8      RZ
ram:1f8d 3e 20   MVI      A, 0x20
ram:1f8f cd a6 1f CALL     send_to_display
ram:1f92 3a 16 5e LDA      (next_cursor_character_address)
ram:1f95 fe 4f   CPI      0x4f
ram:1f97 d2 9c 1f JNC     LAB_ram_1f9c
ram:1f9a a7      ANA      A
ram:1f9b c9      RET

LAB_ram_1f9c
ram:1f9c 3e 20   MVI      A, 0x20
ram:1f9e cd 59 16 CALL     write_to_display
ram:1fa1 cd 4c 13 CALL     FUN_ram_134c
XREF[1]: ram:1f97(j)
          voidwrite_to_display(void)
          undefined FUN_ram_134c()

LAB_ram_1fa4
ram:1fa4 37      STC
ram:1fa5 c9      RET
XREF[1]: ram:1f87(j)

*****
*                               *
*                               *
*****
undefined send_to_display()
undefined <UNASSIGNED> <RETURN>
send_to_display
XREF[5]: write_string:168a(c),
          FUN_ram_1ef1:1f0f(c),
          FUN_ram_1ef1:1f18(c),
          FUN_ram_1f84:1f84(c),
          FUN_ram_1f84:1f8f(c)

ram:1fa6 f5      PUSH     AF
ram:1fa7 3a 3c 5e LDA      (BYTE_ram_5e3c)
ram:1faa a7      ANA      A
ram:1fab c2 b3 1f JNZ     LAB_ram_1fb3
ram:1fae f1      POP      AF
ram:1faf cd 1e 07 CALL     write_char_and_advance_cursor
ram:1fb2 c9      RET
XREF[1]: ram:1fab(j)

LAB_ram_1fb3
ram:1fb3 f1      POP      AF
ram:1fb4 e5      PUSH     HL
ram:1fb5 2a 3d 5e LHL     (BYTE_ram_5e3d)
ram:1fb8 cd 50 16 CALL     FUN_ram_1650
ram:1fbb 2c      INR      L
ram:1fbc 7d      MOV      A, L
ram:1fbd fe 51   CPI      0x51
ram:1fbf c2 c5 1f JNZ     LAB_ram_1fc5
ram:1fc2 2e 01   MVI      L, 0x1
ram:1fc4 24      INR      H
XREF[1]: ram:1fbf(j)

LAB_ram_1fc5
ram:1fc5 22 3d 5e SHLD     (BYTE_ram_5e3d)
ram:1fc8 7c      MOV      A, H
ram:1fc9 fe 1a   CPI      0x1a
ram:1fcb 3f      CMC
ram:1fcc e1      POP      HL
ram:1fcd c9      RET

```

May 28, 2025 11:10 AM

Page 98 of 319

Ghidra - 961264-10.2764.u31

```

ram:201f 21 8d 22      LXI      HL,0x228d
ram:2022 22 1a 5c      SHLD     (ISR_VSCYN_RETURN_ADDRESS) = ??
ram:2025 2a 20 5c      LHL     (pointer_to_0x29e_2) = ??
ram:2028 22 f8 58      SHLD     (BYTE_ram_58f8) = ??
ram:202b 21 c9 20      LXI      HL,0x20c9
ram:202e 22 0a 58      SHLD     (BYTE_ram_580a) = ??
ram:2031 cd 09 41      CALL     create_bit_pattern_display undefinedcreate_bit_pattern_dis...
ram:2034 21 21 39      LXI      HL,0x3921
ram:2037 22 fc 5d      SHLD     (pointer_to_0x3921) = ??
ram:203a 21 f0 3e      LXI      HL,0x3ef0
ram:203d 22 08 5e      SHLD     (BYTE_ram_5e08) = ??
ram:2040 21 da 3e      LXI      HL,0x3eda
ram:2043 22 fa 5d      SHLD     (pointer_to_0xAA0_or_0x3eda) = ??
ram:2046 cd 5a 01      CALL     write_nvram_configuration undefinedwrite_nvram_configurat...
ram:2049 3e 01        MVI      A,0x1
ram:204b 32 13 5f      STA      (keyboard_transmission_enable) = ??
ram:204e 21 39 22      LXI      HL,0x2239
ram:2051 22 24 5c      SHLD     (keyboard_handler_function_pointer) = ??
ram:2054 cd 85 42      CALL     FUN_ram_4285 undefinedFUN_ram_4285()
ram:2057 cd de 36      CALL     FUN_ram_36de undefinedFUN_ram_36de()
ram:205a cd 55 37      CALL     initialize_terminal_display_mode undefinedinitialize_terminal_di...
ram:205d 21 64 00      LXI      HL,0x64
ram:2060 22 a1 58      SHLD     (BYTE_ram_58a1) = ??
ram:2063 21 a0 22      LXI      HL,0x22a0
ram:2066 22 22 5c      SHLD     (pointer_to_0x29e_3) = ??
ram:2069 cd ab 3f      CALL     FUN_ram_3fab undefinedFUN_ram_3fab()
ram:206c 21 a0 42      LXI      HL,0x42a0
ram:206f 22 12 5c      SHLD     (nvram_test_current_address) = ??
ram:2072 21 7d 22      LXI      HL,0x227d
ram:2075 22 20 5c      SHLD     (pointer_to_0x29e_2) = ??
ram:2078 21 d1 22      LXI      HL,0x22d1
ram:207b 22 26 5c      SHLD     (pointer_to_0x29e_4) = ??
ram:207e 22 2a 5c      SHLD     (pointer_to_0x29e_0) = ??
ram:2081 21 ca 22      LXI      HL,0x22ca
ram:2084 22 2c 5c      SHLD     (pointer_to_0x29e_7) = ??
ram:2087 21 55 00      LXI      HL,0x55
ram:208a cd 21 01      CALL     save_config_to_nvram undefinedsave_config_to_nvram()
ram:208d fe 52        CPI      0x52
ram:208f c2 9d 20      JNZ      LAB_ram_209d
ram:2092 3e 01        MVI      A,0x1
ram:2094 32 fe 5d      STA      (BYTE_ram_5dfe) = ??
ram:2097 21 00 50      LXI      HL,0x5000
ram:209a 22 ff 5d      SHLD     (BYTE_ram_5dff) = ??

LAB_ram_209d
XREF[2]: ram:208f(j),
main_character_processor:212a(R)

ram:209d 00        NOP
ram:209e 00        NOP
ram:209f 21 9d 20      LXI      HL,0x209d
ram:20a2 22 08 58      SHLD     (BYTE_ram_5808) = ??
ram:20a5 21 cd 20      LXI      HL,0x20cd
ram:20a8 22 06 58      SHLD     (BYTE_ram_5806) = ??
ram:20ab 3a 33 5f      LDA      (BYTE_ram_5f33) = ??
ram:20ae a7        ANA      A
ram:20af 3e 23        MVI      A,0x23
ram:20b1 c4 f4 35      CNZ      FUN_ram_35f4 undefinedFUN_ram_35f4()
ram:20b4 3a 31 5f      LDA      (BYTE_ram_5f31) = ??
ram:20b7 a7        ANA      A
ram:20b8 3e 30        MVI      A,0x30
ram:20ba c4 f4 35      CNZ      FUN_ram_35f4 undefinedFUN_ram_35f4()

LAB_ram_20bd
XREF[1]: ram:2f3b(j)

ram:20bd 21 ba 21      LXI      HL,0x21ba
ram:20c0 22 04 58      SHLD     (BYTE_ram_5804) = ??

LAB_ram_20c3
XREF[27]: ram:2be3(j), ram:2bed(j),
ram:2c0d(j), ram:2c98(j),
ram:2cd3(j), ram:2d22(j),
ram:2d3b(j), ram:2d43(j),
ram:2dbd(j), ram:2dc5(j),
ram:2dca(j), ram:2dd9(j),
ram:2dde(j), ram:2de6(j),
ram:2df7(j), ram:2e0b(j),
ram:2e20(j), ram:2e36(j),
ram:2e3c(j), ram:2e4f(j), [more]
= ??

ram:20c3 2a 02 58      LHLD     (BYTE_ram_5802)

```

Ghidra - 961264-10.2764.u31

	LAB_ram_20c6		XREF[20]:	ram:2b11(j), ram:2b32(j), ram:2bd1(j), ram:2bdc(j), ram:2c85(j), ram:2c8b(j), ram:2cd9(j), ram:2cdf(j), ram:2ce5(j), ram:2ceb(j), ram:2d14(j), ram:2d49(j), ram:2df1(j), ram:2e05(j), ram:2e2a(j), ram:2e49(j), ram:2e75(j), ram:2ebb(j), ram:35ab(j), ram:35c0(j) = ??
ram:20c6 22 00 58	SHLD	(BYTE_ram_5800)		
	LAB_ram_20c9		XREF[71]:	ram:214b(j), ram:216c(j), ram:218f(j), ram:21a4(j), ram:21ac(j), ram:21b4(j), ram:21ea(j), ram:2313(j), ram:2358(j), ram:235d(j), ram:2362(j), ram:2367(j), ram:236f(j), ram:2388(j), ram:2408(j), ram:240e(j), ram:2534(j), ram:253a(j), ram:254a(j), ram:2b17(j), [more] = ??
ram:20c9 2a 06 58	LHLD	(BYTE_ram_5806)		
ram:20cc e9	PCHL			
	LAB_ram_20cd		XREF[1]:	ram:20cc(j) = ??
ram:20cd 3a fc 58	LDA	(BYTE_ram_58fc)		
ram:20d0 3d	DCR	A		
ram:20d1 32 fc 58	STA	(BYTE_ram_58fc)		
ram:20d4 ca 27 21	JZ	LAB_ram_2127		
ram:20d7 cd be 00	CALL	transmit_to_host_serial		undefinedtransmit_to_host_seria...
ram:20da da e1 20	JC	LAB_ram_20e1		
ram:20dd 2a 00 58	LHLD	(BYTE_ram_5800)		
ram:20e0 e9	PCHL			
	LAB_ram_20e1		XREF[1]:	ram:20da(j) = ??
ram:20e1 3a 24 5f	LDA	(BYTE_ram_5f24)		
ram:20e4 a7	ANA	A		
ram:20e5 c2 27 21	JNZ	LAB_ram_2127		
ram:20e8 3a 2b 5f	LDA	(BYTE_ram_5f2b)		
ram:20eb a7	ANA	A		
ram:20ec c2 27 21	JNZ	LAB_ram_2127		
ram:20ef 2a 0e 58	LHLD	(BYTE_ram_580e)		
ram:20f2 3a 11 58	LDA	(BYTE_ram_5811)		
ram:20f5 47	MOV	B,A		
ram:20f6 3a 10 58	LDA	(BYTE_ram_5810)		
ram:20f9 4f	MOV	C,A		
	LAB_ram_20fa		XREF[1]:	ram:211d(j) undefinedthunk_FUN_ram_1634() undefinedthunk_FUN_ram_15d0()
ram:20fa cd 42 01	CALL	thunk_FUN_ram_1634		
ram:20fd e6 f0	ANI	0xf0		
ram:20ff fe 10	CPI	0x10		
ram:2101 ca 36 21	JZ	LAB_ram_2136		
ram:2104 79	MOV	A,C		
ram:2105 cd 4b 01	CALL	thunk_FUN_ram_15d0		
	LAB_ram_2108		XREF[1]:	ram:213c(j)
ram:2108 2c	INR	L		
ram:2109 7d	MOV	A,L		
ram:210a fe 51	CPI	0x51		
ram:210c da 1c 21	JC	LAB_ram_211c		
ram:210f 2e 01	MVI	L,0x1		
ram:2111 24	INR	H		
ram:2112 7c	MOV	A,H		
ram:2113 fe 1a	CPI	0x1a		
ram:2115 da 1c 21	JC	LAB_ram_211c		
ram:2118 26 01	MVI	H,0x1		
ram:211a 0e 00	MVI	C,0x0		
	LAB_ram_211c		XREF[2]:	ram:210c(j), ram:2115(j) = ?? = ??
ram:211c 05	DCR	B		
ram:211d c2 fa 20	JNZ	LAB_ram_20fa		
ram:2120 22 0e 58	SHLD	(BYTE_ram_580e)		
ram:2123 79	MOV	A,C		
ram:2124 32 10 58	STA	(BYTE_ram_5810)		
	LAB_ram_2127		XREF[3]:	ram:20d4(j), ram:20e5(j), ram:20ec(j) = ?? = ?? = ??
ram:2127 2a 08 58	LHLD	(BYTE_ram_5808)		
ram:212a 7e	MOV	A, (HL=>LAB_ram_209d)		
ram:212b a7	ANA	A		
ram:212c ca 3f 21	JZ	LAB_ram_213f		
ram:212f 23	INX	HL		
ram:2130 22 08 58	SHLD	(BYTE_ram_5808)		

Ghidra - 961264-10.2764.u31

```

ram:2133 c3 4e 21      JMP      LAB_ram_214e

                                LAB_ram_2136
ram:2136 cd 42 01      CALL     thunk_FUN_ram_1634
ram:2139 e6 0f         ANI       0xf
ram:213b 4f           MOV       C,A
ram:213c c3 08 21      JMP      LAB_ram_2108

                                LAB_ram_213f
ram:213f cd bb 00      CALL     check_mem_5dbd_and_5d9d_return_val_in_A
ram:2142 d2 4e 21      JNC      LAB_ram_214e
ram:2145 21 7d 22      LXI       HL,0x227d
ram:2148 22 20 5c      SHLD     (pointer_to_0x29e_2
ram:214b c3 c9 20      JMP      LAB_ram_20c9

                                LAB_ram_214e
ram:214e f5           PUSH     AF
ram:214f 3e 02         MVI      A,0x2
ram:2151 32 fc 58      STA      (BYTE_ram_58fc)
ram:2154 f1           POP      AF
ram:2155 2a 04 58      LHLD     (BYTE_ram_5804)
ram:2158 e9           PCHL

                                LAB_ram_2159
ram:2159 21 5f 21      LXI       HL,0x215f
ram:215c 22 00 58      SHLD     (BYTE_ram_5800)

                                LAB_ram_215f
ram:215f fe 7f         CPI       0x7f
ram:2161 d2 75 21      JNC      LAB_ram_2175
ram:2164 fe 20         CPI       0x20
ram:2166 da 6f 21      JC       LAB_ram_216f
ram:2169 cd 29 36      CALL     FUN_ram_3629
ram:216c c3 c9 20      JMP      LAB_ram_20c9

                                LAB_ram_216f
ram:216f 21 73 29      LXI       HL,0x2973
ram:2172 c3 a6 25      JMP      control_code_dispatch_table
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

                                LAB_ram_2175
ram:2175 e6 7f         ANI       0x7f
ram:2177 32 12 58      STA      (BYTE_ram_5812)
ram:217a 3a 24 5f      LDA      (BYTE_ram_5f24)
ram:217d a7           ANA       A
ram:217e ca 9e 21      JZ       LAB_ram_219e
ram:2181 3d           DCR      A
ram:2182 c2 af 21      JNZ      LAB_ram_21af
ram:2185 3a 12 58      LDA      (BYTE_ram_5812)
ram:2188 fe 20         CPI       0x20
ram:218a da 6f 21      JC       LAB_ram_216f
ram:218d fe 7f         CPI       0x7f
ram:218f d2 c9 20      JNC      LAB_ram_20c9
ram:2192 3a 1a 58      LDA      (BYTE_ram_581a)
ram:2195 cd 9d 00      CALL     thunk_FUN_ram_15d9
ram:2198 3a 12 58      LDA      (BYTE_ram_5812)
ram:219b c3 5f 21      JMP      LAB_ram_215f

                                LAB_ram_219e
ram:219e 3a 12 58      LDA      (BYTE_ram_5812)
ram:21a1 cd 4c 2b      CALL     FUN_ram_2b4c
ram:21a4 d2 c9 20      JNC      LAB_ram_20c9
ram:21a7 fe 20         CPI       0x20
ram:21a9 da 6f 21      JC       LAB_ram_216f
ram:21ac c3 c9 20      JMP      LAB_ram_20c9

                                LAB_ram_21af
ram:21af 3a 12 58      LDA      (BYTE_ram_5812)
ram:21b2 fe 7f         CPI       0x7f
ram:21b4 ca c9 20      JZ       LAB_ram_20c9
ram:21b7 c3 5f 21      JMP      LAB_ram_215f

                                LAB_ram_21ba
ram:21ba fe 80         CPI       0x80
ram:21bc da 31 25      JC       LAB_ram_2531
ram:21bf fe c0         CPI       0xc0
ram:21c1 d2 cc 21      JNC      LAB_ram_21cc
ram:21c4 fe a0         CPI       0xa0
ram:21c6 da 4c 23      JC       LAB_ram_234c
ram:21c9 c3 72 23      JMP      main_character_processor

                                LAB_ram_21cc
ram:21cc fe e0         CPI       0xe0

```

Ghidra - 961264-10.2764.u31

```

ram:21ce da d1 23      JC      jump_table_based_on_A
ram:21d1 c3 1b 24      JMP     execute_control_character      undefinedexecute_control_charac...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

ram:21d4 fe 80      CPI      0x80
ram:21d6 da e3 21      JC      LAB_ram_21e3
ram:21d9 e6 7f      ANI      0x7f
ram:21db 32 12 58      STA      (BYTE_ram_5812)      = ??
ram:21de 3e 04      MVI      A,0x4
ram:21e0 c3 e7 21      JMP     LAB_ram_21e7

LAB_ram_21e3
ram:21e3 32 12 58      STA      (BYTE_ram_5812)      XREF[1]:      ram:21d6(j)
ram:21e6 af      XRA      A      = ??

LAB_ram_21e7
ram:21e7 cd 75 36      CALL     write_character_with_cursor_wrap      XREF[1]:      ram:21e0(j)
ram:21ea c3 c9 20      JMP     LAB_ram_20c9      undefinedwrite_character_with_c...

*****
*                      FUNCTION                      *
*****
undefined setup_display_mode_handlers()
undefined <UNASSIGNED> <RETURN>
setup_display_mode_handlers      XREF[2]:      ram:3509(c),
                                initialize_terminal_display_mode...

ram:21ed 3e 48      MVI      A,0x48
ram:21ef 32 18 58      STA      (BYTE_ram_5818)      = ??
ram:21f2 3a 2b 5f      LDA      (BYTE_ram_5f2b)      = ??
ram:21f5 a7      ANA      A
ram:21f6 c2 12 22      JNZ      LAB_ram_2212
ram:21f9 3a 24 5f      LDA      (BYTE_ram_5f24)      = ??
ram:21fc fe 02      CPI      0x2
ram:21fe c2 08 22      JNZ      LAB_ram_2208
ram:2201 af      XRA      A
ram:2202 cd a3 00      CALL     thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()
ram:2205 32 19 58      STA      (BYTE_ram_5819)      = ??

LAB_ram_2208
ram:2208 21 5f 21      LXI      HL,0x215f      XREF[1]:      ram:21fe(j)
ram:220b 22 02 58      SHLD     (BYTE_ram_5802)      = ??
ram:220e 22 00 58      SHLD     (BYTE_ram_5800)      = ??
ram:2211 c9      RET

LAB_ram_2212
ram:2212 21 d4 21      LXI      HL,0x21d4      XREF[1]:      ram:21f6(j)
ram:2215 22 02 58      SHLD     (BYTE_ram_5802)      = ??
ram:2218 22 00 58      SHLD     (BYTE_ram_5800)      = ??
ram:221b c9      RET
ram:221c 03      char      03h
ram:221d 1d      char      1Dh

terminal_model_string
ram:221e 54 44 56      ds      "TDV 2215"
20 32 32
31 35 00
ram:2227 05      char      05h
ram:2228 1c      char      1Ch

firmware_revision_string
ram:2229 52 65 76      ds      "Rev. Lev. 11 / "
2e 20 4c
65 76 2e ...

ram:2239 c5      PUSH     BC
ram:223a 47      MOV      B,A
ram:223b 3a 30 5f      LDA      (BYTE_ram_5f30)      = ??
ram:223e a7      ANA      A
ram:223f c2 45 22      JNZ      LAB_ram_2245
ram:2242 c1      POP      BC
ram:2243 37      STC
ram:2244 c9      RET

LAB_ram_2245
ram:2245 3d      DCR      A      XREF[1]:      ram:223f(j)
ram:2246 c2 4d 22      JNZ      LAB_ram_224d
ram:2249 78      MOV      A,B
ram:224a c1      POP      BC
ram:224b a7      ANA      A
ram:224c c9      RET

LAB_ram_224d
ram:224d 78      MOV      A,B      XREF[1]:      ram:2246(j)
ram:224e fe 11      CPI      0x11
ram:2250 3e df      MVI      A,0xdf
ram:2252 ca 57 22      JZ      LAB_ram_2257
ram:2255 3e 5f      MVI      A,0x5f

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_2257
ram:2257 47      MOV      B,A
ram:2258 e6 82   ANI      0x82
ram:225a 4f      MOV      C,A
ram:225b 3e 05   MVI      A,0x5
ram:225d d3 01   OUT      (Channel_A_Command_Status) = ??
ram:225f 3a 1f 5e LDA      (Last_Channel_A_Command) = ??
ram:2262 e6 7d   ANI      0x7d
ram:2264 b1      ORA      C
ram:2265 32 1f 5e STA      (Last_Channel_A_Command) = ??
ram:2268 d3 01   OUT      (Channel_A_Command_Status) = ??
ram:226a 78      MOV      A,B
ram:226b 2f      CMA
ram:226c e6 20   ANI      0x20
ram:226e 4f      MOV      C,A
ram:226f 3a 10 5e LDA      (ContolPort1_value) = ??
ram:2272 e6 df   ANI      0xdf
ram:2274 b1      ORA      C
ram:2275 32 10 5e STA      (ContolPort1_value) = ??
ram:2278 d3 50   OUT      (ControlPort1) = ??
ram:227a c1      POP      BC
ram:227b 37      STC
ram:227c c9      RET
ram:227d e5      PUSH     HL
ram:227e f5      PUSH     AF
ram:227f 3e 01   MVI      A,0x1
ram:2281 32 fc 58 STA      (BYTE_ram_58fc) = ??
ram:2284 2a f8 58 LHLD      (BYTE_ram_58f8) = ??
ram:2287 22 20 5c SHLD      (pointer_to_0x29e_2) = ??
ram:228a f1      POP      AF
ram:228b e1      POP      HL
ram:228c c9      RET
ram:228d e5      PUSH     HL
ram:228e f5      PUSH     AF
ram:228f 3a 16 58 LDA      (BYTE_ram_5816) = ??
ram:2292 a7      ANA      A
ram:2293 ca 9a 22 JZ      LAB_ram_229a
ram:2296 3d      DCR      A
ram:2297 32 16 58 STA      (BYTE_ram_5816) = ??

LAB_ram_229a
ram:229a f1      POP      AF
ram:229b 2a 0c 58 LHLD      (BYTE_ram_580c) = ??
ram:229e e3      XTHL
ram:229f c9      RET
ram:22a0 f5      PUSH     AF
ram:22a1 3a 30 5f LDA      (BYTE_ram_5f30) = ??
ram:22a4 fe 02   CPI      0x2
ram:22a6 c2 b9 22 JNZ      LAB_ram_22b9
ram:22a9 f1      POP      AF
ram:22aa f5      PUSH     AF
ram:22ab e6 28   ANI      0x28
ram:22ad fe 28   CPI      0x28
ram:22af 3e 11   MVI      A,0x11
ram:22b1 ca b6 22 JZ      LAB_ram_22b6
ram:22b4 3e 13   MVI      A,0x13

LAB_ram_22b6
ram:22b6 32 13 58 STA      (BYTE_ram_5813) = ??

LAB_ram_22b9
ram:22b9 3e 01   MVI      A,0x1
ram:22bb 32 a3 58 STA      (BYTE_ram_58a3) = ??
ram:22be c3 d7 22 JMP      LAB_ram_22d7
ram:22c1 f5      PUSH     AF
ram:22c2 3e 01   MVI      A,0x1
ram:22c4 32 a4 58 STA      (BYTE_ram_58a4) = ??
ram:22c7 c3 d7 22 JMP      LAB_ram_22d7
ram:22ca f5      PUSH     AF
ram:22cb 3e 01   MVI      A,0x1
ram:22cd 32 15 58 STA      (BYTE_ram_5815) = ??
ram:22d0 f1      POP      AF
ram:22d1 f5      PUSH     AF
ram:22d2 3e 01   MVI      A,0x1
ram:22d4 32 14 58 STA      (BYTE_ram_5814) = ??

LAB_ram_22d7
ram:22d7 f1      POP      AF
ram:22d8 e5      PUSH     HL
ram:22d9 21 10 23 LXI      HL,0x2310
ram:22dc 22 06 58 SHLD      (BYTE_ram_5806) = ??
ram:22df e1      POP      HL
ram:22e0 c9      RET
XREF[1]: ram:2252(j)
XREF[1]: ram:2293(j)
XREF[1]: ram:22b1(j)
XREF[1]: ram:22a6(j)
XREF[2]: ram:22be(j), ram:22c7(j)

```

```

*****
*                               *
*****
undefined atomic_read_and_clear_byte()
    ▲<UNASSIGNED> <RETURN>
atomic_read_and_clear_byte                                XREF[4]:  control_character_handler:2321(c...
                                                         control_character_handler:2331(c...
                                                         control_character_handler:233a(c...
                                                         control_character_handler:2343(c...

ram:22e1 f3      DI
ram:22e2 7e      MOV     A, (HL)
ram:22e3 36 00   MVI     (HL), 0x0
ram:22e5 fb      EI
ram:22e6 a7      ANA     A
ram:22e7 c9      RET

*****
*                               *
*****
undefined set_attribute_processing_mode()
    ▲<UNASSIGNED> <RETURN>
set_attribute_processing_mode                            XREF[1]:  control_character_handler:2348(c...
                                                         = ??

ram:22e8 3a 17 58 LDA     (BYTE_ram_5817)
ram:22eb a7      ANA     A
ram:22ec c0      RNZ
ram:22ed 3e 08   MVI     A, 0x8

LAB_ram_22ef                                           XREF[1]:  ram:22f2(j)

ram:22ef cd 4c 00 CALL    check_display_attribute_port
ram:22f2 da ef 22 JC     LAB_ram_22ef
ram:22f5 3e 01   MVI     A, 0x1
ram:22f7 32 17 58 STA     (BYTE_ram_5817)
ram:22fa c9      RET
                                                         = ??

*****
*                               *
*****
undefined escape_sequence_parser()
    ▲<UNASSIGNED> <RETURN>
escape_sequence_parser                                XREF[1]:  terminal_character_output:2570(c...

ram:22fb c5      PUSH    BC
ram:22fc d5      PUSH    DE
ram:22fd e5      PUSH    HL
ram:22fe f5      PUSH    AF
ram:22ff 2a 06 58 LHLD    (BYTE_ram_5806)
                                                         = ??
ram:2302 11 10 23 LXI     DE, 0x2310
ram:2305 cd c9 01 CALL    check_D_eq_H
                                                         undefined check_D_eq_H()
ram:2308 cc 16 23 CZ     control_character_handler
                                                         undefined control_character_hand...
ram:230b f1      POP     AF
ram:230c e1      POP     HL
ram:230d d1      POP     DE
ram:230e c1      POP     BC
ram:230f c9      RET
ram:2310 cd 16 23 CALL    control_character_handler
                                                         undefined control_character_hand...
ram:2313 c3 c9 20 JMP     LAB_ram_20c9

*****
*                               *
*****
undefined control_character_handler()
    ▲<UNASSIGNED> <RETURN>
control_character_handler                                XREF[2]:  escape_sequence_parser:2308(c),
                                                         ram:2310(c)

ram:2316 f3      DI
ram:2317 21 cd 20 LXI     HL, 0x20cd
ram:231a 22 06 58 SHLD    (BYTE_ram_5806)
                                                         = ??
ram:231d fb      EI
ram:231e 21 13 58 LXI     HL, 0x5813
ram:2321 cd e1 22 CALL    atomic_read_and_clear_byte
                                                         undefined atomic_read_and_clear...
ram:2324 fe 11   CPI     0x11
ram:2326 cc d0 00 CZ     thunk_FUN_ram_0e0c
                                                         undefined thunk_FUN_ram_0e0c()
ram:2329 fe 13   CPI     0x13
ram:232b cc d3 00 CZ     thunk_FUN_ram_0df1
                                                         undefined thunk_FUN_ram_0df1()
ram:232e 21 a3 58 LXI     HL, 0x58a3
ram:2331 cd e1 22 CALL    atomic_read_and_clear_byte
                                                         undefined atomic_read_and_clear...
ram:2334 c4 d9 3f CNZ    FUN_ram_3fd9
                                                         undefined FUN_ram_3fd9()
ram:2337 21 a4 58 LXI     HL, 0x58a4
ram:233a cd e1 22 CALL    atomic_read_and_clear_byte
                                                         undefined atomic_read_and_clear...
ram:233d c4 c6 3f CNZ    configure_terminal_mode_settings
                                                         undefined configure_terminal_mod...
ram:2340 21 14 58 LXI     HL, 0x5814
ram:2343 cd e1 22 CALL    atomic_read_and_clear_byte
                                                         undefined atomic_read_and_clear...
ram:2346 e6 7f   ANI     0x7f
ram:2348 c4 e8 22 CNZ    set_attribute_processing_mode
                                                         undefined set_attribute processi...
ram:234b c9      RET

```


Ghidra - 961264-10.2764.u31

```

LAB_ram_234c
ram:234c fe 9a      CPI      0x9a
ram:234e ca 2f 25    JZ       LAB_ram_252f
ram:2351 fe 99      CPI      0x99
ram:2353 ca 2f 25    JZ       LAB_ram_252f
ram:2356 fe 92      CPI      0x92
ram:2358 ca c9 20    JZ       LAB_ram_20c9
ram:235b fe 94      CPI      0x94
ram:235d ca c9 20    JZ       LAB_ram_20c9
ram:2360 fe 95      CPI      0x95
ram:2362 ca c9 20    JZ       LAB_ram_20c9
ram:2365 fe 98      CPI      0x98
ram:2367 ca c9 20    JZ       LAB_ram_20c9
ram:236a fe 9e      CPI      0x9e
ram:236c da 37 25    JC       LAB_ram_2537
ram:236f c3 c9 20    JMP      LAB_ram_20c9

*****
*                               *
*                               *
*****
undefined main_character_processor()
undefined <UNASSIGNED> <RETURN>
main_character_processor      XREF[1]: ram:21c9(j)
ram:2372 fe b0      CPI      0xb0
ram:2374 da 7d 23    JC       LAB_ram_237d
ram:2377 21 8b 23    LXI      HL,0x238b
ram:237a c3 a0 25    JMP      high_character_dispatch_table      undefinedhigh_character_dispatc...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_237d
ram:237d e6 0f      ANI      0xf
ram:237f 21 1c 58    LXI      HL,0x581c
ram:2382 22 08 58    SHLD     (BYTE_ram_5808)      = ??
ram:2385 cd 69 01    CALL     thunk_FUN_ram_1e72    undefinedthunk_FUN_ram_1e72 ()
ram:2388 c3 c9 20    JMP      LAB_ram_20c9

DAT_ram_238b
ram:238b 47      ??      47h      G      XREF[1]: high_character_dispatch_table:25,.

DAT_ram_238c
ram:238c 25      ??      25h      %
ram:238d ab      ??      ABh
ram:238e 23      ??      23h      #
ram:238f b0      ??      B0h
ram:2390 23      ??      23h      #
ram:2391 b5      ??      B5h
ram:2392 23      ??      23h      #
ram:2393 ba      ??      BAh
ram:2394 23      ??      23h      #
ram:2395 c9      ??      C9h
ram:2396 20      ??      20h
ram:2397 c9      ??      C9h
ram:2398 20      ??      20h
ram:2399 c9      ??      C9h
ram:239a 20      ??      20h
ram:239b bf      ??      BFh
ram:239c 23      ??      23h      #
ram:239d c9      ??      C9h
ram:239e 20      ??      20h
ram:239f c9      ??      C9h
ram:23a0 20      ??      20h
ram:23a1 c9      ??      C9h
ram:23a2 20      ??      20h
ram:23a3 47      ??      47h      G
ram:23a4 25      ??      25h      %
ram:23a5 47      ??      47h      G
ram:23a6 25      ??      25h      %
ram:23a7 c9      ??      C9h
ram:23a8 23      ??      23h      #
ram:23a9 c4      ??      C4h
ram:23aa 23      ??      23h      #
ram:23ab 3e      ??      3Eh      >
ram:23ac 1c      ??      1Ch
ram:23ad c3      ??      C3h
ram:23ae 31      ??      31h      1
ram:23af 25      ??      25h      %
ram:23b0 3e      ??      3Eh      >
ram:23b1 0b      ??      0Bh
ram:23b2 c3      ??      C3h
ram:23b3 31      ??      31h      1
ram:23b4 25      ??      25h      %
ram:23b5 3e      ??      3Eh      >
ram:23b6 18      ??      18h
ram:23b7 c3      ??      C3h

```

Ghidra - 961264-10.2764.u31

```

ram:23b8 31      ??      31h      1
ram:23b9 25      ??      25h      %
ram:23ba 3e      ??      3Eh      >
ram:23bb 08      ??      08h
ram:23bc c3      ??      C3h
ram:23bd 31      ??      31h      1
ram:23be 25      ??      25h      %
ram:23bf 3e      ??      3Eh      >
ram:23c0 1d      ??      1Dh
ram:23c1 c3      ??      C3h
ram:23c2 31      ??      31h      1
ram:23c3 25      ??      25h      %
ram:23c4 3e      ??      3Eh      >
ram:23c5 30      ??      30h      0
ram:23c6 cd      ??      CDh
ram:23c7 57      ??      57h      W
ram:23c8 25      ??      25h      %
ram:23c9 3e      ??      3Eh      >
ram:23ca 30      ??      30h      0
ram:23cb cd      ??      CDh
ram:23cc 57      ??      57h      W
ram:23cd 25      ??      25h      %
ram:23ce c3      ??      C3h
ram:23cf 31      ??      31h      1
ram:23d0 25      ??      25h      %

      jump_table_based_on_A                                XREF[1]:      ram:21ce(j)
ram:23d1 fe c0      CPI      0xc0
ram:23d3 ca 47 25    JZ      LAB_ram_2547
ram:23d6 fe c3      CPI      0xc3
ram:23d8 ca 11 24    JZ      LAB_ram_2411
ram:23db fe c4      CPI      0xc4
ram:23dd ca 16 24    JZ      LAB_ram_2416
ram:23e0 fe c5      CPI      0xc5
ram:23e2 ca 47 25    JZ      LAB_ram_2547
ram:23e5 fe c6      CPI      0xc6
ram:23e7 ca 47 25    JZ      LAB_ram_2547
ram:23ea fe ca      CPI      0xca
ram:23ec ca 47 25    JZ      LAB_ram_2547
ram:23ef fe cd      CPI      0xcd
ram:23f1 ca 2f 25    JZ      LAB_ram_252f
ram:23f4 fe ce      CPI      0xce
ram:23f6 ca 2f 25    JZ      LAB_ram_252f
ram:23f9 fe cf      CPI      0xcf
ram:23fb ca 2f 25    JZ      LAB_ram_252f
ram:23fe fe db      CPI      0xdb
ram:2400 ca 0b 24    JZ      LAB_ram_240b
ram:2403 fe d7      CPI      0xd7
ram:2405 ca 47 25    JZ      LAB_ram_2547
ram:2408 c3 c9 20    JMP      LAB_ram_20c9

      LAB_ram_240b                                           XREF[1]:      ram:2400(j)
ram:240b cd 83 25    CALL     FUN_ram_2583
ram:240e c3 c9 20    JMP      LAB_ram_20c9
                                     undefined FUN_ram_2583()

      LAB_ram_2411                                           XREF[1]:      ram:23d8(j)
ram:2411 3e 0c      MVI      A,0xc
ram:2413 c3 31 25    JMP      LAB_ram_2531

      LAB_ram_2416                                           XREF[1]:      ram:23dd(j)
ram:2416 3e 17      MVI      A,0x17
ram:2418 c3 31 25    JMP      LAB_ram_2531

*****
*                               *
*                               *
*****
undefined execute_control_character()
      <UNASSIGNED> <RETURN>
      execute_control_character                                XREF[1]:      main_character_processor:21d1(c)
ram:241b 21 21 24    LXI      HL,0x2421
ram:241e c3 a6 25    JMP      control_code_dispatch_table
                                     undefined control_code_dispatch_...
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

      DAT_ram_2421                                           XREF[1]:      high_character_dispatch_table:25..
ram:2421 61      ??      61h      a

      DAT_ram_2422                                           XREF[1]:      high_character_dispatch_table:25..
ram:2422 24      ??      24h      $
ram:2423 61      ??      61h      a
ram:2424 24      ??      24h      $
ram:2425 61      ??      61h      a
ram:2426 24      ??      24h      $
ram:2427 61      ??      61h      a
ram:2428 24      ??      24h      $
ram:2429 61      ??      61h      a

```

Ghidra - 961264-10.2764.u31

ram:242a	24	??	24h	\$
ram:242b	61	??	61h	a
ram:242c	24	??	24h	\$
ram:242d	61	??	61h	a
ram:242e	24	??	24h	\$
ram:242f	61	??	61h	a
ram:2430	24	??	24h	\$
ram:2431	61	??	61h	a
ram:2432	24	??	24h	\$
ram:2433	61	??	61h	a
ram:2434	24	??	24h	\$
ram:2435	68	??	68h	h
ram:2436	24	??	24h	\$
ram:2437	6d	??	6Dh	m
ram:2438	24	??	24h	\$
ram:2439	72	??	72h	r
ram:243a	24	??	24h	\$
ram:243b	77	??	77h	w
ram:243c	24	??	24h	\$
ram:243d	ba	??	BAh	
ram:243e	23	??	23h	#
ram:243f	c9	??	C9h	
ram:2440	20	??	20h	
ram:2441	81	??	81h	
ram:2442	24	??	24h	\$
ram:2443	7c	??	7Ch	
ram:2444	24	??	24h	\$
ram:2445	86	??	86h	
ram:2446	24	??	24h	\$
ram:2447	c9	??	C9h	
ram:2448	20	??	20h	
ram:2449	c9	??	C9h	
ram:244a	20	??	20h	
ram:244b	c9	??	C9h	
ram:244c	20	??	20h	
ram:244d	c9	??	C9h	
ram:244e	20	??	20h	
ram:244f	c9	??	C9h	
ram:2450	20	??	20h	
ram:2451	94	??	94h	
ram:2452	24	??	24h	\$
ram:2453	ba	??	BAh	
ram:2454	24	??	24h	\$
ram:2455	c9	??	C9h	
ram:2456	24	??	24h	\$
ram:2457	cf	??	CFh	
ram:2458	24	??	24h	\$
ram:2459	f8	??	F8h	
ram:245a	24	??	24h	\$
ram:245b	17	??	17h	
ram:245c	25	??	25h	%
ram:245d	c9	??	C9h	
ram:245e	20	??	20h	
ram:245f	c9	??	C9h	
ram:2460	20	??	20h	
ram:2461	e6	??	E6h	
ram:2462	0f	??	0Fh	
ram:2463	f6	??	F6h	
ram:2464	30	??	30h	0
ram:2465	c3	??	C3h	
ram:2466	31	??	31h	1
ram:2467	25	??	25h	%
ram:2468	3e	??	3Eh	>
ram:2469	2d	??	2Dh	-
ram:246a	c3	??	C3h	
ram:246b	31	??	31h	1
ram:246c	25	??	25h	%
ram:246d	3e	??	3Eh	>
ram:246e	2e	??	2Eh	.
ram:246f	c3	??	C3h	
ram:2470	31	??	31h	1
ram:2471	25	??	25h	%
ram:2472	3e	??	3Eh	>
ram:2473	20	??	20h	
ram:2474	c3	??	C3h	
ram:2475	31	??	31h	1
ram:2476	25	??	25h	%
ram:2477	3e	??	3Eh	>
ram:2478	0d	??	0Dh	
ram:2479	c3	??	C3h	
ram:247a	31	??	31h	1
ram:247b	25	??	25h	%
ram:247c	3e	??	3Eh	>
ram:247d	04	??	04h	
ram:247e	c3	??	C3h	

Ghidra - 961264-10.2764.u31

ram:247f	31	??	31h	1
ram:2480	25	??	25h	%
ram:2481	3e	??	3Eh	>
ram:2482	19	??	19h	
ram:2483	c3	??	C3h	
ram:2484	31	??	31h	1
ram:2485	25	??	25h	%
ram:2486	cd	??	CDh	
ram:2487	92	??	92h	
ram:2488	25	??	25h	%
ram:2489	da	??	DAh	
ram:248a	c9	??	C9h	
ram:248b	20	??	20h	
ram:248c	cd	??	CDh	
ram:248d	89	??	89h	
ram:248e	25	??	25h	%
ram:248f	3e	??	3Eh	>
ram:2490	4e	??	4Eh	N
ram:2491	c3	??	C3h	
ram:2492	31	??	31h	1
ram:2493	25	??	25h	%
ram:2494	21	??	21h	!
ram:2495	9e	??	9Eh	
ram:2496	24	??	24h	\$
ram:2497	22	??	22h	"
ram:2498	04	??	04h	
ram:2499	58	??	58h	X
ram:249a	2a	??	2Ah	*
ram:249b	0a	??	0Ah	
ram:249c	58	??	58h	X
ram:249d	e9	??	E9h	
ram:249e	21	??	21h	!
ram:249f	ba	??	BAh	
ram:24a0	21	??	21h	!
ram:24a1	22	??	22h	"
ram:24a2	04	??	04h	
ram:24a3	58	??	58h	X
ram:24a4	fe	??	FEh	
ram:24a5	f8	??	F8h	
ram:24a6	c2	??	C2h	
ram:24a7	ba	??	BAh	
ram:24a8	21	??	21h	!
ram:24a9	cd	??	CDh	
ram:24aa	de	??	DEh	
ram:24ab	36	??	36h	6
ram:24ac	cd	??	CDh	
ram:24ad	40	??	40h	@
ram:24ae	00	??	00h	
ram:24af	3e	??	3Eh	>
ram:24b0	01	??	01h	
ram:24b1	cd	??	CDh	
ram:24b2	b4	??	B4h	
ram:24b3	25	??	25h	%
ram:24b4	cd	??	CDh	
ram:24b5	55	??	55h	U
ram:24b6	37	??	37h	7
ram:24b7	c3	??	C3h	
ram:24b8	bd	??	BDh	
ram:24b9	20	??	20h	
ram:24ba	cd	??	CDh	
ram:24bb	d6	??	D6h	
ram:24bc	00	??	00h	
ram:24bd	cd	??	CDh	
ram:24be	bb	??	BBh	
ram:24bf	00	??	00h	
ram:24c0	da	??	DAh	
ram:24c1	bd	??	BDh	
ram:24c2	24	??	24h	\$
ram:24c3	cd	??	CDh	
ram:24c4	d9	??	D9h	
ram:24c5	00	??	00h	
ram:24c6	c3	??	C3h	
ram:24c7	c9	??	C9h	
ram:24c8	20	??	20h	
ram:24c9	cd	??	CDh	
ram:24ca	b8	??	B8h	
ram:24cb	3f	??	3Fh	?
ram:24cc	c3	??	C3h	
ram:24cd	c9	??	C9h	
ram:24ce	20	??	20h	
ram:24cf	3a	??	3Ah	:
ram:24d0	15	??	15h	
ram:24d1	58	??	58h	X
ram:24d2	a7	??	A7h	
ram:24d3	ca	??	CAh	

Ghidra - 961264-10.2764.u31

ram:24d4	df	??	DFh	
ram:24d5	24	??	24h	\$
ram:24d6	f3	??	F3h	
ram:24d7	af	??	AFh	
ram:24d8	32	??	32h	2
ram:24d9	15	??	15h	
ram:24da	58	??	58h	X
ram:24db	fb	??	FBh	
ram:24dc	cd	??	CDh	
ram:24dd	3c	??	3Ch	<
ram:24de	01	??	01h	
ram:24df	3a	??	3Ah	:
ram:24e0	20	??	20h	
ram:24e1	5f	??	5Fh	—
ram:24e2	fe	??	FEh	
ram:24e3	02	??	02h	
ram:24e4	ca	??	CAh	
ram:24e5	ed	??	EDh	
ram:24e6	24	??	24h	\$
ram:24e7	cd	??	CDh	
ram:24e8	fb	??	FBh	
ram:24e9	35	??	35h	5
ram:24ea	c3	??	C3h	
ram:24eb	c9	??	C9h	
ram:24ec	20	??	20h	
ram:24ed	3e	??	3Eh	>
ram:24ee	08	??	08h	
ram:24ef	cd	??	CDh	
ram:24f0	4f	??	4Fh	O
ram:24f1	00	??	00h	
ram:24f2	da	??	DAh	
ram:24f3	ef	??	EFh	
ram:24f4	24	??	24h	\$
ram:24f5	c3	??	C3h	
ram:24f6	c9	??	C9h	
ram:24f7	20	??	20h	
ram:24f8	3a	??	3Ah	:
ram:24f9	28	??	28h	(
ram:24fa	5f	??	5Fh	—
ram:24fb	a7	??	A7h	
ram:24fc	ca	??	CAh	
ram:24fd	11	??	11h	
ram:24fe	25	??	25h	%
ram:24ff	3d	??	3Dh	=
ram:2500	c2	??	C2h	
ram:2501	c9	??	C9h	
ram:2502	20	??	20h	
ram:2503	cd	??	CDh	
ram:2504	92	??	92h	
ram:2505	25	??	25h	%
ram:2506	da	??	DAh	
ram:2507	c9	??	C9h	
ram:2508	20	??	20h	
ram:2509	cd	??	CDh	
ram:250a	89	??	89h	
ram:250b	25	??	25h	%
ram:250c	3e	??	3Eh	>
ram:250d	69	??	69h	i
ram:250e	c3	??	C3h	
ram:250f	31	??	31h	1
ram:2510	25	??	25h	%
ram:2511	cd	??	CDh	
ram:2512	f0	??	F0h	
ram:2513	3e	??	3Eh	>
ram:2514	c3	??	C3h	
ram:2515	c9	??	C9h	
ram:2516	20	??	20h	
ram:2517	3a	??	3Ah	:
ram:2518	28	??	28h	(
ram:2519	5f	??	5Fh	—
ram:251a	3d	??	3Dh	=
ram:251b	c2	??	C2h	
ram:251c	c9	??	C9h	
ram:251d	20	??	20h	
ram:251e	cd	??	CDh	
ram:251f	92	??	92h	
ram:2520	25	??	25h	%
ram:2521	da	??	DAh	
ram:2522	c9	??	C9h	
ram:2523	20	??	20h	
ram:2524	cd	??	CDh	
ram:2525	89	??	89h	
ram:2526	25	??	25h	%
ram:2527	3e	??	3Eh	>
ram:2528	34	??	34h	4

Ghidra - 961264-10.2764.u31

```

ram:2529 cd      ??      CDh
ram:252a 57      ??      57h   W
ram:252b 25      ??      25h   %
ram:252c c3      ??      C3h
ram:252d 0c      ??      0Ch
ram:252e 25      ??      25h   %

LAB_ram_252f

XREF[5]: ram:234e(j), ram:2353(j),
ram:23f1(j), ram:23f6(j),
ram:23fb(j)

ram:252f e6 0f    ANI      0xf

LAB_ram_2531

XREF[5]: ram:21bc(j), ram:2413(j),
ram:2418(j), ram:2544(j),
ram:2554(j)

ram:2531 cd 57 25    CALL    terminal_character_output
ram:2534 c3 c9 20    JMP     LAB_ram_20c9

LAB_ram_2537

XREF[1]: ram:236c(j)
undefined FUN_ram_2592()

ram:2537 cd 92 25    CALL    FUN_ram_2592
ram:253a da c9 20    JC     LAB_ram_20c9
ram:253d 47          MOV     B,A
ram:253e cd 83 25    CALL    FUN_ram_2583
undefined FUN_ram_2583()
ram:2541 78          MOV     A,B
ram:2542 d6 40      SUI     0x40
ram:2544 c3 31 25    JMP     LAB_ram_2531

LAB_ram_2547

XREF[5]: ram:23d3(j), ram:23e2(j),
ram:23e7(j), ram:23ec(j),
ram:2405(j)
undefined FUN_ram_2592()

ram:2547 cd 92 25    CALL    FUN_ram_2592
ram:254a da c9 20    JC     LAB_ram_20c9
ram:254d 47          MOV     B,A
ram:254e cd 89 25    CALL    FUN_ram_2589
undefined FUN_ram_2589()
ram:2551 78          MOV     A,B
ram:2552 d6 70      SUI     0x70
ram:2554 c3 31 25    JMP     LAB_ram_2531

*****
* FUNCTION *
*****
undefined terminal_character_output()
undefined <UNASSIGNED> <RETURN>
terminal_character_output

XREF[11]: main_character_processor:2531(c),
FUN_ram_2583:2585(c),
FUN_ram_2589:258e(c),
ram:3465(c), ram:346a(c),
ram:3476(c), ram:347a(c),
ram:347f(c), ram:3496(c),
ram:349a(c), ram:349f(c)
= ??
= ??

ram:2557 32 12 58    STA     (BYTE_ram_5812)
ram:255a 3a 2b 5f    LDA     (BYTE_ram_5f2b)
ram:255d a7          ANA     A
ram:255e ca 66 25    JZ     LAB_ram_2566
ram:2561 3e 03      MVI     A,0x3
ram:2563 cd 75 36    CALL    write_character_with_cursor_wrap
undefined write_character_with_c...

LAB_ram_2566

XREF[2]: ram:255e(j), ram:256a(j)
= ??

ram:2566 3a 16 58    LDA     (BYTE_ram_5816)
ram:2569 a7          ANA     A
ram:256a c2 66 25    JNZ    LAB_ram_2566
ram:256d 3a 12 58    LDA     (BYTE_ram_5812)
= ??

LAB_ram_2570

XREF[1]: ram:2576(j)
undefined escape_sequence_parser()
undefined thunk_FUN_ram_0ed4()

ram:2570 cd fb 22    CALL    escape_sequence_parser
ram:2573 cd ca 00    CALL    thunk_FUN_ram_0ed4
ram:2576 da 70 25    JC     LAB_ram_2570
ram:2579 3a 32 5f    LDA     (BYTE_ram_5f32)
= ??
ram:257c 32 16 58    STA     (BYTE_ram_5816)
= ??
ram:257f 3a 12 58    LDA     (BYTE_ram_5812)
= ??
ram:2582 c9          RET

*****
* FUNCTION *
*****
undefined FUN_ram_2583()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2583

XREF[3]: main_character_processor:2404(c),
main_character_processor:253d(c),
FUN_ram_2589:2589(c)

ram:2583 3e 1b      MVI     A,0x1b
ram:2585 cd 57 25    CALL    terminal_character_output
undefined terminal_character_out...
ram:2588 c9          RET

```

```

*****
*                               *
*****
undefined FUN_ram_2589()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2589                                XREF[1]:  main_character_processor:254d(c)
ram:2589 cd 83 25      CALL      FUN_ram_2583      undefined FUN_ram_2583()
ram:258c 3e 5b        MVI       A,0x5b
ram:258e cd 57 25      CALL      terminal_character_output  undefined terminal_character_out...
ram:2591 c9           RET

*****
*                               *
*****
undefined FUN_ram_2592()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2592                                XREF[2]:  main_character_processor:2537(c),
                                                main_character_processor:2547(c)
ram:2592 f5          PUSH      AF
ram:2593 3a 22 5f      LDA       (BYTE_ram_5f22)          = ??
ram:2596 a7          ANA       A
ram:2597 ca 9d 25      JZ       LAB_ram_259d
ram:259a f1          POP       AF
ram:259b a7          ANA       A
ram:259c c9           RET

LAB_ram_259d                                XREF[1]:  ram:2597(j)
ram:259d f1          POP       AF
ram:259e 37          STC
ram:259f c9           RET

*****
*                               *
*****
undefined high_character_dispatch_table()
undefined <UNASSIGNED> <RETURN>
high_character_dispatch_table                XREF[1]:  main_character_processor:237d(c)
ram:25a0 47          MOV       B,A
ram:25a1 e6 0f        ANI       0xf
ram:25a3 c3 a9 25      JMP      LAB_ram_25a9

*****
*                               *
*****
undefined control_code_dispatch_table()
undefined <UNASSIGNED> <RETURN>
control_code_dispatch_table                  XREF[2]:  main_character_processor:217d(c),
                                                execute_control_character:241d(c)...
ram:25a6 47          MOV       B,A
ram:25a7 e6 1f        ANI       0x1f

LAB_ram_25a9                                XREF[1]:  ram:25a3(j)
ram:25a9 87          ADD       A
ram:25aa 5f          MOV       E,A
ram:25ab 16 00        MVI       D,0x0
ram:25ad 19          DAD       HL,DE
ram:25ae 5e          MOV       E,(HL=>DAT_ram_238b)        = 47h  G
                                                = 61h  a
ram:25af 23          INX       HL
ram:25b0 56          MOV       D,(HL=>DAT_ram_238c)        = 25h  %
                                                = 24h  $
ram:25b1 eb          XCHG
ram:25b2 78          MOV       A,B
ram:25b3 e9          PCHL

*****
*                               *
*****
undefined FUN_ram_25b4()
undefined <UNASSIGNED> <RETURN>
FUN_ram_25b4                                XREF[1]:  FUN_ram_37bb:381(c)
ram:25b4 f5          PUSH      AF
ram:25b5 c5          PUSH      BC
ram:25b6 d5          PUSH      DE
ram:25b7 e5          PUSH      HL
ram:25b8 47          MOV       B,A
ram:25b9 3d          DCR       A
ram:25ba c4 85 42      CNZ      FUN_ram_4285              undefined FUN_ram_4285()
ram:25bd c4 3c 01      CNZ      di_push_all              undefined di_push_all()
ram:25c0 3a 26 5f      LDA       (BYTE_ram_5f26)          = ??
ram:25c3 57          MOV       D,A
ram:25c4 3a 12 5f      LDA       (BYTE_ram_5f12)          = ??
ram:25c7 5f          MOV       E,A
ram:25c8 d5          PUSH      DE

```

Ghidra - 961264-10.2764.u31

```

ram:25c9 3a 31 5f      LDA      (BYTE_ram_5f31)      = ??
ram:25cc f5           PUSH     AF
ram:25cd 0e 01        MVI      C,0x1
ram:25cf 3a fe 58     LDA      (BYTE_ram_58fe)      = ??
ram:25d2 a7          ANA      A
ram:25d3 ca d7 25     JZ      LAB_ram_25d7
ram:25d6 0c          INR      C

LAB_ram_25d7
XREF[5]:  ram:25d3(j), ram:272f(j),
          ram:27e5(j), ram:27f1(j),
          ram:27f7(j)
          undefinedthunk_FUN_ram_14a6()
          undefinedclear_display_memory_r...

ram:25d7 cd 49 00     CALL     thunk_FUN_ram_14a6
ram:25da cd 09 01     CALL     clear_display_memory_range
ram:25dd 97          SUB      A
ram:25de cd a3 00     CALL     thunk_FUN_ram_1596
ram:25e1 21 1c 22     LXI      HL,0x221c
ram:25e4 cd 64 28     CALL     FUN_ram_2864
ram:25e7 21 27 22     LXI      HL,0x2227
ram:25ea cd 57 28     CALL     FUN_ram_2857
          undefinedFUN_ram_2857()

LAB_ram_25ed
XREF[1]:  ram:25f0(j)
          undefinedthunk_FUN_ram_1074()

ram:25ed cd 5b 00     CALL     thunk_FUN_ram_1074
ram:25f0 da ed 25     JC      LAB_ram_25ed

LAB_ram_25f3
XREF[1]:  ram:25f6(j)
          undefinedcheck_mem_5dbd_and_5d9d_return_val_in_A

ram:25f3 cd bb 00     CALL     check_mem_5dbd_and_5d9d_return_val_in_A
ram:25f6 d2 f3 25     JNC     LAB_ram_25f3
ram:25f9 3e 2f        MVI      A,0x2f

LAB_ram_25fb
XREF[1]:  ram:25fe(j)
          undefinedsend_keyboard_init_com...

ram:25fb cd 64 00     CALL     send_keyboard_init_command
ram:25fe da fb 25     JC      LAB_ram_25fb
ram:2601 16 06        MVI      D,0x6

LAB_ram_2603
XREF[2]:  ram:2606(j), ram:2610(j)
          undefinedcheck_mem_5dbd_and_5d9d_return_val_in_A
          LAB_ram_2603
          voidwrite_char_to_video_memory(...)
          voidadvance_cursor_position(void)

ram:2603 cd bb 00     CALL     check_mem_5dbd_and_5d9d_return_val_in_A
ram:2606 da 03 26     JC      LAB_ram_2603
ram:2609 cd a9 00     CALL     write_char_to_video_memory
ram:260c cd 76 00     CALL     advance_cursor_position
ram:260f 15          DCR      D
ram:2610 c2 03 26     JNZ     LAB_ram_2603
ram:2613 cd 3f 01     CALL     something_write_controlport2
ram:2616 c5          PUSH     BC
ram:2617 79          MOV      A,C
ram:2618 21 8f 28     LXI      HL,0x288f
ram:261b a7          ANA      A
ram:261c c2 22 26     JNZ     LAB_ram_2622
ram:261f 21 98 28     LXI      HL,0x2898

LAB_ram_2622
XREF[1]:  ram:261c(j)
          undefinedFUN_ram_2864()

ram:2622 cd 64 28     CALL     FUN_ram_2864
ram:2625 21 cb 28     LXI      HL,0x28cb
ram:2628 06 04        MVI      B,0x4
ram:262a ca 38 26     JZ      LAB_ram_2638
ram:262d 21 a1 28     LXI      HL,0x28a1
ram:2630 06 05        MVI      B,0x5
ram:2632 79          MOV      A,C
ram:2633 3d          DCR      A
ram:2634 ca 38 26     JZ      LAB_ram_2638
ram:2637 04          INR      B

LAB_ram_2638
XREF[3]:  ram:262a(j), ram:2634(j),
          ram:263c(j)
          undefinedFUN_ram_2857()

ram:2638 cd 57 28     CALL     FUN_ram_2857
ram:263b 05          DCR      B
ram:263c c2 38 26     JNZ     LAB_ram_2638
ram:263f c1          POP      BC
ram:2640 21 e9 28     LXI      HL,0x28e9
ram:2643 cd 57 28     CALL     FUN_ram_2857
ram:2646 cd 57 28     CALL     FUN_ram_2857
ram:2649 c3 60 26     JMP      LAB_ram_2660
          undefinedFUN_ram_2857()
          undefinedFUN_ram_2857()

LAB_ram_264c
XREF[4]:  ram:2695(j), ram:26a8(j),
          ram:26b6(j), ram:26bb(j)
          undefinedthunk_FUN_ram_1472()

ram:264c cd 97 00     CALL     thunk_FUN_ram_1472
ram:264f 54          MOV      D,H
ram:2650 1e 16        MVI      E,0x16
ram:2652 2e 38        MVI      L,0x38
ram:2654 97          SUB      A
ram:2655 cd 4e 01     CALL     thunk_FUN_ram_15f5
ram:2658 21 40 29     LXI      HL,0x2940
ram:265b 79          MOV      A,C
ram:265c a7          ANA      A
ram:265d c4 a2 01     CNZ     thunk_FUN_ram_1f2d
          undefinedthunk_FUN_ram_1f2d()

```


Ghidra - 961264-10.2764.u31

ram:2660 3a a1 28	LAB_ram_2660	LDA (DAT_ram_28a1)	XREF[1]:	ram:2649(j) = 0Ah
ram:2663 3d	DCR	A		
ram:2664 80	ADD	B		
ram:2665 67	MOV	H,A		
ram:2666 57	MOV	D,A		
ram:2667 1e 16	MVI	E,0x16		
ram:2669 2e 38	MVI	L,0x38		
ram:266b 3e 03	MVI	A,0x3		
ram:266d cd 4e 01	CALL	thunk_FUN_ram_15f5		undefinedthunk_FUN_ram_15f5()
ram:2670 cd 91 00	CALL	thunk_FUN_ram_1452		undefinedthunk_FUN_ram_1452()
	LAB_ram_2673		XREF[9]:	ram:268e(j), ram:269e(j), ram:26d1(j), ram:26e5(j), ram:2713(j), ram:271e(j), ram:2735(j), ram:27df(j), ram:27eb(j)
ram:2673 cd 97 00	CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472()
ram:2676 2e 3a	MVI	L,0x3a		
ram:2678 cd 91 00	CALL	thunk_FUN_ram_1452		undefinedthunk_FUN_ram_1452()
ram:267b cd 49 00	CALL	thunk_FUN_ram_14a6		undefinedthunk_FUN_ram_14a6()
	LAB_ram_267e		XREF[1]:	ram:2681(j) undefinedcheck_mem_5dbd_and_5d9d...
ram:267e cd bb 00	CALL	check_mem_5dbd_and_5d9d_return_val_in_A		
ram:2681 da 7e 26	JC	LAB_ram_267e		
ram:2684 50	MOV	D,B		
ram:2685 fe b2	CPI	0xb2		
ram:2687 c2 98 26	JNZ	LAB_ram_2698		
	LAB_ram_268a		XREF[1]:	ram:2691(j) undefinedFUN_ram_281e()
ram:268a 14	INR	D		
ram:268b cd 1e 28	CALL	FUN_ram_281e		
ram:268e da 73 26	JC	LAB_ram_2673		
ram:2691 ca 8a 26	JZ	LAB_ram_268a		
ram:2694 42	MOV	B,D		
ram:2695 c3 4c 26	JMP	LAB_ram_264c		
	LAB_ram_2698		XREF[1]:	ram:2687(j)
ram:2698 fe b1	CPI	0xb1		
ram:269a c2 ab 26	JNZ	LAB_ram_26ab		
	LAB_ram_269d		XREF[1]:	ram:26a4(j)
ram:269d 15	DCR	D		
ram:269e ca 73 26	JZ	LAB_ram_2673		
ram:26a1 cd 1e 28	CALL	FUN_ram_281e		undefinedFUN_ram_281e()
ram:26a4 ca 9d 26	JZ	LAB_ram_269d		
ram:26a7 42	MOV	B,D		
ram:26a8 c3 4c 26	JMP	LAB_ram_264c		
	LAB_ram_26ab		XREF[1]:	ram:269a(j)
ram:26ab fe b8	CPI	0xb8		
ram:26ad c2 be 26	JNZ	LAB_ram_26be		
ram:26b0 16 01	MVI	D,0x1		
ram:26b2 cd 1e 28	CALL	FUN_ram_281e		undefinedFUN_ram_281e()
ram:26b5 42	MOV	B,D		
ram:26b6 c2 4c 26	JNZ	LAB_ram_264c		
ram:26b9 06 02	MVI	B,0x2		
ram:26bb c3 4c 26	JMP	LAB_ram_264c		
	LAB_ram_26be		XREF[1]:	ram:26ad(j)
ram:26be fe ed	CPI	0xed		
ram:26c0 c2 16 27	JNZ	LAB_ram_2716		
ram:26c3 79	MOV	A,C		
ram:26c4 a7	ANA	A		
ram:26c5 c2 e8 26	JNZ	LAB_ram_26e8		
ram:26c8 78	MOV	A,B		
ram:26c9 fe 01	CPI	0x1		
ram:26cb c2 d6 26	JNZ	LAB_ram_26d6		
ram:26ce cd fd 27	CALL	FUN_ram_27fd		undefinedFUN_ram_27fd()
ram:26d1 da 73 26	JC	LAB_ram_2673		
ram:26d4 3e 01	MVI	A,0x1		
	LAB_ram_26d6		XREF[1]:	ram:26cb(j) undefinedFUN_ram_2847()
ram:26d6 cd 47 28	CALL	FUN_ram_2847		
ram:26d9 21 40 29	LXI	HL,0x2940		
ram:26dc ca e2 26	JZ	LAB_ram_26e2		
ram:26df 21 3c 29	LXI	HL,0x293c		
	LAB_ram_26e2		XREF[1]:	ram:26dc(j) undefinedthunk_FUN_ram_1f2d()
ram:26e2 cd a2 01	CALL	thunk_FUN_ram_1f2d		
ram:26e5 c3 73 26	JMP	LAB_ram_2673		
	LAB_ram_26e8		XREF[1]:	ram:26c5(j) undefinedthunk_FUN_ram_1498()
ram:26e8 cd 46 00	CALL	thunk_FUN_ram_1498		

Ghidra - 961264-10.2764.u31

ram:26eb	78	MOV	A,B		
ram:26ec	21 82 3b	LXI	HL,0x3b82		
ram:26ef	fe 01	CPI	0x1		
ram:26f1	ca e2 27	JZ	LAB_ram_27e2		
ram:26f4	21 05 3c	LXI	HL,0x3c05		
ram:26f7	fe 02	CPI	0x2		
ram:26f9	ca dc 27	JZ	LAB_ram_27dc		
ram:26fc	21 67 3d	LXI	HL,0x3d67		
ram:26ff	fe 03	CPI	0x3		
ram:2701	ca d9 27	JZ	LAB_ram_27d9		
ram:2704	fe 04	CPI	0x4		
ram:2706	ca e8 27	JZ	LAB_ram_27e8		
ram:2709	fe 05	CPI	0x5		
ram:270b	ca f4 27	JZ	LAB_ram_27f4		
ram:270e	fe 06	CPI	0x6		
ram:2710	ca fa 27	JZ	LAB_ram_27fa		
ram:2713	c3 73 26	JMP	LAB_ram_2673		
		LAB_ram_2716		XREF[1]:	ram:26c0(j)
ram:2716	fe fc	CPI	0xfc		
ram:2718	c2 21 27	JNZ	LAB_ram_2721		
ram:271b	cd f0 3e	CALL	FUN_ram_3ef0		undefined FUN_ram_3ef0()
ram:271e	c3 73 26	JMP	LAB_ram_2673		
		LAB_ram_2721		XREF[1]:	ram:2718(j)
ram:2721	fe db	CPI	0xdb		
ram:2723	c2 32 27	JNZ	LAB_ram_2732		
ram:2726	79	MOV	A,C		
ram:2727	a7	ANA	A		
ram:2728	ca 38 27	JZ	LAB_ram_2738		
ram:272b	0e 00	MVI	C,0x0		
ram:272d	06 01	MVI	B,0x1		
ram:272f	c3 d7 25	JMP	LAB_ram_25d7		
		LAB_ram_2732		XREF[1]:	ram:2723(j)
ram:2732	cd 55 00	CALL	thunk_FUN_ram_1061		undefined thunk_FUN_ram_1061()
ram:2735	c3 73 26	JMP	LAB_ram_2673		
		LAB_ram_2738		XREF[1]:	ram:2728(j)
ram:2738	3e 01	MVI	A,0x1		
ram:273a	cd 47 28	CALL	FUN_ram_2847		undefined FUN_ram_2847()
ram:273d	cc 5d 01	CZ	thunk_FUN_ram_12f7		undefined thunk_FUN_ram_12f7()
ram:2740	da 71 28	JC	LAB_ram_2871		
ram:2743	3e 02	MVI	A,0x2		
ram:2745	cd 47 28	CALL	FUN_ram_2847		undefined FUN_ram_2847()
ram:2748	c2 52 27	JNZ	LAB_ram_2752		
ram:274b	cd 5a 01	CALL	write_nvram_configuration		undefined write_nvram_configurat...
ram:274e	97	SUB	A		
ram:274f	32 1d 59	STA	(BYTE_ram_591d)		= ??
		LAB_ram_2752		XREF[1]:	ram:2748(j)
ram:2752	3e 03	MVI	A,0x3		
ram:2754	cd 47 28	CALL	FUN_ram_2847		undefined FUN_ram_2847()
ram:2757	cc cb 40	CZ	FUN_ram_40cb		undefined FUN_ram_40cb()
ram:275a	da 71 28	JC	LAB_ram_2871		
ram:275d	3e 04	MVI	A,0x4		
ram:275f	cd 47 28	CALL	FUN_ram_2847		undefined FUN_ram_2847()
ram:2762	cc 09 41	CZ	create_bit_pattern_display		undefined create_bit_pattern_dis...
ram:2765	cd 09 01	CALL	clear_display_memory_range		undefined clear_display_memory_r...
ram:2768	cd a6 00	CALL	thunk_FUN_ram_15a5		undefined thunk_FUN_ram_15a5()
ram:276b	cd 46 00	CALL	thunk_FUN_ram_1498		undefined thunk_FUN_ram_1498()
ram:276e	f1	POP	AF		
ram:276f	47	MOV	B,A		
ram:2770	3a 31 5f	LDA	(BYTE_ram_5f31)		= ??
ram:2773	b8	CMP	B		
ram:2774	ca 99 27	JZ	LAB_ram_2799		
ram:2777	da 85 27	JC	LAB_ram_2785		
ram:277a	3e 30	MVI	A,0x30		
		LAB_ram_277c		XREF[1]:	ram:277f(j)
ram:277c	cd 64 00	CALL	send_keyboard_init_command		undefined send_keyboard_init_com...
ram:277f	da 7c 27	JC	LAB_ram_277c		
ram:2782	c3 99 27	JMP	LAB_ram_2799		
		LAB_ram_2785		XREF[2]:	ram:2777(j), ram:278a(j)
ram:2785	3e 20	MVI	A,0x20		
ram:2787	cd 64 00	CALL	send_keyboard_init_command		undefined send_keyboard_init_com...
ram:278a	da 85 27	JC	LAB_ram_2785		
ram:278d	06 08	MVI	B,0x8		
		LAB_ram_278f		XREF[1]:	ram:2793(j)
ram:278f	cd c6 01	CALL	wait_vertical_sync		undefined wait_vertical_sync()
ram:2792	05	DCR	B		
ram:2793	c2 8f 27	JNZ	LAB_ram_278f		
ram:2796	cd bb 00	CALL	check_mem_5dbd_and_5d9d_return_val_in_A		undefined check_mem_5dbd_and_5d9...

Ghidra - 961264-10.2764.u31

```

LAB_ram_2799
ram:2799 cd 3f 01 CALL something_write_controlport2
ram:279c d1 POP DE
ram:279d 3a 1d 59 LDA (BYTE_ram_591d)
ram:27a0 a7 ANA A
ram:27a1 ca d4 27 JZ LAB_ram_27d4
ram:27a4 97 SUB A
ram:27a5 32 1d 59 STA (BYTE_ram_591d)
ram:27a8 3a 09 5f LDA (BYTE_ram_5f09)
ram:27ab 32 17 5f STA (BYTE_ram_5f17)
ram:27ae cd 85 42 CALL FUN_ram_4285
ram:27b1 cd 3c 01 CALL di_push_all
ram:27b4 cd 39 01 CALL configure_z80sio_channels
ram:27b7 cd 3c 40 CALL FUN_ram_403c
ram:27ba 3a 0e 5f LDA (BYTE_ram_5f0e)
ram:27bd a7 ANA A
ram:27be ca c6 27 JZ LAB_ram_27c6
ram:27c1 3e 02 MVI A,0x2
ram:27c3 32 26 5f STA (BYTE_ram_5f26)

LAB_ram_27c6
ram:27c6 3a 26 5f LDA (BYTE_ram_5f26)
ram:27c9 ba CMP D
ram:27ca c4 ab 3f CNZ FUN_ram_3fab
ram:27cd 3a 12 5f LDA (BYTE_ram_5f12)
ram:27d0 bb CMP E
ram:27d1 c4 ab 3f CNZ FUN_ram_3fab

LAB_ram_27d4
ram:27d4 e1 POP HL
ram:27d5 d1 POP DE
ram:27d6 c1 POP BC
ram:27d7 f1 POP AF
ram:27d8 c9 RET

LAB_ram_27d9
ram:27d9 32 1d 59 STA (BYTE_ram_591d)

LAB_ram_27dc
ram:27dc cd fd 27 CALL FUN_ram_27fd
ram:27df da 73 26 JC LAB_ram_2673

LAB_ram_27e2
ram:27e2 cd 60 01 CALL thunk_FUN_ram_1a25
ram:27e5 c3 d7 25 JMP LAB_ram_25d7

LAB_ram_27e8
ram:27e8 cd 08 28 CALL FUN_ram_2808
ram:27eb da 73 26 JC LAB_ram_2673
ram:27ee cd 63 01 CALL thunk_FUN_ram_1c62
ram:27f1 c3 d7 25 JMP LAB_ram_25d7

LAB_ram_27f4
ram:27f4 cd c0 41 CALL FUN_ram_41c0
ram:27f7 c3 d7 25 JMP LAB_ram_25d7

LAB_ram_27fa
ram:27fa cd 20 38 CALL FUN_ram_3820

*****
* FUNCTION *
*****
undefined FUN_ram_27fd()
undefined <UNASSIGNED> <RETURN>
FUN_ram_27fd
XREF[2]: FUN_ram_25b4:26ce(c),
FUN_ram_25b4:27dc(c)
= ??

ram:27fd 3a 0b 5e LDA (BYTE_ram_5e0b)
ram:2800 a7 ANA A
ram:2801 c8 RZ
ram:2802 21 33 29 LXI HL,0x2933
ram:2805 c3 10 28 JMP LAB_ram_2810

*****
* FUNCTION *
*****
undefined FUN_ram_2808()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2808
XREF[1]: FUN_ram_25b4:27e8(c)
= ??

ram:2808 3a 27 5f LDA (BYTE_ram_5f27)
ram:280b a7 ANA A
ram:280c c8 RZ
ram:280d 21 3a 29 LXI HL,0x293a

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_2810
ram:2810 3e 08      MVI      A,0x8
ram:2812 cd a3 00      CALL     thunk_FUN_ram_1596
ram:2815 cd a2 01      CALL     thunk_FUN_ram_1f2d
ram:2818 97          SUB      A
ram:2819 cd a3 00      CALL     thunk_FUN_ram_1596
ram:281c 37          STC
ram:281d c9          RET

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_281e()
undefined <UNASSIGNED> <RETURN>
FUN_ram_281e
XREF[3]:  FUN_ram_25b4:268b(c),
          FUN_ram_25b4:26a1(c),
          FUN_ram_25b4:26b2(c)

ram:281e 79          MOV      A,C
ram:281f c6 04      ADI      0x4
ram:2821 ba          CMP      D
ram:2822 d8          RC
ram:2823 7a          MOV      A,D
ram:2824 3d          DCR      A
ram:2825 ca 45 28      JZ      LAB_ram_2845
ram:2828 3d          DCR      A
ram:2829 ca 40 28      JZ      LAB_ram_2840
ram:282c 3d          DCR      A
ram:282d ca 3b 28      JZ      LAB_ram_283b
ram:2830 3d          DCR      A
ram:2831 ca 36 28      JZ      LAB_ram_2836
ram:2834 a7          ANA      A
ram:2835 c9          RET

LAB_ram_2836
ram:2836 3e 03      MVI      A,0x3
ram:2838 c3 47 28      JMP      FUN_ram_2847

LAB_ram_283b
ram:283b 3e 04      MVI      A,0x4
ram:283d c3 47 28      JMP      FUN_ram_2847

LAB_ram_2840
ram:2840 3e 01      MVI      A,0x1
ram:2842 c3 47 28      JMP      FUN_ram_2847

LAB_ram_2845
ram:2845 3e 02      MVI      A,0x2

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_2847()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2847
XREF[8]:  FUN_ram_25b4:26d6(c),
          FUN_ram_25b4:273a(c),
          FUN_ram_25b4:2745(c),
          FUN_ram_25b4:2754(c),
          FUN_ram_25b4:275f(c),
          FUN_ram_281e:2838(j),
          FUN_ram_281e:283d(j),
          FUN_ram_281e:2842(j)

ram:2847 21 a1 28      LXI      HL,0x28a1
ram:284a 86          ADD      (HL=>DAT_ram_28a1)
ram:284b 3d          DCR      A
ram:284c 67          MOV      H,A
ram:284d 2e 3a      MVI      L,0x3a
ram:284f cd 42 01      CALL     thunk_FUN_ram_1634
ram:2852 fe 79      CPI      0x79
ram:2854 37          STC
ram:2855 3f          CMC
ram:2856 c9          RET

*****
*                               *
*                               *
*                               *
*****
undefined FUN_ram_2857()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2857
XREF[5]:  FUN_ram_25b4:25ea(c),
          FUN_ram_25b4:2638(c),
          FUN_ram_25b4:2643(c),
          FUN_ram_25b4:2646(c),
          FUN_ram_25b4:287e(c)

ram:2857 56          MOV      D,(HL)
ram:2858 23          INX      HL

```

Ghidra - 961264-10.2764.u31

```

ram:2859 5e      MOV      E, (HL)
ram:285a 23      INX      HL
ram:285b eb      XCHG
ram:285c cd 91 00 CALL      thunk_FUN_ram_1452      undefinedthunk_FUN_ram_1452()
ram:285f eb      XCHG
ram:2860 cd a2 01 CALL      thunk_FUN_ram_1f2d      undefinedthunk_FUN_ram_1f2d()
ram:2863 c9      RET

*****
*                               *
*                               *
*****
undefined FUN_ram_2864()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_2864                                XREF[2]:  FUN_ram_25b4:25e4(c),
                                                FUN_ram_25b4:2622(c)

ram:2864 56      MOV      D, (HL)
ram:2865 23      INX      HL
ram:2866 5e      MOV      E, (HL)
ram:2867 23      INX      HL
ram:2868 eb      XCHG
ram:2869 cd 91 00 CALL      thunk_FUN_ram_1452      undefinedthunk_FUN_ram_1452()
ram:286c eb      XCHG
ram:286d cd a5 01 CALL      thunk_FUN_ram_1ef1      undefinedthunk_FUN_ram_1ef1()
ram:2870 c9      RET

LAB_ram_2871                                XREF[6]:  ram:2740(j), ram:275a(j),
                                                ram:2e86(j),
                                                FUN_ram_3820:3829(j),
                                                FUN_ram_3820:383f(j),
                                                FUN_ram_3820:3847(j)

ram:2871 26 19    MVI      H, 0x19
ram:2873 cd 06 01 CALL      thunk_FUN_ram_1726      undefinedthunk_FUN_ram_1726()
ram:2876 3e 09    MVI      A, 0x9
ram:2878 cd a3 00 CALL      thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()
ram:287b 21 4b 29 LXI      HL, 0x294b
ram:287e cd 57 28 CALL      FUN_ram_2857      undefined FUN_ram_2857()

LAB_ram_2881                                XREF[1]:  ram:2889(j)

ram:2881 3e 24    MVI      A, 0x24
ram:2883 cd 64 00 CALL      send_keyboard_init_command undefinedsend_keyboard_init_com...
ram:2886 cd bb 00 CALL      check_mem_5dbd_and_5d9d_return_val_in_A undefinedcheck_mem_5dbd_and_5d9...
ram:2889 da 81 28 JC       LAB_ram_2881

LAB_ram_288c                                XREF[1]:  ram:288c(j)

ram:288c c3 8c 28 JMP      LAB_ram_288c
ram:288f 08      ??      08h
ram:2890 14      ??      14h
ram:2891 be      ??      BEh
ram:2892 20      ??      20h
ram:2893 4d      ??      4Dh    M
ram:2894 45      ??      45h    E
ram:2895 4e      ??      4Eh    N
ram:2896 55      ??      55h    U
ram:2897 00      ??      00h
ram:2898 08      ??      08h
ram:2899 14      ??      14h
ram:289a be      ??      BEh
ram:289b 20      ??      20h
ram:289c 45      ??      45h    E
ram:289d 58      ??      58h    X
ram:289e 49      ??      49h    I
ram:289f 54      ??      54h    T
ram:28a0 00      ??      00h

DAT_ram_28a1                                XREF[2]:  FUN_ram_25b4:2660(R),
                                                FUN_ram_2847:284a(R)

ram:28a1 0a      undefined1 0Ah
ram:28a2 1d      ??      1Dh
ram:28a3 b8      ??      B8h
ram:28a4 b7      ??      B7h
ram:28a5 00      ??      00h
ram:28a6 0b      ??      0Bh
ram:28a7 1d      ??      1Dh
ram:28a8 b9      ??      B9h
ram:28a9 b7      ??      B7h
ram:28aa 00      ??      00h
ram:28ab 0c      ??      0Ch
ram:28ac 1d      ??      1Dh
ram:28ad 93      ??      93h
ram:28ae b7      ??      B7h
ram:28af 00      ??      00h
ram:28b0 0d      ??      0Dh
ram:28b1 1d      ??      1Dh
ram:28b2 ba      ??      BAh
ram:28b3 2d      ??      2Dh    -

```

Ghidra - 961264-10.2764.u31

```

ram:28b4 85      ??      85h
ram:28b5 73      ??      73h      s
ram:28b6 00      ??      00h
ram:28b7 0e      ??      0Eh
ram:28b8 1d      ??      1Dh
ram:28b9 bb      ??      BBh
ram:28ba 00      ??      00h
ram:28bb 0f      ??      0Fh
ram:28bc 1d      ??      1Dh
ram:28bd 41 6c 74 ds      "Alternative ",8Bh
        65 72 6e
        61 74 69 ...
ram:28cb 0a 17 4d ds      "\n",17h,"Make ",B7h,BCh
        61 6b 65
        20 b7 bc 00
ram:28d5 0b 17 bd ds      "\v",17h,BDh,B7h
        b7 00
ram:28da 0c 17 4d ds      "\f",17h,"Make ",BBh,BCh
        61 6b 65
        20 bb bc 00
ram:28e4 0d 17 bd ds      "\r",17h,BDh,BBh
        bb 00
ram:28e9 11      ??      11h
ram:28ea 16      ??      16h
ram:28eb 53 65 6c ds      "Selection: Cursor up and down keys"
        65 63 74
        69 6f 6e ...
ram:290e 12      ??      12h
ram:290f 16      ??      16h
ram:2910 45 6e 74 ds      "Enter:  ENTER key  Exit:  ESC key"
        65 72 3a
        20 20 45 ...
ram:2933 4c 6f 63 ds      "Locked"
        6b 65 64 00
ram:293a bf 00 ds      BFh
ram:293c 79 65 73 00 ds      "yes"
ram:2940 20 20 20 ds      "      "
        20 20 20
        20 20 20 ...
ram:294b 19      ??      19h
ram:294c 01      ??      01h

        nvram_error_message
ram:294d 45 72 72 ds      "Error in EAROM, call System Operator."
        6f 72 20
        69 6e 20 ...
ram:2973 c9      ??      C9h
ram:2974 20      ??      20h
ram:2975 c9      ??      C9h
ram:2976 20      ??      20h
ram:2977 b3      ??      B3h
ram:2978 29      ??      29h      )
ram:2979 b9      ??      B9h
ram:297a 29      ??      29h      )
ram:297b bf      ??      BFh
ram:297c 29      ??      29h      )
ram:297d ed      ??      EDh
ram:297e 29      ??      29h      )
ram:297f 05      ??      05h
ram:2980 2a      ??      2Ah      *
ram:2981 13      ??      13h
ram:2982 2a      ??      2Ah      *
ram:2983 1c      ??      1Ch
ram:2984 2a      ??      2Ah      *
ram:2985 6c      ??      6Ch      l
ram:2986 2a      ??      2Ah      *
ram:2987 a1      ??      A1h
ram:2988 2a      ??      2Ah      *
ram:2989 bd      ??      BDh
ram:298a 2a      ??      2Ah      *
ram:298b c9      ??      C9h
ram:298c 2a      ??      2Ah      *
ram:298d dc      ??      DCh
ram:298e 2a      ??      2Ah      *
ram:298f f1      ??      F1h
ram:2990 2a      ??      2Ah      *
ram:2991 b7      ??      B7h
ram:2992 2b      ??      2Bh      +
ram:2993 c8      ??      C8h
ram:2994 2b      ??      2Bh      +
ram:2995 c9      ??      C9h
ram:2996 20      ??      20h
ram:2997 c9      ??      C9h
ram:2998 20      ??      20h
ram:2999 c9      ??      C9h

```

Ghidra - 961264-10.2764.u31

```

ram:299a 20      ??      20h
ram:299b c9      ??      C9h
ram:299c 20      ??      20h
ram:299d 10      ??      10h
ram:299e 2c      ??      2Ch
ram:299f 25      ??      25h
ram:29a0 2c      ??      2Ch
ram:29a1 32      ??      32h
ram:29a2 2c      ??      2Ch
ram:29a3 5f      ??      5Fh
ram:29a4 2c      ??      2Ch
ram:29a5 65      ??      65h
ram:29a6 2c      ??      2Ch
ram:29a7 c9      ??      C9h
ram:29a8 20      ??      20h
ram:29a9 7b      ??      7Bh
ram:29aa 2c      ??      2Ch
ram:29ab 9b      ??      9Bh
ram:29ac 2c      ??      2Ch
ram:29ad a7      ??      A7h
ram:29ae 2c      ??      2Ch
ram:29af c9      ??      C9h
ram:29b0 20      ??      20h
ram:29b1 c9      ??      C9h
ram:29b2 20      ??      20h
ram:29b3 cd 43 00 CALL      thunk_FUN_ram_1489
ram:29b6 c3 c9 20 JMP      LAB_ram_20c9
ram:29b9 cd 40 00 CALL      thunk_FUN_ram_1476
ram:29bc c3 c9 20 JMP      LAB_ram_20c9
ram:29bf cd 6a 00 CALL      thunk_FUN_ram_134c
ram:29c2 cd 97 00 CALL      thunk_FUN_ram_1472
ram:29c5 3a 24 5f LDA      (BYTE_ram_5f24)
ram:29c8 fe 02   CPI      0x2
ram:29ca ca d3 29 JZ      LAB_ram_29d3

LAB_ram_29cd
ram:29cd cd 06 01 CALL      thunk_FUN_ram_1726
ram:29d0 c3 c9 20 JMP      LAB_ram_20c9

LAB_ram_29d3
ram:29d3 3a 18 58 LDA      (BYTE_ram_5818)
ram:29d6 fe 48   CPI      0x48
ram:29d8 ca cd 29 JZ      LAB_ram_29cd
ram:29db cd 76 00 CALL      advance_cursor_position
ram:29de 2e 4e   MVI      L,0x4e
ram:29e0 3e 20   MVI      A,0x20

LAB_ram_29e2
ram:29e2 cd 45 01 CALL      thunk_FUN_ram_1650
ram:29e5 2d      DCR      L
ram:29e6 2d      DCR      L
ram:29e7 c2 e2 29 JNZ      LAB_ram_29e2
ram:29ea c3 c9 20 JMP      LAB_ram_20c9
ram:29ed 3a 4d 58 LDA      (BYTE_ram_584d)
ram:29f0 47      MOV      B,A
ram:29f1 e6 01   ANI      0x1
ram:29f3 c2 c9 20 JNZ      LAB_ram_20c9
ram:29f6 3e 01   MVI      A,0x1

LAB_ram_29f8
ram:29f8 cd 4c 00 CALL      check_display_attribute_port
ram:29fb da f8 29 JC      LAB_ram_29f8

LAB_ram_29fe
ram:29fe b0      ORA      B
ram:29ff 32 4d 58 STA      (BYTE_ram_584d)
ram:2a02 c3 c9 20 JMP      LAB_ram_20c9
ram:2a05 3a 4d 58 LDA      (BYTE_ram_584d)
ram:2a08 47      MOV      B,A
ram:2a09 e6 02   ANI      0x2
ram:2a0b c2 c9 20 JNZ      LAB_ram_20c9
ram:2a0e 3e 02   MVI      A,0x2
ram:2a10 c3 f8 29 JMP      LAB_ram_29f8

LAB_ram_2a13
ram:2a13 cd 55 00 CALL      thunk_FUN_ram_1061
ram:2a16 da 13 2a JC      LAB_ram_2a13
ram:2a19 c3      ??      C3h
ram:2a1a c9      ??      C9h
ram:2a1b 20      RIM
ram:2a1c 3a 18 58 LDA      (BYTE_ram_5818)
ram:2a1f fe 48   CPI      0x48
ram:2a21 c2 3a 2a JNZ      LAB_ram_2a3a
ram:2a24 cd 7f 00 CALL      thunk_FUN_ram_13ca
ram:2a27 d2 c9 20 JNC      LAB_ram_20c9

XREF[1]: ram:29d8(j)
          undefinedthunk_FUN_ram_1489()
          undefinedthunk_FUN_ram_1476()
          undefinedthunk_FUN_ram_134c()
          undefinedthunk_FUN_ram_1472()
          = ??

XREF[1]: ram:29ca(j)
          = ??

voidadvance_cursor_position(void)

XREF[1]: ram:29e7(j)
          undefinedthunk_FUN_ram_1650()

XREF[2]: ram:29fb(j), ram:2a10(j)
          undefinedcheck_display_attribut...

XREF[1]: ram:2c22(j)
          = ??
          = ??

XREF[1]: ram:2a16(j)
          undefinedthunk_FUN_ram_1061()
          = ??
          undefinedthunk_FUN_ram_13ca()

```

Ghidra - 961264-10.2764.u31

```

ram:2a2a 3a 1f 5f    LDA      (BYTE_ram_5f1f)           = ??
ram:2a2d a7         ANA      A
ram:2a2e ca c9 20    JZ       LAB_ram_20c9
ram:2a31 cd 82 00    CALL     thunk_FUN_ram_13d6      undefinedthunk_FUN_ram_13d6()
ram:2a34 cd e9 36    CALL     FUN_ram_36e9             undefinedFUN_ram_36e9()
ram:2a37 c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2a3a
ram:2a3a cd 82 00    CALL     thunk_FUN_ram_13d6      undefinedthunk_FUN_ram_13d6()
ram:2a3d cd 7f 00    CALL     thunk_FUN_ram_13ca      undefinedthunk_FUN_ram_13ca()
ram:2a40 d2 c9 20    JNC      LAB_ram_20c9
ram:2a43 3a 1f 5f    LDA      (BYTE_ram_5f1f)           = ??
ram:2a46 a7         ANA      A
ram:2a47 ca 66 2a    JZ       LAB_ram_2a66
ram:2a4a cd 82 00    CALL     thunk_FUN_ram_13d6      undefinedthunk_FUN_ram_13d6()
ram:2a4d da 66 2a    JC       LAB_ram_2a66
ram:2a50 cd e9 36    CALL     FUN_ram_36e9             undefinedFUN_ram_36e9()
ram:2a53 3a 18 58    LDA      (BYTE_ram_5818)           = ??
ram:2a56 fe 48       CPI      0x48
ram:2a58 c2 c9 20    JNZ      LAB_ram_20c9
ram:2a5b cd 97 00    CALL     thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:2a5e 2e 50       MVI      L,0x50
ram:2a60 cd 94 00    CALL     update_cursor_addresses undefinedupdate_cursor_addresse...
ram:2a63 c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2a66
ram:2a66 cd 76 00    CALL     advance_cursor_position voidadvance_cursor_position(void)
ram:2a69 c3 c9 20    JMP      LAB_ram_20c9
ram:2a6c 3a 22 5f    LDA      (BYTE_ram_5f22)           = ??
ram:2a6f a7         ANA      A
ram:2a70 ca c9 20    JZ       LAB_ram_20c9
ram:2a73 3a 18 58    LDA      (BYTE_ram_5818)           = ??
ram:2a76 fe 48       CPI      0x48
ram:2a78 c2 81 2a    JNZ      LAB_ram_2a81
ram:2a7b cd 67 41    CALL     FUN_ram_4167             undefinedFUN_ram_4167()
ram:2a7e c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2a81
ram:2a81 cd 97 00    CALL     thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:2a84 7d         MOV      A,L
ram:2a85 a7         ANA      A
ram:2a86 1f         RAR
ram:2a87 6f         MOV      L,A
ram:2a88 cd 94 00    CALL     update_cursor_addresses undefinedupdate_cursor_addresse...
ram:2a8b cd 67 41    CALL     FUN_ram_4167             undefinedFUN_ram_4167()
ram:2a8e cd 97 00    CALL     thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:2a91 7d         MOV      A,L
ram:2a92 fe 28       CPI      0x28
ram:2a94 da 99 2a    JC       LAB_ram_2a99
ram:2a97 3e 27       MVI      A,0x27

LAB_ram_2a99
ram:2a99 07         RLC
ram:2a9a 6f         MOV      L,A
ram:2a9b cd 94 00    CALL     update_cursor_addresses undefinedupdate_cursor_addresse...
ram:2a9e c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2aa1
ram:2aa1 cd d1 36    CALL     FUN_ram_36d1             undefinedFUN_ram_36d1()
ram:2aa4 cd 8e 00    CALL     thunk_FUN_ram_1429      undefinedthunk_FUN_ram_1429()
ram:2aa7 da b0 2a    JC       LAB_ram_2ab0
ram:2aaa cd e9 36    CALL     FUN_ram_36e9             undefinedFUN_ram_36e9()
ram:2aad c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2ab0
ram:2ab0 3a 29 5f    LDA      (BYTE_ram_5f29)           = ??
ram:2ab3 a7         ANA      A
ram:2ab4 c2 c9 20    JNZ      LAB_ram_20c9
ram:2ab7 cd a5 36    CALL     FUN_ram_36a5             undefinedFUN_ram_36a5()
ram:2aba c3 c9 20    JMP      LAB_ram_20c9
ram:2abd cd 8e 00    CALL     thunk_FUN_ram_1429      undefinedthunk_FUN_ram_1429()
ram:2ac0 da c9 20    JC       LAB_ram_20c9
ram:2ac3 cd e9 36    CALL     FUN_ram_36e9             undefinedFUN_ram_36e9()
ram:2ac6 c3 c9 20    JMP      LAB_ram_20c9
ram:2ac9 cd d1 36    CALL     FUN_ram_36d1             undefinedFUN_ram_36d1()
ram:2acc 3a 28 5f    LDA      (BYTE_ram_5f28)           = ??
ram:2acf fe 02       CPI      0x2
ram:2ad1 3e 0c       MVI      A,0xc
ram:2ad3 cc 97 3f    CZ       FUN_ram_3f97             undefinedFUN_ram_3f97()
ram:2ad6 cd a5 36    CALL     FUN_ram_36a5             undefinedFUN_ram_36a5()
ram:2ad9 c3 c9 20    JMP      LAB_ram_20c9
ram:2adc cd 6a 00    CALL     thunk_FUN_ram_134c      undefinedthunk_FUN_ram_134c()
ram:2adf 3a 18 58    LDA      (BYTE_ram_5818)           = ??
ram:2ae2 fe 48       CPI      0x48
ram:2ae4 c4 76 00    CNZ      advance_cursor_position voidadvance_cursor_position(void)

```


Ghidra - 961264-10.2764.u31

```

ram:2ae7 3a 21 5f    LDA        (BYTE_ram_5f21)                = ??
ram:2aea a7         ANA        A
ram:2aeb ca c9 20    JZ         LAB_ram_20c9
ram:2aee c3 a1 2a    JMP        LAB_ram_2aa1
ram:2af1 3a 24 5f    LDA        (BYTE_ram_5f24)                = ??
ram:2af4 a7         ANA        A
ram:2af5 ca 0e 2b    JZ         LAB_ram_2b0e
ram:2af8 3d         DCR        A
ram:2af9 c2 c9 20    JNZ        LAB_ram_20c9
ram:2afc cd 35 2b    CALL       calculate_character_attribute_code    undefinedcalculate_character_at...
ram:2aff da c9 20    JC         LAB_ram_20c9
ram:2b02 cd a3 00    CALL       thunk_FUN_ram_1596    undefinedthunk_FUN_ram_1596()
ram:2b05 32 1a 58    STA        (BYTE_ram_581a)                = ??
ram:2b08 32         ??         32h    2
ram:2b09 1b         DCX        DE
ram:2b0a 58         MOV        B,B
ram:2b0b c3 c9 20    JMP        LAB_ram_20c9

LAB_ram_2b0e
ram:2b0e 21 14 2b    LXI        HL,0x2b14
ram:2b11 c3 c6 20    JMP        LAB_ram_20c6

LAB_ram_2b14
ram:2b14 cd 4c 2b    CALL       FUN_ram_2b4c
ram:2b17 d2 c9 20    JNC        LAB_ram_20c9
ram:2b1a fe 0f       CPI        0xf
ram:2b1c ca 2c 2b    JZ         LAB_ram_2b2c
ram:2b1f fe 1b       CPI        0x1b
ram:2b21 ca c9 20    JZ         LAB_ram_20c9
ram:2b24 fe 20       CPI        0x20
ram:2b26 da 6f 21    JC         LAB_ram_216f
ram:2b29 c3 c9 20    JMP        LAB_ram_20c9

LAB_ram_2b2c
ram:2b2c 21 5f 21    LXI        HL,0x215f
ram:2b2f 22 02 58    SHLD       (BYTE_ram_5802)                = ??
ram:2b32 c3 c6 20    JMP        LAB_ram_20c6

*****
*                               FUNCTION                               *
*****
undefined calculate_character_attribute_cod4()
undefined <UNASSIGNED> <RETURN>
calculate_character_attribute_code    XREF[2]:    ram:2afc(c),
                                         initialize_terminal_display_mod...
                                         = ??

ram:2b35 3a 2c 5f    LDA        (BYTE_ram_5f2c)
ram:2b38 a7         ANA        A
ram:2b39 ca 47 2b    JZ         LAB_ram_2b47
ram:2b3c fe 0e       CPI        0xe
ram:2b3e d2 4a 2b    JNC        LAB_ram_2b4a
ram:2b41 fe 05       CPI        0x5
ram:2b43 d0         RNC
ram:2b44 3d         DCR        A
ram:2b45 a7         ANA        A
ram:2b46 c9         RET

LAB_ram_2b47
ram:2b47 3e 04       MVI        A,0x4
ram:2b49 c9         RET

LAB_ram_2b4a
ram:2b4a 37         STC
ram:2b4b c9         RET

*****
*                               FUNCTION                               *
*****
undefined FUN_ram_2b4c()
undefined <UNASSIGNED> <RETURN>
FUN_ram_2b4c    XREF[3]:    main_character_processor:21a1(c),
                                         main_character_processor:2b14(c),
                                         ram:2baa(j)

ram:2b4c fe 50       CPI        0x50
ram:2b4e da 84 2b    JC         LAB_ram_2b84
ram:2b51 fe 70       CPI        0x70
ram:2b53 da 9b 2b    JC         LAB_ram_2b9b
ram:2b56 fe 7f       CPI        0x7f
ram:2b58 d2 a5 2b    JNC        LAB_ram_2ba5
ram:2b5b af         XRA        A

LAB_ram_2b5c
ram:2b5c 47         MOV        B,A
ram:2b5d f6 10       ORI        0x10

```

Ghidra - 961264-10.2764.u31

```

ram:2b5f cd a9 00    CALL    write_char_to_video_memory      voidwrite_char_to_video_memory(...)
ram:2b62 3e 0f      MVI     A,0xf
ram:2b64 cd 9d 00    CALL    thunk_FUN_ram_15d9      undefinedthunk_FUN_ram_15d9()
ram:2b67 2a 0e 58    LHLD    (BYTE_ram_580e)        = ??
ram:2b6a eb          XCHG
ram:2b6b cd 97 00    CALL    thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:2b6e 7c          MOV     A,H
ram:2b6f ba          CMP     D
ram:2b70 c2 75 2b    JNZ     LAB_ram_2b75
ram:2b73 7d          MOV     A,L
ram:2b74 bb          CMP     E

LAB_ram_2b75
ram:2b75 d2 7f 2b    JNC     LAB_ram_2b7f
ram:2b78 22 0e 58    SHLD    (BYTE_ram_580e)        = ??
ram:2b7b 78          MOV     A,B
ram:2b7c 32 10 58    STA     (BYTE_ram_5810)        = ??

LAB_ram_2b7f
ram:2b7f cd 2c 36    CALL    FUN_ram_362c           undefinedFUN_ram_362c()
ram:2b82 a7          ANA     A
ram:2b83 c9          RET

LAB_ram_2b84
ram:2b84 fe 30      CPI     0x30
ram:2b86 da 93 2b    JC      LAB_ram_2b93
ram:2b89 fe 40      CPI     0x40
ram:2b8b da b2 2b    JC      LAB_ram_2bb2
ram:2b8e 3e 01      MVI     A,0x1
ram:2b90 c3 5c 2b    JMP     LAB_ram_2b5c

LAB_ram_2b93
ram:2b93 fe 20      CPI     0x20
ram:2b95 d8          RC
ram:2b96 3e 02      MVI     A,0x2
ram:2b98 c3 5c 2b    JMP     LAB_ram_2b5c

LAB_ram_2b9b
ram:2b9b fe 60      CPI     0x60
ram:2b9d da ad 2b    JC      LAB_ram_2bad
ram:2ba0 3e 0f      MVI     A,0xf
ram:2ba2 c3 5c 2b    JMP     LAB_ram_2b5c

LAB_ram_2ba5
ram:2ba5 fe 80      CPI     0x80
ram:2ba7 d8          RC
ram:2ba8 e6 7f      ANI     0x7f
ram:2baa c3 4c 2b    JMP     FUN_ram_2b4c

LAB_ram_2bad
ram:2bad 3e 04      MVI     A,0x4
ram:2baf c3 5c 2b    JMP     LAB_ram_2b5c

LAB_ram_2bb2
ram:2bb2 3e 08      MVI     A,0x8
ram:2bb4 c3 5c 2b    JMP     LAB_ram_2b5c
ram:2bb7 3a 24 5f    LDA     (BYTE_ram_5f24)        = ??
ram:2bba 3d          DCR     A
ram:2bbb c2 c9 20    JNZ     LAB_ram_20c9
ram:2bbe af          XRA     A
ram:2bbf cd a3 00    CALL    thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()
ram:2bc2 32 1b 58    STA     (DAT_ram_581b)        = ??
ram:2bc5 c3 c9 20    JMP     LAB_ram_20c9
ram:2bc8 2a 00 58    LHLD    (BYTE_ram_5800)        = ??
ram:2bcb 22 02 58    SHLD    (BYTE_ram_5802)        = ??
ram:2bce 21 d4 2b    LXI     HL,0x2bd4
ram:2bd1 c3 c6 20    JMP     LAB_ram_20c6
ram:2bd4 e6 1f      ANI     0x1f
ram:2bd6 32 4e 58    STA     (DAT_ram_584e)        = ??
ram:2bd9 21 df 2b    LXI     HL,0x2bdf
ram:2bdc c3 c6 20    JMP     LAB_ram_20c6
ram:2bdf e6 7f      ANI     0x7f
ram:2be1 fe 50      CPI     0x50
ram:2be3 d2 c3 20    JNC     LAB_ram_20c3
ram:2be6 3c          INR     A
ram:2be7 6f          MOV     L,A
ram:2be8 3a 4e 58    LDA     (DAT_ram_584e)        = ??
ram:2beb fe 19      CPI     0x19
ram:2bed d2 c3 20    JNC     LAB_ram_20c3
ram:2bf0 3c          INR     A
ram:2bf1 67          MOV     H,A
ram:2bf2 cd 94 00    CALL    update_cursor_addresses undefinedupdate_cursor_addresse...
ram:2bf5 3a 18 58    LDA     (BYTE_ram_5818)        = ??
ram:2bf8 fe 48      CPI     0x48
ram:2bfa ca 0a 2c      JZ      LAB_ram_2c0a

```

Ghidra - 961264-10.2764.u31

```

ram:2bfd 7d      MOV     A,L
ram:2bfe fe 28   CPI     0x28
ram:2c00 da 05 2c JC      LAB_ram_2c05
ram:2c03 3e 27   MVI     A,0x27

LAB_ram_2c05
ram:2c05 07      RLC
ram:2c06 6f      MOV     L,A
ram:2c07 cd 94 00 CALL    update_cursor_addresses

XREF[1]: ram:2c00(j)

LAB_ram_2c0a
ram:2c0a cd e9 36 CALL    FUN_ram_36e9
ram:2c0d c3 c3 20 JMP     LAB_ram_20c3
ram:2c10 3a 4d 58 LDA     (BYTE_ram_584d)
ram:2c13 47      MOV     B,A
ram:2c14 e6 04   ANI     0x4
ram:2c16 c2 c9 20 JNZ     LAB_ram_20c9
ram:2c19 3e 03   MVI     A,0x3

LAB_ram_2c1b
ram:2c1b cd 4c 00 CALL    check_display_attribute_port
ram:2c1e da 1b 2c JC      LAB_ram_2c1b
ram:2c21 3c      INR     A
ram:2c22 c3 fe 29 JMP     LAB_ram_29fe
ram:2c25 3a 20 5f LDA     (BYTE_ram_5f20)
ram:2c28 3d      DCR     A
ram:2c29 ca c9 20 JZ      LAB_ram_20c9
ram:2c2c cd 07 36 CALL    FUN_ram_3607
ram:2c2f c3 c9 20 JMP     LAB_ram_20c9
ram:2c32 3a 2a 5f LDA     (BYTE_ram_5f2a)
ram:2c35 a7      ANA     A
ram:2c36 cc 03 01 CZ      thunk_FUN_ram_155b
ram:2c39 c4 00 01 CNZ     thunk_FUN_ram_1589
ram:2c3c cd e9 36 CALL    FUN_ram_36e9
ram:2c3f 3a 24 5f LDA     (BYTE_ram_5f24)
ram:2c42 a7      ANA     A
ram:2c43 ca 59 2c JZ      LAB_ram_2c59
ram:2c46 3d      DCR     A
ram:2c47 c2 c9 20 JNZ     LAB_ram_20c9
ram:2c4a 11 01 01 LXI     DE,0x101
ram:2c4d 21 01 02 LXI     HL,0x201
ram:2c50 3a f6 5d LDA     (AttributeRegisterValue)
ram:2c53 cd 4e 01 CALL    thunk_FUN_ram_15f5
ram:2c56 c3 c9 20 JMP     LAB_ram_20c9

LAB_ram_2c59
ram:2c59 cd de 36 CALL    FUN_ram_36de
ram:2c5c c3 c9 20 JMP     LAB_ram_20c9
ram:2c5f cd 2c 36 CALL    FUN_ram_362c
ram:2c62 c3 c9 20 JMP     LAB_ram_20c9
ram:2c65 cd 09 01 CALL    clear_display_memory_range
ram:2c68 3a 24 5f LDA     (BYTE_ram_5f24)
ram:2c6b a7      ANA     A
ram:2c6c ca 75 2c JZ      LAB_ram_2c75
ram:2c6f cd e9 36 CALL    FUN_ram_36e9
ram:2c72 c3 c9 20 JMP     LAB_ram_20c9

LAB_ram_2c75
ram:2c75 cd de 36 CALL    FUN_ram_36de
ram:2c78 c3 c9 20 JMP     LAB_ram_20c9
ram:2c7b 3a 22 5f LDA     (BYTE_ram_5f22)
ram:2c7e a7      ANA     A
ram:2c7f ca 88 2c JZ      LAB_ram_2c88
ram:2c82 21 b0 2c LXI     HL,0x2cb0
ram:2c85 c3 c6 20 JMP     LAB_ram_20c6

LAB_ram_2c88
ram:2c88 21 8e 2c LXI     HL,0x2c8e
ram:2c8b c3 c6 20 JMP     LAB_ram_20c6
ram:2c8e fe 51   CPI     0x51
ram:2c90 c2 59 21 JNZ     LAB_ram_2159
ram:2c93 3e 01   MVI     A,0x1
ram:2c95 32 22 5f STA     (BYTE_ram_5f22)
ram:2c98 c3 c3 20 JMP     LAB_ram_20c3
ram:2c9b cd 88 00 CALL    thunk_FUN_ram_13fd
ram:2c9e da c9 20 JC      LAB_ram_20c9
ram:2ca1 cd e9 36 CALL    FUN_ram_36e9
ram:2ca4 c3 c9 20 JMP     LAB_ram_20c9
ram:2ca7 cd 67 00 CALL    setup_cursor_position
ram:2caa cd e9 36 CALL    FUN_ram_36e9
ram:2cad c3 c9 20 JMP     LAB_ram_20c9
ram:2cb0 fe 5b   CPI     0x5b
ram:2cb2 ca d6 2c JZ      LAB_ram_2cd6
ram:2cb5 fe 4e   CPI     0x4e
ram:2cb7 ca dc 2c JZ      LAB_ram_2cdc

XREF[1]: ram:2bfa(j)
XREF[1]: ram:2c1e(j)
XREF[1]: ram:2c43(j)
XREF[1]: ram:2c6c(j)
XREF[1]: ram:2c7f(j)

```

Ghidra - 961264-10.2764.u31

ram:2cba	fe 4f	CPI	0x4f		
ram:2cbc	ca e2 2c	JZ	LAB_ram_2ce2		
ram:2cbf	fe 50	CPI	0x50		
ram:2cc1	ca e8 2c	JZ	LAB_ram_2ce8		
ram:2cc4	fe 5e	CPI	0x5e		
ram:2cc6	ca ee 2c	JZ	LAB_ram_2cee		
ram:2cc9	fe 48	CPI	0x48		
ram:2ccb	ca 17 2d	JZ	LAB_ram_2d17		
ram:2cce	fe 23	CPI	0x23		
ram:2cd0	ca 3e 2d	JZ	LAB_ram_2d3e		
ram:2cd3	c3 c3 20	JMP	LAB_ram_20c3		
		LAB_ram_2cd6		XREF[1]:	ram:2cb2(j)
ram:2cd6	21 4c 2d	LXI	HL,0x2d4c		
ram:2cd9	c3 c6 20	JMP	LAB_ram_20c6		
		LAB_ram_2cdc		XREF[1]:	ram:2cb7(j)
ram:2cdc	21 c0 2d	LXI	HL,0x2dc0		
ram:2cdf	c3 c6 20	JMP	LAB_ram_20c6		
		LAB_ram_2ce2		XREF[1]:	ram:2cbc(j)
ram:2ce2	21 d2 2d	LXI	HL,0x2dd2		
ram:2ce5	c3 c6 20	JMP	LAB_ram_20c6		
		LAB_ram_2ce8		XREF[1]:	ram:2cc1(j)
ram:2ce8	21 e9 2d	LXI	HL,0x2de9		
ram:2ceb	c3 c6 20	JMP	LAB_ram_20c6		
		LAB_ram_2cee		XREF[1]:	ram:2cc6(j)
ram:2cee	cd 97 00	CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472()
ram:2cf1	22 98 58	SHLD	(DAT_ram_5898)		= ??
ram:2cf4	21 01 19	LXI	HL,0x1901		
ram:2cf7	cd 9c 01	CALL	thunk_FUN_ram_19d1		undefinedthunk_FUN_ram_19d1()
ram:2cfa	22 96 58	SHLD	(DAT_ram_5896)		= ??
ram:2cfd	3a 29 5f	LDA	(BYTE_ram_5f29)		= ??
ram:2d00	32 9a 58	STA	(DAT_ram_589a)		= ??
ram:2d03	3e 01	MVI	A,0x1		
ram:2d05	32 29 5f	STA	(BYTE_ram_5f29)		= ??
ram:2d08	3e 48	MVI	A,0x48		
ram:2d0a	32 18 58	STA	(BYTE_ram_5818)		= ??
ram:2d0d	af	XRA	A		
ram:2d0e	cd a3 00	CALL	thunk_FUN_ram_1596		undefinedthunk_FUN_ram_1596()
ram:2d11	21 b3 2e	LXI	HL,0x2eb3		
ram:2d14	c3 c6 20	JMP	LAB_ram_20c6		
		LAB_ram_2d17		XREF[1]:	ram:2ccb(j)
ram:2d17	3a 18 58	LDA	(BYTE_ram_5818)		= ??
ram:2d1a	fe 48	CPI	0x48		
ram:2d1c	c2 25 2d	JNZ	LAB_ram_2d25		
ram:2d1f	cd 8e 41	CALL	FUN_ram_418e		undefined FUN_ram_418e()
ram:2d22	c3 c3 20	JMP	LAB_ram_20c3		
		LAB_ram_2d25		XREF[1]:	ram:2d1c(j)
ram:2d25	cd 97 00	CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472()
ram:2d28	22 9c 58	SHLD	(DAT_ram_589c)		= ??
ram:2d2b	7d	MOV	A,L		
ram:2d2c	a7	ANA	A		
ram:2d2d	1f	RAR			
ram:2d2e	6f	MOV	L,A		
ram:2d2f	cd 94 00	CALL	update_cursor_addresses		undefinedupdate_cursor_addresse...
ram:2d32	cd 8e 41	CALL	FUN_ram_418e		undefined FUN_ram_418e()
ram:2d35	2a 9c 58	LHLD	(DAT_ram_589c)		= ??
ram:2d38	cd 94 00	CALL	update_cursor_addresses		undefinedupdate_cursor_addresse...
ram:2d3b	c3 c3 20	JMP	LAB_ram_20c3		
		LAB_ram_2d3e		XREF[1]:	ram:2cd0(j)
ram:2d3e	3a 24 5f	LDA	(BYTE_ram_5f24)		= ??
ram:2d41	fe 02	CPI	0x2		
ram:2d43	c2 c3 20	JNZ	LAB_ram_20c3		
ram:2d46	21 3e 2f	LXI	HL,0x2f3e		
ram:2d49	c3 c6 20	JMP	LAB_ram_20c6		
ram:2d4c	e6 7f	ANI	0x7f		
ram:2d4e	fe 40	CPI	0x40		
ram:2d50	d2 ac 2d	JNC	LAB_ram_2dac		
ram:2d53	47	MOV	B,A		
ram:2d54	21 51 58	LXI	HL,0x5851		
ram:2d57	3a 50 58	LDA	(DAT_ram_5850)		= ??
ram:2d5a	fe 0f	CPI	0xf		
ram:2d5c	d2 a4 2d	JNC	LAB_ram_2da4		
ram:2d5f	5f	MOV	E,A		
ram:2d60	16 00	MVI	D,0x0		
ram:2d62	19	DAD	HL,DE		
ram:2d63	78	MOV	A,B		
ram:2d64	fe 20	CPI	0x20		
ram:2d66	da b3 2d	JC	LAB_ram_2db3		

Ghidra - 961264-10.2764.u31

```

ram:2d69 fe 30      CPI      0x30
ram:2d6b da a4 2d    JC       LAB_ram_2da4
ram:2d6e fe 3a      CPI      0x3a
ram:2d70 da 83 2d    JC       LAB_ram_2d83
ram:2d73 fe 3b      CPI      0x3b
ram:2d75 c2 a4 2d    JNZ      LAB_ram_2da4
ram:2d78 7b         MOV      A,E
ram:2d79 3c         INR      A
ram:2d7a 32 50 58    STA      (DAT_ram_5850)
ram:2d7d 23         INX      HL
ram:2d7e 36 00      MVI      (HL),0x0=>DAT_ram_5852
ram:2d80 c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2d83
ram:2d83 d6 30      SUI      0x30
ram:2d85 4f         MOV      C,A
ram:2d86 7e         MOV      A,(HL=>DAT_ram_5851)
ram:2d87 a7         ANA      A
ram:2d88 ca 9c 2d    JZ       LAB_ram_2d9c
ram:2d8b 87         ADD      A
ram:2d8c da a4 2d    JC       LAB_ram_2da4
ram:2d8f 47         MOV      B,A
ram:2d90 87         ADD      A
ram:2d91 da a4 2d    JC       LAB_ram_2da4
ram:2d94 87         ADD      A
ram:2d95 da a4 2d    JC       LAB_ram_2da4
ram:2d98 80         ADD      B
ram:2d99 da a4 2d    JC       LAB_ram_2da4

LAB_ram_2d9c
ram:2d9c 81         ADD      C
ram:2d9d da a4 2d    JC       LAB_ram_2da4
ram:2da0 77         MOV      (HL),A=>DAT_ram_5851
ram:2da1 c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2da4
ram:2da4 3e ff      MVI      A,0xff
ram:2da6 32 4f 58    STA      (DAT_ram_584f)
ram:2da9 c3 c9 20    JMP      LAB_ram_20c9

LAB_ram_2dac
ram:2dac 21 4f 58    LXI      HL,0x584f
ram:2daf 34         INR      (HL=>DAT_ram_584f)
ram:2db0 c2 c6 2f    JNZ      LAB_ram_2fc6

LAB_ram_2db3
ram:2db3 af         XRA      A
ram:2db4 32 4f 58    STA      (DAT_ram_584f)
ram:2db7 32 50 58    STA      (DAT_ram_5850)
ram:2dba 32 51 58    STA      (DAT_ram_5851)
ram:2dbd c3 c3 20    JMP      LAB_ram_20c3
ram:2dc0 fe 20      CPI      0x20
ram:2dc2 ca e3 2d    JZ       LAB_ram_2de3
ram:2dc5 da c3 20    JC       LAB_ram_20c3
ram:2dc8 fe 7f      CPI      0x7f
ram:2dca d2 c3 20    JNC      LAB_ram_20c3
ram:2dcd f6 80      ORI      0x80
ram:2dcf c3 e3 2d    JMP      LAB_ram_2de3
ram:2dd2 fe 20      CPI      0x20
ram:2dd4 ca e3 2d    JZ       LAB_ram_2de3
ram:2dd7 fe 30      CPI      0x30
ram:2dd9 da c3 20    JC       LAB_ram_20c3
ram:2ddc fe 50      CPI      0x50
ram:2dde d2 c3 20    JNC      LAB_ram_20c3
ram:2de1 c6 50      ADI      0x50

LAB_ram_2de3
ram:2de3 cd 29 36    CALL     FUN_ram_3629
ram:2de6 c3 c3 20    JMP      LAB_ram_20c3
ram:2de9 fe 50      CPI      0x50
ram:2deb c2 59 21    JNZ      LAB_ram_2159
ram:2dee 21 f4 2d    LXI      HL,0x2df4

XREF[1]: ram:2d70(j)
XREF[1]: ram:2d88(j)
XREF[8]: ram:2d5c(j), ram:2d6b(j),
ram:2d75(j), ram:2d8c(j),
ram:2d91(j), ram:2d95(j),
ram:2d99(j), ram:2d9d(j)
XREF[1]: ram:2d50(j)
XREF[40]: ram:2d66(j), ram:300c(j),
ram:3097(j), ram:309f(j),
ram:30ac(j), ram:30b7(j),
ram:30c8(j), ram:30fb(j),
ram:311c(j), ram:313b(j),
ram:314f(j), ram:3182(j),
ram:31b7(j), ram:3246(j),
ram:3255(j), ram:32d2(j),
ram:32da(j), ram:32ea(j),
ram:3305(j), ram:3311(j), [more]
XREF[1]: ram:2dc2(j), ram:2dcf(j),
ram:2dd4(j)
XREF[3]: ram:2dc2(j), ram:2dcf(j),
ram:2dd4(j)
undefined FUN_ram_3629()

```

Ghidra - 961264-10.2764.u31

```

ram:2df1 c3 c6 20      JMP      LAB_ram_20c6
ram:2df4 cd a0 2e      CALL     FUN_ram_2ea0      undefined FUN_ram_2ea0 ()
ram:2df7 da c3 20      JC       LAB_ram_20c3
ram:2dfa 07           RLC
ram:2dfb 47           MOV      B,A
ram:2dfc 07           RLC
ram:2dfd 07           RLC
ram:2dfe 80           ADD      B
ram:2dff 32 93 58      STA      (DAT_ram_5893)      = ??
ram:2e02 21 08 2e      LXI      HL,0x2e08
ram:2e05 c3 c6 20      JMP      LAB_ram_20c6
ram:2e08 cd a0 2e      CALL     FUN_ram_2ea0      undefined FUN_ram_2ea0 ()
ram:2e0b da c3 20      JC       LAB_ram_20c3
ram:2e0e 47           MOV      B,A
ram:2e0f 3a 93 58      LDA      (DAT_ram_5893)      = ??
ram:2e12 80           ADD      B
ram:2e13 3d           DCR      A
ram:2e14 32 92 58      STA      (DAT_ram_5892)      = ??
ram:2e17 21 60 58      LXI      HL,0x5860
ram:2e1a 22 94 58      SHLD     (DAT_ram_5894)      = ??
ram:2e1d cd 69 01      CALL     thunk_FUN_ram_1e72      undefinedthunk_FUN_ram_1e72 ()
ram:2e20 da c3 20      JC       LAB_ram_20c3
ram:2e23 3c           INR      A
ram:2e24 32 91 58      STA      (DAT_ram_5891)      = ??

LAB_ram_2e27
ram:2e27 21 2d 2e      LXI      HL,0x2e2d
ram:2e2a c3 c6 20      JMP      LAB_ram_20c6
ram:2e2d fe 1b         CPI      0x1b
ram:2e2f ca 62 2e      JZ       LAB_ram_2e62
ram:2e32 21 91 58      LXI      HL,0x5891
ram:2e35 35           DCR      (HL=>DAT_ram_5891)      = ??
ram:2e36 ca c3 20      JZ       LAB_ram_20c3
ram:2e39 cd 8c 2e      CALL     convert_ascii_hex_to_binary      undefinedconvert_ascii_hex_to_b...
ram:2e3c da c3 20      JC       LAB_ram_20c3
ram:2e3f 07           RLC
ram:2e40 07           RLC
ram:2e41 07           RLC
ram:2e42 07           RLC
ram:2e43 32 93 58      STA      (DAT_ram_5893)      = ??
ram:2e46 21 4c 2e      LXI      HL,0x2e4c
ram:2e49 c3 c6 20      JMP      LAB_ram_20c6
ram:2e4c cd 8c 2e      CALL     convert_ascii_hex_to_binary      undefinedconvert_ascii_hex_to_b...
ram:2e4f da c3 20      JC       LAB_ram_20c3
ram:2e52 47           MOV      B,A
ram:2e53 3a 93 58      LDA      (DAT_ram_5893)      = ??
ram:2e56 b0           ORA      B
ram:2e57 2a 94 58      LHLD     (DAT_ram_5894)      = ??
ram:2e5a 77           MOV      (HL),A
ram:2e5b 23           INX      HL
ram:2e5c 22 94 58      SHLD     (DAT_ram_5894)      = ??
ram:2e5f c3 27 2e      JMP      LAB_ram_2e27

LAB_ram_2e62
ram:2e62 2a 94 58      LHLD     (DAT_ram_5894)      = ??
ram:2e65 3a 91 58      LDA      (DAT_ram_5891)      = ??

LAB_ram_2e68
ram:2e68 3d           DCR      A
ram:2e69 ca 72 2e      JZ       LAB_ram_2e72
ram:2e6c 36 20         MVI      (HL),0x20
ram:2e6e 23           INX      HL
ram:2e6f c3 68 2e      JMP      LAB_ram_2e68

LAB_ram_2e72
ram:2e72 21 78 2e      LXI      HL,0x2e78
ram:2e75 c3 c6 20      JMP      LAB_ram_20c6
ram:2e78 fe 5c         CPI      0x5c
ram:2e7a c2 c3 20      JNZ      LAB_ram_20c3
ram:2e7d 3a 92 58      LDA      (DAT_ram_5892)      = ??
ram:2e80 21 60 58      LXI      HL,0x5860
ram:2e83 cd 66 01      CALL     thunk_FUN_ram_1e2d      undefinedthunk_FUN_ram_1e2d ()
ram:2e86 da 71 28      JC       LAB_ram_2871
ram:2e89 c3 c3 20      JMP      LAB_ram_20c3

*****
*                               *
*                               *
*****
undefined convert_ascii_hex_to_binary()
undefined <UNASSIGNED> <RETURN>
convert_ascii_hex_to_binary      XREF[2]:      ram:2e39(c), ram:2e4c(c)
ram:2e8c fe 67         CPI      0x67
ram:2e8e d2 aa 2e      JNC      LAB_ram_2eaa
ram:2e91 fe 61         CPI      0x61
ram:2e93 d2 ac 2e      JNC      LAB_ram_2eac

```

Ghidra - 961264-10.2764.u31

```

ram:2e96 fe 47      CPI      0x47
ram:2e98 d2 aa 2e   JNC      LAB_ram_2eaa
ram:2e9b fe 41      CPI      0x41
ram:2e9d d2 ae 2e   JNC      LAB_ram_2eae

*****
*                               *
*                               *
*****
undefined FUN_ram_2ea0()
undefined <UNASSIGNED> <RETURN>
undefined FUN_ram_2ea0
XREF[2]: ram:2df4(c), ram:2e08(c)
ram:2ea0 fe 3a      CPI      0x3a
ram:2ea2 d2 aa 2e   JNC      LAB_ram_2eaa
ram:2ea5 fe 30      CPI      0x30
ram:2ea7 d2 b0 2e   JNC      LAB_ram_2eb0
LAB_ram_2eaa
XREF[3]: convert_ascii_hex_to_binary:2e80,
convert_ascii_hex_to_binary:2e90,
ram:2ea2(j)
ram:2eaa 37        STC
ram:2eab c9        RET
LAB_ram_2eac
XREF[1]: ram:2e93(j)
ram:2eac d6 20      SUI      0x20
LAB_ram_2eae
XREF[1]: ram:2e9d(j)
ram:2eae d6 07      SUI      0x7
LAB_ram_2eb0
XREF[1]: ram:2ea7(j)
ram:2eb0 d6 30      SUI      0x30
ram:2eb2 c9        RET
LAB_ram_2eb3
XREF[1]: ram:2ee8(j)
ram:2eb3 fe 1b      CPI      0x1b
ram:2eb5 c2 be 2e   JNZ      LAB_ram_2ebe
ram:2eb8 21 dd 2e   LXI      HL,0x2edd
ram:2ebb c3 c6 20   JMP      LAB_ram_20c6
LAB_ram_2ebe
XREF[1]: ram:2eb5(j)
ram:2ebe fe 20      CPI      0x20
ram:2ec0 da c9 20   JC      LAB_ram_20c9
ram:2ec3 fe 7f      CPI      0x7f
ram:2ec5 d2 c9 20   JNC      LAB_ram_20c9
ram:2ec8 2a 96 58   LHLD     (DAT_ram_5896)
= ??
ram:2ecb cd 94 00   CALL    update_cursor_addresses
undefinedupdate_cursor_addresse...
ram:2ece cd a9 00   CALL    write_char_to_video_memory(...
voidwrite_char_to_video_memory(...
ram:2ed1 cd 76 00   CALL    advance_cursor_position
voidadvance_cursor_position(void)
ram:2ed4 cd 97 00   CALL    thunk_FUN_ram_1472
undefinedthunk_FUN_ram_1472()
ram:2ed7 22 96 58   SHLD     (DAT_ram_5896)
= ??
ram:2eda c3 c9 20   JMP      LAB_ram_20c9
ram:2edd fe 5c      CPI      0x5c
ram:2edf ca e9 2e   JZ      LAB_ram_2ee9
ram:2ee2 21 b3 2e   LXI      HL,0x2eb3
ram:2ee5 22 00 58   SHLD     (BYTE_ram_5800)
= ??
ram:2ee8 e9        PCHL
LAB_ram_2ee9
XREF[3]: ram:2edf(j), ram:2eec(j),
ram:2ef1(j)
ram:2ee9 cd bb 00   CALL    check_mem_5dbd_and_5d9d_return_val_in_A
undefinedcheck_mem_5dbd_and_5d9...
ram:2eec da e9 2e   JC      LAB_ram_2ee9
ram:2eeef fe fb      CPI      0xfb
ram:2ef1 c2 e9 2e   JNZ      LAB_ram_2ee9
ram:2ef4 cd 9f 01   CALL    thunk_FUN_ram_1a11
undefinedthunk_FUN_ram_1a11()
ram:2ef7 2a 98 58   LHLD     (DAT_ram_5898)
= ??
ram:2efa cd 94 00   CALL    update_cursor_addresses
undefinedupdate_cursor_addresse...
ram:2efd 3a 24 5f   LDA      (BYTE_ram_5f24)
= ??
ram:2f00 a7        ANA      A
ram:2f01 ca 32 2f   JZ      LAB_ram_2f32
ram:2f04 3d        DCR      A
ram:2f05 ca 29 2f   JZ      LAB_ram_2f29
ram:2f08 cd a0 00   CALL    thunk_FUN_ram_15b8
undefinedthunk_FUN_ram_15b8()
ram:2f0b fe 0e      CPI      0xe
ram:2f0d ca 1e 2f   JZ      LAB_ram_2f1e
ram:2f10 3a 19 58   LDA      (BYTE_ram_5819)
= ??
ram:2f13 fe 10      CPI      0x10
ram:2f15 d4 a6 00   CNC      thunk_FUN_ram_15a5
undefinedthunk_FUN_ram_15a5()
ram:2f18 dc a3 00   CC      thunk_FUN_ram_1596
undefinedthunk_FUN_ram_1596()
ram:2f1b c3 35 2f   JMP      LAB_ram_2f35
LAB_ram_2f1e
XREF[1]: ram:2f0d(j)
ram:2f1e cd a3 00   CALL    thunk_FUN_ram_1596
undefinedthunk_FUN_ram_1596()
ram:2f21 3e 40      MVI      A,0x40
ram:2f23 32 18 58   STA      (BYTE_ram_5818)
= ??
ram:2f26 c3 35 2f   JMP      LAB_ram_2f35

```

Ghidra - 961264-10.2764.u31

ram:2f29 3a 1b 58	LAB_ram_2f29	LDA (DAT_ram_581b)	XREF[1]: ram:2f05(j)
ram:2f2c cd a3 00		CALL thunk_FUN_ram_1596	= ??
ram:2f2f c3 35 2f		JMP LAB_ram_2f35	undefinedthunk_FUN_ram_1596()
ram:2f32 cd a6 00	LAB_ram_2f32	CALL thunk_FUN_ram_15a5	XREF[1]: ram:2f01(j)
			undefinedthunk_FUN_ram_15a5()
	LAB_ram_2f35		XREF[3]: ram:2f1b(j), ram:2f26(j),
ram:2f35 3a 9a 58		LDA (DAT_ram_589a)	ram:2f2f(j)
ram:2f38 32 29 5f		STA (BYTE_ram_5f29)	= ??
ram:2f3b c3 bd 20		JMP LAB_ram_20bd	= ??
ram:2f3e cd 97 00		CALL thunk_FUN_ram_1472	undefinedthunk_FUN_ram_1472()
ram:2f41 54		MOV D,H	
ram:2f42 22 9c 58		SHLD (DAT_ram_589c)	= ??
ram:2f45 fe 35		CPI 0x35	
ram:2f47 c2 86 2f		JNZ LAB_ram_2f86	
ram:2f4a 3a 18 58		LDA (BYTE_ram_5818)	= ??
ram:2f4d fe 48		CPI 0x48	
ram:2f4f ca c3 20		JZ LAB_ram_20c3	
ram:2f52 2e 01		MVI L,0x1	
ram:2f54 5d		MOV E,L	
ram:2f55 24		INR H	
ram:2f56 af		XRA A	
ram:2f57 cd a3 00		CALL thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
ram:2f5a cd 4e 01		CALL thunk_FUN_ram_15f5	undefinedthunk_FUN_ram_15f5()
ram:2f5d 25		DCR H	
ram:2f5e 2e 02		MVI L,0x2	
ram:2f60 cd 42 01	LAB_ram_2f60	CALL thunk_FUN_ram_1634	XREF[1]: ram:2f6e(j)
ram:2f63 eb		XCHG	undefinedthunk_FUN_ram_1634()
ram:2f64 cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2f67 eb		XCHG	
ram:2f68 2c		INR L	
ram:2f69 2c		INR L	
ram:2f6a 1c		INR E	
ram:2f6b 7b		MOV A,E	
ram:2f6c fe 28		CPI 0x28	
ram:2f6e c2 60 2f		JNZ LAB_ram_2f60	
ram:2f71 eb		XCHG	
ram:2f72 af	LAB_ram_2f72	XRA A	XREF[1]: ram:2f7a(j)
ram:2f73 cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2f76 2c		INR L	
ram:2f77 3e 51		MVI A,0x51	
ram:2f79 bd		CMP L	
ram:2f7a c2 72 2f		JNZ LAB_ram_2f72	
ram:2f7d 2a 9c 58		LHLD (DAT_ram_589c)	= ??
ram:2f80 cd 0b 37		CALL FUN_ram_370b	undefined FUN_ram_370b()
ram:2f83 c3 c3 20		JMP LAB_ram_20c3	
ram:2f86 fe 36	LAB_ram_2f86	CPI 0x36	XREF[1]: ram:2f47(j)
ram:2f88 c2 c3 20		JNZ LAB_ram_20c3	= ??
ram:2f8b 3a 18 58		LDA (BYTE_ram_5818)	
ram:2f8e fe 48		CPI 0x48	
ram:2f90 c2 c3 20		JNZ LAB_ram_20c3	
ram:2f93 3e 20		MVI A,0x20	
ram:2f95 2e 50		MVI L,0x50	
ram:2f97 cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2f9a 1e 27		MVI E,0x27	
ram:2f9c 2d	LAB_ram_2f9c	DCR L	XREF[1]: ram:2fac(j)
ram:2f9d 3e 20		MVI A,0x20	
ram:2f9f cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2fa2 2d		DCR L	
ram:2fa3 eb		XCHG	
ram:2fa4 cd 42 01		CALL thunk_FUN_ram_1634	undefinedthunk_FUN_ram_1634()
ram:2fa7 eb		XCHG	
ram:2fa8 cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2fab 1d		DCR E	
ram:2fac c2 9c 2f		JNZ LAB_ram_2f9c	
ram:2faf 2d		DCR L	
ram:2fb0 3e 20		MVI A,0x20	
ram:2fb2 cd 45 01		CALL thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:2fb5 1e 01		MVI E,0x1	
ram:2fb7 24		INR H	
ram:2fb8 3e 0e		MVI A,0xe	
ram:2fba cd 4e 01		CALL thunk_FUN_ram_15f5	undefinedthunk_FUN_ram_15f5()
ram:2fbd 2a 9c 58		LHLD (DAT_ram_589c)	= ??

Ghidra - 961264-10.2764.u31

```

ram:2fc0 cd 28 37      CALL      FUN_ram_3728      undefined FUN_ram_3728()
ram:2fc3 c3 c3 20      JMP       LAB_ram_20c3

LAB_ram_2fc6
ram:2fc6 fe 58        CPI        0x58
ram:2fc8 ca 0f 30      JZ         LAB_ram_300f
ram:2fcb fe 4b        CPI        0x4b
ram:2fcd ca fe 30      JZ         LAB_ram_30fe
ram:2fd0 fe 4a        CPI        0x4a
ram:2fd2 ca 04 31      JZ         LAB_ram_3104
ram:2fd5 fe 40        CPI        0x40
ram:2fd7 ca 64 32      JZ         LAB_ram_3264
ram:2fda fe 50        CPI        0x50
ram:2fdc ca 69 32      JZ         LAB_ram_3269
ram:2fdf fe 4c        CPI        0x4c
ram:2fe1 ca ed 32      JZ         LAB_ram_32ed
ram:2fe4 fe 4d        CPI        0x4d
ram:2fe6 ca f2 32      JZ         LAB_ram_32f2
ram:2fe9 fe 5a        CPI        0x5a
ram:2feb ca fb 33      JZ         LAB_ram_33fb
ram:2fee fe 67        CPI        0x67
ram:2ff0 ca 22 34      JZ         LAB_ram_3422
ram:2ff3 fe 6e        CPI        0x6e
ram:2ff5 ca 5b 34      JZ         LAB_ram_345b
ram:2ff8 fe 68        CPI        0x68
ram:2ffa ca a5 34      JZ         LAB_ram_34a5
ram:2ffd fe 6c        CPI        0x6c
ram:2fff ca 12 35      JZ         LAB_ram_3512
ram:3002 fe 6d        CPI        0x6d
ram:3004 ca 1c 35      JZ         LAB_ram_351c
ram:3007 fe 69        CPI        0x69
ram:3009 ca 8e 35      JZ         LAB_ram_358e
ram:300c c3 b3 2d      JMP       LAB_ram_2db3

LAB_ram_300f
ram:300f cd 97 00      CALL      thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:3012 cd db 33      CALL      get_default_tab_stop_count      undefinedget_default_tab_stop_c...
ram:3015 32 9b 58      STA      (DAT_ram_589b)      = ??
ram:3018 3a 24 5f      LDA      (BYTE_ram_5f24)      = ??
ram:301b a7          ANA      A
ram:301c ca a2 30      JZ         LAB_ram_30a2
ram:301f 3d          DCR      A
ram:3020 ca d0 30      JZ         LAB_ram_30d0
ram:3023 3a 18 58      LDA      (BYTE_ram_5818)      = ??
ram:3026 fe 48        CPI        0x48
ram:3028 c2 56 30      JNZ        LAB_ram_3056

LAB_ram_302b
ram:302b af          XRA      A
ram:302c cd a3 00      CALL      thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()

LAB_ram_302f
ram:302f af          XRA      A
ram:3030 cd 45 01      CALL      thunk_FUN_ram_1650      undefinedthunk_FUN_ram_1650()
ram:3033 3a 9b 58      LDA      (DAT_ram_589b)      = ??
ram:3036 3d          DCR      A
ram:3037 ca 84 30      JZ         LAB_ram_3084
ram:303a 32 9b 58      STA      (DAT_ram_589b)      = ??
ram:303d 2c          INR      L
ram:303e 7d          MOV      A,L
ram:303f fe 51        CPI        0x51
ram:3041 da 2f 30      JC         LAB_ram_302f
ram:3044 24          INR      H
ram:3045 7c          MOV      A,H
ram:3046 fe 1a        CPI        0x1a
ram:3048 ca 84 30      JZ         LAB_ram_3084
ram:304b 2e 01        MVI      L,0x1
ram:304d cd 48 01      CALL      thunk_FUN_ram_15af      undefinedthunk_FUN_ram_15af()
ram:3050 fe 0e        CPI        0xe
ram:3052 c2 2f 30      JNZ        LAB_ram_302f
ram:3055 2c          INR      L

LAB_ram_3056
ram:3056 cd a6 00      CALL      thunk_FUN_ram_15a5      undefinedthunk_FUN_ram_15a5()

LAB_ram_3059
ram:3059 af          XRA      A
ram:305a cd 45 01      CALL      thunk_FUN_ram_1650      undefinedthunk_FUN_ram_1650()
ram:305d 3a 9b 58      LDA      (DAT_ram_589b)      = ??
ram:3060 3d          DCR      A
ram:3061 ca 84 30      JZ         LAB_ram_3084
ram:3064 32 9b 58      STA      (DAT_ram_589b)      = ??
ram:3067 2c          INR      L
ram:3068 2c          INR      L
ram:3069 7d          MOV      A,L

```

Ghidra - 961264-10.2764.u31

ram:306a	fe 4f	CPI	0x4f	
ram:306c	da 59 30	JC	LAB_ram_3059	
ram:306f	24	INR	H	
ram:3070	7c	MOV	A,H	
ram:3071	fe 1a	CPI	0x1a	
ram:3073	ca 84 30	JZ	LAB_ram_3084	
ram:3076	2e 01	MVI	L,0x1	
ram:3078	cd 48 01	CALL	thunk_FUN_ram_15af	undefinedthunk_FUN_ram_15af()
ram:307b	fe 0e	CPI	0xe	
ram:307d	c2 2b 30	JNZ	LAB_ram_302b	
ram:3080	2c	INR	L	
ram:3081	c3 59 30	JMP	LAB_ram_3059	
LAB_ram_3084				
XREF[4]: ram:3037(j), ram:3048(j), ram:3061(j), ram:3073(j)				
ram:3084	3a 18 58	LDA	(BYTE_ram_5818)	= ??
ram:3087	fe 48	CPI	0x48	
ram:3089	c2 9a 30	JNZ	LAB_ram_309a	
ram:308c	3a 19 58	LDA	(BYTE_ram_5819)	= ??
ram:308f	fe 10	CPI	0x10	
ram:3091	dc a3 00	CC	thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
ram:3094	d4 a6 00	CNC	thunk_FUN_ram_15a5	undefinedthunk_FUN_ram_15a5()
ram:3097	c3 b3 2d	JMP	LAB_ram_2db3	
LAB_ram_309a				
ram:309a	3e 0e	MVI	A,0xe	
ram:309c	cd a3 00	CALL	thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
ram:309f	c3 b3 2d	JMP	LAB_ram_2db3	
LAB_ram_30a2				
ram:30a2	cd a6 00	CALL	thunk_FUN_ram_15a5	undefinedthunk_FUN_ram_15a5()
LAB_ram_30a5				
ram:30a5	cd 42 01	CALL	thunk_FUN_ram_1634	undefinedthunk_FUN_ram_1634()
ram:30a8	e6 f0	ANI	0xf0	
ram:30aa	fe 10	CPI	0x10	
ram:30ac	ca b3 2d	JZ	LAB_ram_2db3	
ram:30af	af	XRA	A	
ram:30b0	cd 45 01	CALL	thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:30b3	3a 9b 58	LDA	(DAT_ram_589b)	= ??
ram:30b6	3d	DCR	A	
ram:30b7	ca b3 2d	JZ	LAB_ram_2db3	
ram:30ba	32 9b 58	STA	(DAT_ram_589b)	= ??
ram:30bd	2c	INR	L	
ram:30be	7d	MOV	A,L	
ram:30bf	fe 51	CPI	0x51	
ram:30c1	da a5 30	JC	LAB_ram_30a5	
ram:30c4	24	INR	H	
ram:30c5	7c	MOV	A,H	
ram:30c6	fe 1a	CPI	0x1a	
ram:30c8	ca b3 2d	JZ	LAB_ram_2db3	
ram:30cb	2e 01	MVI	L,0x1	
ram:30cd	c3 a5 30	JMP	LAB_ram_30a5	
LAB_ram_30d0				
ram:30d0	af	XRA	A	
ram:30d1	cd a3 00	CALL	thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
LAB_ram_30d4				
ram:30d4	af	XRA	A	
ram:30d5	cd 45 01	CALL	thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:30d8	3a 9b 58	LDA	(DAT_ram_589b)	= ??
ram:30db	3d	DCR	A	
ram:30dc	ca f5 30	JZ	LAB_ram_30f5	
ram:30df	32 9b 58	STA	(DAT_ram_589b)	= ??
ram:30e2	2c	INR	L	
ram:30e3	7d	MOV	A,L	
ram:30e4	fe 51	CPI	0x51	
ram:30e6	da d4 30	JC	LAB_ram_30d4	
ram:30e9	24	INR	H	
ram:30ea	7c	MOV	A,H	
ram:30eb	fe 1a	CPI	0x1a	
ram:30ed	ca f5 30	JZ	LAB_ram_30f5	
ram:30f0	2e 01	MVI	L,0x1	
ram:30f2	c3 d4 30	JMP	LAB_ram_30d4	
LAB_ram_30f5				
ram:30f5	3a 1b 58	LDA	(DAT_ram_581b)	
ram:30f8	cd a3 00	CALL	thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
ram:30fb	c3 b3 2d	JMP	LAB_ram_2db3	
LAB_ram_30fe				
ram:30fe	01 00 00	LXI	BC,0x0	
ram:3101	c3 07 31	JMP	LAB_ram_3107	
XREF[1]: ram:3020(j)				
XREF[2]: ram:30e6(j), ram:30f2(j)				
XREF[2]: ram:30dc(j), ram:30ed(j)				
XREF[1]: ram:2fcd(j)				

Ghidra - 961264-10.2764.u31

ram:3104 01 01 00	LAB_ram_3104 LXI	BC,0x1	XREF[1]:	ram:2fd2(j)
ram:3107 cd 97 00	LAB_ram_3107 CALL	thunk_FUN_ram_1472	XREF[1]:	ram:3101(j)
ram:310a 22 9c 58	SHLD	(DAT_ram_589c)		undefinedthunk_FUN_ram_1472 ()
ram:310d 3a 51 58	LDA	(DAT_ram_5851)		= ??
ram:3110 a7	ANA	A		= ??
ram:3111 ca 1f 31	JZ	LAB_ram_311f		
ram:3114 3d	DCR	A		
ram:3115 ca 85 31	JZ	LAB_ram_3185		
ram:3118 3d	DCR	A		
ram:3119 ca 35 32	JZ	LAB_ram_3235		
ram:311c c3 b3 2d	JMP	LAB_ram_2db3		
ram:311f 3a 24 5f	LAB_ram_311f LDA	(BYTE_ram_5f24)	XREF[1]:	ram:3111(j)
ram:3122 a7	ANA	A		= ??
ram:3123 ca 5e 31	JZ	LAB_ram_315e		
ram:3126 3d	DCR	A		
ram:3127 c2 3e 31	JNZ	LAB_ram_313e		
ram:312a 0d	LAB_ram_312a DCR	C	XREF[1]:	ram:3143(j)
ram:312b ca 32 31	JZ	LAB_ram_3132		
ram:312e 24	INR	H		
ram:312f c3 34 31	JMP	LAB_ram_3134		
ram:3132 26 1a	LAB_ram_3132 MVI	H,0x1a	XREF[1]:	ram:312b(j)
ram:3134 2e 01	LAB_ram_3134 MVI	L,0x1	XREF[1]:	ram:312f(j)
ram:3136 3e 02	MVI	A,0x2		
ram:3138 cd 0c 01	CALL	thunk_FUN_ram_1778		undefinedthunk_FUN_ram_1778 ()
ram:313b c3 b3 2d	JMP	LAB_ram_2db3		
ram:313e 3a 18 58	LAB_ram_313e LDA	(BYTE_ram_5818)	XREF[1]:	ram:3127(j)
ram:3141 fe 48	CPI	0x48		= ??
ram:3143 ca 2a 31	JZ	LAB_ram_312a		
ram:3146 24	INR	H		
ram:3147 2e 01	MVI	L,0x1		
ram:3149 3e 01	MVI	A,0x1		
ram:314b cd 0c 01	CALL	thunk_FUN_ram_1778		undefinedthunk_FUN_ram_1778 ()
ram:314e 0d	DCR	C		
ram:314f c2 b3 2d	JNZ	LAB_ram_2db3		
ram:3152 cd 94 00	CALL	update_cursor_addresses		undefinedupdate_cursor_addresse...
ram:3155 cd 97 00	CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472 ()
ram:3158 21 01 1a	LXI	HL,0x1a01		
ram:315b c3 ac 31	JMP	LAB_ram_31ac		
ram:315e cd 42 01	LAB_ram_315e CALL	thunk_FUN_ram_1634	XREF[4]:	ram:3123(j), ram:316c(j), ram:317a(j), ram:3261(j)
ram:3161 e6 f0	ANI	0xf0		undefinedthunk_FUN_ram_1634 ()
ram:3163 fe 10	CPI	0x10		
ram:3165 ca 7d 31	JZ	LAB_ram_317d		
ram:3168 2c	INR	L		
ram:3169 7d	MOV	A,L		
ram:316a fe 51	CPI	0x51		
ram:316c da 5e 31	JC	LAB_ram_315e		
ram:316f 2e 01	MVI	L,0x1		
ram:3171 24	INR	H		
ram:3172 0d	DCR	C		
ram:3173 c2 7d 31	JNZ	LAB_ram_317d		
ram:3176 0c	INR	C		
ram:3177 7c	MOV	A,H		
ram:3178 fe 1a	CPI	0x1a		
ram:317a da 5e 31	JC	LAB_ram_315e		
ram:317d 3e 01	LAB_ram_317d MVI	A,0x1	XREF[2]:	ram:3165(j), ram:3173(j)
ram:317f cd 0c 01	CALL	thunk_FUN_ram_1778		undefinedthunk_FUN_ram_1778 ()
ram:3182 c3 b3 2d	JMP	LAB_ram_2db3		
ram:3185 3a 24 5f	LAB_ram_3185 LDA	(BYTE_ram_5f24)	XREF[1]:	ram:3115(j)
ram:3188 a7	ANA	A		= ??
ram:3189 ca e3 31	JZ	LAB_ram_31e3		
ram:318c 3d	DCR	A		
ram:318d c2 ba 31	JNZ	LAB_ram_31ba		

Ghidra - 961264-10.2764.u31

```

ram:3190 0d          LAB_ram_3190      DCR      C
ram:3191 ca 99 31    JZ      LAB_ram_3199
ram:3194 2e 01      MVI      L,0x1
ram:3196 c3 9c 31    JMP      LAB_ram_319c

ram:3199 21 01 01    LAB_ram_3199      LXI      HL,0x101
XREF[1]: ram:3191(j)

ram:319c cd 94 00    LAB_ram_319c      CALL     update_cursor_addresses
ram:319f 2a 9c 58    LHL      (DAT_ram_589c)
ram:31a2 2c          INR      L
ram:31a3 7d          MOV      A,L
ram:31a4 fe 51      CPI      0x51
ram:31a6 da ac 31    JC      LAB_ram_31ac
ram:31a9 2e 01      MVI      L,0x1
ram:31ab 24          INR      H
XREF[1]: ram:3196(j)

ram:31ac 3e 02      MVI      A,0x2
ram:31ae cd 0c 01    CALL     thunk_FUN_ram_1778
XREF[3]: ram:315b(j), ram:31a6(j),
ram:31e0(j)

ram:31b1 2a 9c 58    LAB_ram_31b1      LHL      (DAT_ram_589c)
ram:31b4 cd 94 00    CALL     update_cursor_addresses
ram:31b7 c3 b3 2d    JMP      LAB_ram_2db3
XREF[2]: ram:31d5(j), ram:31e6(j)

ram:31ba 3a 18 58    LAB_ram_31ba      LDA      (BYTE_ram_5818)
ram:31bd fe 48      CPI      0x48
ram:31bf ca 90 31    JZ      LAB_ram_3190
ram:31c2 cd 6a 00    CALL     thunk_FUN_ram_134c
ram:31c5 2c          INR      L
ram:31c6 7d          MOV      A,L
ram:31c7 fe 51      CPI      0x51
ram:31c9 da cf 31    JC      LAB_ram_31cf
ram:31cc 2e 01      MVI      L,0x1
ram:31ce 24          INR      H
XREF[1]: ram:318d(j)

ram:31cf 3e 01      LAB_ram_31cf      MVI      A,0x1
ram:31d1 cd 0c 01    CALL     thunk_FUN_ram_1778
ram:31d4 0d          DCR      C
ram:31d5 c2 b1 31    JNZ     LAB_ram_31b1
ram:31d8 cd 67 00    CALL     setup_cursor_position
ram:31db 2a 9c 58    LHL      (DAT_ram_589c)
ram:31de 2e 01      MVI      L,0x1
ram:31e0 c3 ac 31    JMP      LAB_ram_31ac
XREF[1]: ram:31c9(j)

ram:31e3 cd e9 31    LAB_ram_31e3      CALL     cursor_movement_handler
ram:31e6 c3 b1 31    JMP      LAB_ram_31b1
XREF[1]: ram:3189(j)

*****
*                               FUNCTION                               *
*****
undefined cursor_movement_handler()
undefined <UNASSIGNED> <RETURN>
cursor_movement_handler
ram:31e9 cd 42 01    CALL     thunk_FUN_ram_1634
ram:31ec e6 f0      ANI      0xf0
ram:31ee fe 10      CPI      0x10
ram:31f0 c8          RZ
ram:31f1 2d          DCR      L
ram:31f2 c2 f9 31    JNZ     LAB_ram_31f9
ram:31f5 2c          INR      L
ram:31f6 c3 07 32    JMP      LAB_ram_3207
XREF[2]: ram:31e3(c), ram:3258(c)

ram:31f9 cd 42 01    LAB_ram_31f9      CALL     thunk_FUN_ram_1634
ram:31fc e6 f0      ANI      0xf0
ram:31fe fe 10      CPI      0x10
ram:3200 ca 28 32    JZ      LAB_ram_3228
ram:3203 2d          DCR      L
ram:3204 c2 f9 31    JNZ     LAB_ram_31f9
XREF[3]: ram:31f2(j), ram:3204(j),
ram:320f(j)

ram:3207 0d          LAB_ram_3207      DCR      C
ram:3208 0c          INR      C
ram:3209 ca 12 32    JZ      LAB_ram_3212
ram:320c 2e 50      MVI      L,0x50
XREF[1]: ram:31f6(j)

```

Ghidra - 961264-10.2764.u31

ram:320e 25	DCR	H	
ram:320f c2 f9 31	JNZ	LAB_ram_31f9	
LAB_ram_3212			XREF[3]: ram:3209(j), ram:322c(j), ram:3232(j)
ram:3212 cd 94 00	CALL	update_cursor_addresses	undefinedupdate_cursor_addresse...
ram:3215 2a 9c 58	LHLD	(DAT_ram_589c)	= ??
ram:3218 2c	INR	L	
ram:3219 7d	MOV	A,L	
ram:321a fe 51	CPI	0x51	
ram:321c da 22 32	JC	LAB_ram_3222	
ram:321f 2e 01	MVI	L,0x1	
ram:3221 24	INR	H	
LAB_ram_3222			XREF[1]: ram:321c(j)
ram:3222 3e 01	MVI	A,0x1	
ram:3224 cd 0c 01	CALL	thunk_FUN_ram_1778	undefinedthunk_FUN_ram_1778()
ram:3227 c9	RET		
LAB_ram_3228			XREF[1]: ram:3200(j)
ram:3228 2c	INR	L	
ram:3229 7d	MOV	A,L	
ram:322a fe 51	CPI	0x51	
ram:322c da 12 32	JC	LAB_ram_3212	
ram:322f 2e 01	MVI	L,0x1	
ram:3231 24	INR	H	
ram:3232 c3 12 32	JMP	LAB_ram_3212	
LAB_ram_3235			XREF[1]: ram:3119(j)
ram:3235 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:3238 a7	ANA	A	
ram:3239 ca 58 32	JZ	LAB_ram_3258	
ram:323c 0d	DCR	C	
ram:323d ca 49 32	JZ	LAB_ram_3249	
ram:3240 cd 06 01	CALL	thunk_FUN_ram_1726	undefinedthunk_FUN_ram_1726()
ram:3243 cd e9 36	CALL	FUN_ram_36e9	undefinedFUN_ram_36e9()
ram:3246 c3 b3 2d	JMP	LAB_ram_2db3	
LAB_ram_3249			XREF[1]: ram:323d(j)
ram:3249 cd 09 01	CALL	clear_display_memory_range	undefinedclear_display_memory_r...
ram:324c 2a 9c 58	LHLD	(DAT_ram_589c)	= ??
ram:324f cd 94 00	CALL	update_cursor_addresses	undefinedupdate_cursor_addresse...
ram:3252 cd e9 36	CALL	FUN_ram_36e9	undefinedFUN_ram_36e9()
ram:3255 c3 b3 2d	JMP	LAB_ram_2db3	
LAB_ram_3258			XREF[1]: ram:3239(j)
ram:3258 cd e9 31	CALL	cursor_movement_handler	undefinedcursor_movement_handle...
ram:325b 2a 9c 58	LHLD	(DAT_ram_589c)	= ??
ram:325e cd 94 00	CALL	update_cursor_addresses	undefinedupdate_cursor_addresse...
ram:3261 c3 5e 31	JMP	LAB_ram_315e	
LAB_ram_3264			XREF[1]: ram:2fd7(j)
ram:3264 0e 01	MVI	C,0x1	
ram:3266 c3 6b 32	JMP	LAB_ram_326b	
LAB_ram_3269			XREF[1]: ram:2fdc(j)
ram:3269 0e 00	MVI	C,0x0	
LAB_ram_326b			XREF[1]: ram:3266(j)
ram:326b cd 97 00	CALL	thunk_FUN_ram_1472	undefinedthunk_FUN_ram_1472()
ram:326e 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:3271 a7	ANA	A	
ram:3272 c2 86 32	JNZ	LAB_ram_3286	
LAB_ram_3275			XREF[1]: ram:3283(j)
ram:3275 cd 42 01	CALL	thunk_FUN_ram_1634	undefinedthunk_FUN_ram_1634()
ram:3278 e6 f0	ANI	0xf0	
ram:327a fe 10	CPI	0x10	
ram:327c ca a0 32	JZ	LAB_ram_32a0	
ram:327f 2c	INR	L	
ram:3280 7d	MOV	A,L	
ram:3281 fe 51	CPI	0x51	
ram:3283 da 75 32	JC	LAB_ram_3275	
LAB_ram_3286			XREF[1]: ram:3272(j)
ram:3286 24	INR	H	
ram:3287 2e 01	MVI	L,0x1	
ram:3289 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:328c fe 02	CPI	0x2	
ram:328e c2 a0 32	JNZ	LAB_ram_32a0	
ram:3291 3a 18 58	LDA	(BYTE_ram_5818)	= ??
ram:3294 fe 48	CPI	0x48	
ram:3296 ca a0 32	JZ	LAB_ram_32a0	
ram:3299 cd db 33	CALL	get_default_tab_stop_count	undefinedget_default_tab_stop_c...
ram:329c 07	RLC		

Ghidra - 961264-10.2764.u31

ram:329d c3 a3 32	JMP	LAB_ram_32a3	
		LAB_ram_32a0	XREF[3]: ram:327c(j), ram:328e(j), ram:3296(j)
ram:32a0 cd db 33	CALL	get_default_tab_stop_count	undefinedget_default_tab_stop_c...
		LAB_ram_32a3	XREF[1]: ram:329d(j)
ram:32a3 5f	MOV	E,A	
ram:32a4 16 00	MVI	D,0x0	
ram:32a6 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:32a9 a7	ANA	A	
ram:32aa ca b9 32	JZ	LAB_ram_32b9	
ram:32ad 3d	DCR	A	
ram:32ae ca be 32	JZ	LAB_ram_32be	
ram:32b1 3a 18 58	LDA	(BYTE_ram_5818)	= ??
ram:32b4 fe 48	CPI	0x48	
ram:32b6 ca be 32	JZ	LAB_ram_32be	
		LAB_ram_32b9	XREF[1]: ram:32aa(j)
ram:32b9 3e 01	MVI	A,0x1	
ram:32bb c3 c0 32	JMP	LAB_ram_32c0	
		LAB_ram_32be	XREF[2]: ram:32ae(j), ram:32b6(j)
ram:32be 3e 02	MVI	A,0x2	
		LAB_ram_32c0	XREF[1]: ram:32bb(j)
ram:32c0 0d	DCR	C	
ram:32c1 ca ca 32	JZ	LAB_ram_32ca	
ram:32c4 cd 15 01	CALL	thunk_FUN_ram_17a3	undefinedthunk_FUN_ram_17a3()
ram:32c7 c3 cd 32	JMP	LAB_ram_32cd	
		LAB_ram_32ca	XREF[1]: ram:32c1(j)
ram:32ca cd 1b 01	CALL	thunk_FUN_ram_1816	undefinedthunk_FUN_ram_1816()
		LAB_ram_32cd	XREF[1]: ram:32c7(j)
ram:32cd 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:32d0 fe 02	CPI	0x2	
ram:32d2 c2 b3 2d	JNZ	LAB_ram_2db3	
ram:32d5 3a 18 58	LDA	(BYTE_ram_5818)	= ??
ram:32d8 fe 48	CPI	0x48	
ram:32da ca b3 2d	JZ	LAB_ram_2db3	
ram:32dd 3e 0e	MVI	A,0xe	
ram:32df cd a3 00	CALL	thunk_FUN_ram_1596	undefinedthunk_FUN_ram_1596()
ram:32e2 25	DCR	H	
ram:32e3 2e 50	MVI	L,0x50	
ram:32e5 3e 20	MVI	A,0x20	
ram:32e7 cd 45 01	CALL	thunk_FUN_ram_1650	undefinedthunk_FUN_ram_1650()
ram:32ea c3 b3 2d	JMP	LAB_ram_2db3	
		LAB_ram_32ed	XREF[1]: ram:2fe1(j)
ram:32ed 0e 01	MVI	C,0x1	
ram:32ef c3 f4 32	JMP	LAB_ram_32f4	
		LAB_ram_32f2	XREF[1]: ram:2fe6(j)
ram:32f2 0e 00	MVI	C,0x0	
		LAB_ram_32f4	XREF[1]: ram:32ef(j)
ram:32f4 cd 97 00	CALL	thunk_FUN_ram_1472	undefinedthunk_FUN_ram_1472()
ram:32f7 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:32fa a7	ANA	A	
ram:32fb c2 1b 33	JNZ	LAB_ram_331b	
ram:32fe cd 42 01	CALL	thunk_FUN_ram_1634	undefinedthunk_FUN_ram_1634()
ram:3301 e6 f0	ANI	0xf0	
ram:3303 fe 10	CPI	0x10	
ram:3305 ca b3 2d	JZ	LAB_ram_2db3	
ram:3308 2e 01	MVI	L,0x1	
		LAB_ram_330a	XREF[1]: ram:3318(j)
ram:330a cd 42 01	CALL	thunk_FUN_ram_1634	undefinedthunk_FUN_ram_1634()
ram:330d e6 f0	ANI	0xf0	
ram:330f fe 10	CPI	0x10	
ram:3311 ca b3 2d	JZ	LAB_ram_2db3	
ram:3314 2c	INR	L	
ram:3315 7d	MOV	A,L	
ram:3316 fe 51	CPI	0x51	
ram:3318 da 0a 33	JC	LAB_ram_330a	
		LAB_ram_331b	XREF[1]: ram:32fb(j)
ram:331b 3a 2e 5f	LDA	(BYTE_ram_5f2e)	= ??
ram:331e a7	ANA	A	
ram:331f c2 62 33	JNZ	LAB_ram_3362	
ram:3322 3a 24 5f	LDA	(BYTE_ram_5f24)	= ??
ram:3325 a7	ANA	A	
ram:3326 c2 47 33	JNZ	LAB_ram_3347	

Ghidra - 961264-10.2764.u31

ram:3329 24	LAB_ram_3329	INR	H	XREF[1]:	ram:3340(j)
ram:332a 7c		MOV	A,H		
ram:332b fe 1a		CPI	0x1a		
ram:332d d2 43 33		JNC	LAB_ram_3343		
ram:3330 2e 50		MVI	L,0x50		
	LAB_ram_3332			XREF[1]:	ram:333d(j)
ram:3332 cd 42 01		CALL	thunk_FUN_ram_1634		undefinedthunk_FUN_ram_1634()
ram:3335 e6 f0		ANI	0xf0		
ram:3337 fe 10		CPI	0x10		
ram:3339 ca 43 33		JZ	LAB_ram_3343		
ram:333c 2d		DCR	L		
ram:333d c2 32 33		JNZ	LAB_ram_3332		
ram:3340 c3 29 33		JMP	LAB_ram_3329		
	LAB_ram_3343			XREF[2]:	ram:332d(j), ram:3339(j)
ram:3343 25		DCR	H		
ram:3344 c3 49 33		JMP	LAB_ram_3349		
	LAB_ram_3347			XREF[1]:	ram:3326(j)
ram:3347 26 19		MVI	H,0x19		
	LAB_ram_3349			XREF[1]:	ram:3344(j)
ram:3349 eb		XCHG			
ram:334a 0d		DCR	C		
ram:334b ca 54 33		JZ	LAB_ram_3354		
ram:334e 21 c6 33		LXI	HL,0x33c6		
ram:3351 c3 57 33		JMP	LAB_ram_3357		
	LAB_ram_3354			XREF[1]:	ram:334b(j)
ram:3354 21 bf 33		LXI	HL,0x33bf		
	LAB_ram_3357			XREF[1]:	ram:3351(j)
ram:3357 e5		PUSH	HL=>LAB_ram_33c6		= EBh
ram:3358 cd 97 00		CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472()
ram:335b 3e 1a		MVI	A,0x1a		
ram:335d 94		SUB	H		
ram:335e 47		MOV	B,A		
ram:335f c3 99 33		JMP	LAB_ram_3399		
	LAB_ram_3362			XREF[1]:	ram:331f(j)
ram:3362 3a 24 5f		LDA	(BYTE_ram_5f24)		= ??
ram:3365 a7		ANA	A		
ram:3366 c2 84 33		JNZ	LAB_ram_3384		
	LAB_ram_3369			XREF[1]:	ram:337d(j)
ram:3369 25		DCR	H		
ram:336a ca 80 33		JZ	LAB_ram_3380		
ram:336d 2e 50		MVI	L,0x50		
	LAB_ram_336f			XREF[1]:	ram:337a(j)
ram:336f cd 42 01		CALL	thunk_FUN_ram_1634		undefinedthunk_FUN_ram_1634()
ram:3372 e6 f0		ANI	0xf0		
ram:3374 fe 10		CPI	0x10		
ram:3376 ca 80 33		JZ	LAB_ram_3380		
ram:3379 2d		DCR	L		
ram:337a c2 6f 33		JNZ	LAB_ram_336f		
ram:337d c3 69 33		JMP	LAB_ram_3369		
	LAB_ram_3380			XREF[2]:	ram:336a(j), ram:3376(j)
ram:3380 24		INR	H		
ram:3381 c3 86 33		JMP	LAB_ram_3386		
	LAB_ram_3384			XREF[1]:	ram:3366(j)
ram:3384 26 01		MVI	H,0x1		
	LAB_ram_3386			XREF[1]:	ram:3381(j)
ram:3386 eb		XCHG			
ram:3387 0d		DCR	C		
ram:3388 ca 91 33		JZ	LAB_ram_3391		
ram:338b 21 cd 33		LXI	HL,0x33cd		
ram:338e c3 94 33		JMP	LAB_ram_3394		
	LAB_ram_3391			XREF[1]:	ram:3388(j)
ram:3391 21 d4 33		LXI	HL,0x33d4		
	LAB_ram_3394			XREF[1]:	ram:338e(j)
ram:3394 e5		PUSH	HL=>LAB_ram_33cd		
ram:3395 cd 97 00		CALL	thunk_FUN_ram_1472		undefinedthunk_FUN_ram_1472()
ram:3398 44		MOV	B,H		
	LAB_ram_3399			XREF[1]:	ram:335f(j)
ram:3399 cd db 33		CALL	get_default_tab_stop_count		undefinedget_default_tab_stop_c...

Ghidra - 961264-10.2764.u31

```

ram:339c b8      CMP      B
ram:339d da b6 33 JC      LAB_ram_33b6

LAB_ram_33a0
ram:33a0 3a 24 5f LDA      (BYTE_ram_5f24)
ram:33a3 a7      ANA      A
ram:33a4 ca ba 33 JZ      LAB_ram_33ba
ram:33a7 3e 02    MVI      A,0x2

LAB_ram_33a9
ram:33a9 e1      POP      HL

LAB_ram_33aa
ram:33aa e9      PCHL

LAB_ram_33ab
XREF[1]: ram:33b7(j)
          = ??

ram:33ab eb      XCHG
ram:33ac 05      DCR      B
ram:33ad c2 aa 33 JNZ      LAB_ram_33aa
ram:33b0 cd e9 36 CALL     FUN_ram_36e9
ram:33b3 c3 b3 2d JMP      LAB_ram_2db3
          undefined FUN_ram_36e9()

LAB_ram_33b6
ram:33b6 47      MOV      B,A
ram:33b7 c3 a0 33 JMP      LAB_ram_33a0

LAB_ram_33ba
ram:33ba 3e 01    MVI      A,0x1
ram:33bc c3 a9 33 JMP      LAB_ram_33a9

LAB_ram_33bf
ram:33bf eb      ??      EBh
ram:33c0 cd      ??      CDh
ram:33c1 90      ??      90h
ram:33c2 01      ??      01h
ram:33c3 c3      ??      C3h
ram:33c4 ab      ??      ABh
ram:33c5 33      ??      33h      3

LAB_ram_33c6
ram:33c6 eb      XCHG
ram:33c7 cd 96 01 CALL     thunk_FUN_ram_1982
ram:33ca c3 ab 33 JMP      LAB_ram_33ab
          undefinedthunk_FUN_ram_1982()

LAB_ram_33cd
ram:33cd eb      XCHG
ram:33ce cd 99 01 CALL     thunk_FUN_ram_19a6
ram:33d1 c3 ab 33 JMP      LAB_ram_33ab
          undefinedthunk_FUN_ram_19a6()

LAB_ram_33d4
ram:33d4 eb      XCHG
ram:33d5 cd 93 01 CALL     thunk_FUN_ram_195f
ram:33d8 c3 ab 33 JMP      LAB_ram_33ab
          undefinedthunk_FUN_ram_195f()

*****
*                               *
*                               FUNCTION                               *
*                               *
*****
undefined get_default_tab_stop_count()
          <UNASSIGNED> <RETURN>
get_default_tab_stop_count
XREF[4]: ram:3012(c), ram:3299(c),
          ram:32a0(c), ram:3399(c)
          = ??

ram:33db 3a 51 58 LDA      (DAT_ram_5851)
ram:33de a7      ANA      A
ram:33df c0      RNZ
ram:33e0 3e 01    MVI      A,0x1
ram:33e2 c9      RET

*****
*                               *
*                               FUNCTION                               *
*                               *
*****
undefined FUN_ram_33e3()
          <UNASSIGNED> <RETURN>
FUN_ram_33e3
XREF[3]: ram:345b(c), ram:34ad(c),
          ram:3526(c)
          = ??

ram:33e3 3a 50 58 LDA      (DAT_ram_5850)
ram:33e6 fe ff    CPI      0xff
ram:33e8 ca f9 33 JZ      LAB_ram_33f9
ram:33eb 5f      MOV      E,A
ram:33ec 16 00    MVI      D,0x0
ram:33ee 3d      DCR      A
ram:33ef 32 50 58 STA      (DAT_ram_5850)
ram:33f2 21 51 58 LXI      HL,0x5851
ram:33f5 19      DAD      HL,DE
ram:33f6 7e      MOV      A,(HL=>DAT_ram_5851)
          = ??

```


Ghidra - 961264-10.2764.u31

```

ram:33f7 a7      ANA      A
ram:33f8 c9      RET

LAB_ram_33f9
ram:33f9 37      STC
ram:33fa c9      RET

LAB_ram_33fb
ram:33fb 3a 18 58 LDA      (BYTE_ram_5818)
ram:33fe fe 48   CPI      0x48
ram:3400 c2 09 34 JNZ      LAB_ram_3409
ram:3403 cd 70 41 CALL     FUN_ram_4170
ram:3406 c3 b3 2d JMP      LAB_ram_2db3

LAB_ram_3409
ram:3409 cd 97 00 CALL     thunk_FUN_ram_1472
ram:340c 7d      MOV      A,L
ram:340d a7      ANA      A
ram:340e 1f      RAR
ram:340f 6f      MOV      L,A
ram:3410 cd 94 00 CALL     update_cursor_addresses
ram:3413 cd 70 41 CALL     FUN_ram_4170
ram:3416 cd 97 00 CALL     thunk_FUN_ram_1472
ram:3419 7d      MOV      A,L
ram:341a 07      RLC
ram:341b 6f      MOV      L,A
ram:341c cd 94 00 CALL     update_cursor_addresses
ram:341f c3 b3 2d JMP      LAB_ram_2db3

LAB_ram_3422
ram:3422 3a 51 58 LDA      (DAT_ram_5851)
ram:3425 a7      ANA      A
ram:3426 ca 34 34 JZ       LAB_ram_3434
ram:3429 fe 03   CPI      0x3
ram:342b c2 b3 2d JNZ      LAB_ram_2db3
ram:342e cd a2 41 CALL     FUN_ram_41a2
ram:3431 c3 b3 2d JMP      LAB_ram_2db3

LAB_ram_3434
ram:3434 3a 18 58 LDA      (BYTE_ram_5818)
ram:3437 fe 48   CPI      0x48
ram:3439 c2 42 34 JNZ      LAB_ram_3442
ram:343c cd 98 41 CALL     FUN_ram_4198
ram:343f c3 b3 2d JMP      LAB_ram_2db3

LAB_ram_3442
ram:3442 cd 97 00 CALL     thunk_FUN_ram_1472
ram:3445 22 9c 58 SHLD     (DAT_ram_589c)
ram:3448 7d      MOV      A,L
ram:3449 a7      ANA      A
ram:344a 1f      RAR
ram:344b 6f      MOV      L,A
ram:344c cd 94 00 CALL     update_cursor_addresses
ram:344f cd 98 41 CALL     FUN_ram_4198
ram:3452 2a 9c 58 LHLD     (DAT_ram_589c)
ram:3455 cd 94 00 CALL     update_cursor_addresses
ram:3458 c3 b3 2d JMP      LAB_ram_2db3

LAB_ram_345b
ram:345b cd e3 33 CALL     FUN_ram_33e3
ram:345e fe 06   CPI      0x6
ram:3460 c2 b3 2d JNZ      LAB_ram_2db3
ram:3463 3e 1b   MVI      A,0x1b
ram:3465 cd 57 25 CALL     terminal_character_output
ram:3468 3e 5b   MVI      A,0x5b
ram:346a cd 57 25 CALL     terminal_character_output
ram:346d cd 97 00 CALL     thunk_FUN_ram_1472
ram:3470 7c      MOV      A,H
ram:3471 cd ab 37 CALL     FUN_ram_37ab
ram:3474 4f      MOV      C,A
ram:3475 78      MOV      A,B
ram:3476 cd 57 25 CALL     terminal_character_output
ram:3479 79      MOV      A,C
ram:347a cd 57 25 CALL     terminal_character_output
ram:347d 3e 3b   MVI      A,0x3b
ram:347f cd 57 25 CALL     terminal_character_output
ram:3482 3a 18 58 LDA      (BYTE_ram_5818)
ram:3485 fe 48   CPI      0x48
ram:3487 ca 90 34 JZ       LAB_ram_3490
ram:348a 7d      MOV      A,L
ram:348b a7      ANA      A
ram:348c 1f      RAR
ram:348d c3 91 34 JMP      LAB_ram_3491

XREF[1]: ram:33e8(j)

XREF[1]: ram:2feb(j)
= ??

XREF[1]: ram:3400(j)
undefinedthunk_FUN_ram_1472()

XREF[1]: ram:2ff0(j)
= ??

XREF[1]: ram:3426(j)
= ??

XREF[1]: ram:3439(j)
undefinedthunk_FUN_ram_1472()
= ??

XREF[1]: ram:2ff5(j)
undefinedFUN_ram_33e3()
undefinedterminal_character_out...
undefinedterminal_character_out...
undefinedthunk_FUN_ram_1472()
undefinedFUN_ram_37ab()
undefinedterminal_character_out...
undefinedterminal_character_out...
= ??

```

Ghidra - 961264-10.2764.u31

ram:3490 7d	LAB_ram_3490	MOV	A,L	XREF[1]:	ram:3487(j)
ram:3491 cd ab 37	LAB_ram_3491	CALL	FUN_ram_37ab	XREF[1]:	ram:348d(j)
ram:3494 4f		MOV	C,A		undefined FUN_ram_37ab()
ram:3495 78		MOV	A,B		
ram:3496 cd 57 25		CALL	terminal_character_output		undefined terminal_character_out...
ram:3499 79		MOV	A,C		
ram:349a cd 57 25		CALL	terminal_character_output		undefined terminal_character_out...
ram:349d 3e 52		MVI	A,0x52		
ram:349f cd 57 25		CALL	terminal_character_output		undefined terminal_character_out...
ram:34a2 c3 b3 2d		JMP	LAB_ram_2db3		
ram:34a5 0e 00	LAB_ram_34a5	MVI	C,0x0	XREF[1]:	ram:2ffa(j)
ram:34a7 3a 24 5f	LAB_ram_34a7	LDA	(BYTE_ram_5f24)	XREF[1]:	ram:3514(j)
ram:34aa 32 9e 58		STA	(DAT_ram_589e)		= ??
ram:34ad cd e3 33	LAB_ram_34ad	CALL	FUN_ram_33e3	XREF[4]:	ram:34bf(j), ram:34d8(j),
ram:34b0 da df 34		JC	LAB_ram_34df		ram:34dc(j), ram:3519(j)
ram:34b3 47		MOV	B,A		undefined FUN_ram_33e3()
ram:34b4 21 9a 3e		LXI	HL,0x3e9a		
ram:34b7 7e	LAB_ram_34b7	MOV	A,(HL=>DAT_ram_3e9a)	XREF[1]:	ram:34c4(j)
ram:34b8 23		INX	HL		= 07h
ram:34b9 b8		CMP	B		= 1Fh
ram:34ba ca c7 34		JZ	LAB_ram_34c7		
ram:34bd fe ff		CPI	0xff		
ram:34bf ca ad 34		JZ	LAB_ram_34ad		
ram:34c2 23		INX	HL		
ram:34c3 23		INX	HL		
ram:34c4 c3 b7 34		JMP	LAB_ram_34b7		
ram:34c7 5e	LAB_ram_34c7	MOV	E,(HL=>DAT_ram_3e9b)	XREF[1]:	ram:34ba(j)
ram:34c8 23		INX	HL		= 2Eh
ram:34c9 46		MOV	B,(HL=>DAT_ram_3e9c)		= 02h
ram:34ca 16 00		MVI	D,0x0		
ram:34cc 21 00 5f		LXI	HL,0x5f00		
ram:34cf 19		DAD	HL,DE		
ram:34d0 79		MOV	A,C		
ram:34d1 a7		ANA	A		
ram:34d2 c2 17 35		JNZ	LAB_ram_3517		
ram:34d5 7e		MOV	A,(HL=>BYTE_ram_5f2e)		= ??
ram:34d6 3c		INR	A		
ram:34d7 b8		CMP	B		
ram:34d8 ca ad 34		JZ	LAB_ram_34ad		
ram:34db 34		INR	(HL=>BYTE_ram_5f2e)		= ??
ram:34dc c3 ad 34		JMP	LAB_ram_34ad		
ram:34df cd 85 42	LAB_ram_34df	CALL	FUN_ram_4285	XREF[1]:	ram:34b0(j)
ram:34e2 cd 3f 01		CALL	something_write_controlport2		undefined FUN_ram_4285()
ram:34e5 3a 22 5f		LDA	(BYTE_ram_5f22)		undefined something_write_contro...
ram:34e8 a7		ANA	A		= ??
ram:34e9 c2 f8 34		JNZ	LAB_ram_34f8		
ram:34ec 3a 24 5f		LDA	(BYTE_ram_5f24)		= ??
ram:34ef fe 02		CPI	0x2		
ram:34f1 c2 f8 34		JNZ	LAB_ram_34f8		
ram:34f4 af		XRA	A		
ram:34f5 32 24 5f		STA	(BYTE_ram_5f24)		= ??
ram:34f8 3a 9e 58	LAB_ram_34f8	LDA	(DAT_ram_589e)	XREF[2]:	ram:34e9(j), ram:34f1(j)
ram:34fb 47		MOV	B,A		= ??
ram:34fc 3a 24 5f		LDA	(BYTE_ram_5f24)		= ??
ram:34ff b8		CMP	B		
ram:3500 ca b3 2d		JZ	LAB_ram_2db3		
ram:3503 cd 09 01		CALL	clear_display_memory_range		undefined clear_display_memory_r...
ram:3506 cd a6 00		CALL	thunk_FUN_ram_15a5		undefined thunk_FUN_ram_15a5()
ram:3509 cd ed 21		CALL	setup_display_mode_handlers		undefined setup_display_mode_han...
ram:350c cd de 36		CALL	FUN_ram_36de		undefined FUN_ram_36de()
ram:350f c3 b3 2d		JMP	LAB_ram_2db3		
ram:3512 0e 01	LAB_ram_3512	MVI	C,0x1	XREF[1]:	ram:2fff(j)
ram:3514 c3 a7 34		JMP	LAB_ram_34a7		

Ghidra - 961264-10.2764.u31

```

LAB_ram_3517
ram:3517 36 00 MVI (HL=>BYTE_ram_5f2e),0x0
ram:3519 c3 ad 34 JMP LAB_ram_34ad

LAB_ram_351c
ram:351c 3a 24 5f LDA (BYTE_ram_5f24)
ram:351f fe 02 CPI 0x2
ram:3521 c2 b3 2d JNZ LAB_ram_2db3
ram:3524 0e 00 MVI C,0x0

LAB_ram_3526
ram:3526 cd e3 33 CALL FUN_ram_33e3
ram:3529 da 44 35 JC LAB_ram_3544
ram:352c fe 08 CPI 0x8
ram:352e ca 5e 35 JZ LAB_ram_355e
ram:3531 fe 32 CPI 0x32
ram:3533 ca 63 35 JZ LAB_ram_3563
ram:3536 21 83 35 LXI HL,0x3583
ram:3539 cd 6e 35 CALL FUN_ram_356e
ram:353c da 26 35 JC LAB_ram_3526
ram:353f b1 ORA C
ram:3540 4f MOV C,A
ram:3541 c3 26 35 JMP LAB_ram_3526

LAB_ram_3544
ram:3544 79 MOV A,C
ram:3545 fe 0e CPI 0xe
ram:3547 ca b3 2d JZ LAB_ram_2db3
ram:354a fe 0f CPI 0xf
ram:354c ca b3 2d JZ LAB_ram_2db3

LAB_ram_354f
ram:354f 3a 18 58 LDA (BYTE_ram_5818)
ram:3552 fe 48 CPI 0x48
ram:3554 79 MOV A,C
ram:3555 cc a3 00 CZ thunk_FUN_ram_1596
ram:3558 32 19 58 STA (BYTE_ram_5819)
ram:355b c3 b3 2d JMP LAB_ram_2db3

LAB_ram_355e
ram:355e 0e 0f MVI C,0xf
ram:3560 c3 4f 35 JMP LAB_ram_354f

LAB_ram_3563
ram:3563 cd a6 00 CALL thunk_FUN_ram_15a5
ram:3566 3e 10 MVI A,0x10
ram:3568 32 19 58 STA (BYTE_ram_5819)
ram:356b c3 b3 2d JMP LAB_ram_2db3

*****
* FUNCTION *
*****
undefined FUN_ram_356e()
undefined <UNASSIGNED> <RETURN>
FUN_ram_356e
ram:356e 57 MOV D,A

LAB_ram_356f
ram:356f 7e MOV A,(HL)
ram:3570 ba CMP D
ram:3571 ca 7d 35 JZ LAB_ram_357d
ram:3574 3c INR A
ram:3575 ca 81 35 JZ LAB_ram_3581
ram:3578 23 INX HL
ram:3579 23 INX HL
ram:357a c3 6f 35 JMP LAB_ram_356f

LAB_ram_357d
ram:357d 23 INX HL
ram:357e 7e MOV A,(HL)
ram:357f a7 ANA A
ram:3580 c9 RET

LAB_ram_3581
ram:3581 37 STC
ram:3582 c9 RET
ram:3583 00 ?? 00h
ram:3584 00 ?? 00h
ram:3585 02 ?? 02h
ram:3586 02 ?? 02h
ram:3587 04 ?? 04h
ram:3588 04 ?? 04h
ram:3589 05 ?? 05h
ram:358a 08 ?? 08h

XREF[1]: ram:34d2(j)
= ??

XREF[1]: ram:3004(j)
= ??

XREF[2]: ram:353c(j), ram:3541(j)
undefined FUN_ram_33e3()

XREF[1]: ram:3529(j)

XREF[1]: ram:3560(j)
= ??

undefined thunk_FUN_ram_1596()
= ??

XREF[1]: ram:352e(j)

XREF[1]: ram:3533(j)
undefined thunk_FUN_ram_15a5()
= ??

XREF[1]: ram:3539(c)

XREF[1]: ram:357a(j)

XREF[1]: ram:3571(j)

XREF[1]: ram:3575(j)

```

Ghidra - 961264-10.2764.u31

```

ram:358b 07      ??      07h
ram:358c 01      ??      01h
ram:358d ff      ??      FFh

LAB_ram_358e
ram:358e 3a 28 5f LDA      (BYTE_ram_5f28)
ram:3591 fe 02   CPI      0x2
ram:3593 ca b3 2d JZ      LAB_ram_2db3
ram:3596 3a 51 58 LDA      (DAT_ram_5851)
ram:3599 fe 05   CPI      0x5
ram:359b ca a8 35 JZ      LAB_ram_35a8
ram:359e a7      ANA      A
ram:359f c2 b3 2d JNZ     LAB_ram_2db3
ram:35a2 cd f0 3e CALL    FUN_ram_3ef0
ram:35a5 c3 b3 2d JMP     LAB_ram_2db3
                                undefined FUN_ram_3ef0()

LAB_ram_35a8
ram:35a8 21 ae 35 LXI      HL,0x35ae
ram:35ab c3 c6 20 JMP     LAB_ram_20c6

LAB_ram_35ae
ram:35ae fe 1b   CPI      0x1b
ram:35b0 ca b9 35 JZ      LAB_ram_35b9
ram:35b3 cd 97 3f CALL    FUN_ram_3f97
ram:35b6 c3 c9 20 JMP     LAB_ram_20c9
                                undefined FUN_ram_3f97()

LAB_ram_35b9
ram:35b9 af      XRA      A
ram:35ba 32 9f 58 STA      (DAT_ram_589f)
ram:35bd 21 c3 35 LXI      HL,0x35c3
ram:35c0 c3 c6 20 JMP     LAB_ram_20c6
ram:35c3 21 9f 58 LXI      HL,0x589f
ram:35c6 34      INR      (HL=>DAT_ram_589f)
ram:35c7 5e      MOV     E, (HL=>DAT_ram_589f)
ram:35c8 16 00   MVI     D,0x0
ram:35ca 21 f0 35 LXI      HL,0x35f0
ram:35cd 19      DAD     HL,DE
ram:35ce be      CMP     (HL=>ESC_character)
ram:35cf c2 db 35 JNZ     LAB_ram_35db
ram:35d2 3e 02   MVI     A,0x2
ram:35d4 bb      CMP     E
ram:35d5 d2 c9 20 JNC     LAB_ram_20c9
ram:35d8 c3 b3 2d JMP     LAB_ram_2db3

LAB_ram_35db
ram:35db 4f      MOV     C,A
ram:35dc 21 f0 35 LXI      HL,0x35f0

LAB_ram_35df
ram:35df 7e      MOV     A, (HL=>ESC_character)

ram:35e0 cd 97 3f CALL    FUN_ram_3f97
ram:35e3 23      INX     HL
ram:35e4 1d      DCR     E
ram:35e5 c2 df 35 JNZ     LAB_ram_35df
ram:35e8 79      MOV     A,C
ram:35e9 21 ae 35 LXI      HL,0x35ae
ram:35ec 22 00 58 SHLD    (BYTE_ram_5800)
ram:35ef e9      PCHL

ESC_character
ram:35f0 1b      undefined 1Bh

CSI_bracket_character
ram:35f1 5b      undefined 5Bh
ram:35f2 34      ??      34h    4
ram:35f3 69      ??      69h    i

*****
*                               *
*                               *
*****
undefined FUN_ram_35f4()
undefined <UNASSIGNED> <RETURN>
FUN_ram_35f4
                                XREF[3]: terminal_main_loop:20bl(c),
                                terminal_main_loop:20ba(c),
                                ram:35f7(j)
                                undefined send_keyboard_init_com...

ram:35f4 cd 64 00 CALL    send_keyboard_init_command
ram:35f7 da f4 35 JC      FUN_ram_35f4
ram:35fa c9      RET
ram:35fb 3e 08   MVI     A,0x8

LAB_ram_35fd
ram:35fd cd 4f 00 CALL    thunk_FUN_ram_1035
ram:3600 da fd 35 JC      LAB_ram_35fd
ram:3603 af      XRA      A
                                XREF[1]: ram:3600(j)
                                undefined thunk_FUN_ram_1035()

```

Ghidra - 961264-10.2764.u31

```

ram:3604 32 17 58      STA      (BYTE_ram_5817)                = ??

*****
*                      FUNCTION                                *
*****
undefined FUN_ram_3607()
undefined          ▲<UNASSIGNED>  <RETURN>

ram:3607 3a 4d 58      LDA      (BYTE_ram_584d)                XREF[1]:  ram:2c2c(c)
ram:360a a7            ANA      A                              = ??
ram:360b c8            RZ
ram:360c 01 04 00      LXI      BC,0x4

LAB_ram_360f
ram:360f 0d            DCR      C                              XREF[2]:  ram:3615(j), ram:3621(j)
ram:3610 ca 24 36      JZ       LAB_ram_3624
ram:3613 04            INR      B
ram:3614 1f            RAR
ram:3615 d2 0f 36      JNC      LAB_ram_360f
ram:3618 f5            PUSH     AF
ram:3619 78            MOV      A,B

LAB_ram_361a
ram:361a cd 4f 00      CALL     thunk_FUN_ram_1035              XREF[1]:  ram:361d(j)
ram:361d da 1a 36      JC       LAB_ram_361a                  undefinedthunk_FUN_ram_1035()
ram:3620 f1            POP      AF
ram:3621 c3 0f 36      JMP      LAB_ram_360f

LAB_ram_3624
ram:3624 af            XRA      A                              XREF[1]:  ram:3610(j)
ram:3625 32 4d 58      STA      (BYTE_ram_584d)                = ??
ram:3628 c9            RET

*****
*                      FUNCTION                                *
*****
undefined FUN_ram_3629()
undefined          ▲<UNASSIGNED>  <RETURN>
FUN_ram_3629
ram:3629 cd a9 00      CALL     write_char_to_video_memory        XREF[2]:  main_character_processor:2169(c),
ram:3629 cd a9 00      CALL     write_char_to_video_memory        ram:2de3(c)
ram:3629 cd a9 00      CALL     write_char_to_video_memory        voidwrite_char_to_video_memory(...)

*****
*                      FUNCTION                                *
*****
undefined FUN_ram_362c()
undefined          ▲<UNASSIGNED>  <RETURN>
FUN_ram_362c
ram:362c cd 8c 36      CALL     check_auto_wrap_condition            XREF[2]:  FUN_ram_2b4c:2b7f(c),
ram:362f 3a 18 58      LDA      (BYTE_ram_5818)                ram:2c5f(c)
ram:3632 fe 48          CPI      0x48                          = ??
ram:3634 ca 47 36      JZ       LAB_ram_3647
ram:3637 cd 97 00      CALL     thunk_FUN_ram_1472                  undefinedthunk_FUN_ram_1472()
ram:363a 3e 4c          MVI      A,0x4c
ram:363c bd            CMP      L
ram:363d da 4b 36      JC       LAB_ram_364b
ram:3640 cd 76 00      CALL     advance_cursor_position                          voidadvance_cursor_position(void)
ram:3643 cd 76 00      CALL     advance_cursor_position                          voidadvance_cursor_position(void)
ram:3646 c9            RET

LAB_ram_3647
ram:3647 cd 73 00      CALL     thunk_FUN_ram_1376                  XREF[1]:  ram:3634(j)
ram:364a d0            RNC                                      undefinedthunk_FUN_ram_1376()

LAB_ram_364b
ram:364b 3a 23 5f      LDA      (BYTE_ram_5f23)                XREF[1]:  ram:363d(j)
ram:364e a7            ANA      A                              = ??
ram:364f c8            RZ
ram:3650 cd 97 00      CALL     thunk_FUN_ram_1472                  undefinedthunk_FUN_ram_1472()
ram:3653 3e 18          MVI      A,0x18
ram:3655 bc            CMP      H
ram:3656 da 66 36      JC       LAB_ram_3666
ram:3659 cd d1 36      CALL     FUN_ram_36d1                  undefinedFUN_ram_36d1()
ram:365c 24            INR      H
ram:365d 2e 01          MVI      L,0x1
ram:365f cd 94 00      CALL     update_cursor_addresses                  undefinedupdate_cursor_addresse...
ram:3662 cd e9 36      CALL     FUN_ram_36e9                  undefinedFUN_ram_36e9()
ram:3665 c9            RET

LAB_ram_3666
ram:3666 3a 29 5f      LDA      (BYTE_ram_5f29)                XREF[1]:  ram:3656(j)
ram:3669 a7            ANA      A                              = ??
ram:366a c0            RNZ
ram:366b cd d1 36      CALL     FUN_ram_36d1                  undefinedFUN_ram_36d1()

```

Ghidra - 961264-10.2764.u31

```

ram:366e cd a5 36      CALL      FUN_ram_36a5      undefined FUN_ram_36a5()
ram:3671 cd 6a 00      CALL      thunk_FUN_ram_134c      undefinedthunk_FUN_ram_134c()
ram:3674 c9           RET

*****
*                      FUNCTION                      *
*****
undefined write_character_with_cursor_wrap()
undefined  <UNASSIGNED> <RETURN>
write_character_with_cursor_wrap      XREF[2]:      ram:21e7(c),
terminal_character_output:2563c...
undefinedthunk_FUN_ram_1596()
= ??
voidwrite_char_to_video_memory(...)
undefinedcheck_auto_wrap_condit...
voidadvance_cursor_position(void)

ram:3675 cd a3 00      CALL      thunk_FUN_ram_1596
ram:3678 3a 12 58      LDA      (BYTE_ram_5812)
ram:367b cd a9 00      CALL      write_char_to_video_memory
ram:367e cd 8c 36      CALL      check_auto_wrap_condition
ram:3681 cd 76 00      CALL      advance_cursor_position
ram:3684 d0           RNC
ram:3685 cd f7 00      CALL      thunk_FUN_ram_152a      undefinedthunk_FUN_ram_152a()
ram:3688 cd 6a 00      CALL      thunk_FUN_ram_134c      undefinedthunk_FUN_ram_134c()
ram:368b c9           RET

*****
*                      FUNCTION                      *
*****
undefined check_auto_wrap_condition()
undefined  <UNASSIGNED> <RETURN>
check_auto_wrap_condition      XREF[2]:      FUN_ram_362c:362c(c),
write_character_with_cursor_wrap...
= ??

ram:368c 3a f9 5d      LDA      (display_refresh_control)
ram:368f e6 06      ANI      0x6
ram:3691 fe 06      CPI      0x6
ram:3693 c8           RZ
ram:3694 cd 97 00      CALL      thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:3697 3a 18 58      LDA      (BYTE_ram_5818)
= ??
ram:369a bd          CMP      L
ram:369b c0          RNZ
ram:369c 3a 25 5f      LDA      (BYTE_ram_5f25)
= ??
ram:369f a7          ANA      A
ram:36a0 c0          RNZ
ram:36a1 cd 55 00      CALL      thunk_FUN_ram_1061      undefinedthunk_FUN_ram_1061()
ram:36a4 c9           RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_36a5()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_36a5      XREF[3]:      ram:2ab7(c), ram:2ad6(c),
FUN_ram_362c:366e(c)
= ??

ram:36a5 3a 2a 5f      LDA      (BYTE_ram_5f2a)
ram:36a8 a7          ANA      A
ram:36a9 cc f7 00      CZ      thunk_FUN_ram_152a      undefinedthunk_FUN_ram_152a()
ram:36ac c4 f4 00      CNZ      thunk_FUN_ram_1571      undefinedthunk_FUN_ram_1571()
ram:36af 3a 24 5f      LDA      (BYTE_ram_5f24)
= ??
ram:36b2 a7          ANA      A
ram:36b3 ca c9 36      JZ      LAB_ram_36c9
ram:36b6 3d          DCR      A
ram:36b7 c2 cd 36      JNZ      LAB_ram_36cd
ram:36ba 3a f6 5d      LDA      (AttributeRegisterValue)
= ??
ram:36bd a7          ANA      A
ram:36be c8          RZ
ram:36bf 11 01 19      LXI      DE,0x1901
ram:36c2 21 01 1a      LXI      HL,0x1a01
ram:36c5 cd 4e 01      CALL      thunk_FUN_ram_15f5      undefinedthunk_FUN_ram_15f5()
ram:36c8 c9           RET

LAB_ram_36c9
ram:36c9 cd de 36      CALL      FUN_ram_36de
ram:36cc c9           RET

LAB_ram_36cd
ram:36cd cd e9 36      CALL      FUN_ram_36e9
ram:36d0 c9           RET

*****
*                      FUNCTION                      *
*****
undefined FUN_ram_36d1()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_36d1      XREF[4]:      ram:2aaf(c), ram:2ac9(c),
FUN_ram_362c:3659(c),
FUN_ram_362c:366b(c)
= ??

ram:36d1 3a 28 5f      LDA      (BYTE_ram_5f28)
ram:36d4 fe 02      CPI      0x2
ram:36d6 c0          RNZ

```

Ghidra - 961264-10.2764.u31

```

ram:36d7 cd 97 00      CALL      thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:36da cd e5 3e      CALL      FUN_ram_3ee5      undefined FUN_ram_3ee5()
ram:36dd c9           RET

*****
*                               *
*                               *
*****

undefined FUN_ram_36de()
    <UNASSIGNED> <RETURN>
    FUN_ram_36de      XREF[5]:      terminal_main_loop:2057(c),
                                ram:2c59(c), ram:2c75(c),
                                ram:350c(c),
                                FUN_ram_36a5:36c9(c)

ram:36de af          XRA          A
ram:36df 32 10 58      STA          (BYTE_ram_5810)      = ??
ram:36e2 21 01 01      LXI          HL,0x101
ram:36e5 22 0e 58      SHLD         (BYTE_ram_580e)      = ??
ram:36e8 c9           RET

*****
*                               *
*                               *
*****

undefined FUN_ram_36e9()
    <UNASSIGNED> <RETURN>
    FUN_ram_36e9      XREF[14]:      ram:2a34(c), ram:2a50(c),
                                ram:2aaa(c), ram:2ac3(c),
                                ram:2c0a(c), ram:2c3c(c),
                                ram:2c6f(c), ram:2ca1(c),
                                ram:2caa(c), ram:3243(c),
                                ram:3252(c), ram:33b0(c),
                                FUN_ram_362c:3662(c),
                                FUN_ram_36a5:36cd(c)

ram:36e9 3a 24 5f      LDA          (BYTE_ram_5f24)      = ??
ram:36ec fe 02          CPI          0x2
ram:36ee c0           RNZ
ram:36ef cd 97 00      CALL      thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:36f2 cd 48 01      CALL      thunk_FUN_ram_15af      undefinedthunk_FUN_ram_15af()
ram:36f5 fe 0e          CPI          0xe
ram:36f7 ca 1e 37      JZ          LAB_ram_371e
ram:36fa 3a 19 58      LDA          (BYTE_ram_5819)      = ??
ram:36fd fe 10          CPI          0x10
ram:36ff dc a3 00      CC          thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()
ram:3702 d4 a6 00      CNC          thunk_FUN_ram_15a5      undefinedthunk_FUN_ram_15a5()
ram:3705 3a 18 58      LDA          (BYTE_ram_5818)      = ??
ram:3708 fe 48          CPI          0x48
ram:370a c8           RZ

*****
*                               *
*                               *
*****

undefined FUN_ram_370b()
    <UNASSIGNED> <RETURN>
    FUN_ram_370b      XREF[1]:      ram:2f80(c)

ram:370b 7d           MOV          A,L
ram:370c fe 01          CPI          0x1
ram:370e c2 12 37      JNZ          LAB_ram_3712
ram:3711 3c           INR          A

LAB_ram_3712
ram:3712 a7           ANA          A
ram:3713 1f           RAR
ram:3714 6f           MOV          L,A
ram:3715 cd 94 00      CALL      update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:3718 3e 48          MVI          A,0x48
ram:371a 32 18 58      STA          (BYTE_ram_5818)      = ??
ram:371d c9           RET

LAB_ram_371e
ram:371e 3a 18 58      LDA          (BYTE_ram_5818)      = ??
ram:3721 fe 48          CPI          0x48
ram:3723 c2 3e 37      JNZ          LAB_ram_373e
ram:3726 3e 0e          MVI          A,0xe

*****
*                               *
*                               *
*****

undefined FUN_ram_3728()
    <UNASSIGNED> <RETURN>
    FUN_ram_3728      XREF[1]:      ram:2fc0(c)

ram:3728 cd a3 00      CALL      thunk_FUN_ram_1596      undefinedthunk_FUN_ram_1596()
ram:372b 7d           MOV          A,L
ram:372c 07           RLC
ram:372d fe 4e          CPI          0x4e
ram:372f da 34 37      JC          LAB_ram_3734
ram:3732 3e 4e          MVI          A,0x4e

```

Ghidra - 961264-10.2764.u31

```

LAB_ram_3734
ram:3734 6f      MOV     L,A
ram:3735 cd 94 00 CALL    update_cursor_addresses
ram:3738 3e 40     MVI     A,0x40
ram:373a 32 18 58 STA     (BYTE_ram_5818)
ram:373d c9      RET

LAB_ram_373e
ram:373e cd 97 00 CALL    thunk_FUN_ram_1472
ram:3741 3e 01     MVI     A,0x1
ram:3743 bd      CMP     L
ram:3744 c2 4b 37 JNZ     LAB_ram_374b
ram:3747 cd 76 00 CALL    advance_cursor_position
ram:374a c9      RET

LAB_ram_374b
ram:374b 3e 50     MVI     A,0x50
ram:374d bd      CMP     L
ram:374e c0      RNZ
ram:374f 2e 4e     MVI     L,0x4e
ram:3751 cd 94 00 CALL    update_cursor_addresses
ram:3754 c9      RET

*****
*                               *
*                               *
*****
undefined initialize_terminal_display_mode()
undefined <UNASSIGNED> <RETURN>
initialize_terminal_display_mode
ram:3755 cd a6 00 CALL    thunk_FUN_ram_15a5
ram:3758 cd 35 2b CALL    calculate_character_attribute_code
ram:375b 32 1a 58 STA     (BYTE_ram_581a)
ram:375e af      XRA     A
ram:375f 32 1b 58 STA     (DAT_ram_581b)
ram:3762 cd ed 21 CALL    setup_display_mode_handlers
ram:3765 3a 07 5f LDA     (BYTE_ram_5f07)
ram:3768 2f      CMA
ram:3769 d6 f3    SUI     0xf3
ram:376b 87      ADD     A
ram:376c 32 11 58 STA     (BYTE_ram_5811)
ram:376f 3a 22 5f LDA     (BYTE_ram_5f22)
ram:3772 a7      ANA     A
ram:3773 c2 82 37 JNZ     LAB_ram_3782
ram:3776 3a 24 5f LDA     (BYTE_ram_5f24)
ram:3779 fe 02    CPI     0x2
ram:377b c2 82 37 JNZ     LAB_ram_3782
ram:377e af      XRA     A
ram:377f 32 24 5f STA     (BYTE_ram_5f24)

LAB_ram_3782
ram:3782 cd 3c 40 CALL    FUN_ram_403c
ram:3785 3a 17 58 LDA     (BYTE_ram_5817)
ram:3788 a7      ANA     A
ram:3789 3e 08     MVI     A,0x8
ram:378b c4 a4 37 CNZ     set_display_attribute_bit
ram:378e 3a 4d 58 LDA     (BYTE_ram_584d)
ram:3791 01 04 00 LXI     BC,0x4

LAB_ram_3794
ram:3794 0d      DCR     C
ram:3795 c8      RZ
ram:3796 04      INR     B
ram:3797 1f      RAR
ram:3798 d2 94 37 JNC     LAB_ram_3794
ram:379b f5      PUSH    AF
ram:379c 78      MOV     A,B
ram:379d cd a4 37 CALL    set_display_attribute_bit
ram:37a0 f1      POP     AF
ram:37a1 c3 94 37 JMP     LAB_ram_3794

*****
*                               *
*                               *
*****
undefined set_display_attribute_bit()
undefined <UNASSIGNED> <RETURN>
set_display_attribute_bit
ram:37a4 cd 4c 00 CALL    check_display_attribute_port
ram:37a7 da a4 37 JC      set_display_attribute_bit
ram:37aa c9      RET

XREF[1]: ram:372f(j)
undefinedupdate_cursor_addresse...
= ??

XREF[1]: ram:3723(j)
undefinedthunk_FUN_ram_1472()
voidadvance_cursor_position(void)

XREF[1]: ram:3744(j)
undefinedupdate_cursor_addresse...

XREF[1]: terminal_main_loop:205a(c)
undefinedthunk_FUN_ram_15a5()
undefinedcalculate_character_at...
= ??
= ??
undefinedsetup_display_mode_han...
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??
= ??

XREF[2]: ram:3773(j), ram:377b(j)
undefinedFUN_ram_403c()
= ??
undefinedset_display_attribute_...
= ??

XREF[2]: ram:3798(j), ram:37a1(j)
undefinedset_display_attribute_...

XREF[3]: initialize_terminal_display_mode,
initialize_terminal_display_mode,
ram:37a7(j)
undefinedcheck_display_attribut...

```



```

*****
*                               *
*****
undefined FUN_ram_37ab()
undefined <UNASSIGNED> <RETURN>
FUN_ram_37ab                                XREF[2]:    ram:3471(c), ram:3491(c)
ram:37ab 06 30      MVI        B,0x30

LAB_ram_37ad                                XREF[1]:    ram:37b5(j)
ram:37ad fe 0a      CPI        0xa
ram:37af da b8 37      JC        LAB_ram_37b8
ram:37b2 d6 0a      SUI        0xa
ram:37b4 04          INR        B
ram:37b5 c3 ad 37      JMP        LAB_ram_37ad

LAB_ram_37b8                                XREF[1]:    ram:37af(j)
ram:37b8 c6 30      ADI        0x30
ram:37ba c9          RET

*****
*                               *
*****
undefined FUN_ram_37bb()
undefined <UNASSIGNED> <RETURN>
FUN_ram_37bb                                XREF[1]:    terminal_main_loop:2007(c)
ram:37bb f5          PUSH       AF
ram:37bc 21 10 5c      LXI        HL,0x5c10
ram:37bf 01 ff 58      LXI        BC,0x58ff
ram:37c2 11 2e 5c      LXI        DE,0x5c2e

LAB_ram_37c5                                XREF[1]:    ram:37cc(j)
ram:37c5 7e          MOV        A,(HL=>ISR_RETURN_ADDRESS) = ??
ram:37c6 02          STAX       (BC=>BYTE_ram_58ff) = ??
ram:37c7 23          INX        HL
ram:37c8 03          INX        BC
ram:37c9 cd c9 01      CALL      check_D_eq_H
ram:37cc c2 c5 37      JNZ       LAB_ram_37c5
ram:37cf 21 21 39      LXI        HL,0x3921
ram:37d2 22 fc 5d      SHLD      (pointer_to_0x3921) = ??
ram:37d5 21 da 3e      LXI        HL,0x3eda
ram:37d8 22 fa 5d      SHLD      (pointer_to_0xAAA0_or_0x3eda) = ??
ram:37db cd 5a 01      CALL      write_nvram_configuration
ram:37de cd 09 41      CALL      create_bit_pattern_display
ram:37e1 c1          POP        BC
ram:37e2 97          SUB        A
ram:37e3 32 fd 58      STA        (BYTE_ram_58fd) = ??
ram:37e6 e3          XTHL      = E8h
ram:37e7 7c          MOV        A,H
ram:37e8 e3          XTHL
ram:37e9 ee e0      XRI        0xe0
ram:37eb 32 fe 58      STA        (BYTE_ram_58fe) = ??
ram:37ee 2a fd 58      LHLD      (BYTE_ram_58fd) = ??
ram:37f1 7e          MOV        A,(HL)
ram:37f2 fe 80      CPI        0x80
ram:37f4 c2 fc 37      JNZ       LAB_ram_37fc
ram:37f7 23          INX        HL
ram:37f8 be          CMP        (HL)
ram:37f9 ca 02 38      JZ        LAB_ram_3802

LAB_ram_37fc                                XREF[1]:    ram:37f4(j)
ram:37fc 3e 00      MVI        A,0x0
ram:37fe 32 fe 58      STA        (BYTE_ram_58fe) = ??
ram:3801 c9          RET

LAB_ram_3802                                XREF[1]:    ram:37f9(j)
ram:3802 3a fe 58      LDA        (BYTE_ram_58fe) = ??
ram:3805 ee e0      XRI        0xe0
ram:3807 f5          PUSH       AF
ram:3808 21 4f 00      LXI        HL,0x4f
ram:380b cd 21 01      CALL      save_config_to_nvram
ram:380e e1          POP        HL
ram:380f bc          CMP        H
ram:3810 ca 18 38      JZ        LAB_ram_3818
ram:3813 67          MOV        H,A
ram:3814 2e 05      MVI        L,0x5
ram:3816 e3          XTHL
ram:3817 c9          RET

LAB_ram_3818                                XREF[1]:    ram:3810(j)
ram:3818 05          DCR        B
ram:3819 c8          RZ
ram:381a 3e 06      MVI        A,0x6
ram:381c cd b4 25      CALL      FUN_ram_25b4
ram:381f c9          RET
undefined FUN_ram_25b4()

```

```

*****
*                               *
*****
undefined FUN_ram_3820()
undefined <UNASSIGNED> <RETURN>
FUN_ram_3820                                XREF[1]:  FUN_ram_25b4:27fa(c)
ram:3820 3a fe 58    LDA    (BYTE_ram_58fe)      = ??
ram:3823 21 4f 00    LXI    HL,0x4f
ram:3826 cd 24 01    CALL   thunk_FUN_ram_1221    undefinedthunk_FUN_ram_1221()
ram:3829 da 71 28    JC     LAB_ram_2871
ram:382c 21 00 00    LXI    HL,0x0
ram:382f 11 3a 00    LXI    DE,0x3a

LAB_ram_3832                                XREF[2]:  ram:3855(j), ram:385b(j)
ram:3832 cd 21 01    CALL   save_config_to_nvram    undefinedsave_config_to_nvram()
ram:3835 47          MOV    B,A
ram:3836 eb          XCHG
ram:3837 cd 21 01    CALL   save_config_to_nvram    undefinedsave_config_to_nvram()
ram:383a 4f          MOV    C,A
ram:383b 78          MOV    A,B
ram:383c cd 24 01    CALL   thunk_FUN_ram_1221    undefinedthunk_FUN_ram_1221()
ram:383f da 71 28    JC     LAB_ram_2871
ram:3842 eb          XCHG
ram:3843 79          MOV    A,C
ram:3844 cd 24 01    CALL   thunk_FUN_ram_1221    undefinedthunk_FUN_ram_1221()
ram:3847 da 71 28    JC     LAB_ram_2871
ram:384a 23          INX    HL
ram:384b 13          INX    DE
ram:384c 3e 0b       MVI    A,0xb
ram:384e bd          CMP    L
ram:384f c2 58 38    JNZ    LAB_ram_3858
ram:3852 21 10 00    LXI    HL,0x10
ram:3855 c3 32 38    JMP    LAB_ram_3832

LAB_ram_3858                                XREF[1]:  ram:384f(j)
ram:3858 3e 1a       MVI    A,0x1a
ram:385a bd          CMP    L
ram:385b c2 32 38    JNZ    LAB_ram_3832
ram:385e 21 10 5c    LXI    HL,0x5c10
ram:3861 01 ff 58    LXI    BC,0x58ff
ram:3864 11 2e 5c    LXI    DE,0x5c2e

LAB_ram_3867                                XREF[1]:  ram:386e(j)
ram:3867 0a          LDAX   (BC=>BYTE_ram_58ff)      = ??
ram:3868 77          MOV    (HL=>ISR_RETURN_ADDRESS),A  = ??
ram:3869 23          INX    HL
ram:386a 03          INX    BC
ram:386b cd c9 01    CALL   check_D_eq_H            undefined check_D_eq_H()
ram:386e c2 67 38    JNZ    LAB_ram_3867
ram:3871 21 fd 5f    LXI    HL,0x5fffd
ram:3874 f9          SPHL
ram:3875 2a fd 58    LHLD   (BYTE_ram_58fd)      = ??
ram:3878 2e 07       MVI    L,0x7
ram:387a e3          XTHL
ram:387b 3e 06       MVI    A,0x6
ram:387d c9          RET
ram:387e 0f          ??     0Fh
ram:387f 00          ??     00h
ram:3880 e8          ??     E8h
ram:3881 40          ??     40h    @
ram:3882 41          ??     41h    A
ram:3883 02          ??     02h
ram:3884 0f          ??     0Fh
ram:3885 00          ??     00h
ram:3886 c0          ??     C0h
ram:3887 40          ??     40h    @
ram:3888 40          ??     40h    @
ram:3889 01          ??     01h
ram:388a 0f          ??     0Fh
ram:388b 00          ??     00h
ram:388c e8          ??     E8h
ram:388d 28          ??     28h    (
ram:388e 9a          ??     9Ah
ram:388f 15          ??     15h
ram:3890 0f          ??     0Fh
ram:3891 00          ??     00h
ram:3892 c0          ??     C0h
ram:3893 00          ??     00h
ram:3894 c2          ??     C2h
ram:3895 44          ??     44h    D
ram:3896 0f          ??     0Fh
ram:3897 00          ??     00h
ram:3898 c0          ??     C0h
ram:3899 80          ??     80h

```

Ghidra - 961264-10.2764.u31

ram:389a	9a	??	9Ah	
ram:389b	15	??	15h	
ram:389c	0f	??	0Fh	
ram:389d	01	??	01h	
ram:389e	e8	??	E8h	
ram:389f	40	??	40h	@
ram:38a0	41	??	41h	A
ram:38a1	02	??	02h	
ram:38a2	8f	??	8Fh	
ram:38a3	82	??	82h	
ram:38a4	c4	??	C4h	
ram:38a5	44	??	44h	D
ram:38a6	44	??	44h	D
ram:38a7	03	??	03h	
ram:38a8	4f	??	4Fh	O
ram:38a9	42	??	42h	B
ram:38aa	c4	??	C4h	
ram:38ab	44	??	44h	D
ram:38ac	44	??	44h	D
ram:38ad	03	??	03h	
ram:38ae	8f	??	8Fh	
ram:38af	82	??	82h	
ram:38b0	c4	??	C4h	
ram:38b1	40	??	40h	@
ram:38b2	c2	??	C2h	
ram:38b3	44	??	44h	D
ram:38b4	4f	??	4Fh	O
ram:38b5	42	??	42h	B
ram:38b6	c4	??	C4h	
ram:38b7	40	??	40h	@
ram:38b8	c2	??	C2h	
ram:38b9	44	??	44h	D
ram:38ba	0f	??	0Fh	
ram:38bb	03	??	03h	
ram:38bc	fc	??	FC h	
ram:38bd	3c	??	3Ch	<
ram:38be	9a	??	9Ah	
ram:38bf	15	??	15h	
ram:38c0	0f	??	0Fh	
ram:38c1	03	??	03h	
ram:38c2	d4	??	D4h	
ram:38c3	14	??	14h	
ram:38c4	c2	??	C2h	
ram:38c5	44	??	44h	D
ram:38c6	0f	??	0Fh	
ram:38c7	03	??	03h	
ram:38c8	d4	??	D4h	
ram:38c9	54	??	54h	T
ram:38ca	c2	??	C2h	
ram:38cb	44	??	44h	D
ram:38cc	0f	??	0Fh	
ram:38cd	03	??	03h	
ram:38ce	d4	??	D4h	
ram:38cf	94	??	94h	
ram:38d0	9a	??	9Ah	
ram:38d1	15	??	15h	
ram:38d2	0f	??	0Fh	
ram:38d3	04	??	04h	
ram:38d4	d4	??	D4h	
ram:38d5	14	??	14h	
ram:38d6	44	??	44h	D
ram:38d7	03	??	03h	
ram:38d8	0f	??	0Fh	
ram:38d9	04	??	04h	
ram:38da	f8	??	F8h	
ram:38db	50	??	50h	P
ram:38dc	41	??	41h	A
ram:38dd	02	??	02h	
ram:38de	0f	??	0Fh	
ram:38df	04	??	04h	
ram:38e0	d0	??	D0h	
ram:38e1	50	??	50h	P
ram:38e2	40	??	40h	@
ram:38e3	01	??	01h	
ram:38e4	0f	??	0Fh	
ram:38e5	04	??	04h	
ram:38e6	a8	??	A8h	
ram:38e7	28	??	28h	(
ram:38e8	9a	??	9Ah	
ram:38e9	15	??	15h	
ram:38ea	0f	??	0Fh	
ram:38eb	05	??	05h	
ram:38ec	f8	??	F8h	
ram:38ed	50	??	50h	P
ram:38ee	41	??	41h	A

Ghidra - 961264-10.2764.u31

ram:38ef	02	??	02h	
ram:38f0	0f	??	0Fh	
ram:38f1	05	??	05h	
ram:38f2	d0	??	D0h	
ram:38f3	50	??	50h	P
ram:38f4	40	??	40h	@
ram:38f5	01	??	01h	
ram:38f6	0f	??	0Fh	
ram:38f7	05	??	05h	
ram:38f8	54	??	54h	T
ram:38f9	14	??	14h	
ram:38fa	44	??	44h	D
ram:38fb	03	??	03h	
ram:38fc	0f	??	0Fh	
ram:38fd	05	??	05h	
ram:38fe	e0	??	E0h	
ram:38ff	00	??	00h	
ram:3900	c2	??	C2h	
ram:3901	44	??	44h	D
ram:3902	0f	??	0Fh	
ram:3903	05	??	05h	
ram:3904	c8	??	C8h	
ram:3905	00	??	00h	
ram:3906	c2	??	C2h	
ram:3907	44	??	44h	D
ram:3908	0f	??	0Fh	
ram:3909	05	??	05h	
ram:390a	e0	??	E0h	
ram:390b	40	??	40h	@
ram:390c	40	??	40h	@
ram:390d	86	??	86h	
ram:390e	0f	??	0Fh	
ram:390f	05	??	05h	
ram:3910	c8	??	C8h	
ram:3911	40	??	40h	@
ram:3912	40	??	40h	@
ram:3913	86	??	86h	
ram:3914	0f	??	0Fh	
ram:3915	06	??	06h	
ram:3916	f8	??	F8h	
ram:3917	50	??	50h	P
ram:3918	41	??	41h	A
ram:3919	02	??	02h	
ram:391a	0f	??	0Fh	
ram:391b	06	??	06h	
ram:391c	d0	??	D0h	
ram:391d	50	??	50h	P
ram:391e	40	??	40h	@
ram:391f	01	??	01h	
ram:3920	ff	??	FFh	
ram:3921	04	??	04h	
ram:3922	3a	??	3Ah	:
ram:3923	a2	??	A2h	
ram:3924	39	??	39h	9
ram:3925	ac	??	ACH	
ram:3926	39	??	39h	9
ram:3927	b1	??	B1h	
ram:3928	39	??	39h	9
ram:3929	b7	??	B7h	
ram:392a	39	??	39h	9
ram:392b	16	??	16h	
ram:392c	3a	??	3Ah	:
ram:392d	e4	??	E4h	
ram:392e	39	??	39h	9
ram:392f	ec	??	ECh	
ram:3930	39	??	39h	9
ram:3931	f1	??	F1h	
ram:3932	39	??	39h	9
ram:3933	1a	??	1Ah	
ram:3934	3a	??	3Ah	:
ram:3935	21	??	21h	!
ram:3936	3a	??	3Ah	:
ram:3937	26	??	26h	&
ram:3938	3a	??	3Ah	:
ram:3939	2b	??	2Bh	+
ram:393a	3a	??	3Ah	:
ram:393b	30	??	30h	0
ram:393c	3a	??	3Ah	:
ram:393d	38	??	38h	8
ram:393e	3a	??	3Ah	:
ram:393f	3c	??	3Ch	<
ram:3940	3a	??	3Ah	:
ram:3941	3f	??	3Fh	?
ram:3942	3a	??	3Ah	:
ram:3943	46	??	46h	F

Ghidra - 961264-10.2764.u31

ram:3944	3a	??	3Ah	:
ram:3945	4b	??	4Bh	K
ram:3946	3a	??	3Ah	:
ram:3947	d6	??	D6h	
ram:3948	39	??	39h	9
ram:3949	5c	??	5Ch	\
ram:394a	3a	??	3Ah	:
ram:394b	8f	??	8Fh	
ram:394c	3a	??	3Ah	:
ram:394d	94	??	94h	
ram:394e	3a	??	3Ah	:
ram:394f	9a	??	9Ah	
ram:3950	3a	??	3Ah	:
ram:3951	0c	??	0Ch	
ram:3952	3a	??	3Ah	:
ram:3953	b8	??	B8h	
ram:3954	3a	??	3Ah	:
ram:3955	c5	??	C5h	
ram:3956	3a	??	3Ah	:
ram:3957	d4	??	D4h	
ram:3958	3a	??	3Ah	:
ram:3959	d9	??	D9h	
ram:395a	3a	??	3Ah	:
ram:395b	34	??	34h	4
ram:395c	3a	??	3Ah	:
ram:395d	74	??	74h	t
ram:395e	3a	??	3Ah	:
ram:395f	a7	??	A7h	
ram:3960	39	??	39h	9
ram:3961	a1	??	A1h	
ram:3962	39	??	39h	9
ram:3963	e2	??	E2h	
ram:3964	3a	??	3Ah	:
ram:3965	eb	??	EBh	
ram:3966	3a	??	3Ah	:
ram:3967	f5	??	F5h	
ram:3968	3a	??	3Ah	:
ram:3969	ff	??	FFh	
ram:396a	3a	??	3Ah	:
ram:396b	0a	??	0Ah	
ram:396c	3b	??	3Bh	;
ram:396d	14	??	14h	
ram:396e	3b	??	3Bh	;
ram:396f	1f	??	1Fh	
ram:3970	3b	??	3Bh	;
ram:3971	28	??	28h	(
ram:3972	3b	??	3Bh	;
ram:3973	32	??	32h	2
ram:3974	3b	??	3Bh	;
ram:3975	3c	??	3Ch	<
ram:3976	3b	??	3Bh	;
ram:3977	47	??	47h	G
ram:3978	3b	??	3Bh	;
ram:3979	51	??	51h	Q
ram:397a	3b	??	3Bh	;
ram:397b	ca	??	CAh	
ram:397c	3a	??	3Ah	:
ram:397d	5c	??	5Ch	\
ram:397e	3b	??	3Bh	;
ram:397f	60	??	60h	`
ram:3980	3b	??	3Bh	;
ram:3981	64	??	64h	d
ram:3982	3b	??	3Bh	;
ram:3983	68	??	68h	h
ram:3984	3b	??	3Bh	;
ram:3985	6d	??	6Dh	m
ram:3986	3b	??	3Bh	;
ram:3987	71	??	71h	q
ram:3988	3b	??	3Bh	;
ram:3989	75	??	75h	u
ram:398a	3b	??	3Bh	;
ram:398b	79	??	79h	y
ram:398c	3b	??	3Bh	;
ram:398d	7d	??	7Dh	}
ram:398e	3b	??	3Bh	;
ram:398f	9f	??	9Fh	
ram:3990	3a	??	3Ah	:
ram:3991	ca	??	CAh	
ram:3992	39	??	39h	9
ram:3993	fb	??	FBh	
ram:3994	39	??	39h	9
ram:3995	6f	??	6Fh	o
ram:3996	3a	??	3Ah	:
ram:3997	a8	??	A8h	
ram:3998	3a	??	3Ah	:

Ghidra - 961264-10.2764.u31

```

ram:3999 52      ??      52h  R
ram:399a 3a      ??      3Ah  ;
ram:399b 7e      ??      7Eh  ~
ram:399c 3a      ??      3Ah  ;
ram:399d bc      ??      BCh
ram:399e 39 64 3a 00 ds      "9d;"
ram:39a2 42 65 6c ds      "Bell"
        6c 00
ram:39a7 20 62 69 ds      " bit"
        74 00
ram:39ac 42 6f 74 ds      "Both"
        68 00
ram:39b1 43 68 61 ds      "Char."
        72 2e 00
ram:39b7 43 6f 64 ds      "Code"
        65 00

configuration_menu_title
ram:39bc 43 4f 4e ds      "CONFIGURATION"
        46 49 47
        55 52 41 ...
ram:39ca 43 6f 6e ds      "Convenience"
        76 65 6e
        69 65 6e ...
ram:39d6 43 6f 6d ds      "Communication"
        6d 75 6e
        69 63 61 ...
ram:39e4 45 64 69 ds      "Editing"
        74 69 6e
        67 00
ram:39ec 45 76 65 ds      "Even"
        6e 00
ram:39f1 46 6f 6c ds      "Following"
        6c 6f 77
        69 6e 67 00
ram:39fb 46 75 6e ds      "Function"
        63 74 69
        6f 6e 00
ram:3a04 47 72 61 ds      "Graphic"
        70 68 69
        63 00
ram:3a0c 48 61 6e ds      "Handshake"
        64 73 68
        61 6b 65 00
ram:3a16 6b 65 79 00 ds      "key"
ram:3a1a 4c 65 6e ds      "Length"
        67 74 68 00
ram:3a21 4c 69 6e ds      "Line"
        65 00
ram:3a26 4d 6f 64 ds      "Mode"
        65 00
ram:3a2b 4e 6f 6e ds      "None"
        65 00
ram:3a30 4f 64 64 00 ds      "Odd"
ram:3a34 20 6f 66 00 ds      " of"
ram:3a38 4f 66 66 00 ds      "Off"
ram:3a3c 4f 6e 00 ds      "On"
ram:3a3f 4f 6e 6c ds      "Online"
        69 6e 65 00
ram:3a46 50 61 67 ds      "Page"
        65 00
ram:3a4b 50 61 72 ds      "Parity"
        69 74 79 00
ram:3a52 50 65 72 ds      "Permanent"
        6d 61 6e
        65 6e 74 00
ram:3a5c 50 72 69 ds      "Printer"
        6e 74 65
        72 00
ram:3a64 50 72 6f ds      "Prohibited"
        68 69 62
        69 74 65 ...
ram:3a6f 50 55 53 ds      "PUSH"
        48 00
ram:3a74 52 65 6e ds      "Rendition"
        64 69 74
        69 6f 6e 00
ram:3a7e 52 65 73 ds      "Reset to Initial"
        65 74 20
        74 6f 20 ...
ram:3a8f 52 6f 6c ds      "Roll"
        6c 00
ram:3a94 53 70 65 ds      "Speed"
        65 64 00

```

Ghidra - 961264-10.2764.u31

ram:3a9a	53 74 6f 70 00	ds	"Stop"
ram:3a9f	53 77 69 74 63 68 65 73 00	ds	"Switches"
ram:3aa8	54 61 62 75 6c 61 74 69 6f ...	ds	"Tabulation-Rack"
ram:3ab8	54 72 61 6e 73 6d 69 73 73 ...	ds	"Transmission"
ram:3ac5	54 79 70 65 00	ds	"Type"
ram:3aca	55 6e 64 65 72 6c 69 6e 65 00	ds	"Underline"
ram:3ad4	57 72 61 70 00	ds	"Wrap"
ram:3ad9	58 4f 4e 2f 58 4f 46 46 00	ds	"XON/XOFF"
ram:3ae2	35 30 20 20 42 61 75 64 00	ds	"50 Baud"
ram:3aeb	37 35 20 20 20 42 61 75 64 00	ds	"75 Baud"
ram:3af5	31 31 30 20 20 42 61 75 64 00	ds	"110 Baud"
ram:3aff	31 33 34 2e 35 20 42 61 75 ...	ds	"134.5 Baud"
ram:3b0a	32 30 30 20 20 42 61 75 64 00	ds	"200 Baud"
ram:3b14	33 30 30 20 20 20 42 61 75 ...	ds	"300 Baud"
ram:3b1f	36 30 30 20 42 61 75 64 00	ds	"600 Baud"
ram:3b28	31 32 30 30 20 42 61 75 64 00	ds	"1200 Baud"
ram:3b32	32 34 30 30 20 42 61 75 64 00	ds	"2400 Baud"
ram:3b3c	34 38 30 30 20 20 42 61 75 ...	ds	"4800 Baud"
ram:3b47	39 36 30 30 20 42 61 75 64 00	ds	"9600 Baud"
ram:3b51	31 39 32 30 30 20 42 61 75 ...	ds	"19200 Baud"
ram:3b5c	49 6e 76 2f 55 6e 64 2f 4c ...	ds	"Inv/Und/Low"
ram:3b68	42 6c 6e 6b 2f 55 6e 64 2f ...	ds	"Blk/Und/Inv"
ram:3b75	49 6e 76 2f 4c 6f 77 2f 42 ...	ds	"Inv/Low/Blk"
ram:3b82	87 3b f0 01 06 b8 b7 00	ds	87h, ";", F0h, 01h, 06h, B8h, B7h
ram:3b8a	43 75 72 73 6f 72 20 9a 00	ds	"Cursor ", 9Ah
ram:3b93	0c 02 8a 42 6c 6f 63 6b 00	ds	"\f", 02h, 8Ah, "Block"
ram:3b9c	4b 65 79 20 43 6c 69 63 6b 00	ds	"Key Click"
ram:3ba6	14	??	14h
ram:3ba7	02	??	02h
ram:3ba8	8f	??	8Fh
ram:3ba9	8e	??	8Eh
ram:3baa	4d 61 72 67 69 6e 20 81 00	ds	"Margin ", 81h

Ghidra - 961264-10.2764.u31

```

ram:3bb3 25      ??      25h    %
ram:3bb4 02      ??      02h
ram:3bb5 8f      ??      8Fh
ram:3bb6 8e      ??      8Eh
ram:3bb7 41 75 74 ds      "Auto Repeat"
        6f 20 52
        65 70 65 ...

ram:3bc3 15      ??      15h
ram:3bc4 02      ??      02h
ram:3bc5 8f      ??      8Fh
ram:3bc6 8e      ??      8Eh
ram:3bc7 4b 65 79 ds      "Key Rollover"
        20 52 6f
        6c 6c 6f ...

ram:3bd4 31      ??      31h    1
ram:3bd5 02      ??      02h
ram:3bd6 45 6e 61 ds      "Enabled"
        62 6c 65
        64 00

ram:3bde 44 69 73 ds      "Disabled"
        61 62 6c
        65 64 00

ram:3be7 4b 65 79 ds      "Keyboard CAPS on power up"
        62 6f 61
        72 64 20 ...

ram:3c01 33 02 8e ds      "3",02h,8Eh,8Fh,"\\n<",F0h,01h,0Fh,B9h,B7h
        8f 0a 3c
        f0 01 0f ...

ram:3c0d 54 69 6d ds      "Time-out "
        65 2d 6f
        75 74 20 00

ram:3c17 0d 02 8f ds      "\\r",02h,8Fh,8Eh,81h
        8e 81 00

ram:3c1d 16 02 8f ds      16h,02h,8Fh,8Eh,80h,9Eh,8Bh
        8e 80 9e
        8b 00

ram:3c25 24      ??      24h    $
ram:3c26 03      ??      03h
ram:3c27 41 74 74 ds      "Attr."
        72 2e 00

ram:3c2d ad 53 47 ds      ADh,"SGR"
        52 00

ram:3c32 ad      ??      ADh
ram:3c33 20 52 65 ds      " Representation"
        70 72 65
        73 65 6e ...

ram:3c43 2c      ??      2Ch    ,
ram:3c44 0e      ??      0Eh
ram:3c45 ad      ??      ADh
ram:3c46 4e 6f 72 ds      "Normal"
        6d 61 6c 00

ram:3c4d b3      ??      B3h
ram:3c4e b0      ??      B0h
ram:3c4f 49 6e 76 ds      "Inv/Low"
        2f 4c 6f
        77 00

ram:3c57 b2      ??      B2h
ram:3c58 af      ??      AFh
ram:3c59 ae      ??      AEh
ram:3c5a b6      ??      B6h
ram:3c5b 49 6e 76 ds      "Inv/Blk"
        2f 42 6c
        6e 6b 00

ram:3c64 b5      ??      B5h
ram:3c65 b4      ??      B4h
ram:3c66 55 6e 64 ds      "Und/Blk"
        2f 42 6c
        6e 6b 00

ram:3c6f b1      ??      B1h
ram:3c70 43 61 72 ds      "Carriage Return"
        72 69 61
        67 65 20 ...

ram:3c80 21      ??      21h    !
ram:3c81 02      ??      02h
ram:3c82 43 52 00 ds      "CR"
ram:3c85 43 52 4c ds      "CRLF"
        46 00

ram:3c8a 42 65 67 ds      "Beginning",9Dh,8Ah,9Bh
        69 6e 6e
        69 6e 67 ...

ram:3c97 1f      ??      1Fh
ram:3c98 02      ??      02h
ram:3c99 97      ??      97h
ram:3c9a 9b      ??      9Bh

```


Ghidra - 961264-10.2764.u31

```

ram:3c9b 45 6e 64      ds      "End", 9Dh, 8Ah, 9Bh
          9d 8a 9b 00
ram:3ca2 23 02 97      ds      "#", 02h, 97h, 9Bh, 95h, "/", 91h, 8Bh
          9b 95 2f
          91 8b 00
ram:3cab 29 02 95      ds      ") ", 02h, 95h, 91h, 95h, 9Ah
          91 95 9a 00
ram:3cb2 2a           ??      2Ah      *
ram:3cb3 02           ??      02h
ram:3cb4 53 74 65      ds      "Step"
          70 00
ram:3cb9 53 6d 6f      ds      "Smooth"
          6f 74 68 00
ram:3cc0 43 6c 65      ds      "Clear Lamps "
          61 72 20
          4c 61 6d ...
ram:3ccd 20           ??      20h
ram:3cce 03           ??      03h
ram:3ccf 82           ??      82h
ram:3cd0 85           ??      85h
ram:3cd1 53 79 6e 00   ds      "Syn"
ram:3cd5 50 55 53      ds      "PUSH-key Programming"
          48 2d 6b
          65 79 20 ...
ram:3cea 27           ??      27h      '
ram:3ceb 02           ??      02h
ram:3cec 41 6c 6c      ds      "Allowed"
          6f 77 65
          64 00
ram:3cf4 50 72 6f      ds      "Prohibited"
          68 69 62
          69 74 65 ...
ram:3cff 45 78 74      ds      "Extended Control ", 8Bh
          65 6e 64
          65 64 20 ...
ram:3d12 22           ??      22h      "
ram:3d13 02           ??      02h
ram:3d14 8e           ??      8Eh
ram:3d15 8f           ??      8Fh
ram:3d16 56 65 72      ds      "Vertical ", 86h, 8Bh
          74 69 63
          61 6c 20 ...
ram:3d22 2e           ??      2Eh      .
ram:3d23 02           ??      02h
ram:3d24 88           ??      88h
ram:3d25 50 72 65      ds      "Preceding"
          63 65 64
          69 6e 67 00
ram:3d2f 94           ??      94h
ram:3d30 8b           ??      8Bh
ram:3d31 00           ??      00h
ram:3d32 28           ??      28h      (
ram:3d33 03           ??      03h
ram:3d34 4c 6f 63      ds      "Local/Rem."
          61 6c 2f
          52 65 6d ...
ram:3d3f 52 65 6d      ds      "Remote"
          6f 74 65 00
ram:3d46 4c 6f 67 00   ds      "Log"
ram:3d4a 94           ??      94h
ram:3d4b 20 46 6f      ds      " Form-feed"
          72 6d 2d
          66 65 65 ...
ram:3d56 2f           ??      2Fh      /
ram:3d57 04           ??      04h
ram:3d58 8c           ??      8Ch
ram:3d59 42 65 66      ds      "Before"
          6f 72 65 00
ram:3d60 41 66 74      ds      "After"
          65 72 00
ram:3d66 82 6c 3d      ds      82h, "l=", F0h, 01h, 0Fh, 93h, B7h
          f0 01 0f
          93 b7 00
ram:3d6f 53 65 6e      ds      "Send Receive ", 8Bh
          64 20 52
          65 63 65 ...
ram:3d7e 2b           ??      2Bh      +
ram:3d7f 02           ??      02h
ram:3d80 53 69 6d      ds      "Simultaneous"
          75 6c 74
          61 6e 65 ...
ram:3d8d 54 72 61      ds      "Transparent"
          6e 73 70
          61 72 65 ...

```

Ghidra - 961264-10.2764.u31

```

ram:3d99 45 63 68      ds      "Echo "
        6f 20 00
ram:3d9f 10            ??      10h
ram:3da0 02            ??      02h
ram:3da1 45 78 74      ds      "External"
        65 72 6e
        61 6c 00
ram:3daa 49 6e 74      ds      "Internal"
        65 72 6e
        61 6c 00
ram:3db3 90            ??      90h
ram:3db4 00            ??      00h
ram:3db5 12            ??      12h
ram:3db6 02            ??      02h
ram:3db7 90            ??      90h
ram:3db8 54 6f 67      ds      "Toggle"
        67 6c 65 00
ram:3dbf 93            ??      93h
ram:3dc0 20 43 6c      ds      " Clock"
        6f 63 6b 00
ram:3dc7 0f 02 41      ds      0Fh, 02h, "ASY"
        53 59 00
ram:3dcd 49 53 4f 00    ds      "ISO"
ram:3dd1 93 98 00      ds      93h, 98h
ram:3dd4 30 03 8e      ds      "0", 03h, 8Eh, 9Ch, "DTR"
        9c 44 54
        52 00
ram:3ddc 8b 6d 20 00    ds      8Bh, "m "
ram:3de0 26            ??      26h      &
ram:3de1 03            ??      03h
ram:3de2 4c 65 61      ds      "Leased"
        73 65 64 00
ram:3de9 44 69 61      ds      "Dialed"
        6c 65 64 00
ram:3df0 49 6e 68      ds      "Inhibit"
        69 62 69
        74 00
ram:3df8 99 84 89 00    ds      99h, 84h, 89h
ram:3dfc 04 02 37      ds      04h, 02h, "7", 9Fh
        9f 00
ram:3e01 38 9f 00      ds      "8", 9Fh
ram:3e04 99 84 92 00    ds      99h, 84h, 92h
ram:3e08 06            ??      06h
ram:3e09 03            ??      03h
ram:3e0a 8c            ??      8Ch
ram:3e0b 87            ??      87h
ram:3e0c 8d            ??      8Dh
ram:3e0d 99            ??      99h
ram:3e0e 84            ??      84h
ram:3e0f 20 53 74      ds      " Stop Bits"
        6f 70 20
        42 69 74 ...
ram:3e1a 05            ??      05h
ram:3e1b 02            ??      02h
ram:3e1c 31 9f 00      ds      "1", 9Fh
ram:3e1f 32 9f 00      ds      "2", 9Fh
ram:3e22 99 96 00      ds      99h, 96h
ram:3e25 07            ??      07h
ram:3e26 0c            ??      0Ch
ram:3e27 a1            ??      A1h
ram:3e28 a2            ??      A2h
ram:3e29 a3            ??      A3h
ram:3e2a a4            ??      A4h
ram:3e2b a5            ??      A5h
ram:3e2c a6            ??      A6h
ram:3e2d a7            ??      A7h
ram:3e2e a8            ??      A8h
ram:3e2f a9            ??      A9h
ram:3e30 aa            ??      AAh
ram:3e31 ab            ??      ABh
ram:3e32 ac            ??      ACh
ram:3e33 99            ??      99h
ram:3e34 20 44 65      ds      " Delay"
        6c 61 79 00
ram:3e3b 32            ??      32h      2
ram:3e3c 04            ??      04h
ram:3e3d 8c            ??      8Ch
ram:3e3e 32 30 6d      ds      "20ms"
        73 00
ram:3e43 34 30 6d      ds      "40ms"
        73 00
ram:3e48 36 30 6d      ds      "60ms"
        73 00
ram:3e4d 93            ??      93h
ram:3e4e 8b            ??      8Bh

```

Ghidra - 961264-10.2764.u31

ram:3e4f	00	??	00h	
ram:3e50	0e	??	0Eh	
ram:3e51	02	??	02h	
ram:3e52	56 32 34 00	ds	"V24"	
ram:3e56	56 31 31 00	ds	"V11"	
ram:3e5a	94	??	94h	
ram:3e5b	98	??	98h	
ram:3e5c	00	??	00h	
ram:3e5d	09	??	09h	
ram:3e5e	02	??	02h	
ram:3e5f	8e	??	8Eh	
ram:3e60	9c	??	9Ch	
ram:3e61	94	??	94h	
ram:3e62	84	??	84h	
ram:3e63	20 46 6f	ds	"Format"	
	72 6d 61			
	74 00			
ram:3e6b	2d	??	2Dh	-
ram:3e6c	05	??	05h	
ram:3e6d	37 65 76	ds	"7even"	
	65 6e 00			
ram:3e73	37 6f 64	ds	"7odd"	
	64 00			
ram:3e78	38 6e 6f	ds	"8none"	
	6e 65 00			
ram:3e7e	38 65 76	ds	"8even"	
	65 6e 00			
ram:3e84	38 6f 64	ds	"8odd"	
	64 00			
ram:3e89	94	??	94h	
ram:3e8a	96	??	96h	
ram:3e8b	00	??	00h	
ram:3e8c	0b	??	0Bh	
ram:3e8d	0c	??	0Ch	
ram:3e8e	a1	??	A1h	
ram:3e8f	a2	??	A2h	
ram:3e90	a3	??	A3h	
ram:3e91	a4	??	A4h	
ram:3e92	a5	??	A5h	
ram:3e93	a6	??	A6h	
ram:3e94	a7	??	A7h	
ram:3e95	a8	??	A8h	
ram:3e96	a9	??	A9h	
ram:3e97	aa	??	AAh	
ram:3e98	ab	??	ABh	
ram:3e99	ac	??	ACH	
ram:3e9a	07	DAT_ram_3e9a undefined1	07h	XREF[1]: ram:34b7(R)
ram:3e9b	2e	DAT_ram_3e9b undefined1	2Eh	XREF[1]: ram:34c7(R)
ram:3e9c	02	DAT_ram_3e9c undefined1	02h	XREF[1]: ram:34c9(R)
ram:3e9d	1f	DAT_ram_3e9d undefined1	1Fh	XREF[1]: ram:34b7(R)
ram:3e9e	1f	??	1Fh	
ram:3e9f	02	??	02h	
ram:3ea0	20	??	20h	
ram:3ea1	21	??	21h	!
ram:3ea2	02	??	02h	
ram:3ea3	24	??	24h	\$
ram:3ea4	23	??	23h	#
ram:3ea5	02	??	02h	
ram:3ea6	28	??	28h	(
ram:3ea7	2d	??	2Dh	-
ram:3ea8	05	??	05h	
ram:3ea9	2a	??	2Ah	*
ram:3eaa	0b	??	0Bh	
ram:3eab	0c	??	0Ch	
ram:3eac	2b	??	2Bh	+
ram:3ead	09	??	09h	
ram:3eae	02	??	02h	
ram:3eaf	2f	??	2Fh	/
ram:3eb0	29	??	29h	)
ram:3eb1	02	??	02h	
ram:3eb2	35	??	35h	5
ram:3eb3	14	??	14h	
ram:3eb4	02	??	02h	
ram:3eb5	36	??	36h	6
ram:3eb6	25	??	25h	%
ram:3eb7	02	??	02h	
ram:3eb8	37	??	37h	7

Ghidra - 961264-10.2764.u31

```

ram:3eb9 15      ??      15h
ram:3eba 02      ??      02h
ram:3ebb 38      ??      38h      8
ram:3ebc 2c      ??      2Ch      ,
ram:3ebd 0e      ??      0Eh
ram:3ebe 3c      ??      3Ch      <
ram:3ebf 2a      ??      2Ah      *
ram:3ec0 02      ??      02h
ram:3ec1 3d      ??      3Dh      =
ram:3ec2 20      ??      20h
ram:3ec3 03      ??      03h
ram:3ec4 3e      ??      3Eh      >
ram:3ec5 24      ??      24h      $
ram:3ec6 03      ??      03h
ram:3ec7 42      ??      42h      B
ram:3ec8 22      ??      22h      "
ram:3ec9 02      ??      02h
ram:3eca 43      ??      43h      C
ram:3ecb 30      ??      30h      0
ram:3ecc 03      ??      03h
ram:3ecd 44      ??      44h      D
ram:3ece 0c      ??      0Ch
ram:3ecf 02      ??      02h
ram:3ed0 45      ??      45h      E
ram:3ed1 28      ??      28h      (
ram:3ed2 03      ??      03h
ram:3ed3 48      ??      48h      H
ram:3ed4 2f      ??      2Fh      /
ram:3ed5 04      ??      04h
ram:3ed6 4f      ??      4Fh      O
ram:3ed7 32      ??      32h      2
ram:3ed8 04      ??      04h
ram:3ed9 ff      ??      FFh

more_config_data
XREF[1]: FUN_ram_37bb:37e6(*)

ram:3eda e8      ??      E8h
ram:3edb e8      ??      E8h
ram:3edc e8      ??      E8h
ram:3edd ff      ??      FFh
ram:3ede f8      ??      F8h
ram:3edf af      ??      AFh
ram:3ee0 de      ??      DEh
ram:3ee1 db      ??      DBh
ram:3ee2 c4      ??      C4h
ram:3ee3 d6      ??      D6h
ram:3ee4 ff      ??      FFh

*****
* FUNCTION *
*****
undefined FUN_ram_3ee5()
undefined <UNASSIGNED> <RETURN>
XREF[1]: FUN_ram_36d1:36da(c)
FUN_ram_3ee5
ram:3ee5 f5      PUSH      AF
ram:3ee6 c5      PUSH      BC
ram:3ee7 d5      PUSH      DE
ram:3ee8 e5      PUSH      HL
ram:3ee9 2e 01    MVI       L,0x1
ram:3eeb 54      MOV       D,H
ram:3eec 14      INR       D
ram:3eed c3 1c 3f JMP       LAB_ram_3f1c

*****
* FUNCTION *
*****
undefined FUN_ram_3ef0()
undefined <UNASSIGNED> <RETURN>
XREF[2]: FUN_ram_25b4:271b(c),
ram:35a2(c)
FUN_ram_3ef0
ram:3ef0 f5      PUSH      AF
ram:3ef1 c5      PUSH      BC
ram:3ef2 d5      PUSH      DE
ram:3ef3 e5      PUSH      HL
ram:3ef4 21 01 01 LXI       HL,0x101
ram:3ef7 16 1a    MVI       D,0x1a
ram:3ef9 3a 2f 5f LDA       (BYTE_ram_5f2f) = ??
ram:3efc e6 01    ANI       0x1
ram:3efe 3e 0c    MVI       A,0xc
ram:3f00 c4 97 3f CNZ       FUN_ram_3f97 undefined FUN_ram_3f97 ()
ram:3f03 3e 0d    MVI       A,0xd
ram:3f05 cd 97 3f CALL      FUN_ram_3f97 undefined FUN_ram_3f97 ()
ram:3f08 cd 18 3f CALL      FUN_ram_3f18 undefined FUN_ram_3f18 ()
ram:3f0b 3a 2f 5f LDA       (BYTE_ram_5f2f) = ??
ram:3f0e e6 02    ANI       0x2
ram:3f10 3e 0c    MVI       A,0xc

```

Ghidra - 961264-10.2764.u31

```

ram:3f12 c4 97 3f      CNZ      FUN_ram_3f97      undefined FUN_ram_3f97 ()
ram:3f15 c3 81 3f      JMP      LAB_ram_3f81

*****
*                               *
*                               *
*****
undefined FUN_ram_3f18()
<UNASSIGNED> <RETURN>
LAB_ram_3f18
XREF[1]:  FUN_ram_3ef0:3f08(c)
ram:3f18 f5          PUSH      AF
ram:3f19 c5          PUSH      BC
ram:3f1a d5          PUSH      DE
ram:3f1b e5          PUSH      HL
LAB_ram_3f1c
XREF[2]:  FUN_ram_3ee5:3eed(j),
ram:3f7e(j)
ram:3f1c 06 01      MVI      B,0x1
ram:3f1e 0e 00      MVI      C,0x0
LAB_ram_3f20
XREF[1]:  ram:3f6c(j)
ram:3f20 cd 48 01      CALL     thunk_FUN_ram_15af
ram:3f23 fe 0f      CPI      0xf
ram:3f25 ca 3c 3f      JZ      LAB_ram_3f3c
ram:3f28 fe 0e      CPI      0xe
ram:3f2a ca 49 3f      JZ      LAB_ram_3f49
ram:3f2d 0e 00      MVI      C,0x0
LAB_ram_3f2f
XREF[2]:  ram:3f58(j), ram:3f61(j)
ram:3f2f cd 42 01      CALL     thunk_FUN_ram_1634
ram:3f32 fe 21      CPI      0x21
ram:3f34 da 3c 3f      JC      LAB_ram_3f3c
ram:3f37 fe 80      CPI      0x80
ram:3f39 da 40 3f      JC      LAB_ram_3f40
LAB_ram_3f3c
XREF[4]:  ram:3f25(j), ram:3f34(j),
ram:3f53(j), ram:3f65(j)
ram:3f3c 04          INR      B
ram:3f3d c3 68 3f      JMP      LAB_ram_3f68
LAB_ram_3f40
XREF[1]:  ram:3f39(j)
ram:3f40 cd 86 3f      CALL     FUN_ram_3f86
ram:3f43 cd 97 3f      CALL     FUN_ram_3f97
ram:3f46 c3 68 3f      JMP      LAB_ram_3f68
LAB_ram_3f49
XREF[1]:  ram:3f2a(j)
ram:3f49 79          MOV      A,C
ram:3f4a a7          ANA      A
ram:3f4b c2 5b 3f      JNZ      LAB_ram_3f5b
ram:3f4e cd 42 01      CALL     thunk_FUN_ram_1634
ram:3f51 fe 20      CPI      0x20
ram:3f53 ca 3c 3f      JZ      LAB_ram_3f3c
ram:3f56 0e 01      MVI      C,0x1
ram:3f58 c3 2f 3f      JMP      LAB_ram_3f2f
LAB_ram_3f5b
XREF[1]:  ram:3f4b(j)
ram:3f5b fe 01      CPI      0x1
ram:3f5d ca 64 3f      JZ      LAB_ram_3f64
ram:3f60 0d          DCR      C
ram:3f61 c3 2f 3f      JMP      LAB_ram_3f2f
LAB_ram_3f64
XREF[1]:  ram:3f5d(j)
ram:3f64 0c          INR      C
ram:3f65 c3 3c 3f      JMP      LAB_ram_3f3c
LAB_ram_3f68
XREF[2]:  ram:3f3d(j), ram:3f46(j)
ram:3f68 2c          INR      L
ram:3f69 7d          MOV      A,L
ram:3f6a fe 51      CPI      0x51
ram:3f6c da 20 3f      JC      LAB_ram_3f20
ram:3f6f 24          INR      H
ram:3f70 2e 01      MVI      L,0x1
ram:3f72 3e 0d      MVI      A,0xd
ram:3f74 cd 97 3f      CALL     FUN_ram_3f97
ram:3f77 3e 0a      MVI      A,0xa
ram:3f79 cd 97 3f      CALL     FUN_ram_3f97
ram:3f7c 7c          MOV      A,H
ram:3f7d ba          CMP      D
ram:3f7e c2 1c 3f      JNZ      LAB_ram_3f1c
LAB_ram_3f81
XREF[1]:  ram:3f15(j)
ram:3f81 e1          POP      HL
ram:3f82 d1          POP      DE
ram:3f83 c1          POP      BC
ram:3f84 f1          POP      AF
ram:3f85 c9          RET

```

```

*****
*                               *
*****
undefined FUN_ram_3f86()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_3f86 XREF[1]: FUN_ram_3f18:3f40(c)
ram:3f86 f5 PUSH AF

LAB_ram_3f87 XREF[1]: ram:3f90(j)
ram:3f87 05 DCR B
ram:3f88 ca 93 3f JZ LAB_ram_3f93
ram:3f8b 3e 20 MVI A,0x20
ram:3f8d cd 97 3f CALL FUN_ram_3f97 undefined FUN_ram_3f97()
ram:3f90 c3 87 3f JMP LAB_ram_3f87

LAB_ram_3f93 XREF[1]: ram:3f88(j)
ram:3f93 06 01 MVI B,0x1
ram:3f95 f1 POP AF
ram:3f96 c9 RET

*****
*                               *
*****
undefined FUN_ram_3f97()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_3f97 XREF[10]: ram:2ad3(c), ram:35b3(c),
ram:35e0(c),
FUN_ram_3ef0:3f00(c),
FUN_ram_3ef0:3f05(c),
FUN_ram_3ef0:3f12(c),
FUN_ram_3f18:3f43(c),
FUN_ram_3f18:3f74(c),
FUN_ram_3f18:3f79(c),
FUN_ram_3f86:3f8d(c)

ram:3f97 f5 PUSH AF
ram:3f98 c5 PUSH BC
ram:3f99 47 MOV B,A

LAB_ram_3f9a XREF[1]: ram:3fa5(j)
ram:3f9a 3a 15 58 LDA (BYTE_ram_5815)
ram:3f9d a7 ANA A
ram:3f9e c2 a8 3f JNZ LAB_ram_3fa8
ram:3fa1 78 MOV A,B
ram:3fa2 cd b2 00 CALL thunk_FUN_ram_0fbd undefined thunk_FUN_ram_0fbd()
ram:3fa5 da 9a 3f JC LAB_ram_3f9a

LAB_ram_3fa8 XREF[1]: ram:3f9e(j)
ram:3fa8 c1 POP BC
ram:3fa9 f1 POP AF
ram:3faa c9 RET

*****
*                               *
*****
undefined FUN_ram_3fab()
undefined  <UNASSIGNED> <RETURN>
FUN_ram_3fab XREF[3]: terminal_main_loop:2069(c),
FUN_ram_25b4:27ca(c),
FUN_ram_25b4:27d1(c)

ram:3fab f5 PUSH AF
ram:3fac d5 PUSH DE
ram:3fad e5 PUSH HL
ram:3fae 97 SUB A
ram:3faf 32 a0 58 STA (BYTE_ram_58a0) = ??
ram:3fb2 11 00 00 LXI DE,0x0
ram:3fb5 c3 e2 3f JMP FUN_ram_3fe2 undefined FUN_ram_3fe2()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)
ram:3fb8 f5 PUSH AF
ram:3fb9 d5 PUSH DE
ram:3fba e5 PUSH HL
ram:3fbb 11 10 00 LXI DE,0x10
ram:3fbe 3e 01 MVI A,0x1
ram:3fc0 32 a5 58 STA (BYTE_ram_58a5) = ??
ram:3fc3 c3 e2 3f JMP FUN_ram_3fe2 undefined FUN_ram_3fe2()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*****
undefined configure_terminal_mode_settingd()
undefined  <UNASSIGNED> <RETURN>
configure_terminal_mode_settings XREF[1]: control_character_handler:233dc..
ram:3fc6 f5 PUSH AF
ram:3fc7 d5 PUSH DE

```

Ghidra - 961264-10.2764.u31

```

ram:3fc8 e5      PUSH      HL
ram:3fc9 11 00 80  LXI       DE,0x8000
ram:3fcc 3a a5 58  LDA       (BYTE_ram_58a5)      = ??
ram:3fcf a7      ANA       A
ram:3fd0 c2 e2 3f  JNZ      FUN_ram_3fe2
ram:3fd3 11 00 40  LXI       DE,0x4000
ram:3fd6 c3 e2 3f  JMP      FUN_ram_3fe2      undefinedFUN_ram_3fe2()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined FUN_ram_3fd9()
undefined <UNASSIGNED> <RETURN>
FUN_ram_3fd9      XREF[1]:      control_character_handler:2334c...

ram:3fd9 f5      PUSH      AF
ram:3fda d5      PUSH      DE
ram:3fdb e5      PUSH      HL
ram:3fdc 11 00 00  LXI       DE,0x0
ram:3fdf c3 e2 3f  JMP      FUN_ram_3fe2      undefinedFUN_ram_3fe2()

-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

*****
*                               *
*                               *
*****
undefined FUN_ram_3fe2()
undefined <UNASSIGNED> <RETURN>
FUN_ram_3fe2      XREF[5]:      FUN_ram_3fab:3fb5(c),
                                ram:3fc3(c),
                                configure_terminal_mode_settings,
                                configure_terminal_mode_settings,
                                FUN_ram_3fd9:3fd9(c)

ram:3fe2 3a f7 5d  LDA       (expected_control_port2_value_mayb) = ??
ram:3fe5 e6 01  ANI       0x1
ram:3fe7 3e 06  MVI       A,0x6

LAB_ram_3fe9      XREF[1]:      ram:3fef(j)
ram:3fe9 cc 4f 00  CZ       thunk_FUN_ram_1035      undefinedthunk_FUN_ram_1035()
ram:3fec c4 4c 00  CNZ      check_display_attribute_port undefinedcheck_display_attribut...
ram:3fef da e9 3f  JC       LAB_ram_3fe9
ram:3ff2 3a a0 58  LDA       (BYTE_ram_58a0)      = ??
ram:3ff5 b2      ORA       D
ram:3ff6 57      MOV       D,A
ram:3ff7 3a 26 5f  LDA       (BYTE_ram_5f26)      = ??
ram:3ffa 0f      RRC
ram:3ffb 0f      RRC
ram:3ffc e6 c0  ANI       0xc0
ram:3ffe b3      ORA       E
ram:3fff 5f      MOV       E,A

//
// U33 - NMOS EPROM - 2716
// ram:4000-ram:47ff
//
ram:4000 3a      ??       3Ah      :
ram:4001 f7      ??       F7h
ram:4002 5d      ??       5Dh      ]
ram:4003 e6      ??       E6h
ram:4004 2b      ??       2Bh      +
ram:4005 b3      ??       B3h
ram:4006 5f      ??       5Fh      _
ram:4007 3a      ??       3Ah      :
ram:4008 12      ??       12h
ram:4009 5f      ??       5Fh      _
ram:400a 07      ??       07h
ram:400b 07      ??       07h
ram:400c e6      ??       E6h
ram:400d 04      ??       04h
ram:400e b3      ??       B3h
ram:400f 5f      ??       5Fh      _
ram:4010 21      ??       21h      !
ram:4011 7e      ??       7Eh      ~
ram:4012 38      ??       38h      8
ram:4013 7e      ??       7Eh      ~
ram:4014 fe      ??       FEh
ram:4015 ff      ??       FFh
ram:4016 ca      ??       CAh
ram:4017 c0      ??       C0h
ram:4018 40      ??       40h      @
ram:4019 a2      ??       A2h
ram:401a 23      ??       23h      #
ram:401b be      ??       BEh
ram:401c c2      ??       C2h
ram:401d 2a      ??       2Ah      *
ram:401e 40      ??       40h      @
ram:401f 23      ??       23h      #

```

Ghidra - 961264-10.2764.u31

```

ram:4020 7e    ??    7Eh    ~
ram:4021 a3    ??    A3h
ram:4022 23    ??    23h    #
ram:4023 be    ??    BEh
ram:4024 ca    ??    CAh
ram:4025 32    ??    32h    2
ram:4026 40    ??    40h    @
ram:4027 c3    ??    C3h
ram:4028 2c    ??    2Ch    ,
ram:4029 40    ??    40h    @
ram:402a 23    ??    23h    #
ram:402b 23    ??    23h    #
ram:402c 23    ??    23h    #
ram:402d 23    ??    23h    #
ram:402e 23    ??    23h    #
ram:402f c3    ??    C3h
ram:4030 13    ??    13h
ram:4031 40    ??    40h    @
ram:4032 23    ??    23h    #
ram:4033 56    ??    56h    V
ram:4034 23    ??    23h    #
ram:4035 5e    ??    5Eh    ^
ram:4036 c3    ??    C3h
ram:4037 43    ??    43h    C
ram:4038 40    ??    40h    @
ram:4039 f5    ??    F5h
ram:403a d5    ??    D5h
ram:403b e5    ??    E5h

*****
*                               *
*                               *
*****
undefined FUN_ram_403c()
<UNASSIGNED> <RETURN>
FUN_ram_403c                                XREF[2]:    FUN_ram_25b4:27b7(c),
                                                initialize_terminal_display_mode.

ram:403c f5    PUSH    AF
ram:403d d5    PUSH    DE
ram:403e e5    PUSH    HL
ram:403f 2a a6 58    LHLD    (BYTE_ram_58a6)                = ??
ram:4042 eb    XCHG
ram:4043 eb    XCHG
ram:4044 22 a6 58    SHLD    (BYTE_ram_58a6)                = ??
ram:4047 eb    XCHG
ram:4048 7a    MOV     A,D
ram:4049 e6 40    ANI     0x40
ram:404b c4 33 01    CNZ     disable_cha_rx                undefined disable_cha_rx()
ram:404e 7a    MOV     A,D
ram:404f e6 10    ANI     0x10
ram:4051 c4 36 01    CNZ     update_chA_reg3_Rx_maybe        undefined update_chA_reg3_Rx_may...
ram:4054 7a    MOV     A,D
ram:4055 e6 a2    ANI     0xa2
ram:4057 cd dc 00    CALL    set_host_port_status            undefined set_host_port_status()
ram:405a 7b    MOV     A,E
ram:405b e6 c0    ANI     0xc0
ram:405d ca 6d 40    JZ     LAB_ram_406d
ram:4060 fe 40    CPI     0x40
ram:4062 ca 75 40    JZ     LAB_ram_4075
ram:4065 3e 17    MVI     A,0x17
ram:4067 cd c4 40    CALL    FUN_ram_40c4                undefined FUN_ram_40c4()
ram:406a c3 7a 40    JMP     LAB_ram_407a

LAB_ram_406d                                XREF[1]:    ram:405d(j)
ram:406d 3e 0f    MVI     A,0xf
ram:406f cd c4 40    CALL    FUN_ram_40c4                undefined FUN_ram_40c4()
ram:4072 c3 7a 40    JMP     LAB_ram_407a

LAB_ram_4075                                XREF[1]:    ram:4062(j)
ram:4075 3e 07    MVI     A,0x7
ram:4077 cd c4 40    CALL    FUN_ram_40c4                undefined FUN_ram_40c4()

LAB_ram_407a                                XREF[2]:    ram:406a(j), ram:4072(j)
ram:407a 7b    MOV     A,E
ram:407b e6 30    ANI     0x30
ram:407d ca 8d 40    JZ     LAB_ram_408d
ram:4080 fe 10    CPI     0x10
ram:4082 ca 95 40    JZ     LAB_ram_4095
ram:4085 3e 15    MVI     A,0x15
ram:4087 cd c4 40    CALL    FUN_ram_40c4                undefined FUN_ram_40c4()
ram:408a c3 9a 40    JMP     LAB_ram_409a

LAB_ram_408d                                XREF[1]:    ram:407d(j)
ram:408d 3e 0d    MVI     A,0xd
ram:408f cd c4 40    CALL    FUN_ram_40c4                undefined FUN_ram_40c4()
ram:4092 c3 9a 40    JMP     LAB_ram_409a

```



```

LAB_ram_4095
ram:4095 3e 05      MVI      A,0x5
ram:4097 cd c4 40    CALL      FUN_ram_40c4
XREF[1]: ram:4082(j)
undefined FUN_ram_40c4()

LAB_ram_409a
ram:409a 7a        MOV      A,D
ram:409b e6 01      ANI      0x1
ram:409d ca b2 40    JZ       LAB_ram_40b2
ram:40a0 d5        PUSH     DE
ram:40a1 2a a1 58    LHLD     (BYTE_ram_58a1)
ram:40a4 eb        XCHG
ram:40a5 21 c1 22    LXI      HL,0x22c1
ram:40a8 3e 02      MVI      A,0x2
ram:40aa cd df 00    CALL     thunk_FUN_ram_0d6b
ram:40ad 97        SUB      A
ram:40ae 32 a5 58    STA      (BYTE_ram_58a5)
ram:40b1 d1        POP      DE
XREF[2]: ram:408a(j), ram:4092(j)
= ??
undefined thunk_FUN_ram_0d6b()
= ??

LAB_ram_40b2
ram:40b2 7a        MOV      A,D
ram:40b3 0f        RRC
ram:40b4 0f        RRC
ram:40b5 e6 03      ANI      0x3
ram:40b7 32 f8 5d    STA      (BYTE_ram_5df8)
ram:40ba 7b        MOV      A,E
ram:40bb e6 0f      ANI      0xf
ram:40bd 32 a0 58    STA      (BYTE_ram_58a0)
ram:40c0 e1        POP      HL
ram:40c1 d1        POP      DE
ram:40c2 f1        POP      AF
ram:40c3 c9        RET
XREF[1]: ram:409d(j)
= ??
= ??

*****
* FUNCTION
*
undefined FUN_ram_40c4()
undefined <UNASSIGNED> <RETURN>
FUN_ram_40c4
XREF[7]: FUN_ram_403c:4067(c),
FUN_ram_403c:406f(c),
FUN_ram_403c:4077(c),
FUN_ram_403c:4087(c),
FUN_ram_403c:408f(c),
FUN_ram_403c:4097(c),
ram:40c7(j)

ram:40c4 cd 64 00    CALL     send_keyboard_init_command
ram:40c7 da c4 40    JC       FUN_ram_40c4
ram:40ca c9        RET
undefined send_keyboard_init_com...

*****
* FUNCTION
*
undefined FUN_ram_40cb()
undefined <UNASSIGNED> <RETURN>
FUN_ram_40cb
XREF[1]: FUN_ram_25b4:2757(c)

ram:40cb f5        PUSH     AF
ram:40cc c5        PUSH     BC
ram:40cd d5        PUSH     DE
ram:40ce e5        PUSH     HL
ram:40cf 11 10 00    LXI      DE,0x10
ram:40d2 21 a8 58    LXI      HL,0x58a8

LAB_ram_40d5
ram:40d5 06 08      MVI      B,0x8
ram:40d7 0e 00      MVI      C,0x0

LAB_ram_40d9
ram:40d9 7e        MOV      A,(HL=>BYTE_ram_58a8)
ram:40da fe 2b      CPI      0x2b
ram:40dc 79        MOV      A,C
ram:40dd ca e4 40    JZ       LAB_ram_40e4
ram:40e0 07        RLC
ram:40e1 c3 e7 40    JMP      LAB_ram_40e7

LAB_ram_40e4
ram:40e4 07        RLC
ram:40e5 f6 01      ORI      0x1

LAB_ram_40e7
ram:40e7 4f        MOV      C,A
ram:40e8 23        INX      HL
ram:40e9 05        DCR      B
ram:40ea c2 d9 40    JNZ      LAB_ram_40d9
ram:40ed eb        XCHG
ram:40ee cd 24 01    CALL     thunk_FUN_ram_1221
undefined thunk_FUN_ram_1221()

```

Ghidra - 961264-10.2764.u31

```

ram:40f1 da 03 41      JC      LAB_ram_4103
ram:40f4 eb           XCHG
ram:40f5 1c           INR      E
ram:40f6 7b           MOV      A,E
ram:40f7 fe 1a        CPI      0x1a
ram:40f9 da d5 40      JC      LAB_ram_40d5
ram:40fc e1           POP      HL
ram:40fd d1           POP      DE
ram:40fe c1           POP      BC
ram:40ff f1           POP      AF
ram:4100 37           STC
ram:4101 3f           CMC
ram:4102 c9           RET

LAB_ram_4103
XREF[1]: ram:40f1(j)
ram:4103 e1           POP      HL
ram:4104 d1           POP      DE
ram:4105 c1           POP      BC
ram:4106 f1           POP      AF
ram:4107 37           STC
ram:4108 c9           RET

*****
*                               *
*                               *
*****
undefined create_bit_pattern_display()
undefined <UNASSIGNED> <RETURN>
create_bit_pattern_display
XREF[3]: terminal_main_loop:2031(c),
        FUN_ram_25b4:2762(c),
        FUN_ram_37bb:37de(c)

ram:4109 f5           PUSH     AF
ram:410a c5           PUSH     BC
ram:410b d5           PUSH     DE
ram:410c e5           PUSH     HL
ram:410d 21 a8 58     LXI      HL,0x58a8
ram:4110 11 10 00     LXI      DE,0x10

loop_write_to_nvram
XREF[1]: ram:412b(j)
ram:4113 eb           XCHG
ram:4114 cd 21 01     CALL     save_config_to_nvram
ram:4117 eb           XCHG
ram:4118 06 08        MVI      B,0x8
                Exchange DE and HL
                undefinedsave_config_to_nvram()

LAB_ram_411a
XREF[1]: ram:4124(j)
ram:411a 36 20        MVI      (HL=>BYTE_ram_58a8),0x20
ram:411c 17           RAL
ram:411d d2 22 41     JNC      LAB_ram_4122
ram:4120 36 2b        MVI      (HL=>BYTE_ram_58a8),0x2b
                = ??

LAB_ram_4122
XREF[1]: ram:411d(j)
ram:4122 23           INX      HL
ram:4123 05           DCR      B
ram:4124 c2 1a 41     JNZ      LAB_ram_411a
ram:4127 1c           INR      E
ram:4128 7b           MOV      A,E
ram:4129 fe 1a        CPI      0x1a
ram:412b da 13 41     JC      loop_write_to_nvram
ram:412e e1           POP      HL
ram:412f d1           POP      DE
ram:4130 c1           POP      BC
ram:4131 f1           POP      AF
ram:4132 c9           RET

*****
*                               *
*                               *
*****
undefined FUN_ram_4133()
undefined <UNASSIGNED> <RETURN>
FUN_ram_4133
XREF[1]: FUN_ram_4167:4168(c)
ram:4133 f5           PUSH     AF
ram:4134 d5           PUSH     DE
ram:4135 cd b3 41     CALL     FUN_ram_41b3
                undefined FUN_ram_41b3()

LAB_ram_4138
XREF[1]: ram:4143(j)
ram:4138 7b           MOV      A,E
ram:4139 fe 50        CPI      0x50
ram:413b ca 4c 41     JZ      LAB_ram_414c
ram:413e 1c           INR      E
ram:413f 23           INX      HL
ram:4140 7e           MOV      A,(HL)
ram:4141 fe 2b        CPI      0x2b
ram:4143 c2 38 41     JNZ      LAB_ram_4138

LAB_ram_4146
XREF[1]: FUN_ram_4151:4164(j)
ram:4146 eb           XCHG

```

Ghidra - 961264-10.2764.u31

```

ram:4147 d1      POP      DE
ram:4148 f1      POP      AF
ram:4149 37      STC
ram:414a 3f      CMC
ram:414b c9      RET

LAB_ram_414c
XREF[2]: ram:413b(j),
        FUN_ram_4151:4159(j)

ram:414c eb      XCHG
ram:414d d1      POP      DE
ram:414e f1      POP      AF
ram:414f 37      STC
ram:4150 c9      RET

*****
* FUNCTION *
*****
undefined FUN_ram_4151()
undefined <UNASSIGNED> <RETURN>
XREF[1]: FUN_ram_4170:4171(c)
ram:4151 f5      PUSH     AF
ram:4152 d5      PUSH     DE
ram:4153 cd b3 41 CALL     FUN_ram_41b3
        undefined FUN_ram_41b3()

LAB_ram_4156
XREF[1]: ram:4161(j)
ram:4156 7b      MOV      A,E
ram:4157 fe 01   CPI      0x1
ram:4159 ca 4c 41 JZ      LAB_ram_414c
ram:415c 1d      DCR      E
ram:415d 2b      DCX      HL
ram:415e 7e      MOV      A,(HL)
ram:415f fe 2b   CPI      0x2b
ram:4161 c2 56 41 JNZ      LAB_ram_4156
ram:4164 c3 46 41 JMP      LAB_ram_4146

*****
* FUNCTION *
*****
undefined FUN_ram_4167()
undefined <UNASSIGNED> <RETURN>
XREF[4]: ram:2a7b(c), ram:2a8b(c),
        FUN_ram_41c0:41ee(c),
        FUN_ram_4230:423c(j)
ram:4167 e5      PUSH     HL
ram:4168 cd 33 41 CALL     FUN_ram_4133
        undefined FUN_ram_4133()
ram:416b cd 94 00 CALL     update_cursor_addresses
        undefined update_cursor_addresse...
ram:416e e1      POP      HL
ram:416f c9      RET

*****
* FUNCTION *
*****
undefined FUN_ram_4170()
undefined <UNASSIGNED> <RETURN>
XREF[3]: ram:3403(c), ram:3413(c),
        FUN_ram_4230:4241(j)
ram:4170 e5      PUSH     HL
ram:4171 cd 51 41 CALL     FUN_ram_4151
        undefined FUN_ram_4151()
ram:4174 cd 94 00 CALL     update_cursor_addresses
        undefined update_cursor_addresse...
ram:4177 e1      POP      HL
ram:4178 c9      RET

*****
* FUNCTION *
*****
undefined FUN_ram_4179()
undefined <UNASSIGNED> <RETURN>
XREF[1]: FUN_ram_41c0:41e3(c)
ram:4179 f5      PUSH     AF
ram:417a d5      PUSH     DE
ram:417b e5      PUSH     HL
ram:417c cd b3 41 CALL     FUN_ram_41b3
        undefined FUN_ram_41b3()
ram:417f 7e      MOV      A,(HL)
ram:4180 e1      POP      HL
ram:4181 d1      POP      DE
ram:4182 fe 2b   CPI      0x2b
ram:4184 c2 8b 41 JNZ      LAB_ram_418b
ram:4187 f1      POP      AF
ram:4188 37      STC
ram:4189 3f      CMC
ram:418a c9      RET

LAB_ram_418b
XREF[1]: ram:4184(j)
ram:418b f1      POP      AF
ram:418c 37      STC

```

Ghidra - 961264-10.2764.u31

```

ram:418d c9      RET

*****
*               FUNCTION               *
*****
undefined FUN_ram_418e()
undefined <UNASSIGNED> <RETURN>
FUN_ram_418e      XREF[3]:  ram:2d1f(c), ram:2d32(c),
                        FUN_ram_4230:4257(c)

ram:418e d5      PUSH      DE
ram:418f e5      PUSH      HL
ram:4190 cd b3 41 CALL      FUN_ram_41b3      undefined FUN_ram_41b3()
ram:4193 36 2b    MVI      (HL),0x2b
ram:4195 e1      POP       HL
ram:4196 d1      POP       DE
ram:4197 c9      RET

*****
*               FUNCTION               *
*****
undefined FUN_ram_4198()
undefined <UNASSIGNED> <RETURN>
FUN_ram_4198      XREF[3]:  ram:343c(c), ram:344f(c),
                        FUN_ram_4230:424c(c)

ram:4198 d5      PUSH      DE
ram:4199 e5      PUSH      HL
ram:419a cd b3 41 CALL      FUN_ram_41b3      undefined FUN_ram_41b3()
ram:419d 36 20    MVI      (HL),0x20
ram:419f e1      POP       HL
ram:41a0 d1      POP       DE
ram:41a1 c9      RET

*****
*               FUNCTION               *
*****
undefined FUN_ram_41a2()
undefined <UNASSIGNED> <RETURN>
FUN_ram_41a2      XREF[1]:  ram:342e(c)

ram:41a2 f5      PUSH      AF
ram:41a3 e5      PUSH      HL
ram:41a4 21 a8 58 LXI      HL,0x58a8
ram:41a7 3e 50    MVI      A,0x50

LAB_ram_41a9      XREF[1]:  ram:41ad(j)
                        = ??
ram:41a9 36 20    MVI      (HL=>BYTE_ram_58a8),0x20
ram:41ab 23      INX       HL
ram:41ac 3d      DCR       A
ram:41ad c2 a9 41 JNZ      LAB_ram_41a9
ram:41b0 e1      POP       HL
ram:41b1 f1      POP       AF
ram:41b2 c9      RET

*****
*               FUNCTION               *
*****
undefined FUN_ram_41b3()
undefined <UNASSIGNED> <RETURN>
FUN_ram_41b3      XREF[5]:  FUN_ram_4133:4135(c),
                        FUN_ram_4151:4153(c),
                        FUN_ram_4179:417c(c),
                        FUN_ram_418e:4190(c),
                        FUN_ram_4198:419a(c)

ram:41b3 11 a8 58 LXI      DE,0x58a8
ram:41b6 cd 97 00 CALL      thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:41b9 e5      PUSH      HL
ram:41ba 26 00    MVI      H,0x0
ram:41bc 2d      DCR       L
ram:41bd 19      DAD       HL,DE
ram:41be d1      POP       DE
ram:41bf c9      RET

*****
*               FUNCTION               *
*****
undefined FUN_ram_41c0()
undefined <UNASSIGNED> <RETURN>
FUN_ram_41c0      XREF[1]:  FUN_ram_25b4:27f4(c)

ram:41c0 f5      PUSH      AF
ram:41c1 d5      PUSH      DE
ram:41c2 e5      PUSH      HL
ram:41c3 cd 09 01 CALL      clear_display_memory_range      undefinedclear_display_memory_r...
ram:41c6 21 10 05 LXI      HL,0x510
ram:41c9 cd 94 00 CALL      update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:41cc 21 75 42 LXI      HL,0x4275
ram:41cf cd a5 01 CALL      thunk_FUN_ram_1ef1      undefinedthunk_FUN_ram_1ef1()

```

Ghidra - 961264-10.2764.u31

```

ram:41d2 21 01 19      LXI      HL,0x1901
ram:41d5 cd 94 00      CALL     update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:41d8 21 50 19      LXI      HL,0x1950
ram:41db 3e 04         MVI      A,0x4
ram:41dd cd 9a 00      CALL     thunk_FUN_ram_1605      undefinedthunk_FUN_ram_1605()
ram:41e0 cd a6 00      CALL     thunk_FUN_ram_15a5      undefinedthunk_FUN_ram_15a5()
ram:41e3 cd 79 41      CALL     FUN_ram_4179            undefinedFUN_ram_4179()
ram:41e6 da ee 41      JC       LAB_ram_41ee
ram:41e9 3e 2b         MVI      A,0x2b
ram:41eb cd a9 00      CALL     write_char_to_video_memory      voidwrite_char_to_video_memory(...)

LAB_ram_41ee
ram:41ee cd 67 41      CALL     FUN_ram_4167            undefinedFUN_ram_4167()
ram:41f1 da ff 41      JC       LAB_ram_41ff
ram:41f4 3e 2b         MVI      A,0x2b
ram:41f6 cd a9 00      CALL     write_char_to_video_memory      voidwrite_char_to_video_memory(...)
ram:41f9 c3 ee 41      JMP      LAB_ram_41ee
ram:41fc cd           ??      CDh
ram:41fd a6           ??      A6h
ram:41fe 00           ??      00h

LAB_ram_41ff
ram:41ff cd 6a 00      CALL     thunk_FUN_ram_134c      undefinedthunk_FUN_ram_134c()

LAB_ram_4202
ram:4202 cd 97 00      CALL     thunk_FUN_ram_1472      undefinedthunk_FUN_ram_1472()
ram:4205 eb           XCHG
ram:4206 21 01 17      LXI      HL,0x1701
ram:4209 cd 94 00      CALL     update_cursor_addresses      undefinedupdate_cursor_addresse...
ram:420c 21 64 42      LXI      HL,0x4264              Write "Cursor position"
ram:420f cd ac 00      CALL     display_string_until_control_char      undefineddisplay_string_until_c...
ram:4212 7b           MOV      A,E
ram:4213 cd ba 01      CALL     display_decimal_number      undefineddisplay_decimal_number()
ram:4216 eb           XCHG
ram:4217 cd 94 00      CALL     update_cursor_addresses      undefinedupdate_cursor_addresse...

LAB_ram_421a
ram:421a cd bb 00      CALL     check_mem_5dbd_and_5d9d_return_val_in_A      undefinedcheck_mem_5dbd_and_5d9...
ram:421d da 1a 42      JC       LAB_ram_421a
ram:4220 fe db         CPI      0xdb
ram:4222 ca 5d 42      JZ       LAB_ram_425d
ram:4225 fe b8         CPI      0xb8
ram:4227 ca ff 41      JZ       LAB_ram_41ff
ram:422a cd 30 42      CALL     FUN_ram_4230            undefinedFUN_ram_4230()
ram:422d c3 02 42      JMP      LAB_ram_4202

*****
*                               *
*****
undefined FUN_ram_4230()
undefined <UNASSIGNED> <RETURN>
FUN_ram_4230
XREF[1]:  FUN_ram_41c0:422a(c)
ram:4230 fe b4         CPI      0xb4
ram:4232 ca 7f 00      JZ       thunk_FUN_ram_13ca
ram:4235 fe b3         CPI      0xb3
ram:4237 ca 73 00      JZ       thunk_FUN_ram_1376
ram:423a fe 99         CPI      0x99
ram:423c ca 67 41      JZ       FUN_ram_4167
ram:423f fe ca         CPI      0xca
ram:4241 ca 70 41      JZ       FUN_ram_4170
ram:4244 fe 20         CPI      0x20
ram:4246 c2 52 42      JNZ      LAB_ram_4252
ram:4249 cd a9 00      CALL     write_char_to_video_memory      voidwrite_char_to_video_memory(...)
ram:424c cd 98 41      CALL     FUN_ram_4198            undefinedFUN_ram_4198()
ram:424f c3 73 00      JMP      thunk_FUN_ram_1376      undefinedthunk_FUN_ram_1376()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_4252
ram:4252 3e 2b         MVI      A,0x2b
ram:4254 cd a9 00      CALL     write_char_to_video_memory      voidwrite_char_to_video_memory(...)
ram:4257 cd 8e 41      CALL     FUN_ram_418e            undefinedFUN_ram_418e()
ram:425a c3 73 00      JMP      thunk_FUN_ram_1376      undefinedthunk_FUN_ram_1376()
-- Flow Override: CALL_RETURN (CALL_TERMINATOR)

LAB_ram_425d
ram:425d cd 09 01      CALL     clear_display_memory_range      undefinedclear_display_memory_r...
ram:4260 e1           POP      HL
ram:4261 d1           POP      DE
ram:4262 f1           POP      AF
ram:4263 c9           RET
ram:4264 43 75 72      ds      "Cursor position:"
73 6f 72
20 70 6f ...

```

Ghidra - 961264-10.2764.u31

```

ram:4275 54 61 62      ds      "Tabulation rack"
      75 6c 61
      74 69 6f ...

*****
*                      FUNCTION                      *
*****

undefined FUN_ram_4285()
undefined <UNASSIGNED> <RETURN>
FUN_ram_4285                                XREF[4]:  terminal_main_loop:2054(c),
                                                FUN_ram_25b4:25ba(c),
                                                FUN_ram_25b4:27ae(c),
                                                ram:34df(c)

ram:4285 f5          PUSH      AF
ram:4286 3a 2d 5f    LDA        (BYTE_ram_5f2d)
ram:4289 3c          INR        A
ram:428a fe 03      CPI        0x3
ram:428c da 90 42    JC         LAB_ram_4290
ram:428f 3c          INR        A

LAB_ram_4290                                XREF[1]:  ram:428c(j)

ram:4290 f5          PUSH      AF
ram:4291 e6 03      ANI        0x3
ram:4293 32 0a 5f    STA        (BYTE_ram_5f0a)
ram:4296 f1          POP        AF
ram:4297 0f          RRC
ram:4298 0f          RRC
ram:4299 e6 01      ANI        0x1
ram:429b 32 08 5f    STA        (BYTE_ram_5f08)
ram:429e f1          POP        AF
ram:429f c9          RET
ram:42a0 3e 05      MVI        A,0x5
ram:42a2 d3 01      OUT        (Channel_A_Command_Status)
ram:42a4 3a 1f 5e    LDA        (Last_Channel_A_Command)
ram:42a7 e6 7d      ANI        0x7d
ram:42a9 32 1f 5e    STA        (Last_Channel_A_Command)
ram:42ac d3 01      OUT        (Channel_A_Command_Status)
ram:42ae c9          RET
ram:42af 00          ??        00h
ram:42b0 00          ??        00h
ram:42b1 00          ??        00h
ram:42b2 00          ??        00h
ram:42b3 00          ??        00h
ram:42b4 00          ??        00h
ram:42b5 00          ??        00h
ram:42b6 00          ??        00h
ram:42b7 00          ??        00h
ram:42b8 00          ??        00h
ram:42b9 00          ??        00h
ram:42ba 00          ??        00h
ram:42bb 00          ??        00h
ram:42bc 00          ??        00h
ram:42bd 00          ??        00h
ram:42be 00          ??        00h
ram:42bf 00          ??        00h
ram:42c0 00          ??        00h
ram:42c1 00          ??        00h
ram:42c2 00          ??        00h
ram:42c3 00          ??        00h
ram:42c4 00          ??        00h
ram:42c5 00          ??        00h
ram:42c6 00          ??        00h
ram:42c7 00          ??        00h
ram:42c8 00          ??        00h
ram:42c9 00          ??        00h
ram:42ca 00          ??        00h
ram:42cb 00          ??        00h
ram:42cc 00          ??        00h
ram:42cd 00          ??        00h
ram:42ce 00          ??        00h
ram:42cf 00          ??        00h
ram:42d0 00          ??        00h
ram:42d1 00          ??        00h
ram:42d2 00          ??        00h
ram:42d3 00          ??        00h
ram:42d4 00          ??        00h
ram:42d5 00          ??        00h
ram:42d6 00          ??        00h
ram:42d7 00          ??        00h
ram:42d8 00          ??        00h
ram:42d9 00          ??        00h
ram:42da 00          ??        00h
ram:42db 00          ??        00h
ram:42dc 00          ??        00h
ram:42dd 00          ??        00h

```

Ghidra - 961264-10.2764.u31

ram:42de	00	??	00h
ram:42df	00	??	00h
ram:42e0	00	??	00h
ram:42e1	00	??	00h
ram:42e2	00	??	00h
ram:42e3	00	??	00h
ram:42e4	00	??	00h
ram:42e5	00	??	00h
ram:42e6	00	??	00h
ram:42e7	00	??	00h
ram:42e8	00	??	00h
ram:42e9	00	??	00h
ram:42ea	00	??	00h
ram:42eb	00	??	00h
ram:42ec	00	??	00h
ram:42ed	00	??	00h
ram:42ee	00	??	00h
ram:42ef	00	??	00h
ram:42f0	00	??	00h
ram:42f1	00	??	00h
ram:42f2	00	??	00h
ram:42f3	00	??	00h
ram:42f4	00	??	00h
ram:42f5	00	??	00h
ram:42f6	00	??	00h
ram:42f7	00	??	00h
ram:42f8	00	??	00h
ram:42f9	00	??	00h
ram:42fa	00	??	00h
ram:42fb	00	??	00h
ram:42fc	00	??	00h
ram:42fd	00	??	00h
ram:42fe	00	??	00h
ram:42ff	00	??	00h
ram:4300	00	??	00h
ram:4301	00	??	00h
ram:4302	00	??	00h
ram:4303	00	??	00h
ram:4304	00	??	00h
ram:4305	00	??	00h
ram:4306	00	??	00h
ram:4307	00	??	00h
ram:4308	00	??	00h
ram:4309	00	??	00h
ram:430a	00	??	00h
ram:430b	00	??	00h
ram:430c	00	??	00h
ram:430d	00	??	00h
ram:430e	00	??	00h
ram:430f	00	??	00h
ram:4310	00	??	00h
ram:4311	00	??	00h
ram:4312	00	??	00h
ram:4313	00	??	00h
ram:4314	00	??	00h
ram:4315	00	??	00h
ram:4316	00	??	00h
ram:4317	00	??	00h
ram:4318	00	??	00h
ram:4319	00	??	00h
ram:431a	00	??	00h
ram:431b	00	??	00h
ram:431c	00	??	00h
ram:431d	00	??	00h
ram:431e	00	??	00h
ram:431f	00	??	00h
ram:4320	00	??	00h
ram:4321	00	??	00h
ram:4322	00	??	00h
ram:4323	00	??	00h
ram:4324	00	??	00h
ram:4325	00	??	00h
ram:4326	00	??	00h
ram:4327	00	??	00h
ram:4328	00	??	00h
ram:4329	00	??	00h
ram:432a	00	??	00h
ram:432b	00	??	00h
ram:432c	00	??	00h
ram:432d	00	??	00h
ram:432e	00	??	00h
ram:432f	00	??	00h
ram:4330	00	??	00h
ram:4331	00	??	00h
ram:4332	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4333	00	??	00h
ram:4334	00	??	00h
ram:4335	00	??	00h
ram:4336	00	??	00h
ram:4337	00	??	00h
ram:4338	00	??	00h
ram:4339	00	??	00h
ram:433a	00	??	00h
ram:433b	00	??	00h
ram:433c	00	??	00h
ram:433d	00	??	00h
ram:433e	00	??	00h
ram:433f	00	??	00h
ram:4340	00	??	00h
ram:4341	00	??	00h
ram:4342	00	??	00h
ram:4343	00	??	00h
ram:4344	00	??	00h
ram:4345	00	??	00h
ram:4346	00	??	00h
ram:4347	00	??	00h
ram:4348	00	??	00h
ram:4349	00	??	00h
ram:434a	00	??	00h
ram:434b	00	??	00h
ram:434c	00	??	00h
ram:434d	00	??	00h
ram:434e	00	??	00h
ram:434f	00	??	00h
ram:4350	00	??	00h
ram:4351	00	??	00h
ram:4352	00	??	00h
ram:4353	00	??	00h
ram:4354	00	??	00h
ram:4355	00	??	00h
ram:4356	00	??	00h
ram:4357	00	??	00h
ram:4358	00	??	00h
ram:4359	00	??	00h
ram:435a	00	??	00h
ram:435b	00	??	00h
ram:435c	00	??	00h
ram:435d	00	??	00h
ram:435e	00	??	00h
ram:435f	00	??	00h
ram:4360	00	??	00h
ram:4361	00	??	00h
ram:4362	00	??	00h
ram:4363	00	??	00h
ram:4364	00	??	00h
ram:4365	00	??	00h
ram:4366	00	??	00h
ram:4367	00	??	00h
ram:4368	00	??	00h
ram:4369	00	??	00h
ram:436a	00	??	00h
ram:436b	00	??	00h
ram:436c	00	??	00h
ram:436d	00	??	00h
ram:436e	00	??	00h
ram:436f	00	??	00h
ram:4370	00	??	00h
ram:4371	00	??	00h
ram:4372	00	??	00h
ram:4373	00	??	00h
ram:4374	00	??	00h
ram:4375	00	??	00h
ram:4376	00	??	00h
ram:4377	00	??	00h
ram:4378	00	??	00h
ram:4379	00	??	00h
ram:437a	00	??	00h
ram:437b	00	??	00h
ram:437c	00	??	00h
ram:437d	00	??	00h
ram:437e	00	??	00h
ram:437f	00	??	00h
ram:4380	00	??	00h
ram:4381	00	??	00h
ram:4382	00	??	00h
ram:4383	00	??	00h
ram:4384	00	??	00h
ram:4385	00	??	00h
ram:4386	00	??	00h
ram:4387	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4388	00	??	00h
ram:4389	00	??	00h
ram:438a	00	??	00h
ram:438b	00	??	00h
ram:438c	00	??	00h
ram:438d	00	??	00h
ram:438e	00	??	00h
ram:438f	00	??	00h
ram:4390	00	??	00h
ram:4391	00	??	00h
ram:4392	00	??	00h
ram:4393	00	??	00h
ram:4394	00	??	00h
ram:4395	00	??	00h
ram:4396	00	??	00h
ram:4397	00	??	00h
ram:4398	00	??	00h
ram:4399	00	??	00h
ram:439a	00	??	00h
ram:439b	00	??	00h
ram:439c	00	??	00h
ram:439d	00	??	00h
ram:439e	00	??	00h
ram:439f	00	??	00h
ram:43a0	00	??	00h
ram:43a1	00	??	00h
ram:43a2	00	??	00h
ram:43a3	00	??	00h
ram:43a4	00	??	00h
ram:43a5	00	??	00h
ram:43a6	00	??	00h
ram:43a7	00	??	00h
ram:43a8	00	??	00h
ram:43a9	00	??	00h
ram:43aa	00	??	00h
ram:43ab	00	??	00h
ram:43ac	00	??	00h
ram:43ad	00	??	00h
ram:43ae	00	??	00h
ram:43af	00	??	00h
ram:43b0	00	??	00h
ram:43b1	00	??	00h
ram:43b2	00	??	00h
ram:43b3	00	??	00h
ram:43b4	00	??	00h
ram:43b5	00	??	00h
ram:43b6	00	??	00h
ram:43b7	00	??	00h
ram:43b8	00	??	00h
ram:43b9	00	??	00h
ram:43ba	00	??	00h
ram:43bb	00	??	00h
ram:43bc	00	??	00h
ram:43bd	00	??	00h
ram:43be	00	??	00h
ram:43bf	00	??	00h
ram:43c0	00	??	00h
ram:43c1	00	??	00h
ram:43c2	00	??	00h
ram:43c3	00	??	00h
ram:43c4	00	??	00h
ram:43c5	00	??	00h
ram:43c6	00	??	00h
ram:43c7	00	??	00h
ram:43c8	00	??	00h
ram:43c9	00	??	00h
ram:43ca	00	??	00h
ram:43cb	00	??	00h
ram:43cc	00	??	00h
ram:43cd	00	??	00h
ram:43ce	00	??	00h
ram:43cf	00	??	00h
ram:43d0	00	??	00h
ram:43d1	00	??	00h
ram:43d2	00	??	00h
ram:43d3	00	??	00h
ram:43d4	00	??	00h
ram:43d5	00	??	00h
ram:43d6	00	??	00h
ram:43d7	00	??	00h
ram:43d8	00	??	00h
ram:43d9	00	??	00h
ram:43da	00	??	00h
ram:43db	00	??	00h
ram:43dc	00	??	00h

Ghidra - 961264-10.2764.u31

ram:43dd	00	??	00h
ram:43de	00	??	00h
ram:43df	00	??	00h
ram:43e0	00	??	00h
ram:43e1	00	??	00h
ram:43e2	00	??	00h
ram:43e3	00	??	00h
ram:43e4	00	??	00h
ram:43e5	00	??	00h
ram:43e6	00	??	00h
ram:43e7	00	??	00h
ram:43e8	00	??	00h
ram:43e9	00	??	00h
ram:43ea	00	??	00h
ram:43eb	00	??	00h
ram:43ec	00	??	00h
ram:43ed	00	??	00h
ram:43ee	00	??	00h
ram:43ef	00	??	00h
ram:43f0	00	??	00h
ram:43f1	00	??	00h
ram:43f2	00	??	00h
ram:43f3	00	??	00h
ram:43f4	00	??	00h
ram:43f5	00	??	00h
ram:43f6	00	??	00h
ram:43f7	00	??	00h
ram:43f8	00	??	00h
ram:43f9	00	??	00h
ram:43fa	00	??	00h
ram:43fb	00	??	00h
ram:43fc	00	??	00h
ram:43fd	00	??	00h
ram:43fe	00	??	00h
ram:43ff	00	??	00h
ram:4400	00	??	00h
ram:4401	00	??	00h
ram:4402	00	??	00h
ram:4403	00	??	00h
ram:4404	00	??	00h
ram:4405	00	??	00h
ram:4406	00	??	00h
ram:4407	00	??	00h
ram:4408	00	??	00h
ram:4409	00	??	00h
ram:440a	00	??	00h
ram:440b	00	??	00h
ram:440c	00	??	00h
ram:440d	00	??	00h
ram:440e	00	??	00h
ram:440f	00	??	00h
ram:4410	00	??	00h
ram:4411	00	??	00h
ram:4412	00	??	00h
ram:4413	00	??	00h
ram:4414	00	??	00h
ram:4415	00	??	00h
ram:4416	00	??	00h
ram:4417	00	??	00h
ram:4418	00	??	00h
ram:4419	00	??	00h
ram:441a	00	??	00h
ram:441b	00	??	00h
ram:441c	00	??	00h
ram:441d	00	??	00h
ram:441e	00	??	00h
ram:441f	00	??	00h
ram:4420	00	??	00h
ram:4421	00	??	00h
ram:4422	00	??	00h
ram:4423	00	??	00h
ram:4424	00	??	00h
ram:4425	00	??	00h
ram:4426	00	??	00h
ram:4427	00	??	00h
ram:4428	00	??	00h
ram:4429	00	??	00h
ram:442a	00	??	00h
ram:442b	00	??	00h
ram:442c	00	??	00h
ram:442d	00	??	00h
ram:442e	00	??	00h
ram:442f	00	??	00h
ram:4430	00	??	00h
ram:4431	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4432	00	??	00h
ram:4433	00	??	00h
ram:4434	00	??	00h
ram:4435	00	??	00h
ram:4436	00	??	00h
ram:4437	00	??	00h
ram:4438	00	??	00h
ram:4439	00	??	00h
ram:443a	00	??	00h
ram:443b	00	??	00h
ram:443c	00	??	00h
ram:443d	00	??	00h
ram:443e	00	??	00h
ram:443f	00	??	00h
ram:4440	00	??	00h
ram:4441	00	??	00h
ram:4442	00	??	00h
ram:4443	00	??	00h
ram:4444	00	??	00h
ram:4445	00	??	00h
ram:4446	00	??	00h
ram:4447	00	??	00h
ram:4448	00	??	00h
ram:4449	00	??	00h
ram:444a	00	??	00h
ram:444b	00	??	00h
ram:444c	00	??	00h
ram:444d	00	??	00h
ram:444e	00	??	00h
ram:444f	00	??	00h
ram:4450	00	??	00h
ram:4451	00	??	00h
ram:4452	00	??	00h
ram:4453	00	??	00h
ram:4454	00	??	00h
ram:4455	00	??	00h
ram:4456	00	??	00h
ram:4457	00	??	00h
ram:4458	00	??	00h
ram:4459	00	??	00h
ram:445a	00	??	00h
ram:445b	00	??	00h
ram:445c	00	??	00h
ram:445d	00	??	00h
ram:445e	00	??	00h
ram:445f	00	??	00h
ram:4460	00	??	00h
ram:4461	00	??	00h
ram:4462	00	??	00h
ram:4463	00	??	00h
ram:4464	00	??	00h
ram:4465	00	??	00h
ram:4466	00	??	00h
ram:4467	00	??	00h
ram:4468	00	??	00h
ram:4469	00	??	00h
ram:446a	00	??	00h
ram:446b	00	??	00h
ram:446c	00	??	00h
ram:446d	00	??	00h
ram:446e	00	??	00h
ram:446f	00	??	00h
ram:4470	00	??	00h
ram:4471	00	??	00h
ram:4472	00	??	00h
ram:4473	00	??	00h
ram:4474	00	??	00h
ram:4475	00	??	00h
ram:4476	00	??	00h
ram:4477	00	??	00h
ram:4478	00	??	00h
ram:4479	00	??	00h
ram:447a	00	??	00h
ram:447b	00	??	00h
ram:447c	00	??	00h
ram:447d	00	??	00h
ram:447e	00	??	00h
ram:447f	00	??	00h
ram:4480	00	??	00h
ram:4481	00	??	00h
ram:4482	00	??	00h
ram:4483	00	??	00h
ram:4484	00	??	00h
ram:4485	00	??	00h
ram:4486	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4487	00	??	00h
ram:4488	00	??	00h
ram:4489	00	??	00h
ram:448a	00	??	00h
ram:448b	00	??	00h
ram:448c	00	??	00h
ram:448d	00	??	00h
ram:448e	00	??	00h
ram:448f	00	??	00h
ram:4490	00	??	00h
ram:4491	00	??	00h
ram:4492	00	??	00h
ram:4493	00	??	00h
ram:4494	00	??	00h
ram:4495	00	??	00h
ram:4496	00	??	00h
ram:4497	00	??	00h
ram:4498	00	??	00h
ram:4499	00	??	00h
ram:449a	00	??	00h
ram:449b	00	??	00h
ram:449c	00	??	00h
ram:449d	00	??	00h
ram:449e	00	??	00h
ram:449f	00	??	00h
ram:44a0	00	??	00h
ram:44a1	00	??	00h
ram:44a2	00	??	00h
ram:44a3	00	??	00h
ram:44a4	00	??	00h
ram:44a5	00	??	00h
ram:44a6	00	??	00h
ram:44a7	00	??	00h
ram:44a8	00	??	00h
ram:44a9	00	??	00h
ram:44aa	00	??	00h
ram:44ab	00	??	00h
ram:44ac	00	??	00h
ram:44ad	00	??	00h
ram:44ae	00	??	00h
ram:44af	00	??	00h
ram:44b0	00	??	00h
ram:44b1	00	??	00h
ram:44b2	00	??	00h
ram:44b3	00	??	00h
ram:44b4	00	??	00h
ram:44b5	00	??	00h
ram:44b6	00	??	00h
ram:44b7	00	??	00h
ram:44b8	00	??	00h
ram:44b9	00	??	00h
ram:44ba	00	??	00h
ram:44bb	00	??	00h
ram:44bc	00	??	00h
ram:44bd	00	??	00h
ram:44be	00	??	00h
ram:44bf	00	??	00h
ram:44c0	00	??	00h
ram:44c1	00	??	00h
ram:44c2	00	??	00h
ram:44c3	00	??	00h
ram:44c4	00	??	00h
ram:44c5	00	??	00h
ram:44c6	00	??	00h
ram:44c7	00	??	00h
ram:44c8	00	??	00h
ram:44c9	00	??	00h
ram:44ca	00	??	00h
ram:44cb	00	??	00h
ram:44cc	00	??	00h
ram:44cd	00	??	00h
ram:44ce	00	??	00h
ram:44cf	00	??	00h
ram:44d0	00	??	00h
ram:44d1	00	??	00h
ram:44d2	00	??	00h
ram:44d3	00	??	00h
ram:44d4	00	??	00h
ram:44d5	00	??	00h
ram:44d6	00	??	00h
ram:44d7	00	??	00h
ram:44d8	00	??	00h
ram:44d9	00	??	00h
ram:44da	00	??	00h
ram:44db	00	??	00h

Ghidra - 961264-10.2764.u31

ram:44dc	00	??	00h
ram:44dd	00	??	00h
ram:44de	00	??	00h
ram:44df	00	??	00h
ram:44e0	00	??	00h
ram:44e1	00	??	00h
ram:44e2	00	??	00h
ram:44e3	00	??	00h
ram:44e4	00	??	00h
ram:44e5	00	??	00h
ram:44e6	00	??	00h
ram:44e7	00	??	00h
ram:44e8	00	??	00h
ram:44e9	00	??	00h
ram:44ea	00	??	00h
ram:44eb	00	??	00h
ram:44ec	00	??	00h
ram:44ed	00	??	00h
ram:44ee	00	??	00h
ram:44ef	00	??	00h
ram:44f0	00	??	00h
ram:44f1	00	??	00h
ram:44f2	00	??	00h
ram:44f3	00	??	00h
ram:44f4	00	??	00h
ram:44f5	00	??	00h
ram:44f6	00	??	00h
ram:44f7	00	??	00h
ram:44f8	00	??	00h
ram:44f9	00	??	00h
ram:44fa	00	??	00h
ram:44fb	00	??	00h
ram:44fc	00	??	00h
ram:44fd	00	??	00h
ram:44fe	00	??	00h
ram:44ff	00	??	00h
ram:4500	00	??	00h
ram:4501	00	??	00h
ram:4502	00	??	00h
ram:4503	00	??	00h
ram:4504	00	??	00h
ram:4505	00	??	00h
ram:4506	00	??	00h
ram:4507	00	??	00h
ram:4508	00	??	00h
ram:4509	00	??	00h
ram:450a	00	??	00h
ram:450b	00	??	00h
ram:450c	00	??	00h
ram:450d	00	??	00h
ram:450e	00	??	00h
ram:450f	00	??	00h
ram:4510	00	??	00h
ram:4511	00	??	00h
ram:4512	00	??	00h
ram:4513	00	??	00h
ram:4514	00	??	00h
ram:4515	00	??	00h
ram:4516	00	??	00h
ram:4517	00	??	00h
ram:4518	00	??	00h
ram:4519	00	??	00h
ram:451a	00	??	00h
ram:451b	00	??	00h
ram:451c	00	??	00h
ram:451d	00	??	00h
ram:451e	00	??	00h
ram:451f	00	??	00h
ram:4520	00	??	00h
ram:4521	00	??	00h
ram:4522	00	??	00h
ram:4523	00	??	00h
ram:4524	00	??	00h
ram:4525	00	??	00h
ram:4526	00	??	00h
ram:4527	00	??	00h
ram:4528	00	??	00h
ram:4529	00	??	00h
ram:452a	00	??	00h
ram:452b	00	??	00h
ram:452c	00	??	00h
ram:452d	00	??	00h
ram:452e	00	??	00h
ram:452f	00	??	00h
ram:4530	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4531	00	??	00h
ram:4532	00	??	00h
ram:4533	00	??	00h
ram:4534	00	??	00h
ram:4535	00	??	00h
ram:4536	00	??	00h
ram:4537	00	??	00h
ram:4538	00	??	00h
ram:4539	00	??	00h
ram:453a	00	??	00h
ram:453b	00	??	00h
ram:453c	00	??	00h
ram:453d	00	??	00h
ram:453e	00	??	00h
ram:453f	00	??	00h
ram:4540	00	??	00h
ram:4541	00	??	00h
ram:4542	00	??	00h
ram:4543	00	??	00h
ram:4544	00	??	00h
ram:4545	00	??	00h
ram:4546	00	??	00h
ram:4547	00	??	00h
ram:4548	00	??	00h
ram:4549	00	??	00h
ram:454a	00	??	00h
ram:454b	00	??	00h
ram:454c	00	??	00h
ram:454d	00	??	00h
ram:454e	00	??	00h
ram:454f	00	??	00h
ram:4550	00	??	00h
ram:4551	00	??	00h
ram:4552	00	??	00h
ram:4553	00	??	00h
ram:4554	00	??	00h
ram:4555	00	??	00h
ram:4556	00	??	00h
ram:4557	00	??	00h
ram:4558	00	??	00h
ram:4559	00	??	00h
ram:455a	00	??	00h
ram:455b	00	??	00h
ram:455c	00	??	00h
ram:455d	00	??	00h
ram:455e	00	??	00h
ram:455f	00	??	00h
ram:4560	00	??	00h
ram:4561	00	??	00h
ram:4562	00	??	00h
ram:4563	00	??	00h
ram:4564	00	??	00h
ram:4565	00	??	00h
ram:4566	00	??	00h
ram:4567	00	??	00h
ram:4568	00	??	00h
ram:4569	00	??	00h
ram:456a	00	??	00h
ram:456b	00	??	00h
ram:456c	00	??	00h
ram:456d	00	??	00h
ram:456e	00	??	00h
ram:456f	00	??	00h
ram:4570	00	??	00h
ram:4571	00	??	00h
ram:4572	00	??	00h
ram:4573	00	??	00h
ram:4574	00	??	00h
ram:4575	00	??	00h
ram:4576	00	??	00h
ram:4577	00	??	00h
ram:4578	00	??	00h
ram:4579	00	??	00h
ram:457a	00	??	00h
ram:457b	00	??	00h
ram:457c	00	??	00h
ram:457d	00	??	00h
ram:457e	00	??	00h
ram:457f	00	??	00h
ram:4580	00	??	00h
ram:4581	00	??	00h
ram:4582	00	??	00h
ram:4583	00	??	00h
ram:4584	00	??	00h
ram:4585	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4586	00	??	00h
ram:4587	00	??	00h
ram:4588	00	??	00h
ram:4589	00	??	00h
ram:458a	00	??	00h
ram:458b	00	??	00h
ram:458c	00	??	00h
ram:458d	00	??	00h
ram:458e	00	??	00h
ram:458f	00	??	00h
ram:4590	00	??	00h
ram:4591	00	??	00h
ram:4592	00	??	00h
ram:4593	00	??	00h
ram:4594	00	??	00h
ram:4595	00	??	00h
ram:4596	00	??	00h
ram:4597	00	??	00h
ram:4598	00	??	00h
ram:4599	00	??	00h
ram:459a	00	??	00h
ram:459b	00	??	00h
ram:459c	00	??	00h
ram:459d	00	??	00h
ram:459e	00	??	00h
ram:459f	00	??	00h
ram:45a0	00	??	00h
ram:45a1	00	??	00h
ram:45a2	00	??	00h
ram:45a3	00	??	00h
ram:45a4	00	??	00h
ram:45a5	00	??	00h
ram:45a6	00	??	00h
ram:45a7	00	??	00h
ram:45a8	00	??	00h
ram:45a9	00	??	00h
ram:45aa	00	??	00h
ram:45ab	00	??	00h
ram:45ac	00	??	00h
ram:45ad	00	??	00h
ram:45ae	00	??	00h
ram:45af	00	??	00h
ram:45b0	00	??	00h
ram:45b1	00	??	00h
ram:45b2	00	??	00h
ram:45b3	00	??	00h
ram:45b4	00	??	00h
ram:45b5	00	??	00h
ram:45b6	00	??	00h
ram:45b7	00	??	00h
ram:45b8	00	??	00h
ram:45b9	00	??	00h
ram:45ba	00	??	00h
ram:45bb	00	??	00h
ram:45bc	00	??	00h
ram:45bd	00	??	00h
ram:45be	00	??	00h
ram:45bf	00	??	00h
ram:45c0	00	??	00h
ram:45c1	00	??	00h
ram:45c2	00	??	00h
ram:45c3	00	??	00h
ram:45c4	00	??	00h
ram:45c5	00	??	00h
ram:45c6	00	??	00h
ram:45c7	00	??	00h
ram:45c8	00	??	00h
ram:45c9	00	??	00h
ram:45ca	00	??	00h
ram:45cb	00	??	00h
ram:45cc	00	??	00h
ram:45cd	00	??	00h
ram:45ce	00	??	00h
ram:45cf	00	??	00h
ram:45d0	00	??	00h
ram:45d1	00	??	00h
ram:45d2	00	??	00h
ram:45d3	00	??	00h
ram:45d4	00	??	00h
ram:45d5	00	??	00h
ram:45d6	00	??	00h
ram:45d7	00	??	00h
ram:45d8	00	??	00h
ram:45d9	00	??	00h
ram:45da	00	??	00h

Ghidra - 961264-10.2764.u31

ram:45db	00	??	00h
ram:45dc	00	??	00h
ram:45dd	00	??	00h
ram:45de	00	??	00h
ram:45df	00	??	00h
ram:45e0	00	??	00h
ram:45e1	00	??	00h
ram:45e2	00	??	00h
ram:45e3	00	??	00h
ram:45e4	00	??	00h
ram:45e5	00	??	00h
ram:45e6	00	??	00h
ram:45e7	00	??	00h
ram:45e8	00	??	00h
ram:45e9	00	??	00h
ram:45ea	00	??	00h
ram:45eb	00	??	00h
ram:45ec	00	??	00h
ram:45ed	00	??	00h
ram:45ee	00	??	00h
ram:45ef	00	??	00h
ram:45f0	00	??	00h
ram:45f1	00	??	00h
ram:45f2	00	??	00h
ram:45f3	00	??	00h
ram:45f4	00	??	00h
ram:45f5	00	??	00h
ram:45f6	00	??	00h
ram:45f7	00	??	00h
ram:45f8	00	??	00h
ram:45f9	00	??	00h
ram:45fa	00	??	00h
ram:45fb	00	??	00h
ram:45fc	00	??	00h
ram:45fd	00	??	00h
ram:45fe	00	??	00h
ram:45ff	00	??	00h
ram:4600	00	??	00h
ram:4601	00	??	00h
ram:4602	00	??	00h
ram:4603	00	??	00h
ram:4604	00	??	00h
ram:4605	00	??	00h
ram:4606	00	??	00h
ram:4607	00	??	00h
ram:4608	00	??	00h
ram:4609	00	??	00h
ram:460a	00	??	00h
ram:460b	00	??	00h
ram:460c	00	??	00h
ram:460d	00	??	00h
ram:460e	00	??	00h
ram:460f	00	??	00h
ram:4610	00	??	00h
ram:4611	00	??	00h
ram:4612	00	??	00h
ram:4613	00	??	00h
ram:4614	00	??	00h
ram:4615	00	??	00h
ram:4616	00	??	00h
ram:4617	00	??	00h
ram:4618	00	??	00h
ram:4619	00	??	00h
ram:461a	00	??	00h
ram:461b	00	??	00h
ram:461c	00	??	00h
ram:461d	00	??	00h
ram:461e	00	??	00h
ram:461f	00	??	00h
ram:4620	00	??	00h
ram:4621	00	??	00h
ram:4622	00	??	00h
ram:4623	00	??	00h
ram:4624	00	??	00h
ram:4625	00	??	00h
ram:4626	00	??	00h
ram:4627	00	??	00h
ram:4628	00	??	00h
ram:4629	00	??	00h
ram:462a	00	??	00h
ram:462b	00	??	00h
ram:462c	00	??	00h
ram:462d	00	??	00h
ram:462e	00	??	00h
ram:462f	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4630	00	??	00h
ram:4631	00	??	00h
ram:4632	00	??	00h
ram:4633	00	??	00h
ram:4634	00	??	00h
ram:4635	00	??	00h
ram:4636	00	??	00h
ram:4637	00	??	00h
ram:4638	00	??	00h
ram:4639	00	??	00h
ram:463a	00	??	00h
ram:463b	00	??	00h
ram:463c	00	??	00h
ram:463d	00	??	00h
ram:463e	00	??	00h
ram:463f	00	??	00h
ram:4640	00	??	00h
ram:4641	00	??	00h
ram:4642	00	??	00h
ram:4643	00	??	00h
ram:4644	00	??	00h
ram:4645	00	??	00h
ram:4646	00	??	00h
ram:4647	00	??	00h
ram:4648	00	??	00h
ram:4649	00	??	00h
ram:464a	00	??	00h
ram:464b	00	??	00h
ram:464c	00	??	00h
ram:464d	00	??	00h
ram:464e	00	??	00h
ram:464f	00	??	00h
ram:4650	00	??	00h
ram:4651	00	??	00h
ram:4652	00	??	00h
ram:4653	00	??	00h
ram:4654	00	??	00h
ram:4655	00	??	00h
ram:4656	00	??	00h
ram:4657	00	??	00h
ram:4658	00	??	00h
ram:4659	00	??	00h
ram:465a	00	??	00h
ram:465b	00	??	00h
ram:465c	00	??	00h
ram:465d	00	??	00h
ram:465e	00	??	00h
ram:465f	00	??	00h
ram:4660	00	??	00h
ram:4661	00	??	00h
ram:4662	00	??	00h
ram:4663	00	??	00h
ram:4664	00	??	00h
ram:4665	00	??	00h
ram:4666	00	??	00h
ram:4667	00	??	00h
ram:4668	00	??	00h
ram:4669	00	??	00h
ram:466a	00	??	00h
ram:466b	00	??	00h
ram:466c	00	??	00h
ram:466d	00	??	00h
ram:466e	00	??	00h
ram:466f	00	??	00h
ram:4670	00	??	00h
ram:4671	00	??	00h
ram:4672	00	??	00h
ram:4673	00	??	00h
ram:4674	00	??	00h
ram:4675	00	??	00h
ram:4676	00	??	00h
ram:4677	00	??	00h
ram:4678	00	??	00h
ram:4679	00	??	00h
ram:467a	00	??	00h
ram:467b	00	??	00h
ram:467c	00	??	00h
ram:467d	00	??	00h
ram:467e	00	??	00h
ram:467f	00	??	00h
ram:4680	00	??	00h
ram:4681	00	??	00h
ram:4682	00	??	00h
ram:4683	00	??	00h
ram:4684	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4685	00	??	00h
ram:4686	00	??	00h
ram:4687	00	??	00h
ram:4688	00	??	00h
ram:4689	00	??	00h
ram:468a	00	??	00h
ram:468b	00	??	00h
ram:468c	00	??	00h
ram:468d	00	??	00h
ram:468e	00	??	00h
ram:468f	00	??	00h
ram:4690	00	??	00h
ram:4691	00	??	00h
ram:4692	00	??	00h
ram:4693	00	??	00h
ram:4694	00	??	00h
ram:4695	00	??	00h
ram:4696	00	??	00h
ram:4697	00	??	00h
ram:4698	00	??	00h
ram:4699	00	??	00h
ram:469a	00	??	00h
ram:469b	00	??	00h
ram:469c	00	??	00h
ram:469d	00	??	00h
ram:469e	00	??	00h
ram:469f	00	??	00h
ram:46a0	00	??	00h
ram:46a1	00	??	00h
ram:46a2	00	??	00h
ram:46a3	00	??	00h
ram:46a4	00	??	00h
ram:46a5	00	??	00h
ram:46a6	00	??	00h
ram:46a7	00	??	00h
ram:46a8	00	??	00h
ram:46a9	00	??	00h
ram:46aa	00	??	00h
ram:46ab	00	??	00h
ram:46ac	00	??	00h
ram:46ad	00	??	00h
ram:46ae	00	??	00h
ram:46af	00	??	00h
ram:46b0	00	??	00h
ram:46b1	00	??	00h
ram:46b2	00	??	00h
ram:46b3	00	??	00h
ram:46b4	00	??	00h
ram:46b5	00	??	00h
ram:46b6	00	??	00h
ram:46b7	00	??	00h
ram:46b8	00	??	00h
ram:46b9	00	??	00h
ram:46ba	00	??	00h
ram:46bb	00	??	00h
ram:46bc	00	??	00h
ram:46bd	00	??	00h
ram:46be	00	??	00h
ram:46bf	00	??	00h
ram:46c0	00	??	00h
ram:46c1	00	??	00h
ram:46c2	00	??	00h
ram:46c3	00	??	00h
ram:46c4	00	??	00h
ram:46c5	00	??	00h
ram:46c6	00	??	00h
ram:46c7	00	??	00h
ram:46c8	00	??	00h
ram:46c9	00	??	00h
ram:46ca	00	??	00h
ram:46cb	00	??	00h
ram:46cc	00	??	00h
ram:46cd	00	??	00h
ram:46ce	00	??	00h
ram:46cf	00	??	00h
ram:46d0	00	??	00h
ram:46d1	00	??	00h
ram:46d2	00	??	00h
ram:46d3	00	??	00h
ram:46d4	00	??	00h
ram:46d5	00	??	00h
ram:46d6	00	??	00h
ram:46d7	00	??	00h
ram:46d8	00	??	00h
ram:46d9	00	??	00h

Ghidra - 961264-10.2764.u31

ram:46da	00	??	00h
ram:46db	00	??	00h
ram:46dc	00	??	00h
ram:46dd	00	??	00h
ram:46de	00	??	00h
ram:46df	00	??	00h
ram:46e0	00	??	00h
ram:46e1	00	??	00h
ram:46e2	00	??	00h
ram:46e3	00	??	00h
ram:46e4	00	??	00h
ram:46e5	00	??	00h
ram:46e6	00	??	00h
ram:46e7	00	??	00h
ram:46e8	00	??	00h
ram:46e9	00	??	00h
ram:46ea	00	??	00h
ram:46eb	00	??	00h
ram:46ec	00	??	00h
ram:46ed	00	??	00h
ram:46ee	00	??	00h
ram:46ef	00	??	00h
ram:46f0	00	??	00h
ram:46f1	00	??	00h
ram:46f2	00	??	00h
ram:46f3	00	??	00h
ram:46f4	00	??	00h
ram:46f5	00	??	00h
ram:46f6	00	??	00h
ram:46f7	00	??	00h
ram:46f8	00	??	00h
ram:46f9	00	??	00h
ram:46fa	00	??	00h
ram:46fb	00	??	00h
ram:46fc	00	??	00h
ram:46fd	00	??	00h
ram:46fe	00	??	00h
ram:46ff	00	??	00h
ram:4700	00	??	00h
ram:4701	00	??	00h
ram:4702	00	??	00h
ram:4703	00	??	00h
ram:4704	00	??	00h
ram:4705	00	??	00h
ram:4706	00	??	00h
ram:4707	00	??	00h
ram:4708	00	??	00h
ram:4709	00	??	00h
ram:470a	00	??	00h
ram:470b	00	??	00h
ram:470c	00	??	00h
ram:470d	00	??	00h
ram:470e	00	??	00h
ram:470f	00	??	00h
ram:4710	00	??	00h
ram:4711	00	??	00h
ram:4712	00	??	00h
ram:4713	00	??	00h
ram:4714	00	??	00h
ram:4715	00	??	00h
ram:4716	00	??	00h
ram:4717	00	??	00h
ram:4718	00	??	00h
ram:4719	00	??	00h
ram:471a	00	??	00h
ram:471b	00	??	00h
ram:471c	00	??	00h
ram:471d	00	??	00h
ram:471e	00	??	00h
ram:471f	00	??	00h
ram:4720	00	??	00h
ram:4721	00	??	00h
ram:4722	00	??	00h
ram:4723	00	??	00h
ram:4724	00	??	00h
ram:4725	00	??	00h
ram:4726	00	??	00h
ram:4727	00	??	00h
ram:4728	00	??	00h
ram:4729	00	??	00h
ram:472a	00	??	00h
ram:472b	00	??	00h
ram:472c	00	??	00h
ram:472d	00	??	00h
ram:472e	00	??	00h

Ghidra - 961264-10.2764.u31

ram:472f	00	??	00h
ram:4730	00	??	00h
ram:4731	00	??	00h
ram:4732	00	??	00h
ram:4733	00	??	00h
ram:4734	00	??	00h
ram:4735	00	??	00h
ram:4736	00	??	00h
ram:4737	00	??	00h
ram:4738	00	??	00h
ram:4739	00	??	00h
ram:473a	00	??	00h
ram:473b	00	??	00h
ram:473c	00	??	00h
ram:473d	00	??	00h
ram:473e	00	??	00h
ram:473f	00	??	00h
ram:4740	00	??	00h
ram:4741	00	??	00h
ram:4742	00	??	00h
ram:4743	00	??	00h
ram:4744	00	??	00h
ram:4745	00	??	00h
ram:4746	00	??	00h
ram:4747	00	??	00h
ram:4748	00	??	00h
ram:4749	00	??	00h
ram:474a	00	??	00h
ram:474b	00	??	00h
ram:474c	00	??	00h
ram:474d	00	??	00h
ram:474e	00	??	00h
ram:474f	00	??	00h
ram:4750	00	??	00h
ram:4751	00	??	00h
ram:4752	00	??	00h
ram:4753	00	??	00h
ram:4754	00	??	00h
ram:4755	00	??	00h
ram:4756	00	??	00h
ram:4757	00	??	00h
ram:4758	00	??	00h
ram:4759	00	??	00h
ram:475a	00	??	00h
ram:475b	00	??	00h
ram:475c	00	??	00h
ram:475d	00	??	00h
ram:475e	00	??	00h
ram:475f	00	??	00h
ram:4760	00	??	00h
ram:4761	00	??	00h
ram:4762	00	??	00h
ram:4763	00	??	00h
ram:4764	00	??	00h
ram:4765	00	??	00h
ram:4766	00	??	00h
ram:4767	00	??	00h
ram:4768	00	??	00h
ram:4769	00	??	00h
ram:476a	00	??	00h
ram:476b	00	??	00h
ram:476c	00	??	00h
ram:476d	00	??	00h
ram:476e	00	??	00h
ram:476f	00	??	00h
ram:4770	00	??	00h
ram:4771	00	??	00h
ram:4772	00	??	00h
ram:4773	00	??	00h
ram:4774	00	??	00h
ram:4775	00	??	00h
ram:4776	00	??	00h
ram:4777	00	??	00h
ram:4778	00	??	00h
ram:4779	00	??	00h
ram:477a	00	??	00h
ram:477b	00	??	00h
ram:477c	00	??	00h
ram:477d	00	??	00h
ram:477e	00	??	00h
ram:477f	00	??	00h
ram:4780	00	??	00h
ram:4781	00	??	00h
ram:4782	00	??	00h
ram:4783	00	??	00h

Ghidra - 961264-10.2764.u31

ram:4784	00	??	00h
ram:4785	00	??	00h
ram:4786	00	??	00h
ram:4787	00	??	00h
ram:4788	00	??	00h
ram:4789	00	??	00h
ram:478a	00	??	00h
ram:478b	00	??	00h
ram:478c	00	??	00h
ram:478d	00	??	00h
ram:478e	00	??	00h
ram:478f	00	??	00h
ram:4790	00	??	00h
ram:4791	00	??	00h
ram:4792	00	??	00h
ram:4793	00	??	00h
ram:4794	00	??	00h
ram:4795	00	??	00h
ram:4796	00	??	00h
ram:4797	00	??	00h
ram:4798	00	??	00h
ram:4799	00	??	00h
ram:479a	00	??	00h
ram:479b	00	??	00h
ram:479c	00	??	00h
ram:479d	00	??	00h
ram:479e	00	??	00h
ram:479f	00	??	00h
ram:47a0	00	??	00h
ram:47a1	00	??	00h
ram:47a2	00	??	00h
ram:47a3	00	??	00h
ram:47a4	00	??	00h
ram:47a5	00	??	00h
ram:47a6	00	??	00h
ram:47a7	00	??	00h
ram:47a8	00	??	00h
ram:47a9	00	??	00h
ram:47aa	00	??	00h
ram:47ab	00	??	00h
ram:47ac	00	??	00h
ram:47ad	00	??	00h
ram:47ae	00	??	00h
ram:47af	00	??	00h
ram:47b0	00	??	00h
ram:47b1	00	??	00h
ram:47b2	00	??	00h
ram:47b3	00	??	00h
ram:47b4	00	??	00h
ram:47b5	00	??	00h
ram:47b6	00	??	00h
ram:47b7	00	??	00h
ram:47b8	00	??	00h
ram:47b9	00	??	00h
ram:47ba	00	??	00h
ram:47bb	00	??	00h
ram:47bc	00	??	00h
ram:47bd	00	??	00h
ram:47be	00	??	00h
ram:47bf	00	??	00h
ram:47c0	00	??	00h
ram:47c1	00	??	00h
ram:47c2	00	??	00h
ram:47c3	00	??	00h
ram:47c4	00	??	00h
ram:47c5	00	??	00h
ram:47c6	00	??	00h
ram:47c7	00	??	00h
ram:47c8	00	??	00h
ram:47c9	00	??	00h
ram:47ca	00	??	00h
ram:47cb	00	??	00h
ram:47cc	00	??	00h
ram:47cd	00	??	00h
ram:47ce	00	??	00h
ram:47cf	00	??	00h
ram:47d0	00	??	00h
ram:47d1	00	??	00h
ram:47d2	00	??	00h
ram:47d3	00	??	00h
ram:47d4	00	??	00h
ram:47d5	00	??	00h
ram:47d6	00	??	00h
ram:47d7	00	??	00h
ram:47d8	00	??	00h

Ghidra - 961264-10.2764.u31

```

ram:47d9 00    ??    00h
ram:47da 00    ??    00h
ram:47db 00    ??    00h
ram:47dc 00    ??    00h
ram:47dd 00    ??    00h
ram:47de 00    ??    00h
ram:47df 00    ??    00h
ram:47e0 00    ??    00h
ram:47e1 00    ??    00h
ram:47e2 00    ??    00h
ram:47e3 00    ??    00h
ram:47e4 00    ??    00h
ram:47e5 00    ??    00h
ram:47e6 00    ??    00h
ram:47e7 00    ??    00h
ram:47e8 00    ??    00h
ram:47e9 00    ??    00h
ram:47ea 00    ??    00h
ram:47eb 00    ??    00h
ram:47ec 00    ??    00h
ram:47ed 00    ??    00h
ram:47ee 00    ??    00h
ram:47ef 00    ??    00h
ram:47f0 00    ??    00h
ram:47f1 00    ??    00h
ram:47f2 00    ??    00h
ram:47f3 00    ??    00h
ram:47f4 00    ??    00h
ram:47f5 00    ??    00h
ram:47f6 00    ??    00h
ram:47f7 00    ??    00h
ram:47f8 00    ??    00h
ram:47f9 00    ??    00h
ram:47fa 00    ??    00h
ram:47fb 00    ??    00h
ram:47fc 00    ??    00h
ram:47fd 00    ??    00h
ram:47fe 00    ??    00h
ram:47ff 47    ??    47h  G
.....

//
// Static RAM u38
// ram:5800-ram:5fff
//

BYTE_ram_5800                                XREF[9]:  terminal_main_loop:2010(W),
                                                main_character_processor:20c6(W),
                                                main_character_processor:20dd(R),
                                                ram:215c(W),
                                                setup_display_mode_handlers:220e,
                                                setup_display_mode_handlers:2218,
                                                ram:2bc8(R), ram:2ee5(W),
                                                ram:35ec(W)

ram:5800          db          ??

BYTE_ram_5801                                XREF[1]:  terminal_main_loop:2010(W)

ram:5801          db          ??

BYTE_ram_5802                                XREF[5]:  terminal_main_loop:20c3(R),
                                                setup_display_mode_handlers:220b,
                                                setup_display_mode_handlers:2215,
                                                main_character_processor:2b2f(W),
                                                ram:2bcb(W)

ram:5802          db          ??
ram:5803          db          ??

BYTE_ram_5804                                XREF[2]:  terminal_main_loop:20c0(W),
                                                main_character_processor:2159(R)

ram:5804          db          ??
ram:5805          db          ??

BYTE_ram_5806                                XREF[5]:  terminal_main_loop:20a8(W),
                                                main_character_processor:20c9(R),
                                                ram:22dc(W),
                                                escape_sequence_parser:22ff(R),
                                                control_character_handler:231a(W)..

ram:5806          db          ??
ram:5807          db          ??

BYTE_ram_5808                                XREF[4]:  terminal_main_loop:20a2(W),
                                                main_character_processor:2127(R),
                                                main_character_processor:2130(W),
                                                main_character_processor:2382(W)

ram:5808          db          ??
ram:5809          db          ??

```

Ghidra - 961264-10.2764.u31

ram:580a	BYTE_ram_580a	db	??	XREF[1]:	terminal_main_loop:202e(W)
ram:580b		db	??		
	BYTE_ram_580c			XREF[2]:	terminal_main_loop:201c(W), ram:229b(R)
ram:580c		db	??		
ram:580d		db	??		
	BYTE_ram_580e			XREF[5]:	main_character_processor:20ef(R), main_character_processor:2120(W), FUN_ram_2b4c:2b67(R), FUN_ram_2b4c:2b78(W), FUN_ram_36de:36e5(W)
ram:580e		db	??		
ram:580f		db	??		
	BYTE_ram_5810			XREF[4]:	main_character_processor:20fd(R), main_character_processor:2124(W), FUN_ram_2b4c:2b7c(W), FUN_ram_36de:36df(W)
ram:5810		db	??		
	BYTE_ram_5811			XREF[2]:	main_character_processor:20fd(R), initialize_terminal_display_mode
ram:5811		db	??		
	BYTE_ram_5812			XREF[11]:	main_character_processor:2177(W), main_character_processor:2185(R), main_character_processor:2198(R), main_character_processor:219e(R), main_character_processor:21af(R), ram:21db(W), ram:21e3(W), terminal_character_output:2557(W... terminal_character_output:256d(R... terminal_character_output:257f(R... write_character_with_cursor_wrap
ram:5812		db	??		
	BYTE_ram_5813			XREF[1]:	ram:22b6(W)
ram:5813		db	??		
	BYTE_ram_5814			XREF[1]:	ram:22d4(W)
ram:5814		db	??		
	BYTE_ram_5815			XREF[2]:	ram:22cd(W), FUN_ram_3f97:3f9a(R)
ram:5815		db	??		
	BYTE_ram_5816			XREF[4]:	ram:228f(R), ram:2297(W), terminal_character_output:2566(R... terminal_character_output:257d(W...)
ram:5816		db	??		
	BYTE_ram_5817			XREF[4]:	set_attribute_processing_mode:22... set_attribute_processing_mode:22... ram:3604(W), initialize_terminal_display_mode
ram:5817		db	??		
	BYTE_ram_5818			XREF[29]:	setup_display_mode_handlers:21ef... ram:29d3(R), ram:2a1c(R), ram:2a53(R), ram:2a73(R), ram:2adf(R), ram:2bf5(R), ram:2d0a(W), ram:2d17(R), ram:3023(R), ram:3084(R), ram:313e(R), ram:31ba(R), ram:3291(R), ram:32b1(R), FUN_ram_362c:362f(R), check_auto_wrap_condition:3697(R... FUN_ram_36e9:3705(R), FUN_ram_370b:371a(W), FUN_ram_36e9:371e(R), [more]
ram:5818		db	??		
	BYTE_ram_5819			XREF[6]:	setup_display_mode_handlers:2205... ram:2f10(R), ram:308c(R), ram:3558(W), ram:3568(W), FUN_ram_36e9:36fa(R)
ram:5819		db	??		

Ghidra - 961264-10.2764.u31

	BYTE_ram_581a		XREF[3]:	main_character_processor:2192(R), ram:2b05(W), initialize_terminal_display_mode.
ram:581a	db	??		
	DAT_ram_581b		XREF[4]:	ram:2bc2(W), ram:2f29(R), ram:30f5(R), initialize_terminal_display_mode.
ram:581b	undefined1	??		
	DAT_ram_581c		XREF[1]:	main_character_processor:212a(R)
ram:581c	undefined1	??		
ram:581d	??	??		
ram:581e	??	??		
ram:581f	??	??		
ram:5820	??	??		
ram:5821	??	??		
ram:5822	??	??		
ram:5823	??	??		
ram:5824	??	??		
ram:5825	??	??		
ram:5826	??	??		
ram:5827	??	??		
ram:5828	??	??		
ram:5829	??	??		
ram:582a	??	??		
ram:582b	??	??		
ram:582c	??	??		
ram:582d	??	??		
ram:582e	??	??		
ram:582f	??	??		
ram:5830	??	??		
ram:5831	??	??		
ram:5832	??	??		
ram:5833	??	??		
ram:5834	??	??		
ram:5835	??	??		
ram:5836	??	??		
ram:5837	??	??		
ram:5838	??	??		
ram:5839	??	??		
ram:583a	??	??		
ram:583b	??	??		
ram:583c	??	??		
ram:583d	??	??		
ram:583e	??	??		
ram:583f	??	??		
ram:5840	??	??		
ram:5841	??	??		
ram:5842	??	??		
ram:5843	??	??		
ram:5844	??	??		
ram:5845	??	??		
ram:5846	??	??		
ram:5847	??	??		
ram:5848	??	??		
ram:5849	??	??		
ram:584a	??	??		
ram:584b	??	??		
ram:584c	??	??		
	BYTE_ram_584d		XREF[7]:	ram:29ed(R), ram:29ff(W), ram:2a05(R), ram:2c10(R), FUN_ram_3607:3607(R), FUN_ram_3607:3625(W), initialize_terminal_display_mode.
ram:584d	db	??		
	DAT_ram_584e		XREF[2]:	ram:2bd6(W), ram:2be8(R)
ram:584e	undefined1	??		
	DAT_ram_584f		XREF[3]:	ram:2da6(W), ram:2daf(RW), ram:2db4(W)
ram:584f	undefined1	??		
	DAT_ram_5850		XREF[5]:	ram:2d57(R), ram:2d7a(W), ram:2db7(W), FUN_ram_33e3:33e3(R), FUN_ram_33e3:33ef(W)
ram:5850	undefined1	??		

Ghidra - 961264-10.2764.u31

	DAT_ram_5851		XREF[8]:	ram:2d86(R), ram:2da0(W), ram:2dba(W), ram:310d(R), get_default_tab_stop_count:33dh... FUN_ram_33e3:33f6(R), ram:3422(R), ram:3596(R)
ram:5851	undefined1 ??			
	DAT_ram_5852		XREF[1]:	ram:2d7e(W)
ram:5852	??	??		
ram:5853	??	??		
ram:5854	??	??		
ram:5855	??	??		
ram:5856	??	??		
ram:5857	??	??		
ram:5858	??	??		
ram:5859	??	??		
ram:585a	??	??		
ram:585b	??	??		
ram:585c	??	??		
ram:585d	??	??		
ram:585e	??	??		
ram:585f	??	??		
ram:5860	??	??		
ram:5861	??	??		
ram:5862	??	??		
ram:5863	??	??		
ram:5864	??	??		
ram:5865	??	??		
ram:5866	??	??		
ram:5867	??	??		
ram:5868	??	??		
ram:5869	??	??		
ram:586a	??	??		
ram:586b	??	??		
ram:586c	??	??		
ram:586d	??	??		
ram:586e	??	??		
ram:586f	??	??		
ram:5870	??	??		
ram:5871	??	??		
ram:5872	??	??		
ram:5873	??	??		
ram:5874	??	??		
ram:5875	??	??		
ram:5876	??	??		
ram:5877	??	??		
ram:5878	??	??		
ram:5879	??	??		
ram:587a	??	??		
ram:587b	??	??		
ram:587c	??	??		
ram:587d	??	??		
ram:587e	??	??		
ram:587f	??	??		
ram:5880	??	??		
ram:5881	??	??		
ram:5882	??	??		
ram:5883	??	??		
ram:5884	??	??		
ram:5885	??	??		
ram:5886	??	??		
ram:5887	??	??		
ram:5888	??	??		
ram:5889	??	??		
ram:588a	??	??		
ram:588b	??	??		
ram:588c	??	??		
ram:588d	??	??		
ram:588e	??	??		
ram:588f	??	??		
ram:5890	??	??		
	DAT_ram_5891		XREF[3]:	ram:2e24(W), ram:2e35(RW), ram:2e65(R)
ram:5891	undefined1 ??			
	DAT_ram_5892		XREF[2]:	ram:2e14(W), ram:2e7d(R)
ram:5892	undefined1 ??			
	DAT_ram_5893		XREF[4]:	ram:2dff(W), ram:2e0f(R), ram:2e43(W), ram:2e53(R)
ram:5893	undefined1 ??			

Ghidra - 961264-10.2764.u31

	DAT_ram_5894		XREF[4]:	ram:2e1a(W), ram:2e57(R), ram:2e5c(W), ram:2e62(R)
ram:5894	undefined2 ??			
	DAT_ram_5896		XREF[3]:	ram:2cfa(W), ram:2ec8(R), ram:2ed7(W)
ram:5896	undefined2 ??			
	DAT_ram_5898		XREF[2]:	ram:2cf1(W), ram:2ef7(R)
ram:5898	undefined2 ??			
	DAT_ram_589a		XREF[2]:	ram:2d00(W), ram:2f35(R)
ram:589a	undefined1 ??			
	DAT_ram_589b		XREF[9]:	ram:3015(W), ram:3033(R), ram:303a(W), ram:305d(R), ram:3064(W), ram:30b3(R), ram:30ba(W), ram:30d8(R), ram:30df(W)
ram:589b	undefined1 ??			
	DAT_ram_589c		XREF[14]:	ram:2d28(W), ram:2d35(R), ram:2f42(W), ram:2f7d(R), ram:2fbd(R), ram:310a(W), ram:319f(R), ram:31b1(R), ram:31db(R), cursor_movement_handler:3215(R), ram:324c(R), ram:325b(R), ram:3445(W), ram:3452(R)
ram:589c	undefined2 ??			
	DAT_ram_589e		XREF[2]:	ram:34aa(W), ram:34f8(R)
ram:589e	undefined1 ??			
	DAT_ram_589f		XREF[3]:	ram:35ba(W), ram:35c6(RW), ram:35c7(R)
ram:589f	undefined1 ??			
	BYTE_ram_58a0		XREF[3]:	FUN_ram_3fab:3faf(W), FUN_ram_3fe2:3ff2(R), FUN_ram_403c:40bd(W)
ram:58a0	db ??			
	BYTE_ram_58a1		XREF[2]:	terminal_main_loop:2060(W), FUN_ram_403c:40a1(R)
ram:58a1	db ??			
ram:58a2	db ??			
	BYTE_ram_58a3		XREF[1]:	ram:22bb(W)
ram:58a3	db ??			
	BYTE_ram_58a4		XREF[1]:	ram:22c4(W)
ram:58a4	db ??			
	BYTE_ram_58a5		XREF[3]:	ram:3fc0(W), configure_terminal_mode_settingsa., FUN_ram_403c:40ae(W)
ram:58a5	db ??			
	BYTE_ram_58a6		XREF[2]:	FUN_ram_403c:403f(R), FUN_ram_403c:4044(W)
ram:58a6	db ??			
ram:58a7	db ??			
	BYTE_ram_58a8		XREF[4]:	FUN_ram_40cb:40d9(R), ram:411a(W), ram:4120(W), FUN_ram_41a2:41a9(W)
ram:58a8	db ??			
	BYTE_ram_58a9		XREF[3]:	FUN_ram_40cb:40d9(R), ram:411a(W), FUN_ram_41a2:41a9(W)
ram:58a9	db ??			
ram:58aa	?? ??			
ram:58ab	?? ??			
ram:58ac	?? ??			
ram:58ad	?? ??			
ram:58ae	?? ??			
ram:58af	?? ??			
ram:58b0	?? ??			
ram:58b1	?? ??			
ram:58b2	?? ??			
ram:58b3	?? ??			
ram:58b4	?? ??			

Ghidra - 961264-10.2764.u31

```

ram:58b5      ??      ??
ram:58b6      ??      ??
ram:58b7      ??      ??
ram:58b8      ??      ??
ram:58b9      ??      ??
ram:58ba      ??      ??
ram:58bb      ??      ??
ram:58bc      ??      ??
ram:58bd      ??      ??
ram:58be      ??      ??
ram:58bf      ??      ??
ram:58c0      ??      ??
ram:58c1      ??      ??
ram:58c2      ??      ??
ram:58c3      ??      ??
ram:58c4      ??      ??
ram:58c5      ??      ??
ram:58c6      ??      ??
ram:58c7      ??      ??
ram:58c8      ??      ??
ram:58c9      ??      ??
ram:58ca      ??      ??
ram:58cb      ??      ??
ram:58cc      ??      ??
ram:58cd      ??      ??
ram:58ce      ??      ??
ram:58cf      ??      ??
ram:58d0      ??      ??
ram:58d1      ??      ??
ram:58d2      ??      ??
ram:58d3      ??      ??
ram:58d4      ??      ??
ram:58d5      ??      ??
ram:58d6      ??      ??
ram:58d7      ??      ??
ram:58d8      ??      ??
ram:58d9      ??      ??
ram:58da      ??      ??
ram:58db      ??      ??
ram:58dc      ??      ??
ram:58dd      ??      ??
ram:58de      ??      ??
ram:58df      ??      ??
ram:58e0      ??      ??
ram:58e1      ??      ??
ram:58e2      ??      ??
ram:58e3      ??      ??
ram:58e4      ??      ??
ram:58e5      ??      ??
ram:58e6      ??      ??
ram:58e7      ??      ??
ram:58e8      ??      ??
ram:58e9      ??      ??
ram:58ea      ??      ??
ram:58eb      ??      ??
ram:58ec      ??      ??
ram:58ed      ??      ??
ram:58ee      ??      ??
ram:58ef      ??      ??
ram:58f0      ??      ??
ram:58f1      ??      ??
ram:58f2      ??      ??
ram:58f3      ??      ??
ram:58f4      ??      ??
ram:58f5      ??      ??
ram:58f6      ??      ??
ram:58f7      ??      ??

```

BYTE_ram_58f8

```

ram:58f8      db      ??
ram:58f9      db      ??
ram:58fa      db      ??
ram:58fb      db      ??

```

BYTE_ram_58fc

```

ram:58fc      db      ??

```

BYTE_ram_58fd

```

ram:58fd      db      ??

```

XREF[2]: terminal_main_loop:2028(W),
ram:2284(R)

XREF[4]: main_character_processor:20cd(R),
main_character_processor:20d1(W),
main_character_processor:2151(W),
ram:2281(W)

XREF[3]: FUN_ram_37bb:37e3(W),
FUN_ram_37bb:37ee(R),
FUN_ram_3820:3875(R)

Ghidra - 961264-10.2764.u31

	BYTE_ram_58fe		XREF[5]:	FUN_ram_25b4:25cf(R), FUN_ram_37bb:37eb(W), FUN_ram_37bb:37fe(W), FUN_ram_37bb:3802(R), FUN_ram_3820:3820(R)
ram:58fe	db	??		
	BYTE_ram_58ff		XREF[2]:	FUN_ram_37bb:37c6(W), FUN_ram_3820:3867(R)
ram:58ff	db	??		
	BYTE_ram_5900		XREF[2]:	FUN_ram_37bb:37c6(W), FUN_ram_3820:3867(R)
ram:5900	db	??		
ram:5901	??	??		
ram:5902	??	??		
ram:5903	??	??		
ram:5904	??	??		
ram:5905	??	??		
ram:5906	??	??		
ram:5907	??	??		
ram:5908	??	??		
ram:5909	??	??		
ram:590a	??	??		
ram:590b	??	??		
ram:590c	??	??		
ram:590d	??	??		
ram:590e	??	??		
ram:590f	??	??		
ram:5910	??	??		
ram:5911	??	??		
ram:5912	??	??		
ram:5913	??	??		
ram:5914	??	??		
ram:5915	??	??		
ram:5916	??	??		
ram:5917	??	??		
ram:5918	??	??		
ram:5919	??	??		
ram:591a	??	??		
ram:591b	??	??		
ram:591c	??	??		
	BYTE_ram_591d		XREF[4]:	FUN_ram_25b4:274f(W), FUN_ram_25b4:279d(R), FUN_ram_25b4:27a5(W), FUN_ram_25b4:27d9(W)
ram:591d	db	??		
ram:591e	??	??		
ram:591f	??	??		
ram:5920	??	??		
ram:5921	??	??		
ram:5922	??	??		
ram:5923	??	??		
ram:5924	??	??		
ram:5925	??	??		
ram:5926	??	??		
ram:5927	??	??		
ram:5928	??	??		
ram:5929	??	??		
ram:592a	??	??		
ram:592b	??	??		
ram:592c	??	??		
ram:592d	??	??		
ram:592e	??	??		
ram:592f	??	??		
ram:5930	??	??		
ram:5931	??	??		
ram:5932	??	??		
ram:5933	??	??		
ram:5934	??	??		
ram:5935	??	??		
ram:5936	??	??		
ram:5937	??	??		
ram:5938	??	??		
ram:5939	??	??		
ram:593a	??	??		
ram:593b	??	??		
ram:593c	??	??		
ram:593d	??	??		
ram:593e	??	??		
ram:593f	??	??		
ram:5940	??	??		
ram:5941	??	??		

Ghidra - 961264-10.2764.u31

ram:5942	??	??
ram:5943	??	??
ram:5944	??	??
ram:5945	??	??
ram:5946	??	??
ram:5947	??	??
ram:5948	??	??
ram:5949	??	??
ram:594a	??	??
ram:594b	??	??
ram:594c	??	??
ram:594d	??	??
ram:594e	??	??
ram:594f	??	??
ram:5950	??	??
ram:5951	??	??
ram:5952	??	??
ram:5953	??	??
ram:5954	??	??
ram:5955	??	??
ram:5956	??	??
ram:5957	??	??
ram:5958	??	??
ram:5959	??	??
ram:595a	??	??
ram:595b	??	??
ram:595c	??	??
ram:595d	??	??
ram:595e	??	??
ram:595f	??	??
ram:5960	??	??
ram:5961	??	??
ram:5962	??	??
ram:5963	??	??
ram:5964	??	??
ram:5965	??	??
ram:5966	??	??
ram:5967	??	??
ram:5968	??	??
ram:5969	??	??
ram:596a	??	??
ram:596b	??	??
ram:596c	??	??
ram:596d	??	??
ram:596e	??	??
ram:596f	??	??
ram:5970	??	??
ram:5971	??	??
ram:5972	??	??
ram:5973	??	??
ram:5974	??	??
ram:5975	??	??
ram:5976	??	??
ram:5977	??	??
ram:5978	??	??
ram:5979	??	??
ram:597a	??	??
ram:597b	??	??
ram:597c	??	??
ram:597d	??	??
ram:597e	??	??
ram:597f	??	??
ram:5980	??	??
ram:5981	??	??
ram:5982	??	??
ram:5983	??	??
ram:5984	??	??
ram:5985	??	??
ram:5986	??	??
ram:5987	??	??
ram:5988	??	??
ram:5989	??	??
ram:598a	??	??
ram:598b	??	??
ram:598c	??	??
ram:598d	??	??
ram:598e	??	??
ram:598f	??	??
ram:5990	??	??
ram:5991	??	??
ram:5992	??	??
ram:5993	??	??
ram:5994	??	??
ram:5995	??	??
ram:5996	??	??

Ghidra - 961264-10.2764.u31

ram:5997	??	??
ram:5998	??	??
ram:5999	??	??
ram:599a	??	??
ram:599b	??	??
ram:599c	??	??
ram:599d	??	??
ram:599e	??	??
ram:599f	??	??
ram:59a0	??	??
ram:59a1	??	??
ram:59a2	??	??
ram:59a3	??	??
ram:59a4	??	??
ram:59a5	??	??
ram:59a6	??	??
ram:59a7	??	??
ram:59a8	??	??
ram:59a9	??	??
ram:59aa	??	??
ram:59ab	??	??
ram:59ac	??	??
ram:59ad	??	??
ram:59ae	??	??
ram:59af	??	??
ram:59b0	??	??
ram:59b1	??	??
ram:59b2	??	??
ram:59b3	??	??
ram:59b4	??	??
ram:59b5	??	??
ram:59b6	??	??
ram:59b7	??	??
ram:59b8	??	??
ram:59b9	??	??
ram:59ba	??	??
ram:59bb	??	??
ram:59bc	??	??
ram:59bd	??	??
ram:59be	??	??
ram:59bf	??	??
ram:59c0	??	??
ram:59c1	??	??
ram:59c2	??	??
ram:59c3	??	??
ram:59c4	??	??
ram:59c5	??	??
ram:59c6	??	??
ram:59c7	??	??
ram:59c8	??	??
ram:59c9	??	??
ram:59ca	??	??
ram:59cb	??	??
ram:59cc	??	??
ram:59cd	??	??
ram:59ce	??	??
ram:59cf	??	??
ram:59d0	??	??
ram:59d1	??	??
ram:59d2	??	??
ram:59d3	??	??
ram:59d4	??	??
ram:59d5	??	??
ram:59d6	??	??
ram:59d7	??	??
ram:59d8	??	??
ram:59d9	??	??
ram:59da	??	??
ram:59db	??	??
ram:59dc	??	??
ram:59dd	??	??
ram:59de	??	??
ram:59df	??	??
ram:59e0	??	??
ram:59e1	??	??
ram:59e2	??	??
ram:59e3	??	??
ram:59e4	??	??
ram:59e5	??	??
ram:59e6	??	??
ram:59e7	??	??
ram:59e8	??	??
ram:59e9	??	??
ram:59ea	??	??
ram:59eb	??	??

Ghidra - 961264-10.2764.u31

ram:59ec	??	??
ram:59ed	??	??
ram:59ee	??	??
ram:59ef	??	??
ram:59f0	??	??
ram:59f1	??	??
ram:59f2	??	??
ram:59f3	??	??
ram:59f4	??	??
ram:59f5	??	??
ram:59f6	??	??
ram:59f7	??	??
ram:59f8	??	??
ram:59f9	??	??
ram:59fa	??	??
ram:59fb	??	??
ram:59fc	??	??
ram:59fd	??	??
ram:59fe	??	??
ram:59ff	??	??
ram:5a00	??	??
ram:5a01	??	??
ram:5a02	??	??
ram:5a03	??	??
ram:5a04	??	??
ram:5a05	??	??
ram:5a06	??	??
ram:5a07	??	??
ram:5a08	??	??
ram:5a09	??	??
ram:5a0a	??	??
ram:5a0b	??	??
ram:5a0c	??	??
ram:5a0d	??	??
ram:5a0e	??	??
ram:5a0f	??	??
ram:5a10	??	??
ram:5a11	??	??
ram:5a12	??	??
ram:5a13	??	??
ram:5a14	??	??
ram:5a15	??	??
ram:5a16	??	??
ram:5a17	??	??
ram:5a18	??	??
ram:5a19	??	??
ram:5a1a	??	??
ram:5a1b	??	??
ram:5a1c	??	??
ram:5a1d	??	??
ram:5a1e	??	??
ram:5a1f	??	??
ram:5a20	??	??
ram:5a21	??	??
ram:5a22	??	??
ram:5a23	??	??
ram:5a24	??	??
ram:5a25	??	??
ram:5a26	??	??
ram:5a27	??	??
ram:5a28	??	??
ram:5a29	??	??
ram:5a2a	??	??
ram:5a2b	??	??
ram:5a2c	??	??
ram:5a2d	??	??
ram:5a2e	??	??
ram:5a2f	??	??
ram:5a30	??	??
ram:5a31	??	??
ram:5a32	??	??
ram:5a33	??	??
ram:5a34	??	??
ram:5a35	??	??
ram:5a36	??	??
ram:5a37	??	??
ram:5a38	??	??
ram:5a39	??	??
ram:5a3a	??	??
ram:5a3b	??	??
ram:5a3c	??	??
ram:5a3d	??	??
ram:5a3e	??	??
ram:5a3f	??	??
ram:5a40	??	??

Ghidra - 961264-10.2764.u31

ram:5a41	??	??
ram:5a42	??	??
ram:5a43	??	??
ram:5a44	??	??
ram:5a45	??	??
ram:5a46	??	??
ram:5a47	??	??
ram:5a48	??	??
ram:5a49	??	??
ram:5a4a	??	??
ram:5a4b	??	??
ram:5a4c	??	??
ram:5a4d	??	??
ram:5a4e	??	??
ram:5a4f	??	??
ram:5a50	??	??
ram:5a51	??	??
ram:5a52	??	??
ram:5a53	??	??
ram:5a54	??	??
ram:5a55	??	??
ram:5a56	??	??
ram:5a57	??	??
ram:5a58	??	??
ram:5a59	??	??
ram:5a5a	??	??
ram:5a5b	??	??
ram:5a5c	??	??
ram:5a5d	??	??
ram:5a5e	??	??
ram:5a5f	??	??
ram:5a60	??	??
ram:5a61	??	??
ram:5a62	??	??
ram:5a63	??	??
ram:5a64	??	??
ram:5a65	??	??
ram:5a66	??	??
ram:5a67	??	??
ram:5a68	??	??
ram:5a69	??	??
ram:5a6a	??	??
ram:5a6b	??	??
ram:5a6c	??	??
ram:5a6d	??	??
ram:5a6e	??	??
ram:5a6f	??	??
ram:5a70	??	??
ram:5a71	??	??
ram:5a72	??	??
ram:5a73	??	??
ram:5a74	??	??
ram:5a75	??	??
ram:5a76	??	??
ram:5a77	??	??
ram:5a78	??	??
ram:5a79	??	??
ram:5a7a	??	??
ram:5a7b	??	??
ram:5a7c	??	??
ram:5a7d	??	??
ram:5a7e	??	??
ram:5a7f	??	??
ram:5a80	??	??
ram:5a81	??	??
ram:5a82	??	??
ram:5a83	??	??
ram:5a84	??	??
ram:5a85	??	??
ram:5a86	??	??
ram:5a87	??	??
ram:5a88	??	??
ram:5a89	??	??
ram:5a8a	??	??
ram:5a8b	??	??
ram:5a8c	??	??
ram:5a8d	??	??
ram:5a8e	??	??
ram:5a8f	??	??
ram:5a90	??	??
ram:5a91	??	??
ram:5a92	??	??
ram:5a93	??	??
ram:5a94	??	??
ram:5a95	??	??

Ghidra - 961264-10.2764.u31

ram:5a96	??	??
ram:5a97	??	??
ram:5a98	??	??
ram:5a99	??	??
ram:5a9a	??	??
ram:5a9b	??	??
ram:5a9c	??	??
ram:5a9d	??	??
ram:5a9e	??	??
ram:5a9f	??	??
ram:5aa0	??	??
ram:5aa1	??	??
ram:5aa2	??	??
ram:5aa3	??	??
ram:5aa4	??	??
ram:5aa5	??	??
ram:5aa6	??	??
ram:5aa7	??	??
ram:5aa8	??	??
ram:5aa9	??	??
ram:5aaa	??	??
ram:5aab	??	??
ram:5aac	??	??
ram:5aad	??	??
ram:5aae	??	??
ram:5aaf	??	??
ram:5ab0	??	??
ram:5ab1	??	??
ram:5ab2	??	??
ram:5ab3	??	??
ram:5ab4	??	??
ram:5ab5	??	??
ram:5ab6	??	??
ram:5ab7	??	??
ram:5ab8	??	??
ram:5ab9	??	??
ram:5aba	??	??
ram:5abb	??	??
ram:5abc	??	??
ram:5abd	??	??
ram:5abe	??	??
ram:5abf	??	??
ram:5ac0	??	??
ram:5ac1	??	??
ram:5ac2	??	??
ram:5ac3	??	??
ram:5ac4	??	??
ram:5ac5	??	??
ram:5ac6	??	??
ram:5ac7	??	??
ram:5ac8	??	??
ram:5ac9	??	??
ram:5aca	??	??
ram:5acb	??	??
ram:5acc	??	??
ram:5acd	??	??
ram:5ace	??	??
ram:5acf	??	??
ram:5ad0	??	??
ram:5ad1	??	??
ram:5ad2	??	??
ram:5ad3	??	??
ram:5ad4	??	??
ram:5ad5	??	??
ram:5ad6	??	??
ram:5ad7	??	??
ram:5ad8	??	??
ram:5ad9	??	??
ram:5ada	??	??
ram:5adb	??	??
ram:5adc	??	??
ram:5add	??	??
ram:5ade	??	??
ram:5adf	??	??
ram:5ae0	??	??
ram:5ae1	??	??
ram:5ae2	??	??
ram:5ae3	??	??
ram:5ae4	??	??
ram:5ae5	??	??
ram:5ae6	??	??
ram:5ae7	??	??
ram:5ae8	??	??
ram:5ae9	??	??
ram:5aea	??	??

Ghidra - 961264-10.2764.u31

ram:5aeb	??	??
ram:5aec	??	??
ram:5aed	??	??
ram:5aee	??	??
ram:5aef	??	??
ram:5af0	??	??
ram:5af1	??	??
ram:5af2	??	??
ram:5af3	??	??
ram:5af4	??	??
ram:5af5	??	??
ram:5af6	??	??
ram:5af7	??	??
ram:5af8	??	??
ram:5af9	??	??
ram:5afa	??	??
ram:5afb	??	??
ram:5afc	??	??
ram:5afd	??	??
ram:5afe	??	??
ram:5aff	??	??
ram:5b00	??	??
ram:5b01	??	??
ram:5b02	??	??
ram:5b03	??	??
ram:5b04	??	??
ram:5b05	??	??
ram:5b06	??	??
ram:5b07	??	??
ram:5b08	??	??
ram:5b09	??	??
ram:5b0a	??	??
ram:5b0b	??	??
ram:5b0c	??	??
ram:5b0d	??	??
ram:5b0e	??	??
ram:5b0f	??	??
ram:5b10	??	??
ram:5b11	??	??
ram:5b12	??	??
ram:5b13	??	??
ram:5b14	??	??
ram:5b15	??	??
ram:5b16	??	??
ram:5b17	??	??
ram:5b18	??	??
ram:5b19	??	??
ram:5b1a	??	??
ram:5b1b	??	??
ram:5b1c	??	??
ram:5b1d	??	??
ram:5b1e	??	??
ram:5b1f	??	??
ram:5b20	??	??
ram:5b21	??	??
ram:5b22	??	??
ram:5b23	??	??
ram:5b24	??	??
ram:5b25	??	??
ram:5b26	??	??
ram:5b27	??	??
ram:5b28	??	??
ram:5b29	??	??
ram:5b2a	??	??
ram:5b2b	??	??
ram:5b2c	??	??
ram:5b2d	??	??
ram:5b2e	??	??
ram:5b2f	??	??
ram:5b30	??	??
ram:5b31	??	??
ram:5b32	??	??
ram:5b33	??	??
ram:5b34	??	??
ram:5b35	??	??
ram:5b36	??	??
ram:5b37	??	??
ram:5b38	??	??
ram:5b39	??	??
ram:5b3a	??	??
ram:5b3b	??	??
ram:5b3c	??	??
ram:5b3d	??	??
ram:5b3e	??	??
ram:5b3f	??	??

Ghidra - 961264-10.2764.u31

ram:5b40	??	??
ram:5b41	??	??
ram:5b42	??	??
ram:5b43	??	??
ram:5b44	??	??
ram:5b45	??	??
ram:5b46	??	??
ram:5b47	??	??
ram:5b48	??	??
ram:5b49	??	??
ram:5b4a	??	??
ram:5b4b	??	??
ram:5b4c	??	??
ram:5b4d	??	??
ram:5b4e	??	??
ram:5b4f	??	??
ram:5b50	??	??
ram:5b51	??	??
ram:5b52	??	??
ram:5b53	??	??
ram:5b54	??	??
ram:5b55	??	??
ram:5b56	??	??
ram:5b57	??	??
ram:5b58	??	??
ram:5b59	??	??
ram:5b5a	??	??
ram:5b5b	??	??
ram:5b5c	??	??
ram:5b5d	??	??
ram:5b5e	??	??
ram:5b5f	??	??
ram:5b60	??	??
ram:5b61	??	??
ram:5b62	??	??
ram:5b63	??	??
ram:5b64	??	??
ram:5b65	??	??
ram:5b66	??	??
ram:5b67	??	??
ram:5b68	??	??
ram:5b69	??	??
ram:5b6a	??	??
ram:5b6b	??	??
ram:5b6c	??	??
ram:5b6d	??	??
ram:5b6e	??	??
ram:5b6f	??	??
ram:5b70	??	??
ram:5b71	??	??
ram:5b72	??	??
ram:5b73	??	??
ram:5b74	??	??
ram:5b75	??	??
ram:5b76	??	??
ram:5b77	??	??
ram:5b78	??	??
ram:5b79	??	??
ram:5b7a	??	??
ram:5b7b	??	??
ram:5b7c	??	??
ram:5b7d	??	??
ram:5b7e	??	??
ram:5b7f	??	??
ram:5b80	??	??
ram:5b81	??	??
ram:5b82	??	??
ram:5b83	??	??
ram:5b84	??	??
ram:5b85	??	??
ram:5b86	??	??
ram:5b87	??	??
ram:5b88	??	??
ram:5b89	??	??
ram:5b8a	??	??
ram:5b8b	??	??
ram:5b8c	??	??
ram:5b8d	??	??
ram:5b8e	??	??
ram:5b8f	??	??
ram:5b90	??	??
ram:5b91	??	??
ram:5b92	??	??
ram:5b93	??	??
ram:5b94	??	??

Ghidra - 961264-10.2764.u31

ram:5b95	??	??
ram:5b96	??	??
ram:5b97	??	??
ram:5b98	??	??
ram:5b99	??	??
ram:5b9a	??	??
ram:5b9b	??	??
ram:5b9c	??	??
ram:5b9d	??	??
ram:5b9e	??	??
ram:5b9f	??	??
ram:5ba0	??	??
ram:5ba1	??	??
ram:5ba2	??	??
ram:5ba3	??	??
ram:5ba4	??	??
ram:5ba5	??	??
ram:5ba6	??	??
ram:5ba7	??	??
ram:5ba8	??	??
ram:5ba9	??	??
ram:5baa	??	??
ram:5bab	??	??
ram:5bac	??	??
ram:5bad	??	??
ram:5bae	??	??
ram:5baf	??	??
ram:5bb0	??	??
ram:5bb1	??	??
ram:5bb2	??	??
ram:5bb3	??	??
ram:5bb4	??	??
ram:5bb5	??	??
ram:5bb6	??	??
ram:5bb7	??	??
ram:5bb8	??	??
ram:5bb9	??	??
ram:5bba	??	??
ram:5bbb	??	??
ram:5bbc	??	??
ram:5bbd	??	??
ram:5bbe	??	??
ram:5bbf	??	??
ram:5bc0	??	??
ram:5bc1	??	??
ram:5bc2	??	??
ram:5bc3	??	??
ram:5bc4	??	??
ram:5bc5	??	??
ram:5bc6	??	??
ram:5bc7	??	??
ram:5bc8	??	??
ram:5bc9	??	??
ram:5bca	??	??
ram:5bcb	??	??
ram:5bcc	??	??
ram:5bcd	??	??
ram:5bce	??	??
ram:5bcf	??	??
ram:5bd0	??	??
ram:5bd1	??	??
ram:5bd2	??	??
ram:5bd3	??	??
ram:5bd4	??	??
ram:5bd5	??	??
ram:5bd6	??	??
ram:5bd7	??	??
ram:5bd8	??	??
ram:5bd9	??	??
ram:5bda	??	??
ram:5bdb	??	??
ram:5bdc	??	??
ram:5bdd	??	??
ram:5bde	??	??
ram:5bdf	??	??
ram:5be0	??	??
ram:5be1	??	??
ram:5be2	??	??
ram:5be3	??	??
ram:5be4	??	??
ram:5be5	??	??
ram:5be6	??	??
ram:5be7	??	??
ram:5be8	??	??
ram:5be9	??	??

Ghidra - 961264-10.2764.u31

ram:5bea	??	??		
ram:5beb	??	??		
ram:5bec	??	??		
ram:5bed	??	??		
ram:5bee	??	??		
ram:5bef	??	??		
ram:5bf0	??	??		
ram:5bf1	??	??		
ram:5bf2	??	??		
ram:5bf3	??	??		
ram:5bf4	??	??		
ram:5bf5	??	??		
ram:5bf6	??	??		
ram:5bf7	??	??		
ram:5bf8	??	??		
ram:5bf9	??	??		
ram:5bfa	??	??		
ram:5bfb	??	??		
ram:5bfc	??	??		
ram:5bfd	??	??		
ram:5bfe	??	??		
ram:5bff	??	??		
	DAT_ram_5c00		XREF[3]:	vsync_interrupt_handler:0605(R), vsync_interrupt_handler:060b(W), FUN_ram_0d6b:0d97(W)
ram:5c00	undefined1 ??			
	DAT_ram_5c01		XREF[2]:	vsync_interrupt_handler:0607(R), vsync_interrupt_handler:0609(W)
ram:5c01	undefined1 ??			
	DAT_ram_5c02		XREF[2]:	vsync_interrupt_handler:0613(R), FUN_ram_0d6b:0d93(W)
ram:5c02	undefined1 ??			
	DAT_ram_5c03		XREF[1]:	vsync_interrupt_handler:0615(R)
ram:5c03	undefined1 ??			
	DAT_ram_5c04		XREF[1]:	FUN_ram_0d6b:0d8b(W)
ram:5c04	??	??		
ram:5c05	??	??		
	DAT_ram_5c06		XREF[1]:	FUN_ram_0d6b:0d87(W)
ram:5c06	??	??		
ram:5c07	??	??		
	DAT_ram_5c08		XREF[1]:	FUN_ram_0d6b:0d7f(W)
ram:5c08	??	??		
ram:5c09	??	??		
	DAT_ram_5c0a		XREF[1]:	FUN_ram_0d6b:0d7b(W)
ram:5c0a	??	??		
ram:5c0b	??	??		
ram:5c0c	??	??		
ram:5c0d	??	??		
ram:5c0e	??	??		
ram:5c0f	??	??		
	ISR_RETURN_ADDRESS		XREF[4]:	ram:000a(R), initialize_system_variables:0845. FUN_ram_37bb:37c5(R), FUN_ram_3820:3868(W)
ram:5c10	db	??		
	BYTE_ram_5c11		XREF[2]:	FUN_ram_37bb:37c5(R), FUN_ram_3820:3868(W)
ram:5c11	db	??		
	nvrn_test_current_address		XREF[3]:	power_fail_interrupt_handler:042. initialize_system_variables:0851. terminal_main_loop:206f(W)
ram:5c12	db	??		
ram:5c13	db	??		
	RETURN_ADDRESS_ISR_SERIAL_pointer_to_0x29f		XREF[2]:	host_serial_interrupt_handler:02. initialize_system_variables:0857.
ram:5c14	db	??		
ram:5c15	db	??		
	pointer_to_0x44d		XREF[2]:	keyboard_interrupt_handler:0448... initialize_system_variables:085d.
ram:5c16	db	??		
ram:5c17	db	??		

Ghidra - 961264-10.2764.u31

	pointer_to_0x494	XREF[2]:	printer_interrupt_handler:048f(R), initialize_system_variables:0862.
ram:5c18	db ??		
ram:5c19	db ??		
	ISR_VSCYN_RETURN_ADDRESS	XREF[4]:	vsync_interrupt_handler:0637(R), initialize_system_variables:084b. terminal_main_loop:2019(R), terminal_main_loop:2022(W)
ram:5c1a	undefined2 ??		
	ISR_65_RETURN_ADDRESS	XREF[2]:	ISR_RST_6.5:043e(R), initialize_system_variables:0848.
ram:5c1c	undefined2 ??		
	pointer_to_0x29e_1	XREF[2]:	ram:02e7(R), initialize_system_variables:0860.
ram:5c1e	undefined2 ??		
	pointer_to_0x29e_2	XREF[6]:	ram:0471(R), initialize_system_variables:0860. terminal_main_loop:2025(R), terminal_main_loop:2075(W), main_character_processor:2148(W), ram:2287(W)
ram:5c20	undefined2 ??		
	pointer_to_0x29e_3	XREF[3]:	jump_to_\${5c22}_can_be_0x29e_ret., initialize_system_variables:086f. terminal_main_loop:2066(W)
ram:5c22	undefined2 ??		
	keyboard_handler_function_pointer	XREF[3]:	read_keyboard_data_with_param:02. initialize_system_variables:0870. terminal_main_loop:2051(W)
ram:5c24	undefined2 ??		
	pointer_to_0x29e_4	XREF[7]:	ram:0342(R), ram:03c9(R), initialize_system_variables:0872. test_z80sio_ports:0c5b(R), test_z80sio_ports:0c64(W), test_z80sio_ports:0cb6(W), terminal_main_loop:207b(W)
ram:5c26	undefined2 ??		
	pointer_to_0x29e_5	XREF[3]:	ram:0363(R), ram:03de(R), initialize_system_variables:0875.
ram:5c28	undefined2 ??		
	pointer_to_0x29e_6	XREF[6]:	call_function_pointer_6:048a(R), initialize_system_variables:0878. test_keyboard_communication:0d02. test_keyboard_communication:0d00. test_keyboard_communication:0d58. terminal_main_loop:207e(W)
ram:5c2a	undefined2 ??		
	pointer_to_0x29e_7	XREF[3]:	FUN_ram_051c:051d(R), initialize_system_variables:087b. terminal_main_loop:2084(W)
ram:5c2c	undefined2 ??		
	DAT_ram_5c2e	XREF[3]:	ram:097b(R), load_byte_from_HL:109c(W), load_HL_check_zero:10bd(R)
ram:5c2e	undefined1 ??		
	DAT_ram_5c2f	XREF[2]:	ram:097f(R), ram:098c(R)
ram:5c2f	undefined1 ??		
	DAT_ram_5c30	XREF[1]:	ram:0990(R)
ram:5c30	undefined1 ??		
ram:5c31	?? ??		
ram:5c32	?? ??		
ram:5c33	?? ??		
ram:5c34	?? ??		
ram:5c35	?? ??		
ram:5c36	?? ??		
ram:5c37	?? ??		
ram:5c38	?? ??		
ram:5c39	?? ??		
ram:5c3a	?? ??		
ram:5c3b	?? ??		
ram:5c3c	?? ??		

Ghidra - 961264-10.2764.u31

ram:5c3d	??	??
ram:5c3e	??	??
ram:5c3f	??	??
ram:5c40	??	??
ram:5c41	??	??
ram:5c42	??	??
ram:5c43	??	??
ram:5c44	??	??
ram:5c45	??	??
ram:5c46	??	??
ram:5c47	??	??
ram:5c48	??	??
ram:5c49	??	??
ram:5c4a	??	??
ram:5c4b	??	??
ram:5c4c	??	??
ram:5c4d	??	??
ram:5c4e	??	??
ram:5c4f	??	??
ram:5c50	??	??
ram:5c51	??	??
ram:5c52	??	??
ram:5c53	??	??
ram:5c54	??	??
ram:5c55	??	??
ram:5c56	??	??
ram:5c57	??	??
ram:5c58	??	??
ram:5c59	??	??
ram:5c5a	??	??
ram:5c5b	??	??
ram:5c5c	??	??
ram:5c5d	??	??
ram:5c5e	??	??
ram:5c5f	??	??
ram:5c60	??	??
ram:5c61	??	??
ram:5c62	??	??
ram:5c63	??	??
ram:5c64	??	??
ram:5c65	??	??
ram:5c66	??	??
ram:5c67	??	??
ram:5c68	??	??
ram:5c69	??	??
ram:5c6a	??	??
ram:5c6b	??	??
ram:5c6c	??	??
ram:5c6d	??	??
ram:5c6e	??	??
ram:5c6f	??	??
ram:5c70	??	??
ram:5c71	??	??
ram:5c72	??	??
ram:5c73	??	??
ram:5c74	??	??
ram:5c75	??	??
ram:5c76	??	??
ram:5c77	??	??
ram:5c78	??	??
ram:5c79	??	??
ram:5c7a	??	??
ram:5c7b	??	??
ram:5c7c	??	??
ram:5c7d	??	??
ram:5c7e	??	??
ram:5c7f	??	??
ram:5c80	??	??
ram:5c81	??	??
ram:5c82	??	??
ram:5c83	??	??
ram:5c84	??	??
ram:5c85	??	??
ram:5c86	??	??
ram:5c87	??	??
ram:5c88	??	??
ram:5c89	??	??
ram:5c8a	??	??
ram:5c8b	??	??
ram:5c8c	??	??
ram:5c8d	??	??
ram:5c8e	??	??
ram:5c8f	??	??
ram:5c90	??	??
ram:5c91	??	??

Ghidra - 961264-10.2764.u31

ram:5c92	??	??
ram:5c93	??	??
ram:5c94	??	??
ram:5c95	??	??
ram:5c96	??	??
ram:5c97	??	??
ram:5c98	??	??
ram:5c99	??	??
ram:5c9a	??	??
ram:5c9b	??	??
ram:5c9c	??	??
ram:5c9d	??	??
ram:5c9e	??	??
ram:5c9f	??	??
ram:5ca0	??	??
ram:5ca1	??	??
ram:5ca2	??	??
ram:5ca3	??	??
ram:5ca4	??	??
ram:5ca5	??	??
ram:5ca6	??	??
ram:5ca7	??	??
ram:5ca8	??	??
ram:5ca9	??	??
ram:5caa	??	??
ram:5cab	??	??
ram:5cac	??	??
ram:5cad	??	??
ram:5cae	??	??
ram:5caf	??	??
ram:5cb0	??	??
ram:5cb1	??	??
ram:5cb2	??	??
ram:5cb3	??	??
ram:5cb4	??	??
ram:5cb5	??	??
ram:5cb6	??	??
ram:5cb7	??	??
ram:5cb8	??	??
ram:5cb9	??	??
ram:5cba	??	??
ram:5cbb	??	??
ram:5cbc	??	??
ram:5cbd	??	??
ram:5cbe	??	??
ram:5cbf	??	??
ram:5cc0	??	??
ram:5cc1	??	??
ram:5cc2	??	??
ram:5cc3	??	??
ram:5cc4	??	??
ram:5cc5	??	??
ram:5cc6	??	??
ram:5cc7	??	??
ram:5cc8	??	??
ram:5cc9	??	??
ram:5cca	??	??
ram:5ccb	??	??
ram:5ccc	??	??
ram:5ccd	??	??
ram:5cce	??	??
ram:5ccf	??	??
ram:5cd0	??	??
ram:5cd1	??	??
ram:5cd2	??	??
ram:5cd3	??	??
ram:5cd4	??	??
ram:5cd5	??	??
ram:5cd6	??	??
ram:5cd7	??	??
ram:5cd8	??	??
ram:5cd9	??	??
ram:5cda	??	??
ram:5cdb	??	??
ram:5cdc	??	??
ram:5cdd	??	??
ram:5cde	??	??
ram:5cdf	??	??
ram:5ce0	??	??
ram:5ce1	??	??
ram:5ce2	??	??
ram:5ce3	??	??
ram:5ce4	??	??
ram:5ce5	??	??
ram:5ce6	??	??

Ghidra - 961264-10.2764.u31

```

ram:5ce7      ??      ??
ram:5ce8      ??      ??
ram:5ce9      ??      ??
ram:5cea      ??      ??
ram:5ceb      ??      ??
ram:5cec      ??      ??
ram:5ced      ??      ??
ram:5cee      ??      ??
ram:5cef      ??      ??
ram:5cf0      ??      ??
ram:5cf1      ??      ??
ram:5cf2      ??      ??
ram:5cf3      ??      ??
ram:5cf4      ??      ??
ram:5cf5      ??      ??
ram:5cf6      ??      ??
ram:5cf7      ??      ??
ram:5cf8      ??      ??
ram:5cf9      ??      ??
ram:5cfa      ??      ??
ram:5cfb      ??      ??
ram:5cfc      ??      ??
ram:5cfd      ??      ??
ram:5cfe      ??      ??
ram:5cff      ??      ??
ram:5d00      ??      ??
ram:5d01      ??      ??
ram:5d02      ??      ??
ram:5d03      ??      ??
ram:5d04      ??      ??
ram:5d05      ??      ??
ram:5d06      ??      ??
ram:5d07      ??      ??
ram:5d08      ??      ??
ram:5d09      ??      ??
ram:5d0a      ??      ??
ram:5d0b      ??      ??
ram:5d0c      ??      ??
ram:5d0d      ??      ??
ram:5d0e      ??      ??
ram:5d0f      ??      ??
ram:5d10      ??      ??
ram:5d11      ??      ??
ram:5d12      ??      ??
ram:5d13      ??      ??
ram:5d14      ??      ??
ram:5d15      ??      ??
ram:5d16      ??      ??
ram:5d17      ??      ??
ram:5d18      ??      ??
ram:5d19      ??      ??
ram:5d1a      ??      ??
ram:5d1b      ??      ??
ram:5d1c      ??      ??
ram:5d1d      ??      ??
ram:5d1e      ??      ??
ram:5d1f      ??      ??
ram:5d20      ??      ??
ram:5d21      ??      ??
ram:5d22      ??      ??
ram:5d23      ??      ??
ram:5d24      ??      ??
ram:5d25      ??      ??
ram:5d26      ??      ??
ram:5d27      ??      ??
ram:5d28      ??      ??
ram:5d29      ??      ??
ram:5d2a      ??      ??
ram:5d2b      ??      ??
ram:5d2c      ??      ??
ram:5d2d      ??      ??

```

keyboard_buffer_counter

```

XREF[8]:      ram:02f9(R),
               update_chA_reg3_Rx_maybe:0dd9(W),
               keyboard_to_host_transmission:0f.
               FUN_ram_1107:1110(R),
               FUN_ram_1107:1116(RW),
               decrement_tx_buffer_counter:1126.
               decrement_tx_buffer_counter:112b.
               FUN_ram_152a:1533(R)

```

```

ram:5d2e      db      ??

```

Ghidra - 961264-10.2764.u31

	BYTE_ram_5d2f		XREF[4]:	update_chA_reg3_Rx_maybe:0ddd(W), load_byte_from_HL:1094(W), load_byte_from_HL:1096(RW), FUN_ram_1107:1118(R)
ram:5d2f	db	??		
	BYTE_ram_5d30		XREF[4]:	update_chA_reg3_Rx_maybe:0ddf(W), load_HL_check_zero:10b5(W), load_HL_check_zero:10b7(RW), decrement_tx_buffer_counter:112a
ram:5d30	db	??		
ram:5d31	??	??		
ram:5d32	??	??		
ram:5d33	??	??		
ram:5d34	??	??		
ram:5d35	??	??		
ram:5d36	??	??		
ram:5d37	??	??		
ram:5d38	??	??		
ram:5d39	??	??		
ram:5d3a	??	??		
ram:5d3b	??	??		
ram:5d3c	??	??		
ram:5d3d	??	??		
ram:5d3e	??	??		
ram:5d3f	??	??		
ram:5d40	??	??		
ram:5d41	??	??		
ram:5d42	??	??		
ram:5d43	??	??		
ram:5d44	??	??		
ram:5d45	??	??		
ram:5d46	??	??		
ram:5d47	??	??		
ram:5d48	??	??		
ram:5d49	??	??		
ram:5d4a	??	??		
ram:5d4b	??	??		
ram:5d4c	??	??		
ram:5d4d	??	??		
ram:5d4e	??	??		
ram:5d4f	??	??		
ram:5d50	??	??		
	serial_transmission_state		XREF[17]:	ram:0318(R), ram:0324(W), ram:037e(R), ram:038f(W), ram:03a1(W), FUN_ram_0df1:0df3(R), FUN_ram_0e0c:0e0e(R), FUN_ram_0e0c:0e42(W), FUN_ram_0e5d:0e5f(R), FUN_ram_0e5d:0e83(W), FUN_ram_0eb6:0eb8(R), FUN_ram_0ed4:0ee5(R), FUN_ram_0ed4:0ef3(W), configure_host_tx_register:0f1d... FUN_ram_0eb6:0f2c(W), keyboard_to_host_transmission:0f... keyboard_to_host_transmission:0f...
ram:5d51	db	??		
	Z80SIO Test: Channel A (host port) test result status			
	z80sio_channel_a_test_status		XREF[5]:	ram:0386(R), test_z80sio_ports:0c55(W), FUN_ram_0df1:0e01(W), FUN_ram_0e0c:0e1f(W), FUN_ram_0e0c:0e26(W)
ram:5d52	db	??		
	BYTE_ram_5d53		XREF[1]:	FUN_ram_0e5d:0e76(W)
ram:5d53	db	??		
	Z80SIO Test: Channel B (keyboard port) test result status			
	z80sio_channel_b_test_status		XREF[2]:	test_z80sio_ports:0c58(W), FUN_ram_0e5d:0e79(W)
ram:5d54	db	??		
	BYTE_ram_5d55		XREF[1]:	FUN_ram_0e5d:0e7c(W)
ram:5d55	db	??		
ram:5d56	??	??		
ram:5d57	??	??		
ram:5d58	??	??		
ram:5d59	??	??		
ram:5d5a	??	??		

Ghidra - 961264-10.2764.u31

```

ram:5d5b      ??      ??
ram:5d5c      ??      ??
ram:5d5d      ??      ??
ram:5d5e      ??      ??
ram:5d5f      ??      ??
ram:5d60      ??      ??
ram:5d61      ??      ??
ram:5d62      ??      ??
ram:5d63      ??      ??
ram:5d64      ??      ??
ram:5d65      ??      ??
ram:5d66      ??      ??
ram:5d67      ??      ??
ram:5d68      ??      ??
ram:5d69      ??      ??
ram:5d6a      ??      ??
ram:5d6b      ??      ??
ram:5d6c      ??      ??
ram:5d6d      ??      ??
ram:5d6e      ??      ??
ram:5d6f      ??      ??
ram:5d70      ??      ??
ram:5d71      ??      ??
ram:5d72      ??      ??
ram:5d73      ??      ??
ram:5d74      ??      ??
ram:5d75      ??      ??
ram:5d76      ??      ??
ram:5d77      ??      ??
ram:5d78      ??      ??
ram:5d79      ??      ??
ram:5d7a      ??      ??
ram:5d7b      ??      ??
ram:5d7c      ??      ??
ram:5d7d      ??      ??
ram:5d7e      ??      ??
ram:5d7f      ??      ??
ram:5d80      ??      ??
ram:5d81      ??      ??
ram:5d82      ??      ??
ram:5d83      ??      ??
ram:5d84      ??      ??
ram:5d85      ??      ??
ram:5d86      ??      ??
ram:5d87      ??      ??
ram:5d88      ??      ??
ram:5d89      ??      ??
ram:5d8a      ??      ??
ram:5d8b      ??      ??
ram:5d8c      ??      ??
ram:5d8d      ??      ??
ram:5d8e      ??      ??
ram:5d8f      ??      ??
ram:5d90      ??      ??
ram:5d91      ??      ??
ram:5d92      ??      ??
ram:5d93      ??      ??
ram:5d94      ??      ??
ram:5d95      ??      ??
ram:5d96      ??      ??
ram:5d97      ??      ??
ram:5d98      ??      ??

```

BYTE_ram_5d99

```

XREF[3]:      ram:03bb(W),
              send_data_to_printer:0f94(R),
              send_data_to_printer:0f9d(W)

```

```

ram:5d99      db      ??
ram:5d9a      ??      ??
ram:5d9b      ??      ??
ram:5d9c      ??      ??
ram:5d9d      ??      ??
ram:5d9e      ??      ??
ram:5d9f      ??      ??
ram:5da0      ??      ??
ram:5da1      ??      ??
ram:5da2      ??      ??
ram:5da3      ??      ??
ram:5da4      ??      ??
ram:5da5      ??      ??
ram:5da6      ??      ??
ram:5da7      ??      ??
ram:5da8      ??      ??
ram:5da9      ??      ??
ram:5daa      ??      ??
ram:5dab      ??      ??

```

Ghidra - 961264-10.2764.u31

```

ram:5dac      ??      ??
ram:5dad      ??      ??
ram:5dae      ??      ??
ram:5daf      ??      ??
ram:5db0      ??      ??
ram:5db1      ??      ??
ram:5db2      ??      ??
ram:5db3      ??      ??
ram:5db4      ??      ??
ram:5db5      ??      ??
ram:5db6      ??      ??
ram:5db7      ??      ??
ram:5db8      ??      ??
ram:5db9      ??      ??
ram:5dba      ??      ??
ram:5dbb      ??      ??
ram:5dbc      ??      ??
ram:5dbd      ??      ??
ram:5dbe      ??      ??
ram:5dbf      ??      ??
ram:5dc0      ??      ??
ram:5dc1      ??      ??
ram:5dc2      ??      ??
ram:5dc3      ??      ??
ram:5dc4      ??      ??
ram:5dc5      ??      ??
ram:5dc6      ??      ??
ram:5dc7      ??      ??
ram:5dc8      ??      ??
ram:5dc9      ??      ??
ram:5dca      ??      ??
ram:5dcb      ??      ??
ram:5dcc      ??      ??
ram:5dcd      ??      ??
ram:5dce      ??      ??
ram:5dcf      ??      ??
ram:5dd0      ??      ??
ram:5dd1      ??      ??
ram:5dd2      ??      ??
ram:5dd3      ??      ??
ram:5dd4      ??      ??
ram:5dd5      ??      ??
ram:5dd6      ??      ??
ram:5dd7      ??      ??
ram:5dd8      ??      ??
ram:5dd9      ??      ??
ram:5dda      ??      ??
ram:5ddb      ??      ??
ram:5ddc      ??      ??
ram:5ddd      ??      ??
ram:5dde      ??      ??
ram:5ddf      ??      ??

```

BYTE_ram_5de0

```

XREF[4]:  FUN_ram_04b5:04b7(R),
           FUN_ram_04b5:04eb(W),
           FUN_ram_0fbd:0fbf(R),
           FUN_ram_0fbd:0fdb(W)

```

```

ram:5de0      db      ??
ram:5de1      ??      ??
ram:5de2      ??      ??
ram:5de3      ??      ??

```

BYTE_ram_5de4

```

XREF[2]:  load_byte_from_HL:109c(W),
           load_HL_check_zero:10bd(R)

```

```

ram:5de4      db      ??
ram:5de5      ??      ??
ram:5de6      ??      ??
ram:5de7      ??      ??
ram:5de8      ??      ??
ram:5de9      ??      ??
ram:5dea      ??      ??
ram:5deb      ??      ??

```

BYTE_ram_5dec

```

XREF[4]:  FUN_ram_114b:1154(R),
           FUN_ram_114b:115a(RW),
           FUN_ram_1162:116a(R),
           FUN_ram_1162:116f(RW)

```

```

ram:5dec      db      ??

```

BYTE_ram_5ded

```

XREF[3]:  load_byte_from_HL:1094(W),
           load_byte_from_HL:1096(RW),
           FUN_ram_114b:115c(R)

```

```

ram:5ded      db      ??

```

Ghidra - 961264-10.2764.u31

	BYTE_ram_5dee		XREF[3]:	load_HL_check_zero:10b5(W), load_HL_check_zero:10b7(RW), FUN_ram_1162:1172(R)
ram:5dee	db	??		
	BYTE_ram_5def		XREF[4]:	FUN_ram_1178:118b(R), FUN_ram_1178:1198(W), FUN_ram_11b6:11c8(R), FUN_ram_11b6:11d1(W)
ram:5def	db	??		
ram:5df0	db	??		
	BYTE_ram_5df1		XREF[2]:	FUN_ram_1178:119b(R), FUN_ram_1178:11ab(W)
ram:5df1	db	??		
ram:5df2	db	??		
	BYTE_ram_5df3		XREF[2]:	FUN_ram_11b6:11d4(R), FUN_ram_11b6:11e4(W)
ram:5df3	db	??		
ram:5df4	db	??		
	set_to_1_by_vsync		XREF[3]:	vsync_interrupt_handler:0532(W), wait_for_VSYNC:06cd(W), wait_for_VSYNC:06d0(R)
ram:5df5	db	??		
	AttributeRegisterValue		XREF[4]:	write_AttributeRegister_And_Cont., FUN_ram_1596:1598(W), ram:2c50(R), FUN_ram_36a5:36ba(R)
ram:5df6	db	??		
	expected_control_port2_value_maybe		XREF[6]:	ram:03ef(R), ram:03f5(W), vsync_interrupt_handler:053d(R), vsync_interrupt_handler:0545(R), vsync_interrupt_handler:054b(W), FUN_ram_3fe2:3fe2(R)
ram:5df7	db	??		
	BYTE_ram_5df8		XREF[2]:	FUN_ram_0ed4:0ed8(R), FUN_ram_403c:40b7(W)
ram:5df8	db	??		
	display_refresh_control		XREF[5]:	vsync_interrupt_handler:0554(R), vsync_interrupt_handler:055a(W), FUN_ram_1650:1668(R), FUN_ram_1650:166d(W), check_auto_wrap_condition:368d(R),...
ram:5df9	db	??		
	pointer_to_0xAA0_or_0x3eda		XREF[5]:	initialize_system_variables:0884., process_nvram_bit_data:12b3(R), FUN_ram_12f7:12fe(R), terminal_main_loop:2043(W), FUN_ram_37bb:37d8(W)
ram:5dfa	db	??		
ram:5dfb	db	??		
	pointer_to_0x3921		XREF[3]:	FUN_ram_1ef1:1f4f(R), terminal_main_loop:2037(W), FUN_ram_37bb:37d2(W)
ram:5dfc	db	??		
ram:5dfd	db	??		
	BYTE_ram_5dfe		XREF[3]:	FUN_ram_1178:117b(R), FUN_ram_11b6:11b8(R), terminal_main_loop:2094(W)
ram:5dfe	db	??		
	BYTE_ram_5dff		XREF[3]:	FUN_ram_1178:11af(R), FUN_ram_11b6:11e8(R), terminal_main_loop:209a(W)
ram:5dff	db	??		
ram:5e00	db	??		
	NVRAM Test: Checksum accumulator for data integrity verificat...			
	nvrasm_checksum_accumulator		XREF[4]:	nvrasm_test_and_load_config:0b0d..., nvrasm_test_and_load_config:0b55..., FUN_ram_0bcc:0bde(R), FUN_ram_0bcc:0be2(W)
ram:5e01	db	??		
ram:5e02	db	??		

Ghidra - 961264-10.2764.u31

```

NVRAM Test: Current address pointer (0x50-0x5F range for conf...
nvr_test_current_address      XREF[4]:  nvr_test_and_load_config:0aed...
                                nvr_test_and_load_config:0b1d...
                                nvr_test_and_load_config:0b1a...
                                nvr_test_and_load_config:0b63...

ram:5e03      db      ??
ram:5e04      db      ??

BYTE_ram_5e05      XREF[4]:  test_z80sio_ports:0c5e(W),
                                test_z80sio_ports:0cb3(R),
                                test_keyboard_communication:0d06.
                                test_keyboard_communication:0d55.

ram:5e05      db      ??
ram:5e06      db      ??

counter?_init_0      XREF[5]:  test_z80sio_ports:0c80(W),
                                test_z80sio_ports:0c9d(R),
                                ram:0cf1(W),
                                test_keyboard_communication:0cfa.
                                test_keyboard_communication:0d46.

ram:5e07      db      ??

BYTE_ram_5e08      XREF[2]:  FUN_ram_1af8:1af8(R),
                                terminal_main_loop:203d(W)

ram:5e08      db      ??
ram:5e09      db      ??

BYTE_ram_5e0a      XREF[4]:  initialize_system_variables:08c0.
                                test_keyboard_communication:0d10.
                                test_keyboard_communication:0d2b.
                                FUN_ram_1035:1044(R)

ram:5e0a      db      ??

BYTE_ram_5e0b      XREF[4]:  FUN_ram_0780:0783(W),
                                FUN_ram_0780:07a6(W),
                                initialize_system_variables:08c4.
                                FUN_ram_27fd:27fd(R)

ram:5e0b      db      ??

system_status_word      XREF[3]:  terminal_boot_sequence:023h(R),
                                terminal_boot_sequence:0264(W),
                                power_fail_interrupt_handler:040.

ram:5e0c      db      ??
ram:5e0d      ??      ??

value_for_statusport_2      XREF[20]:  vsync_interrupt_handler:05a5(R),
                                vsync_interrupt_handler:05aa(W),
                                vsync_interrupt_handler:05b4(R),
                                FUN_ram_0780:078b(R),
                                FUN_ram_0780:07af(R),
                                FUN_ram_07bf:07c0(R),
                                FUN_ram_07cf:07d0(R),
                                write_AttributeRegister_And_Cont.
                                initialize_system_variables:0814.
                                something_write_controlport2:080.
                                something_write_controlport2:08f.
                                test_z80sio_ports:0c3d(R),
                                test_z80sio_ports:0cbd(R),
                                FUN_ram_1476:147c(R),
                                FUN_ram_1596:1483(W),
                                FUN_ram_1489:1490(R),
                                FUN_ram_1498:149e(R),
                                FUN_ram_14a6:14ad(R),
                                FUN_ram_1596:159d(R),
                                FUN_ram_15a5:15a7(R)

ram:5e0e      db      ??

0=ATTR just updated
1=Port2 just updated
statusport2_flag      XREF[5]:  vsync_interrupt_handler:05ad(R),
                                send_A_to_statusport:07ca(W),
                                write_AttributeRegister_And_Cont.
                                test_z80sio_ports:0c46(W),
                                test_z80sio_ports:0cb4(W)

ram:5e0f      db      ??

```

Ghidra - 961264-10.2764.u31

	ContolPort1_value		XREF[10]:	initialize_system_variables:080f. setup_serial_channel_A_and_B:092. SetChannelA_Status:0ea7(R), SetChannelA_Status:0ead(W), write_to_nvram:11f9(R), write_to_nvram:120f(R), FUN_ram_1269:126c(R), FUN_ram_1269:129d(R), ram:226f(R), ram:2275(W)
ram:5e10	db	??		
	BYTE_ram_5e11		XREF[4]:	FUN_ram_0525:0525(R), vsync_interrupt_handler:05d2(R), check_printer_status:09d0(W), FUN_ram_0fbd:0fca(R)
ram:5e11	db	??		
	BYTE_ram_5e12		XREF[3]:	FUN_ram_18a1:18ae(W), FUN_ram_18a1:18e3(R), FUN_ram_18a1:1913(R)
ram:5e12	db	??		
ram:5e13	??	??		
	BYTE_ram_5e14		XREF[4]:	FUN_ram_18a1:18b8(W), FUN_ram_18a1:18cb(R), FUN_ram_18a1:18f0(W), FUN_ram_18a1:18ff(R)
ram:5e14	db	??		
	BYTE_ram_5e15		XREF[4]:	FUN_ram_18a1:18bd(W), FUN_ram_18a1:18d0(R), FUN_ram_18a1:18f5(W), FUN_ram_18a1:1904(R)
ram:5e15	db	??		
	next_cursor_character_address		XREF[25]:	FUN_ram_0654:066a(R), initialize_system_variables:0827. FUN_ram_134c:1354(W), FUN_ram_1359:1367(R), FUN_ram_1376:1377(R), increase_cursor_character:1383R.. increase_cursor_character:1391(W.. FUN_ram_13ad:13bb(R), FUN_ram_13ca:13cb(R), FUN_ram_13d6:13d7(R), FUN_ram_13ca:13e0(W), FUN_ram_13fd:13fe(R), FUN_ram_1416:1419(R), FUN_ram_1429:142a(R), update_cursor_addresses:145e(W), FUN_ram_1472:1472(R), wait_display_refresh_cycles:14e2. FUN_ram_17a3:17af(R), FUN_ram_17e6:17ef(R), FUN_ram_1816:1821(R), [more]
ram:5e16	db	??		
	current_cursor_row		XREF[8]:	increase_cursor_character:1398R.. FUN_ram_13d6:13ed(R), FUN_ram_1407:1408(R), FUN_ram_1433:1434(R), FUN_ram_193c:1941(R), FUN_ram_195f:1964(R), FUN_ram_1982:1987(R), FUN_ram_19a6:19ab(R)
ram:5e17	db	??		
	current_cursor_character_address		XREF[12]:	initialize_system_variables:0821. FUN_ram_134c:1350(W), increase_cursor_character:138dW.. FUN_ram_13ca:13e6(W), update_cursor_addresses:146c(W), FUN_ram_15b8:15bb(R), FUN_ram_15d9:15dc(R), FUN_ram_1605:1615(R), FUN_ram_163d:1640(R), write_to_display:165c(R), FUN_ram_1778:1789(R), FUN_ram_18a1:18b1(R)
ram:5e18	db	??		
ram:5e19	??	??		

Ghidra - 961264-10.2764.u31

	BYTE_ram_5e1a		XREF[5]:	return_register_a:0686(R), initialize_system_variables:081b. wait_display_refresh_cycles:14d2. wait_display_refresh_cycles:14dd. FUN_ram_14eb:1509(R)
ram:5e1a	db	??		
	BYTE_ram_5e1b		XREF[3]:	ram:02e3(R), ram:0a0a(W), keyboard_to_host_transmission:0f.
ram:5e1b	db	??		
	BYTE_ram_5e1c		XREF[2]:	ram:095d(W), FUN_ram_0fac:0fb6(R)
ram:5e1c	db	??		
	keyboard_data_ready_flag		XREF[5]:	ram:0301(R), ram:0335(W), handle_keyboard_communication:0a. keyboard_to_host_transmission:0f. keyboard_to_host_transmission:0f.
ram:5e1d	db	??		
	chA_register3_value		XREF[3]:	ram:0a14(W), disable_cha_rx:0dbe(R), update_chA_reg3_Rx_maybe:0de4(R)
ram:5e1e	db	??		
	Last_Channel_A_Command		XREF[12]:	ram:0a06(W), update_uart_txcontrol_check_DTR... FUN_ram_0e48:0e4e(R), FUN_ram_0e48:0e55(W), FUN_ram_0e5d:0e6b(R), FUN_ram_0e5d:0e72(W), SetChannelA_Status:0e97(R), SetChannelA_Status:0e9d(W), ram:225f(R), ram:2265(W), ram:42a4(R), ram:42a9(W)
ram:5e1f	db	??		
	BYTE_ram_5e20		XREF[5]:	power_fail_interrupt_handler:041. power_fail_interrupt_handler:041. FUN_ram_1221:122e(W), FUN_ram_1221:1249(R), FUN_ram_1221:1250(W)
ram:5e20	db	??		
	interrupt_activity_flag		XREF[4]:	host_serial_interrupt_handler:02. keyboard_interrupt_handler:0447... vsync_interrupt_handler:0573(R), vsync_interrupt_handler:05ba(W)
ram:5e21	db	??		
	DAT_ram_5e22		XREF[4]:	vsync_interrupt_handler:0581(R), vsync_interrupt_handler:0585(W), vsync_interrupt_handler:0597(W), initialize_system_variables:082d.
ram:5e22	undefined2	??		
	some_variable_5e24		XREF[11]:	ram:0311(R), ram:0330(W), ram:036e(R), ram:0378(W), FUN_ram_0e0c:0e29(R), FUN_ram_0e0c:0e3d(W), FUN_ram_0e5d:0e7f(W), FUN_ram_0eb6:0ec5(R), FUN_ram_0eb6:0ecd(W), keyboard_to_host_transmission:0f. keyboard_to_host_transmission:0f.
ram:5e24	db	??		
	timer_channel_flags		XREF[7]:	FUN_ram_04b5:04d6(R), FUN_ram_04b5:04db(W), vsync_interrupt_handler:05bd(R), vsync_interrupt_handler:0631(W), FUN_ram_0d6b:0da4(R), FUN_ram_0d6b:0dab(R), FUN_ram_0d6b:0daf(W)
ram:5e25	db	??		
	BYTE_ram_5e26		XREF[3]:	vsync_interrupt_handler:059a(R), FUN_ram_1476:1478(W), FUN_ram_1489:148c(W)
ram:5e26	db	??		

Ghidra - 961264-10.2764.u31

		<code>vsync_variable_5e27</code>		XREF[3]:	<code>vsync_interrupt_handler:056a(R), FUN_ram_1498:149a(W), FUN_ram_14a6:14a9(W)</code>
ram:5e27	db	??			
		<code>channelA_last_Register_written</code>		XREF[3]:	<code>disable_cha_rx:0db9(W), update_chA_reg3_Rx_maybe:0dcd(R), update_chA_reg3_Rx_maybe:0dd6(W)</code>
ram:5e28	db	??			
		<code>BYTE_ram_5e29</code>		XREF[3]:	<code>FUN_ram_04b5:04d2(W), vsync_interrupt_handler:05dd(R), vsync_interrupt_handler:05e0(W)</code>
ram:5e29	db	??			
ram:5e2a	??	??			
		<code>BYTE_ram_5e2b</code>		XREF[2]:	<code>FUN_ram_19d1:19f3(W), FUN_ram_19d1:1a08(R)</code>
ram:5e2b	db	??			
ram:5e2c	??	??			
		<code>init_ram_5e2d</code>		XREF[3]:	<code>FUN_ram_069e:069e(R), FUN_ram_17a3:17b5(W), FUN_ram_17e6:17f5(W)</code>
ram:5e2d	db	??			
		<code>BYTE_ram_5e2e</code>		XREF[3]:	<code>FUN_ram_1a25:1a32(W), FUN_ram_1a25:1a45(R), FUN_ram_1b8c:1b8d(R)</code>
ram:5e2e	db	??			
		<code>BYTE_ram_5e2f</code>		XREF[1]:	<code>FUN_ram_1a25:1a32(W)</code>
ram:5e2f	db	??			
		<code>BYTE_ram_5e30</code>		XREF[1]:	<code>FUN_ram_1a25:1a58(R)</code>
ram:5e30	db	??			
		<code>BYTE_ram_5e31</code>		XREF[4]:	<code>FUN_ram_1a25:1a6d(R), FUN_ram_1a25:1a7d(R), FUN_ram_1a25:1ab2(R), FUN_ram_1c10:1c17(R)</code>
ram:5e31	db	??			
		<code>BYTE_ram_5e32</code>		XREF[2]:	<code>FUN_ram_1a25:1a75(R), FUN_ram_1a25:1ac2(R)</code>
ram:5e32	db	??			
		<code>BYTE_ram_5e33</code>		XREF[2]:	<code>FUN_ram_1b8c:1bd7(W), FUN_ram_1bdc:1bdd(R)</code>
ram:5e33	db	??			
ram:5e34	??	??			
		<code>BYTE_ram_5e35</code>		XREF[4]:	<code>FUN_ram_1aff:1b21(R), FUN_ram_1aff:1b61(R), FUN_ram_1b75:1b81(R), FUN_ram_1b8c:1bb2(W)</code>
ram:5e35	db	??			
ram:5e36	??	??			
		<code>BYTE_ram_5e37</code>		XREF[2]:	<code>FUN_ram_1aff:1b00(R), FUN_ram_1b8c:1bba(W)</code>
ram:5e37	db	??			
ram:5e38	db	??			
		<code>BYTE_ram_5e39</code>		XREF[4]:	<code>FUN_ram_1aff:1b1a(R), FUN_ram_1aff:1b56(R), FUN_ram_1b8c:1bd3(W), FUN_ram_1c23:1c27(R)</code>
ram:5e39	db	??			
		<code>BYTE_ram_5e3a</code>		XREF[1]:	<code>FUN_ram_1bdc:1bf8(W)</code>
ram:5e3a	db	??			
		<code>BYTE_ram_5e3b</code>		XREF[1]:	<code>FUN_ram_1bdc:1bfa(W)</code>
ram:5e3b	db	??			
		<code>BYTE_ram_5e3c</code>		XREF[4]:	<code>write_string:1681(W), FUN_ram_1ef1:1ef5(W), FUN_ram_1f2d:1f31(W), send_to_display:1fa7(R)</code>
ram:5e3c	db	??			

Ghidra - 961264-10.2764.u31

	BYTE_ram_5e3d		XREF[4]:	FUN_ram_1674:1676(W), FUN_ram_1f20:1f24(W), send_to_display:1fb5(R), send_to_display:1fc5(W)
ram:5e3d	db	??		
ram:5e3e	db	??		
	BYTE_ram_5e3f		XREF[3]:	FUN_ram_19d1:19e0(W), FUN_ram_1a11:1a13(R), FUN_ram_1a11:1a1c(W)
ram:5e3f	db	??		
	BYTE_ram_5e40		XREF[1]:	FUN_ram_19d1:19e9(W)
ram:5e40	db	??		
	BYTE_ram_5e41		XREF[1]:	FUN_ram_19d1:19e9(W)
ram:5e41	db	??		
ram:5e42	??	??		
ram:5e43	??	??		
ram:5e44	??	??		
ram:5e45	??	??		
ram:5e46	??	??		
ram:5e47	??	??		
ram:5e48	??	??		
ram:5e49	??	??		
ram:5e4a	??	??		
ram:5e4b	??	??		
ram:5e4c	??	??		
ram:5e4d	??	??		
ram:5e4e	??	??		
ram:5e4f	??	??		
ram:5e50	??	??		
ram:5e51	??	??		
ram:5e52	??	??		
ram:5e53	??	??		
ram:5e54	??	??		
ram:5e55	??	??		
ram:5e56	??	??		
ram:5e57	??	??		
ram:5e58	??	??		
ram:5e59	??	??		
ram:5e5a	??	??		
ram:5e5b	??	??		
ram:5e5c	??	??		
ram:5e5d	??	??		
ram:5e5e	??	??		
ram:5e5f	??	??		
ram:5e60	??	??		
ram:5e61	??	??		
ram:5e62	??	??		
ram:5e63	??	??		
ram:5e64	??	??		
ram:5e65	??	??		
ram:5e66	??	??		
ram:5e67	??	??		
ram:5e68	??	??		
ram:5e69	??	??		
ram:5e6a	??	??		
ram:5e6b	??	??		
ram:5e6c	??	??		
ram:5e6d	??	??		
ram:5e6e	??	??		
ram:5e6f	??	??		
ram:5e70	??	??		
ram:5e71	??	??		
ram:5e72	??	??		
ram:5e73	??	??		
ram:5e74	??	??		
ram:5e75	??	??		
ram:5e76	??	??		
ram:5e77	??	??		
ram:5e78	??	??		
ram:5e79	??	??		
ram:5e7a	??	??		
ram:5e7b	??	??		
ram:5e7c	??	??		
ram:5e7d	??	??		
ram:5e7e	??	??		
ram:5e7f	??	??		
ram:5e80	??	??		
ram:5e81	??	??		
ram:5e82	??	??		
ram:5e83	??	??		
ram:5e84	??	??		

Ghidra - 961264-10.2764.u31

ram:5e85	??	??
ram:5e86	??	??
ram:5e87	??	??
ram:5e88	??	??
ram:5e89	??	??
ram:5e8a	??	??
ram:5e8b	??	??
ram:5e8c	??	??
ram:5e8d	??	??
ram:5e8e	??	??
ram:5e8f	??	??
ram:5e90	??	??
ram:5e91	??	??
ram:5e92	??	??
ram:5e93	??	??
ram:5e94	??	??
ram:5e95	??	??
ram:5e96	??	??
ram:5e97	??	??
ram:5e98	??	??
ram:5e99	??	??
ram:5e9a	??	??
ram:5e9b	??	??
ram:5e9c	??	??
ram:5e9d	??	??
ram:5e9e	??	??
ram:5e9f	??	??
ram:5ea0	??	??
ram:5ea1	??	??
ram:5ea2	??	??
ram:5ea3	??	??
ram:5ea4	??	??
ram:5ea5	??	??
ram:5ea6	??	??
ram:5ea7	??	??
ram:5ea8	??	??
ram:5ea9	??	??
ram:5eaa	??	??
ram:5eab	??	??
ram:5eac	??	??
ram:5ead	??	??
ram:5eae	??	??
ram:5eaf	??	??
ram:5eb0	??	??
ram:5eb1	??	??
ram:5eb2	??	??
ram:5eb3	??	??
ram:5eb4	??	??
ram:5eb5	??	??
ram:5eb6	??	??
ram:5eb7	??	??

DAT_ram_5eb8		
ram:5eb8	??	??
ram:5eb9	??	??
ram:5eba	??	??
ram:5ebb	??	??
ram:5ebc	??	??
ram:5ebd	??	??
ram:5ebe	??	??
ram:5ebf	??	??
ram:5ec0	??	??
ram:5ec1	??	??
ram:5ec2	??	??
ram:5ec3	??	??
ram:5ec4	??	??
ram:5ec5	??	??
ram:5ec6	??	??
ram:5ec7	??	??
ram:5ec8	??	??
ram:5ec9	??	??
ram:5eca	??	??
ram:5ecb	??	??
ram:5ecc	??	??
ram:5ecd	??	??
ram:5ece	??	??
ram:5ecf	??	??
ram:5ed0	??	??
ram:5ed1	??	??
ram:5ed2	??	??
ram:5ed3	??	??
ram:5ed4	??	??
ram:5ed5	??	??
ram:5ed6	??	??
ram:5ed7	??	??

XREF[1]: FUN_ram_1b8c:1bbd(R)

Ghidra - 961264-10.2764.u31

```

ram:5ed8      ??      ??
ram:5ed9      ??      ??
ram:5eda      ??      ??
ram:5edb      ??      ??
ram:5edc      ??      ??
ram:5edd      ??      ??
ram:5ede      ??      ??
ram:5edf      ??      ??
ram:5ee0      ??      ??
ram:5ee1      ??      ??
ram:5ee2      ??      ??
ram:5ee3      ??      ??
ram:5ee4      ??      ??
ram:5ee5      ??      ??
ram:5ee6      ??      ??
ram:5ee7      ??      ??
ram:5ee8      ??      ??
ram:5ee9      ??      ??
ram:5eea      ??      ??
ram:5eeb      ??      ??
ram:5eec      ??      ??
ram:5eed      ??      ??
ram:5eee      ??      ??
ram:5eef      ??      ??
ram:5ef0      ??      ??
ram:5ef1      ??      ??
ram:5ef2      ??      ??
ram:5ef3      ??      ??
ram:5ef4      ??      ??
ram:5ef5      ??      ??
ram:5ef6      ??      ??
ram:5ef7      ??      ??
ram:5ef8      ??      ??
ram:5ef9      ??      ??
ram:5efa      ??      ??
ram:5efb      ??      ??
ram:5efc      ??      ??
ram:5efd      ??      ??
ram:5efe      ??      ??
ram:5eff      ??      ??

```

	BYTE_ram_5f00		XREF[3]:	setup_serial_channel_A_and_B:095.
				FUN_ram_12f7:1314(R),
				FUN_ram_1b8c:1bb5(R)
ram:5f00	db	??		
	BYTE_ram_5f01		XREF[1]:	setup_serial_channel_A_and_B:094.
ram:5f01	db	??		
	BYTE_ram_5f02		XREF[1]:	setup_serial_channel_A_and_B:094.
ram:5f02	db	??		
	BYTE_ram_5f03		XREF[1]:	ram:0982(R)
ram:5f03	db	??		
	BYTE_ram_5f04		XREF[1]:	init_host_serial_port:09fe(R)
ram:5f04	db	??		
	BYTE_ram_5f05		XREF[1]:	init_host_serial_port:09ee(R)
ram:5f05	db	??		
	BYTE_ram_5f06		XREF[1]:	init_host_serial_port:09f2(R)
ram:5f06	db	??		
	BYTE_ram_5f07		XREF[2]:	ram:0971(R),
ram:5f07	db	??		initialize_terminal_display_mode.
	BYTE_ram_5f08		XREF[2]:	check_printer_status:09b5(R),
ram:5f08	db	??		FUN_ram_4285:429b(W)
	BYTE_ram_5f09		XREF[2]:	FUN_ram_04ef:04ef(R),
ram:5f09	db	??		FUN_ram_25b4:27a8(R)
	BYTE_ram_5f0a		XREF[2]:	check_printer_status:09bb(R),
ram:5f0a	db	??		FUN_ram_4285:4293(W)
	BYTE_ram_5f0b		XREF[1]:	check_printer_status:09d3(R)
ram:5f0b	db	??		
	BYTE_ram_5f0c		XREF[1]:	something_write_controlport2:08a.
ram:5f0c	db	??		

Ghidra - 961264-10.2764.u31

ram:5f0d	BYTE_ram_5f0d db	??	XREF[1]:	vsync_interrupt_handler:057a(R)
	BYTE_ram_5f0e		XREF[2]:	setup_serial_channel_A_and_B:091.. FUN_ram_25b4:27ba(R)
ram:5f0e	db	??		
	BYTE_ram_5f0f		XREF[1]:	setup_serial_channel_A_and_B:091..
ram:5f0f	db	??		
	BYTE_ram_5f10		XREF[1]:	FUN_ram_0ed4:0f03(R)
ram:5f10	db	??		
ram:5f11	db	??		
	BYTE_ram_5f12		XREF[2]:	FUN_ram_25b4:25c4(R), FUN_ram_25b4:27cd(R)
ram:5f12	db	??		
	keyboard_transmission_enable		XREF[5]:	ram:02f2(R), handle_keyboard_communication:0a.. keyboard_to_host_transmission:0f.. FUN_ram_152a:152c(R), terminal_main_loop:204b(W)
ram:5f13	db	??		
	BYTE_ram_5f14		XREF[1]:	something_write_controlport2:08f..
ram:5f14	db	??		
	BYTE_ram_5f15		XREF[1]:	something_write_controlport2:090..
ram:5f15	db	??		
	BYTE_ram_5f16		XREF[1]:	FUN_ram_1061:1062(R)
ram:5f16	db	??		
	BYTE_ram_5f17		XREF[4]:	ram:049e(R), FUN_ram_04b5:04c0(R), FUN_ram_0fbd:0fc6(R), FUN_ram_25b4:27ab(W)
ram:5f17	db	??		
ram:5f18	db	??		
ram:5f19	db	??		
ram:5f1a	db	??		
ram:5f1b	db	??		
ram:5f1c	db	??		
ram:5f1d	db	??		
ram:5f1e	db	??		
	BYTE_ram_5f1f		XREF[2]:	ram:2a2a(R), ram:2a43(R)
ram:5f1f	db	??		
	BYTE_ram_5f20		XREF[1]:	ram:2c25(R)
ram:5f20	db	??		
	BYTE_ram_5f21		XREF[1]:	ram:2ae7(R)
ram:5f21	db	??		
	BYTE_ram_5f22		XREF[6]:	FUN_ram_2592:2593(R), ram:2a6c(R), ram:2c7b(R), ram:2c95(W), ram:34e5(R), initialize_terminal_display_mode..
ram:5f22	db	??		
	BYTE_ram_5f23		XREF[1]:	FUN_ram_362c:364b(R)
ram:5f23	db	??		
	BYTE_ram_5f24		XREF[31]:	main_character_processor:20e1(R), main_character_processor:217d(R), setup_display_mode_handlers:21fa.. ram:29c5(R), ram:2af1(R), ram:2bb7(R), ram:2c3f(R), ram:2c68(R), ram:2d3e(R), ram:3018(R), ram:311f(R), ram:3185(R), ram:3235(R), ram:326e(R), ram:3289(R), ram:32a6(R), ram:32cd(R), FUN_ram_36a5:36af(R), FUN_ram_36e9:36e9(R), initialize_terminal_display_mode.. [more]
ram:5f24	db	??		
	BYTE_ram_5f25		XREF[1]:	check_auto_wrap_condition:369d(R)...
ram:5f25	db	??		

Ghidra - 961264-10.2764.u31

	BYTE_ram_5f26		XREF[4]:	FUN_ram_25b4:25c0(R), FUN_ram_25b4:27c3(W), FUN_ram_25b4:27c6(R), FUN_ram_3fe2:3ff7(R)
ram:5f26	db	??		
	BYTE_ram_5f27		XREF[1]:	FUN_ram_2808:2808(R)
ram:5f27	db	??		
	BYTE_ram_5f28		XREF[3]:	ram:2acc(R), ram:358e(R), FUN_ram_36d1:36d1(R)
ram:5f28	db	??		
	BYTE_ram_5f29		XREF[5]:	ram:2ab0(R), ram:2cfd(R), ram:2d05(W), ram:2f38(W), FUN_ram_362c:3666(R)
ram:5f29	db	??		
	BYTE_ram_5f2a		XREF[2]:	ram:2c32(R), FUN_ram_36a5:36a5(R)
ram:5f2a	db	??		
	BYTE_ram_5f2b		XREF[3]:	main_character_processor:20e8(R), setup_display_mode_handlers:21f2. terminal_character_output:255aR...
ram:5f2b	db	??		
	BYTE_ram_5f2c		XREF[1]:	calculate_character_attribute_ca...
ram:5f2c	db	??		
	BYTE_ram_5f2d		XREF[1]:	FUN_ram_4285:4286(R)
ram:5f2d	db	??		
	BYTE_ram_5f2e		XREF[4]:	ram:331b(R), ram:34d5(R), ram:34db(RW), ram:3517(W)
ram:5f2e	db	??		
	BYTE_ram_5f2f		XREF[2]:	FUN_ram_3ef0:3ef9(R), FUN_ram_3ef0:3f0b(R)
ram:5f2f	db	??		
	BYTE_ram_5f30		XREF[2]:	ram:223b(R), ram:22a1(R)
ram:5f30	db	??		
	BYTE_ram_5f31		XREF[3]:	terminal_main_loop:20b4(R), FUN_ram_25b4:25c9(R), FUN_ram_25b4:2770(R)
ram:5f31	db	??		
	BYTE_ram_5f32		XREF[1]:	terminal_character_output:2579R...
ram:5f32	db	??		
	BYTE_ram_5f33		XREF[1]:	terminal_main_loop:20ab(R)
ram:5f33	db	??		
ram:5f34	??	??		
ram:5f35	??	??		
ram:5f36	??	??		
ram:5f37	??	??		
ram:5f38	??	??		
ram:5f39	??	??		
ram:5f3a	??	??		
ram:5f3b	??	??		
ram:5f3c	??	??		
ram:5f3d	??	??		
ram:5f3e	??	??		
ram:5f3f	??	??		
ram:5f40	??	??		
ram:5f41	??	??		
ram:5f42	??	??		
ram:5f43	??	??		
ram:5f44	??	??		
ram:5f45	??	??		
ram:5f46	??	??		
ram:5f47	??	??		
ram:5f48	??	??		
ram:5f49	??	??		
ram:5f4a	??	??		
ram:5f4b	??	??		
ram:5f4c	??	??		
ram:5f4d	??	??		
ram:5f4e	??	??		
ram:5f4f	??	??		
ram:5f50	??	??		
ram:5f51	??	??		

Ghidra - 961264-10.2764.u31

ram:5f52	??	??
ram:5f53	??	??
ram:5f54	??	??
ram:5f55	??	??
ram:5f56	??	??
ram:5f57	??	??
ram:5f58	??	??
ram:5f59	??	??
ram:5f5a	??	??
ram:5f5b	??	??
ram:5f5c	??	??
ram:5f5d	??	??
ram:5f5e	??	??
ram:5f5f	??	??
ram:5f60	??	??
ram:5f61	??	??
ram:5f62	??	??
ram:5f63	??	??
ram:5f64	??	??
ram:5f65	??	??
ram:5f66	??	??
ram:5f67	??	??
ram:5f68	??	??
ram:5f69	??	??
ram:5f6a	??	??
ram:5f6b	??	??
ram:5f6c	??	??
ram:5f6d	??	??
ram:5f6e	??	??
ram:5f6f	??	??
ram:5f70	??	??
ram:5f71	??	??
ram:5f72	??	??
ram:5f73	??	??
ram:5f74	??	??
ram:5f75	??	??
ram:5f76	??	??
ram:5f77	??	??
ram:5f78	??	??
ram:5f79	??	??
ram:5f7a	??	??
ram:5f7b	??	??
ram:5f7c	??	??
ram:5f7d	??	??
ram:5f7e	??	??
ram:5f7f	??	??
ram:5f80	??	??
ram:5f81	??	??
ram:5f82	??	??
ram:5f83	??	??
ram:5f84	??	??
ram:5f85	??	??
ram:5f86	??	??
ram:5f87	??	??
ram:5f88	??	??
ram:5f89	??	??
ram:5f8a	??	??
ram:5f8b	??	??
ram:5f8c	??	??
ram:5f8d	??	??
ram:5f8e	??	??
ram:5f8f	??	??
ram:5f90	??	??
ram:5f91	??	??
ram:5f92	??	??
ram:5f93	??	??
ram:5f94	??	??
ram:5f95	??	??
ram:5f96	??	??
ram:5f97	??	??
ram:5f98	??	??
ram:5f99	??	??
ram:5f9a	??	??
ram:5f9b	??	??
ram:5f9c	??	??
ram:5f9d	??	??
ram:5f9e	??	??
ram:5f9f	??	??
ram:5fa0	??	??
ram:5fa1	??	??
ram:5fa2	??	??
ram:5fa3	??	??
ram:5fa4	??	??
ram:5fa5	??	??
ram:5fa6	??	??

Ghidra - 961264-10.2764.u31

ram:5fa7	??	??
ram:5fa8	??	??
ram:5fa9	??	??
ram:5faa	??	??
ram:5fab	??	??
ram:5fac	??	??
ram:5fad	??	??
ram:5fae	??	??
ram:5faf	??	??
ram:5fb0	??	??
ram:5fb1	??	??
ram:5fb2	??	??
ram:5fb3	??	??
ram:5fb4	??	??
ram:5fb5	??	??
ram:5fb6	??	??
ram:5fb7	??	??
ram:5fb8	??	??
ram:5fb9	??	??
ram:5fba	??	??
ram:5fbb	??	??
ram:5fbc	??	??
ram:5fbd	??	??
ram:5fbe	??	??
ram:5fbf	??	??
ram:5fc0	??	??
ram:5fc1	??	??
ram:5fc2	??	??
ram:5fc3	??	??
ram:5fc4	??	??
ram:5fc5	??	??
ram:5fc6	??	??
ram:5fc7	??	??
ram:5fc8	??	??
ram:5fc9	??	??
ram:5fca	??	??
ram:5fcb	??	??
ram:5fcc	??	??
ram:5fcd	??	??
ram:5fce	??	??
ram:5fcf	??	??
ram:5fd0	??	??
ram:5fd1	??	??
ram:5fd2	??	??
ram:5fd3	??	??
ram:5fd4	??	??
ram:5fd5	??	??
ram:5fd6	??	??
ram:5fd7	??	??
ram:5fd8	??	??
ram:5fd9	??	??
ram:5fda	??	??
ram:5fdb	??	??
ram:5fdc	??	??
ram:5fdd	??	??
ram:5fde	??	??
ram:5fdf	??	??
ram:5fe0	??	??
ram:5fe1	??	??
ram:5fe2	??	??
ram:5fe3	??	??
ram:5fe4	??	??
ram:5fe5	??	??
ram:5fe6	??	??
ram:5fe7	??	??
ram:5fe8	??	??
ram:5fe9	??	??
ram:5fea	??	??
ram:5feb	??	??
ram:5fec	??	??
ram:5fed	??	??
ram:5fee	??	??
ram:5fef	??	??
ram:5ff0	??	??
ram:5ff1	??	??
ram:5ff2	??	??
ram:5ff3	??	??
ram:5ff4	??	??
ram:5ff5	??	??
ram:5ff6	??	??
ram:5ff7	??	??
ram:5ff8	??	??
ram:5ff9	??	??
ram:5ffa	??	??

Ghidra - 961264-10.2764.u31

```

current_function_marker                                XREF[6]:      terminal_boot_sequence:0254(W),
                                                         terminal_boot_sequence:0259(W),
                                                         terminal_boot_sequence:025e(W),
                                                         terminal_boot_sequence:026a(W),
                                                         terminal_boot_sequence:0270(W),
                                                         terminal_boot_sequence:0276(W)

ram:5ffb        db      ??
ram:5ffc        ??      ??

boot_progress_marker                                XREF[8]:      terminal_boot_sequence:0231(W),
                                                         terminal_boot_sequence:0247(W),
                                                         terminal_boot_sequence:024a(W),
                                                         terminal_boot_sequence:024d(W),
                                                         terminal_boot_sequence:0257(R),
                                                         terminal_boot_sequence:0258(W),
                                                         FUN_ram_3820:387a(RW),
                                                         FUN_ram_3820:387d(R)

ram:5ffd        db      ??
ram:5ffe        ??      ??
ram:5fff        ??      ??

//
// CNVD RAM
// ram:6000-ram:7fff
//

Display Memory Test: Start of 8KB video RAM buffer for charac...
display_memory_start                                XREF[4]:      initialize_display_memory:0bf7*...
                                                         initialize_display_memory:0bf8*...
                                                         initialize_display_memory:0bfdW...
                                                         initialize_display_memory:0c0HR...

ram:6000        db      ??
ram:6001        ??      ??
ram:6002        ??      ??
ram:6003        ??      ??
ram:6004        ??      ??
ram:6005        ??      ??
ram:6006        ??      ??
ram:6007        ??      ??
ram:6008        ??      ??
ram:6009        ??      ??
ram:600a        ??      ??
ram:600b        ??      ??
ram:600c        ??      ??
ram:600d        ??      ??
ram:600e        ??      ??
ram:600f        ??      ??
ram:6010        ??      ??
ram:6011        ??      ??
ram:6012        ??      ??
ram:6013        ??      ??
ram:6014        ??      ??
ram:6015        ??      ??
ram:6016        ??      ??
ram:6017        ??      ??
ram:6018        ??      ??
ram:6019        ??      ??
ram:601a        ??      ??
ram:601b        ??      ??
ram:601c        ??      ??
ram:601d        ??      ??
ram:601e        ??      ??
ram:601f        ??      ??
ram:6020        ??      ??
ram:6021        ??      ??
ram:6022        ??      ??
ram:6023        ??      ??
ram:6024        ??      ??
ram:6025        ??      ??
ram:6026        ??      ??
ram:6027        ??      ??
ram:6028        ??      ??
ram:6029        ??      ??
ram:602a        ??      ??
ram:602b        ??      ??
ram:602c        ??      ??
ram:602d        ??      ??
ram:602e        ??      ??
ram:602f        ??      ??
ram:6030        ??      ??
ram:6031        ??      ??
ram:6032        ??      ??
ram:6033        ??      ??
ram:6034        ??      ??
ram:6035        ??      ??

```

Ghidra - 961264-10.2764.u31

ram:6036	??	??	
ram:6037	??	??	
ram:6038	??	??	
ram:6039	??	??	
ram:603a	??	??	
ram:603b	??	??	
ram:603c	??	??	
ram:603d	??	??	
ram:603e	??	??	
ram:603f	??	??	
ram:6040	??	??	
ram:6041	??	??	
ram:6042	??	??	
ram:6043	??	??	
ram:6044	??	??	
ram:6045	??	??	
ram:6046	??	??	
ram:6047	??	??	
ram:6048	??	??	
ram:6049	??	??	
ram:604a	??	??	
ram:604b	??	??	
ram:604c	??	??	
ram:604d	??	??	
	display_ram_l1		XREF[1]: clear_display_memory_range:1765...
ram:604e	undefined1 ??		
	display_ram_l1a		XREF[1]: clear_display_memory_range:1765...
ram:604f	undefined1 ??		
ram:6050	??	??	
ram:6051	??	??	
ram:6052	??	??	
ram:6053	??	??	
ram:6054	??	??	
ram:6055	??	??	
ram:6056	??	??	
ram:6057	??	??	
ram:6058	??	??	
ram:6059	??	??	
ram:605a	??	??	
ram:605b	??	??	
ram:605c	??	??	
ram:605d	??	??	
ram:605e	??	??	
ram:605f	??	??	
ram:6060	??	??	
ram:6061	??	??	
ram:6062	??	??	
ram:6063	??	??	
ram:6064	??	??	
ram:6065	??	??	
ram:6066	??	??	
ram:6067	??	??	
ram:6068	??	??	
ram:6069	??	??	
ram:606a	??	??	
ram:606b	??	??	
ram:606c	??	??	
ram:606d	??	??	
ram:606e	??	??	
ram:606f	??	??	
ram:6070	??	??	
ram:6071	??	??	
ram:6072	??	??	
ram:6073	??	??	
ram:6074	??	??	
ram:6075	??	??	
ram:6076	??	??	
ram:6077	??	??	
ram:6078	??	??	
ram:6079	??	??	
ram:607a	??	??	
ram:607b	??	??	
ram:607c	??	??	
ram:607d	??	??	
ram:607e	??	??	
ram:607f	??	??	
ram:6080	??	??	
ram:6081	??	??	
ram:6082	??	??	
ram:6083	??	??	
ram:6084	??	??	
ram:6085	??	??	
ram:6086	??	??	

Ghidra - 961264-10.2764.u31

ram:6087	??	??
ram:6088	??	??
ram:6089	??	??
ram:608a	??	??
ram:608b	??	??
ram:608c	??	??
ram:608d	??	??
ram:608e	??	??
ram:608f	??	??
ram:6090	??	??
ram:6091	??	??
ram:6092	??	??
ram:6093	??	??
ram:6094	??	??
ram:6095	??	??
ram:6096	??	??
ram:6097	??	??
ram:6098	??	??
ram:6099	??	??
ram:609a	??	??
ram:609b	??	??
ram:609c	??	??
ram:609d	??	??
ram:609e	??	??
ram:609f	??	??
ram:60a0	??	??
ram:60a1	??	??
ram:60a2	??	??
ram:60a3	??	??
ram:60a4	??	??
ram:60a5	??	??
ram:60a6	??	??
ram:60a7	??	??
ram:60a8	??	??
ram:60a9	??	??
ram:60aa	??	??
ram:60ab	??	??
ram:60ac	??	??
ram:60ad	??	??
ram:60ae	??	??
ram:60af	??	??
ram:60b0	??	??
ram:60b1	??	??
ram:60b2	??	??
ram:60b3	??	??
ram:60b4	??	??
ram:60b5	??	??
ram:60b6	??	??
ram:60b7	??	??
ram:60b8	??	??
ram:60b9	??	??
ram:60ba	??	??
ram:60bb	??	??
ram:60bc	??	??
ram:60bd	??	??
ram:60be	??	??
ram:60bf	??	??
ram:60c0	??	??
ram:60c1	??	??
ram:60c2	??	??
ram:60c3	??	??
ram:60c4	??	??
ram:60c5	??	??
ram:60c6	??	??
ram:60c7	??	??
ram:60c8	??	??
ram:60c9	??	??
ram:60ca	??	??
ram:60cb	??	??
ram:60cc	??	??
ram:60cd	??	??
ram:60ce	??	??
ram:60cf	??	??
ram:60d0	??	??
ram:60d1	??	??
ram:60d2	??	??
ram:60d3	??	??
ram:60d4	??	??
ram:60d5	??	??
ram:60d6	??	??
ram:60d7	??	??
ram:60d8	??	??
ram:60d9	??	??
ram:60da	??	??
ram:60db	??	??

Ghidra - 961264-10.2764.u31

ram:60dc	??	??
ram:60dd	??	??
ram:60de	??	??
ram:60df	??	??
ram:60e0	??	??
ram:60e1	??	??
ram:60e2	??	??
ram:60e3	??	??
ram:60e4	??	??
ram:60e5	??	??
ram:60e6	??	??
ram:60e7	??	??
ram:60e8	??	??
ram:60e9	??	??
ram:60ea	??	??
ram:60eb	??	??
ram:60ec	??	??
ram:60ed	??	??
ram:60ee	??	??
ram:60ef	??	??
ram:60f0	??	??
ram:60f1	??	??
ram:60f2	??	??
ram:60f3	??	??
ram:60f4	??	??
ram:60f5	??	??
ram:60f6	??	??
ram:60f7	??	??
ram:60f8	??	??
ram:60f9	??	??
ram:60fa	??	??
ram:60fb	??	??
ram:60fc	??	??
ram:60fd	??	??
ram:60fe	??	??
ram:60ff	??	??
ram:6100	??	??
ram:6101	??	??
ram:6102	??	??
ram:6103	??	??
ram:6104	??	??
ram:6105	??	??
ram:6106	??	??
ram:6107	??	??
ram:6108	??	??
ram:6109	??	??
ram:610a	??	??
ram:610b	??	??
ram:610c	??	??
ram:610d	??	??
ram:610e	??	??
ram:610f	??	??
ram:6110	??	??
ram:6111	??	??
ram:6112	??	??
ram:6113	??	??
ram:6114	??	??
ram:6115	??	??
ram:6116	??	??
ram:6117	??	??
ram:6118	??	??
ram:6119	??	??
ram:611a	??	??
ram:611b	??	??
ram:611c	??	??
ram:611d	??	??
ram:611e	??	??
ram:611f	??	??
ram:6120	??	??
ram:6121	??	??
ram:6122	??	??
ram:6123	??	??
ram:6124	??	??
ram:6125	??	??
ram:6126	??	??
ram:6127	??	??
ram:6128	??	??
ram:6129	??	??
ram:612a	??	??
ram:612b	??	??
ram:612c	??	??
ram:612d	??	??
ram:612e	??	??
ram:612f	??	??
ram:6130	??	??

Ghidra - 961264-10.2764.u31

```

ram:6131      ??      ??
ram:6132      ??      ??
ram:6133      ??      ??
ram:6134      ??      ??
ram:6135      ??      ??
ram:6136      ??      ??
ram:6137      ??      ??
ram:6138      ??      ??
ram:6139      ??      ??
ram:613a      ??      ??
ram:613b      ??      ??
ram:613c      ??      ??
ram:613d      ??      ??
ram:613e      ??      ??
ram:613f      ??      ??
ram:6140      ??      ??
ram:6141      ??      ??
ram:6142      ??      ??
ram:6143      ??      ??
ram:6144      ??      ??
ram:6145      ??      ??
ram:6146      ??      ??
ram:6147      ??      ??
ram:6148      ??      ??
ram:6149      ??      ??
ram:614a      ??      ??
ram:614b      ??      ??
ram:614c      ??      ??
ram:614d      ??      ??
ram:614e      ??      ??

```

```

DAT_ram_614f
ram:614f      undefined1 ??
ram:6150      ??      ??
ram:6151      ??      ??
ram:6152      ??      ??
ram:6153      ??      ??
ram:6154      ??      ??
ram:6155      ??      ??
ram:6156      ??      ??
ram:6157      ??      ??
ram:6158      ??      ??
ram:6159      ??      ??
ram:615a      ??      ??
ram:615b      ??      ??
ram:615c      ??      ??
ram:615d      ??      ??
ram:615e      ??      ??
ram:615f      ??      ??
ram:6160      ??      ??
ram:6161      ??      ??
ram:6162      ??      ??
ram:6163      ??      ??
ram:6164      ??      ??
ram:6165      ??      ??
ram:6166      ??      ??
ram:6167      ??      ??
ram:6168      ??      ??
ram:6169      ??      ??
ram:616a      ??      ??
ram:616b      ??      ??
ram:616c      ??      ??
ram:616d      ??      ??
ram:616e      ??      ??
ram:616f      ??      ??
ram:6170      ??      ??
ram:6171      ??      ??
ram:6172      ??      ??
ram:6173      ??      ??
ram:6174      ??      ??
ram:6175      ??      ??
ram:6176      ??      ??
ram:6177      ??      ??
ram:6178      ??      ??
ram:6179      ??      ??
ram:617a      ??      ??
ram:617b      ??      ??
ram:617c      ??      ??
ram:617d      ??      ??
ram:617e      ??      ??
ram:617f      ??      ??
ram:6180      ??      ??
ram:6181      ??      ??
ram:6182      ??      ??
ram:6183      ??      ??

```

```

XREF[1]:      clear_display_memory_range:1765...

```

Ghidra - 961264-10.2764.u31

ram:6184	??	??
ram:6185	??	??
ram:6186	??	??
ram:6187	??	??
ram:6188	??	??
ram:6189	??	??
ram:618a	??	??
ram:618b	??	??
ram:618c	??	??
ram:618d	??	??
ram:618e	??	??
ram:618f	??	??
ram:6190	??	??
ram:6191	??	??
ram:6192	??	??
ram:6193	??	??
ram:6194	??	??
ram:6195	??	??
ram:6196	??	??
ram:6197	??	??
ram:6198	??	??
ram:6199	??	??
ram:619a	??	??
ram:619b	??	??
ram:619c	??	??
ram:619d	??	??
ram:619e	??	??
ram:619f	??	??
ram:61a0	??	??
ram:61a1	??	??
ram:61a2	??	??
ram:61a3	??	??
ram:61a4	??	??
ram:61a5	??	??
ram:61a6	??	??
ram:61a7	??	??
ram:61a8	??	??
ram:61a9	??	??
ram:61aa	??	??
ram:61ab	??	??
ram:61ac	??	??
ram:61ad	??	??
ram:61ae	??	??
ram:61af	??	??
ram:61b0	??	??
ram:61b1	??	??
ram:61b2	??	??
ram:61b3	??	??
ram:61b4	??	??
ram:61b5	??	??
ram:61b6	??	??
ram:61b7	??	??
ram:61b8	??	??
ram:61b9	??	??
ram:61ba	??	??
ram:61bb	??	??
ram:61bc	??	??
ram:61bd	??	??
ram:61be	??	??
ram:61bf	??	??
ram:61c0	??	??
ram:61c1	??	??
ram:61c2	??	??
ram:61c3	??	??
ram:61c4	??	??
ram:61c5	??	??
ram:61c6	??	??
ram:61c7	??	??
ram:61c8	??	??
ram:61c9	??	??
ram:61ca	??	??
ram:61cb	??	??
ram:61cc	??	??
ram:61cd	??	??
ram:61ce	??	??
ram:61cf	??	??
ram:61d0	??	??
ram:61d1	??	??
ram:61d2	??	??
ram:61d3	??	??
ram:61d4	??	??
ram:61d5	??	??
ram:61d6	??	??
ram:61d7	??	??
ram:61d8	??	??

Ghidra - 961264-10.2764.u31

ram:61d9	??	??
ram:61da	??	??
ram:61db	??	??
ram:61dc	??	??
ram:61dd	??	??
ram:61de	??	??
ram:61df	??	??
ram:61e0	??	??
ram:61e1	??	??
ram:61e2	??	??
ram:61e3	??	??
ram:61e4	??	??
ram:61e5	??	??
ram:61e6	??	??
ram:61e7	??	??
ram:61e8	??	??
ram:61e9	??	??
ram:61ea	??	??
ram:61eb	??	??
ram:61ec	??	??
ram:61ed	??	??
ram:61ee	??	??
ram:61ef	??	??
ram:61f0	??	??
ram:61f1	??	??
ram:61f2	??	??
ram:61f3	??	??
ram:61f4	??	??
ram:61f5	??	??
ram:61f6	??	??
ram:61f7	??	??
ram:61f8	??	??
ram:61f9	??	??
ram:61fa	??	??
ram:61fb	??	??
ram:61fc	??	??
ram:61fd	??	??
ram:61fe	??	??
ram:61ff	??	??
ram:6200	??	??
ram:6201	??	??
ram:6202	??	??
ram:6203	??	??
ram:6204	??	??
ram:6205	??	??
ram:6206	??	??
ram:6207	??	??
ram:6208	??	??
ram:6209	??	??
ram:620a	??	??
ram:620b	??	??
ram:620c	??	??
ram:620d	??	??
ram:620e	??	??
ram:620f	??	??
ram:6210	??	??
ram:6211	??	??
ram:6212	??	??
ram:6213	??	??
ram:6214	??	??
ram:6215	??	??
ram:6216	??	??
ram:6217	??	??
ram:6218	??	??
ram:6219	??	??
ram:621a	??	??
ram:621b	??	??
ram:621c	??	??
ram:621d	??	??
ram:621e	??	??
ram:621f	??	??
ram:6220	??	??
ram:6221	??	??
ram:6222	??	??
ram:6223	??	??
ram:6224	??	??
ram:6225	??	??
ram:6226	??	??
ram:6227	??	??
ram:6228	??	??
ram:6229	??	??
ram:622a	??	??
ram:622b	??	??
ram:622c	??	??
ram:622d	??	??

Ghidra - 961264-10.2764.u31

ram:622e	??	??
ram:622f	??	??
ram:6230	??	??
ram:6231	??	??
ram:6232	??	??
ram:6233	??	??
ram:6234	??	??
ram:6235	??	??
ram:6236	??	??
ram:6237	??	??
ram:6238	??	??
ram:6239	??	??
ram:623a	??	??
ram:623b	??	??
ram:623c	??	??
ram:623d	??	??
ram:623e	??	??
ram:623f	??	??
ram:6240	??	??
ram:6241	??	??
ram:6242	??	??
ram:6243	??	??
ram:6244	??	??
ram:6245	??	??
ram:6246	??	??
ram:6247	??	??
ram:6248	??	??
ram:6249	??	??
ram:624a	??	??
ram:624b	??	??
ram:624c	??	??
ram:624d	??	??
ram:624e	??	??
ram:624f	??	??
ram:6250	??	??
ram:6251	??	??
ram:6252	??	??
ram:6253	??	??
ram:6254	??	??
ram:6255	??	??
ram:6256	??	??
ram:6257	??	??
ram:6258	??	??
ram:6259	??	??
ram:625a	??	??
ram:625b	??	??
ram:625c	??	??
ram:625d	??	??
ram:625e	??	??
ram:625f	??	??
ram:6260	??	??
ram:6261	??	??
ram:6262	??	??
ram:6263	??	??
ram:6264	??	??
ram:6265	??	??
ram:6266	??	??
ram:6267	??	??
ram:6268	??	??
ram:6269	??	??
ram:626a	??	??
ram:626b	??	??
ram:626c	??	??
ram:626d	??	??
ram:626e	??	??
ram:626f	??	??
ram:6270	??	??
ram:6271	??	??
ram:6272	??	??
ram:6273	??	??
ram:6274	??	??
ram:6275	??	??
ram:6276	??	??
ram:6277	??	??
ram:6278	??	??
ram:6279	??	??
ram:627a	??	??
ram:627b	??	??
ram:627c	??	??
ram:627d	??	??
ram:627e	??	??
ram:627f	??	??
ram:6280	??	??
ram:6281	??	??
ram:6282	??	??

Ghidra - 961264-10.2764.u31

ram:6283	??	??
ram:6284	??	??
ram:6285	??	??
ram:6286	??	??
ram:6287	??	??
ram:6288	??	??
ram:6289	??	??
ram:628a	??	??
ram:628b	??	??
ram:628c	??	??
ram:628d	??	??
ram:628e	??	??
ram:628f	??	??
ram:6290	??	??
ram:6291	??	??
ram:6292	??	??
ram:6293	??	??
ram:6294	??	??
ram:6295	??	??
ram:6296	??	??
ram:6297	??	??
ram:6298	??	??
ram:6299	??	??
ram:629a	??	??
ram:629b	??	??
ram:629c	??	??
ram:629d	??	??
ram:629e	??	??
ram:629f	??	??
ram:62a0	??	??
ram:62a1	??	??
ram:62a2	??	??
ram:62a3	??	??
ram:62a4	??	??
ram:62a5	??	??
ram:62a6	??	??
ram:62a7	??	??
ram:62a8	??	??
ram:62a9	??	??
ram:62aa	??	??
ram:62ab	??	??
ram:62ac	??	??
ram:62ad	??	??
ram:62ae	??	??
ram:62af	??	??
ram:62b0	??	??
ram:62b1	??	??
ram:62b2	??	??
ram:62b3	??	??
ram:62b4	??	??
ram:62b5	??	??
ram:62b6	??	??
ram:62b7	??	??
ram:62b8	??	??
ram:62b9	??	??
ram:62ba	??	??
ram:62bb	??	??
ram:62bc	??	??
ram:62bd	??	??
ram:62be	??	??
ram:62bf	??	??
ram:62c0	??	??
ram:62c1	??	??
ram:62c2	??	??
ram:62c3	??	??
ram:62c4	??	??
ram:62c5	??	??
ram:62c6	??	??
ram:62c7	??	??
ram:62c8	??	??
ram:62c9	??	??
ram:62ca	??	??
ram:62cb	??	??
ram:62cc	??	??
ram:62cd	??	??
ram:62ce	??	??
ram:62cf	??	??
ram:62d0	??	??
ram:62d1	??	??
ram:62d2	??	??
ram:62d3	??	??
ram:62d4	??	??
ram:62d5	??	??
ram:62d6	??	??
ram:62d7	??	??

Ghidra - 961264-10.2764.u31

ram:62d8	??	??
ram:62d9	??	??
ram:62da	??	??
ram:62db	??	??
ram:62dc	??	??
ram:62dd	??	??
ram:62de	??	??
ram:62df	??	??
ram:62e0	??	??
ram:62e1	??	??
ram:62e2	??	??
ram:62e3	??	??
ram:62e4	??	??
ram:62e5	??	??
ram:62e6	??	??
ram:62e7	??	??
ram:62e8	??	??
ram:62e9	??	??
ram:62ea	??	??
ram:62eb	??	??
ram:62ec	??	??
ram:62ed	??	??
ram:62ee	??	??
ram:62ef	??	??
ram:62f0	??	??
ram:62f1	??	??
ram:62f2	??	??
ram:62f3	??	??
ram:62f4	??	??
ram:62f5	??	??
ram:62f6	??	??
ram:62f7	??	??
ram:62f8	??	??
ram:62f9	??	??
ram:62fa	??	??
ram:62fb	??	??
ram:62fc	??	??
ram:62fd	??	??
ram:62fe	??	??
ram:62ff	??	??
ram:6300	??	??
ram:6301	??	??
ram:6302	??	??
ram:6303	??	??
ram:6304	??	??
ram:6305	??	??
ram:6306	??	??
ram:6307	??	??
ram:6308	??	??
ram:6309	??	??
ram:630a	??	??
ram:630b	??	??
ram:630c	??	??
ram:630d	??	??
ram:630e	??	??
ram:630f	??	??
ram:6310	??	??
ram:6311	??	??
ram:6312	??	??
ram:6313	??	??
ram:6314	??	??
ram:6315	??	??
ram:6316	??	??
ram:6317	??	??
ram:6318	??	??
ram:6319	??	??
ram:631a	??	??
ram:631b	??	??
ram:631c	??	??
ram:631d	??	??
ram:631e	??	??
ram:631f	??	??
ram:6320	??	??
ram:6321	??	??
ram:6322	??	??
ram:6323	??	??
ram:6324	??	??
ram:6325	??	??
ram:6326	??	??
ram:6327	??	??
ram:6328	??	??
ram:6329	??	??
ram:632a	??	??
ram:632b	??	??
ram:632c	??	??

Ghidra - 961264-10.2764.u31

ram:632d	??	??
ram:632e	??	??
ram:632f	??	??
ram:6330	??	??
ram:6331	??	??
ram:6332	??	??
ram:6333	??	??
ram:6334	??	??
ram:6335	??	??
ram:6336	??	??
ram:6337	??	??
ram:6338	??	??
ram:6339	??	??
ram:633a	??	??
ram:633b	??	??
ram:633c	??	??
ram:633d	??	??
ram:633e	??	??
ram:633f	??	??
ram:6340	??	??
ram:6341	??	??
ram:6342	??	??
ram:6343	??	??
ram:6344	??	??
ram:6345	??	??
ram:6346	??	??
ram:6347	??	??
ram:6348	??	??
ram:6349	??	??
ram:634a	??	??
ram:634b	??	??
ram:634c	??	??
ram:634d	??	??
ram:634e	??	??
ram:634f	??	??
ram:6350	??	??
ram:6351	??	??
ram:6352	??	??
ram:6353	??	??
ram:6354	??	??
ram:6355	??	??
ram:6356	??	??
ram:6357	??	??
ram:6358	??	??
ram:6359	??	??
ram:635a	??	??
ram:635b	??	??
ram:635c	??	??
ram:635d	??	??
ram:635e	??	??
ram:635f	??	??
ram:6360	??	??
ram:6361	??	??
ram:6362	??	??
ram:6363	??	??
ram:6364	??	??
ram:6365	??	??
ram:6366	??	??
ram:6367	??	??
ram:6368	??	??
ram:6369	??	??
ram:636a	??	??
ram:636b	??	??
ram:636c	??	??
ram:636d	??	??
ram:636e	??	??
ram:636f	??	??
ram:6370	??	??
ram:6371	??	??
ram:6372	??	??
ram:6373	??	??
ram:6374	??	??
ram:6375	??	??
ram:6376	??	??
ram:6377	??	??
ram:6378	??	??
ram:6379	??	??
ram:637a	??	??
ram:637b	??	??
ram:637c	??	??
ram:637d	??	??
ram:637e	??	??
ram:637f	??	??
ram:6380	??	??
ram:6381	??	??

Ghidra - 961264-10.2764.u31

ram:6382	??	??
ram:6383	??	??
ram:6384	??	??
ram:6385	??	??
ram:6386	??	??
ram:6387	??	??
ram:6388	??	??
ram:6389	??	??
ram:638a	??	??
ram:638b	??	??
ram:638c	??	??
ram:638d	??	??
ram:638e	??	??
ram:638f	??	??
ram:6390	??	??
ram:6391	??	??
ram:6392	??	??
ram:6393	??	??
ram:6394	??	??
ram:6395	??	??
ram:6396	??	??
ram:6397	??	??
ram:6398	??	??
ram:6399	??	??
ram:639a	??	??
ram:639b	??	??
ram:639c	??	??
ram:639d	??	??
ram:639e	??	??
ram:639f	??	??
ram:63a0	??	??
ram:63a1	??	??
ram:63a2	??	??
ram:63a3	??	??
ram:63a4	??	??
ram:63a5	??	??
ram:63a6	??	??
ram:63a7	??	??
ram:63a8	??	??
ram:63a9	??	??
ram:63aa	??	??
ram:63ab	??	??
ram:63ac	??	??
ram:63ad	??	??
ram:63ae	??	??
ram:63af	??	??
ram:63b0	??	??
ram:63b1	??	??
ram:63b2	??	??
ram:63b3	??	??
ram:63b4	??	??
ram:63b5	??	??
ram:63b6	??	??
ram:63b7	??	??
ram:63b8	??	??
ram:63b9	??	??
ram:63ba	??	??
ram:63bb	??	??
ram:63bc	??	??
ram:63bd	??	??
ram:63be	??	??
ram:63bf	??	??
ram:63c0	??	??
ram:63c1	??	??
ram:63c2	??	??
ram:63c3	??	??
ram:63c4	??	??
ram:63c5	??	??
ram:63c6	??	??
ram:63c7	??	??
ram:63c8	??	??
ram:63c9	??	??
ram:63ca	??	??
ram:63cb	??	??
ram:63cc	??	??
ram:63cd	??	??
ram:63ce	??	??
ram:63cf	??	??
ram:63d0	??	??
ram:63d1	??	??
ram:63d2	??	??
ram:63d3	??	??
ram:63d4	??	??
ram:63d5	??	??
ram:63d6	??	??

Ghidra - 961264-10.2764.u31

ram:63d7	??	??
ram:63d8	??	??
ram:63d9	??	??
ram:63da	??	??
ram:63db	??	??
ram:63dc	??	??
ram:63dd	??	??
ram:63de	??	??
ram:63df	??	??
ram:63e0	??	??
ram:63e1	??	??
ram:63e2	??	??
ram:63e3	??	??
ram:63e4	??	??
ram:63e5	??	??
ram:63e6	??	??
ram:63e7	??	??
ram:63e8	??	??
ram:63e9	??	??
ram:63ea	??	??
ram:63eb	??	??
ram:63ec	??	??
ram:63ed	??	??
ram:63ee	??	??
ram:63ef	??	??
ram:63f0	??	??
ram:63f1	??	??
ram:63f2	??	??
ram:63f3	??	??
ram:63f4	??	??
ram:63f5	??	??
ram:63f6	??	??
ram:63f7	??	??
ram:63f8	??	??
ram:63f9	??	??
ram:63fa	??	??
ram:63fb	??	??
ram:63fc	??	??
ram:63fd	??	??
ram:63fe	??	??
ram:63ff	??	??
ram:6400	??	??
ram:6401	??	??
ram:6402	??	??
ram:6403	??	??
ram:6404	??	??
ram:6405	??	??
ram:6406	??	??
ram:6407	??	??
ram:6408	??	??
ram:6409	??	??
ram:640a	??	??
ram:640b	??	??
ram:640c	??	??
ram:640d	??	??
ram:640e	??	??
ram:640f	??	??
ram:6410	??	??
ram:6411	??	??
ram:6412	??	??
ram:6413	??	??
ram:6414	??	??
ram:6415	??	??
ram:6416	??	??
ram:6417	??	??
ram:6418	??	??
ram:6419	??	??
ram:641a	??	??
ram:641b	??	??
ram:641c	??	??
ram:641d	??	??
ram:641e	??	??
ram:641f	??	??
ram:6420	??	??
ram:6421	??	??
ram:6422	??	??
ram:6423	??	??
ram:6424	??	??
ram:6425	??	??
ram:6426	??	??
ram:6427	??	??
ram:6428	??	??
ram:6429	??	??
ram:642a	??	??
ram:642b	??	??

Ghidra - 961264-10.2764.u31

ram:642c	??	??
ram:642d	??	??
ram:642e	??	??
ram:642f	??	??
ram:6430	??	??
ram:6431	??	??
ram:6432	??	??
ram:6433	??	??
ram:6434	??	??
ram:6435	??	??
ram:6436	??	??
ram:6437	??	??
ram:6438	??	??
ram:6439	??	??
ram:643a	??	??
ram:643b	??	??
ram:643c	??	??
ram:643d	??	??
ram:643e	??	??
ram:643f	??	??
ram:6440	??	??
ram:6441	??	??
ram:6442	??	??
ram:6443	??	??
ram:6444	??	??
ram:6445	??	??
ram:6446	??	??
ram:6447	??	??
ram:6448	??	??
ram:6449	??	??
ram:644a	??	??
ram:644b	??	??
ram:644c	??	??
ram:644d	??	??
ram:644e	??	??
ram:644f	??	??
ram:6450	??	??
ram:6451	??	??
ram:6452	??	??
ram:6453	??	??
ram:6454	??	??
ram:6455	??	??
ram:6456	??	??
ram:6457	??	??
ram:6458	??	??
ram:6459	??	??
ram:645a	??	??
ram:645b	??	??
ram:645c	??	??
ram:645d	??	??
ram:645e	??	??
ram:645f	??	??
ram:6460	??	??
ram:6461	??	??
ram:6462	??	??
ram:6463	??	??
ram:6464	??	??
ram:6465	??	??
ram:6466	??	??
ram:6467	??	??
ram:6468	??	??
ram:6469	??	??
ram:646a	??	??
ram:646b	??	??
ram:646c	??	??
ram:646d	??	??
ram:646e	??	??
ram:646f	??	??
ram:6470	??	??
ram:6471	??	??
ram:6472	??	??
ram:6473	??	??
ram:6474	??	??
ram:6475	??	??
ram:6476	??	??
ram:6477	??	??
ram:6478	??	??
ram:6479	??	??
ram:647a	??	??
ram:647b	??	??
ram:647c	??	??
ram:647d	??	??
ram:647e	??	??
ram:647f	??	??
ram:6480	??	??

Ghidra - 961264-10.2764.u31

ram:6481	??	??
ram:6482	??	??
ram:6483	??	??
ram:6484	??	??
ram:6485	??	??
ram:6486	??	??
ram:6487	??	??
ram:6488	??	??
ram:6489	??	??
ram:648a	??	??
ram:648b	??	??
ram:648c	??	??
ram:648d	??	??
ram:648e	??	??
ram:648f	??	??
ram:6490	??	??
ram:6491	??	??
ram:6492	??	??
ram:6493	??	??
ram:6494	??	??
ram:6495	??	??
ram:6496	??	??
ram:6497	??	??
ram:6498	??	??
ram:6499	??	??
ram:649a	??	??
ram:649b	??	??
ram:649c	??	??
ram:649d	??	??
ram:649e	??	??
ram:649f	??	??
ram:64a0	??	??
ram:64a1	??	??
ram:64a2	??	??
ram:64a3	??	??
ram:64a4	??	??
ram:64a5	??	??
ram:64a6	??	??
ram:64a7	??	??
ram:64a8	??	??
ram:64a9	??	??
ram:64aa	??	??
ram:64ab	??	??
ram:64ac	??	??
ram:64ad	??	??
ram:64ae	??	??
ram:64af	??	??
ram:64b0	??	??
ram:64b1	??	??
ram:64b2	??	??
ram:64b3	??	??
ram:64b4	??	??
ram:64b5	??	??
ram:64b6	??	??
ram:64b7	??	??
ram:64b8	??	??
ram:64b9	??	??
ram:64ba	??	??
ram:64bb	??	??
ram:64bc	??	??
ram:64bd	??	??
ram:64be	??	??
ram:64bf	??	??
ram:64c0	??	??
ram:64c1	??	??
ram:64c2	??	??
ram:64c3	??	??
ram:64c4	??	??
ram:64c5	??	??
ram:64c6	??	??
ram:64c7	??	??
ram:64c8	??	??
ram:64c9	??	??
ram:64ca	??	??
ram:64cb	??	??
ram:64cc	??	??
ram:64cd	??	??
ram:64ce	??	??
ram:64cf	??	??
ram:64d0	??	??
ram:64d1	??	??
ram:64d2	??	??
ram:64d3	??	??
ram:64d4	??	??
ram:64d5	??	??

Ghidra - 961264-10.2764.u31

ram:64d6	??	??
ram:64d7	??	??
ram:64d8	??	??
ram:64d9	??	??
ram:64da	??	??
ram:64db	??	??
ram:64dc	??	??
ram:64dd	??	??
ram:64de	??	??
ram:64df	??	??
ram:64e0	??	??
ram:64e1	??	??
ram:64e2	??	??
ram:64e3	??	??
ram:64e4	??	??
ram:64e5	??	??
ram:64e6	??	??
ram:64e7	??	??
ram:64e8	??	??
ram:64e9	??	??
ram:64ea	??	??
ram:64eb	??	??
ram:64ec	??	??
ram:64ed	??	??
ram:64ee	??	??
ram:64ef	??	??
ram:64f0	??	??
ram:64f1	??	??
ram:64f2	??	??
ram:64f3	??	??
ram:64f4	??	??
ram:64f5	??	??
ram:64f6	??	??
ram:64f7	??	??
ram:64f8	??	??
ram:64f9	??	??
ram:64fa	??	??
ram:64fb	??	??
ram:64fc	??	??
ram:64fd	??	??
ram:64fe	??	??
ram:64ff	??	??
ram:6500	??	??
ram:6501	??	??
ram:6502	??	??
ram:6503	??	??
ram:6504	??	??
ram:6505	??	??
ram:6506	??	??
ram:6507	??	??
ram:6508	??	??
ram:6509	??	??
ram:650a	??	??
ram:650b	??	??
ram:650c	??	??
ram:650d	??	??
ram:650e	??	??
ram:650f	??	??
ram:6510	??	??
ram:6511	??	??
ram:6512	??	??
ram:6513	??	??
ram:6514	??	??
ram:6515	??	??
ram:6516	??	??
ram:6517	??	??
ram:6518	??	??
ram:6519	??	??
ram:651a	??	??
ram:651b	??	??
ram:651c	??	??
ram:651d	??	??
ram:651e	??	??
ram:651f	??	??
ram:6520	??	??
ram:6521	??	??
ram:6522	??	??
ram:6523	??	??
ram:6524	??	??
ram:6525	??	??
ram:6526	??	??
ram:6527	??	??
ram:6528	??	??
ram:6529	??	??
ram:652a	??	??

Ghidra - 961264-10.2764.u31

ram:652b	??	??
ram:652c	??	??
ram:652d	??	??
ram:652e	??	??
ram:652f	??	??
ram:6530	??	??
ram:6531	??	??
ram:6532	??	??
ram:6533	??	??
ram:6534	??	??
ram:6535	??	??
ram:6536	??	??
ram:6537	??	??
ram:6538	??	??
ram:6539	??	??
ram:653a	??	??
ram:653b	??	??
ram:653c	??	??
ram:653d	??	??
ram:653e	??	??
ram:653f	??	??
ram:6540	??	??
ram:6541	??	??
ram:6542	??	??
ram:6543	??	??
ram:6544	??	??
ram:6545	??	??
ram:6546	??	??
ram:6547	??	??
ram:6548	??	??
ram:6549	??	??
ram:654a	??	??
ram:654b	??	??
ram:654c	??	??
ram:654d	??	??
ram:654e	??	??
ram:654f	??	??
ram:6550	??	??
ram:6551	??	??
ram:6552	??	??
ram:6553	??	??
ram:6554	??	??
ram:6555	??	??
ram:6556	??	??
ram:6557	??	??
ram:6558	??	??
ram:6559	??	??
ram:655a	??	??
ram:655b	??	??
ram:655c	??	??
ram:655d	??	??
ram:655e	??	??
ram:655f	??	??
ram:6560	??	??
ram:6561	??	??
ram:6562	??	??
ram:6563	??	??
ram:6564	??	??
ram:6565	??	??
ram:6566	??	??
ram:6567	??	??
ram:6568	??	??
ram:6569	??	??
ram:656a	??	??
ram:656b	??	??
ram:656c	??	??
ram:656d	??	??
ram:656e	??	??
ram:656f	??	??
ram:6570	??	??
ram:6571	??	??
ram:6572	??	??
ram:6573	??	??
ram:6574	??	??
ram:6575	??	??
ram:6576	??	??
ram:6577	??	??
ram:6578	??	??
ram:6579	??	??
ram:657a	??	??
ram:657b	??	??
ram:657c	??	??
ram:657d	??	??
ram:657e	??	??
ram:657f	??	??

Ghidra - 961264-10.2764.u31

ram:6580	??	??
ram:6581	??	??
ram:6582	??	??
ram:6583	??	??
ram:6584	??	??
ram:6585	??	??
ram:6586	??	??
ram:6587	??	??
ram:6588	??	??
ram:6589	??	??
ram:658a	??	??
ram:658b	??	??
ram:658c	??	??
ram:658d	??	??
ram:658e	??	??
ram:658f	??	??
ram:6590	??	??
ram:6591	??	??
ram:6592	??	??
ram:6593	??	??
ram:6594	??	??
ram:6595	??	??
ram:6596	??	??
ram:6597	??	??
ram:6598	??	??
ram:6599	??	??
ram:659a	??	??
ram:659b	??	??
ram:659c	??	??
ram:659d	??	??
ram:659e	??	??
ram:659f	??	??
ram:65a0	??	??
ram:65a1	??	??
ram:65a2	??	??
ram:65a3	??	??
ram:65a4	??	??
ram:65a5	??	??
ram:65a6	??	??
ram:65a7	??	??
ram:65a8	??	??
ram:65a9	??	??
ram:65aa	??	??
ram:65ab	??	??
ram:65ac	??	??
ram:65ad	??	??
ram:65ae	??	??
ram:65af	??	??
ram:65b0	??	??
ram:65b1	??	??
ram:65b2	??	??
ram:65b3	??	??
ram:65b4	??	??
ram:65b5	??	??
ram:65b6	??	??
ram:65b7	??	??
ram:65b8	??	??
ram:65b9	??	??
ram:65ba	??	??
ram:65bb	??	??
ram:65bc	??	??
ram:65bd	??	??
ram:65be	??	??
ram:65bf	??	??
ram:65c0	??	??
ram:65c1	??	??
ram:65c2	??	??
ram:65c3	??	??
ram:65c4	??	??
ram:65c5	??	??
ram:65c6	??	??
ram:65c7	??	??
ram:65c8	??	??
ram:65c9	??	??
ram:65ca	??	??
ram:65cb	??	??
ram:65cc	??	??
ram:65cd	??	??
ram:65ce	??	??
ram:65cf	??	??
ram:65d0	??	??
ram:65d1	??	??
ram:65d2	??	??
ram:65d3	??	??
ram:65d4	??	??

Ghidra - 961264-10.2764.u31

ram:65d5	??	??
ram:65d6	??	??
ram:65d7	??	??
ram:65d8	??	??
ram:65d9	??	??
ram:65da	??	??
ram:65db	??	??
ram:65dc	??	??
ram:65dd	??	??
ram:65de	??	??
ram:65df	??	??
ram:65e0	??	??
ram:65e1	??	??
ram:65e2	??	??
ram:65e3	??	??
ram:65e4	??	??
ram:65e5	??	??
ram:65e6	??	??
ram:65e7	??	??
ram:65e8	??	??
ram:65e9	??	??
ram:65ea	??	??
ram:65eb	??	??
ram:65ec	??	??
ram:65ed	??	??
ram:65ee	??	??
ram:65ef	??	??
ram:65f0	??	??
ram:65f1	??	??
ram:65f2	??	??
ram:65f3	??	??
ram:65f4	??	??
ram:65f5	??	??
ram:65f6	??	??
ram:65f7	??	??
ram:65f8	??	??
ram:65f9	??	??
ram:65fa	??	??
ram:65fb	??	??
ram:65fc	??	??
ram:65fd	??	??
ram:65fe	??	??
ram:65ff	??	??
ram:6600	??	??
ram:6601	??	??
ram:6602	??	??
ram:6603	??	??
ram:6604	??	??
ram:6605	??	??
ram:6606	??	??
ram:6607	??	??
ram:6608	??	??
ram:6609	??	??
ram:660a	??	??
ram:660b	??	??
ram:660c	??	??
ram:660d	??	??
ram:660e	??	??
ram:660f	??	??
ram:6610	??	??
ram:6611	??	??
ram:6612	??	??
ram:6613	??	??
ram:6614	??	??
ram:6615	??	??
ram:6616	??	??
ram:6617	??	??
ram:6618	??	??
ram:6619	??	??
ram:661a	??	??
ram:661b	??	??
ram:661c	??	??
ram:661d	??	??
ram:661e	??	??
ram:661f	??	??
ram:6620	??	??
ram:6621	??	??
ram:6622	??	??
ram:6623	??	??
ram:6624	??	??
ram:6625	??	??
ram:6626	??	??
ram:6627	??	??
ram:6628	??	??
ram:6629	??	??

Ghidra - 961264-10.2764.u31

ram:662a	??	??
ram:662b	??	??
ram:662c	??	??
ram:662d	??	??
ram:662e	??	??
ram:662f	??	??
ram:6630	??	??
ram:6631	??	??
ram:6632	??	??
ram:6633	??	??
ram:6634	??	??
ram:6635	??	??
ram:6636	??	??
ram:6637	??	??
ram:6638	??	??
ram:6639	??	??
ram:663a	??	??
ram:663b	??	??
ram:663c	??	??
ram:663d	??	??
ram:663e	??	??
ram:663f	??	??
ram:6640	??	??
ram:6641	??	??
ram:6642	??	??
ram:6643	??	??
ram:6644	??	??
ram:6645	??	??
ram:6646	??	??
ram:6647	??	??
ram:6648	??	??
ram:6649	??	??
ram:664a	??	??
ram:664b	??	??
ram:664c	??	??
ram:664d	??	??
ram:664e	??	??
ram:664f	??	??
ram:6650	??	??
ram:6651	??	??
ram:6652	??	??
ram:6653	??	??
ram:6654	??	??
ram:6655	??	??
ram:6656	??	??
ram:6657	??	??
ram:6658	??	??
ram:6659	??	??
ram:665a	??	??
ram:665b	??	??
ram:665c	??	??
ram:665d	??	??
ram:665e	??	??
ram:665f	??	??
ram:6660	??	??
ram:6661	??	??
ram:6662	??	??
ram:6663	??	??
ram:6664	??	??
ram:6665	??	??
ram:6666	??	??
ram:6667	??	??
ram:6668	??	??
ram:6669	??	??
ram:666a	??	??
ram:666b	??	??
ram:666c	??	??
ram:666d	??	??
ram:666e	??	??
ram:666f	??	??
ram:6670	??	??
ram:6671	??	??
ram:6672	??	??
ram:6673	??	??
ram:6674	??	??
ram:6675	??	??
ram:6676	??	??
ram:6677	??	??
ram:6678	??	??
ram:6679	??	??
ram:667a	??	??
ram:667b	??	??
ram:667c	??	??
ram:667d	??	??
ram:667e	??	??

Ghidra - 961264-10.2764.u31

ram:667f	??	??
ram:6680	??	??
ram:6681	??	??
ram:6682	??	??
ram:6683	??	??
ram:6684	??	??
ram:6685	??	??
ram:6686	??	??
ram:6687	??	??
ram:6688	??	??
ram:6689	??	??
ram:668a	??	??
ram:668b	??	??
ram:668c	??	??
ram:668d	??	??
ram:668e	??	??
ram:668f	??	??
ram:6690	??	??
ram:6691	??	??
ram:6692	??	??
ram:6693	??	??
ram:6694	??	??
ram:6695	??	??
ram:6696	??	??
ram:6697	??	??
ram:6698	??	??
ram:6699	??	??
ram:669a	??	??
ram:669b	??	??
ram:669c	??	??
ram:669d	??	??
ram:669e	??	??
ram:669f	??	??
ram:66a0	??	??
ram:66a1	??	??
ram:66a2	??	??
ram:66a3	??	??
ram:66a4	??	??
ram:66a5	??	??
ram:66a6	??	??
ram:66a7	??	??
ram:66a8	??	??
ram:66a9	??	??
ram:66aa	??	??
ram:66ab	??	??
ram:66ac	??	??
ram:66ad	??	??
ram:66ae	??	??
ram:66af	??	??
ram:66b0	??	??
ram:66b1	??	??
ram:66b2	??	??
ram:66b3	??	??
ram:66b4	??	??
ram:66b5	??	??
ram:66b6	??	??
ram:66b7	??	??
ram:66b8	??	??
ram:66b9	??	??
ram:66ba	??	??
ram:66bb	??	??
ram:66bc	??	??
ram:66bd	??	??
ram:66be	??	??
ram:66bf	??	??
ram:66c0	??	??
ram:66c1	??	??
ram:66c2	??	??
ram:66c3	??	??
ram:66c4	??	??
ram:66c5	??	??
ram:66c6	??	??
ram:66c7	??	??
ram:66c8	??	??
ram:66c9	??	??
ram:66ca	??	??
ram:66cb	??	??
ram:66cc	??	??
ram:66cd	??	??
ram:66ce	??	??
ram:66cf	??	??
ram:66d0	??	??
ram:66d1	??	??
ram:66d2	??	??
ram:66d3	??	??

Ghidra - 961264-10.2764.u31

ram:66d4	??	??
ram:66d5	??	??
ram:66d6	??	??
ram:66d7	??	??
ram:66d8	??	??
ram:66d9	??	??
ram:66da	??	??
ram:66db	??	??
ram:66dc	??	??
ram:66dd	??	??
ram:66de	??	??
ram:66df	??	??
ram:66e0	??	??
ram:66e1	??	??
ram:66e2	??	??
ram:66e3	??	??
ram:66e4	??	??
ram:66e5	??	??
ram:66e6	??	??
ram:66e7	??	??
ram:66e8	??	??
ram:66e9	??	??
ram:66ea	??	??
ram:66eb	??	??
ram:66ec	??	??
ram:66ed	??	??
ram:66ee	??	??
ram:66ef	??	??
ram:66f0	??	??
ram:66f1	??	??
ram:66f2	??	??
ram:66f3	??	??
ram:66f4	??	??
ram:66f5	??	??
ram:66f6	??	??
ram:66f7	??	??
ram:66f8	??	??
ram:66f9	??	??
ram:66fa	??	??
ram:66fb	??	??
ram:66fc	??	??
ram:66fd	??	??
ram:66fe	??	??
ram:66ff	??	??
ram:6700	??	??
ram:6701	??	??
ram:6702	??	??
ram:6703	??	??
ram:6704	??	??
ram:6705	??	??
ram:6706	??	??
ram:6707	??	??
ram:6708	??	??
ram:6709	??	??
ram:670a	??	??
ram:670b	??	??
ram:670c	??	??
ram:670d	??	??
ram:670e	??	??
ram:670f	??	??
ram:6710	??	??
ram:6711	??	??
ram:6712	??	??
ram:6713	??	??
ram:6714	??	??
ram:6715	??	??
ram:6716	??	??
ram:6717	??	??
ram:6718	??	??
ram:6719	??	??
ram:671a	??	??
ram:671b	??	??
ram:671c	??	??
ram:671d	??	??
ram:671e	??	??
ram:671f	??	??
ram:6720	??	??
ram:6721	??	??
ram:6722	??	??
ram:6723	??	??
ram:6724	??	??
ram:6725	??	??
ram:6726	??	??
ram:6727	??	??
ram:6728	??	??

Ghidra - 961264-10.2764.u31

ram:6729	??	??
ram:672a	??	??
ram:672b	??	??
ram:672c	??	??
ram:672d	??	??
ram:672e	??	??
ram:672f	??	??
ram:6730	??	??
ram:6731	??	??
ram:6732	??	??
ram:6733	??	??
ram:6734	??	??
ram:6735	??	??
ram:6736	??	??
ram:6737	??	??
ram:6738	??	??
ram:6739	??	??
ram:673a	??	??
ram:673b	??	??
ram:673c	??	??
ram:673d	??	??
ram:673e	??	??
ram:673f	??	??
ram:6740	??	??
ram:6741	??	??
ram:6742	??	??
ram:6743	??	??
ram:6744	??	??
ram:6745	??	??
ram:6746	??	??
ram:6747	??	??
ram:6748	??	??
ram:6749	??	??
ram:674a	??	??
ram:674b	??	??
ram:674c	??	??
ram:674d	??	??
ram:674e	??	??
ram:674f	??	??
ram:6750	??	??
ram:6751	??	??
ram:6752	??	??
ram:6753	??	??
ram:6754	??	??
ram:6755	??	??
ram:6756	??	??
ram:6757	??	??
ram:6758	??	??
ram:6759	??	??
ram:675a	??	??
ram:675b	??	??
ram:675c	??	??
ram:675d	??	??
ram:675e	??	??
ram:675f	??	??
ram:6760	??	??
ram:6761	??	??
ram:6762	??	??
ram:6763	??	??
ram:6764	??	??
ram:6765	??	??
ram:6766	??	??
ram:6767	??	??
ram:6768	??	??
ram:6769	??	??
ram:676a	??	??
ram:676b	??	??
ram:676c	??	??
ram:676d	??	??
ram:676e	??	??
ram:676f	??	??
ram:6770	??	??
ram:6771	??	??
ram:6772	??	??
ram:6773	??	??
ram:6774	??	??
ram:6775	??	??
ram:6776	??	??
ram:6777	??	??
ram:6778	??	??
ram:6779	??	??
ram:677a	??	??
ram:677b	??	??
ram:677c	??	??
ram:677d	??	??

Ghidra - 961264-10.2764.u31

ram:677e	??	??
ram:677f	??	??
ram:6780	??	??
ram:6781	??	??
ram:6782	??	??
ram:6783	??	??
ram:6784	??	??
ram:6785	??	??
ram:6786	??	??
ram:6787	??	??
ram:6788	??	??
ram:6789	??	??
ram:678a	??	??
ram:678b	??	??
ram:678c	??	??
ram:678d	??	??
ram:678e	??	??
ram:678f	??	??
ram:6790	??	??
ram:6791	??	??
ram:6792	??	??
ram:6793	??	??
ram:6794	??	??
ram:6795	??	??
ram:6796	??	??
ram:6797	??	??
ram:6798	??	??
ram:6799	??	??
ram:679a	??	??
ram:679b	??	??
ram:679c	??	??
ram:679d	??	??
ram:679e	??	??
ram:679f	??	??
ram:67a0	??	??
ram:67a1	??	??
ram:67a2	??	??
ram:67a3	??	??
ram:67a4	??	??
ram:67a5	??	??
ram:67a6	??	??
ram:67a7	??	??
ram:67a8	??	??
ram:67a9	??	??
ram:67aa	??	??
ram:67ab	??	??
ram:67ac	??	??
ram:67ad	??	??
ram:67ae	??	??
ram:67af	??	??
ram:67b0	??	??
ram:67b1	??	??
ram:67b2	??	??
ram:67b3	??	??
ram:67b4	??	??
ram:67b5	??	??
ram:67b6	??	??
ram:67b7	??	??
ram:67b8	??	??
ram:67b9	??	??
ram:67ba	??	??
ram:67bb	??	??
ram:67bc	??	??
ram:67bd	??	??
ram:67be	??	??
ram:67bf	??	??
ram:67c0	??	??
ram:67c1	??	??
ram:67c2	??	??
ram:67c3	??	??
ram:67c4	??	??
ram:67c5	??	??
ram:67c6	??	??
ram:67c7	??	??
ram:67c8	??	??
ram:67c9	??	??
ram:67ca	??	??
ram:67cb	??	??
ram:67cc	??	??
ram:67cd	??	??
ram:67ce	??	??
ram:67cf	??	??
ram:67d0	??	??
ram:67d1	??	??
ram:67d2	??	??

Ghidra - 961264-10.2764.u31

ram:67d3	??	??
ram:67d4	??	??
ram:67d5	??	??
ram:67d6	??	??
ram:67d7	??	??
ram:67d8	??	??
ram:67d9	??	??
ram:67da	??	??
ram:67db	??	??
ram:67dc	??	??
ram:67dd	??	??
ram:67de	??	??
ram:67df	??	??
ram:67e0	??	??
ram:67e1	??	??
ram:67e2	??	??
ram:67e3	??	??
ram:67e4	??	??
ram:67e5	??	??
ram:67e6	??	??
ram:67e7	??	??
ram:67e8	??	??
ram:67e9	??	??
ram:67ea	??	??
ram:67eb	??	??
ram:67ec	??	??
ram:67ed	??	??
ram:67ee	??	??
ram:67ef	??	??
ram:67f0	??	??
ram:67f1	??	??
ram:67f2	??	??
ram:67f3	??	??
ram:67f4	??	??
ram:67f5	??	??
ram:67f6	??	??
ram:67f7	??	??
ram:67f8	??	??
ram:67f9	??	??
ram:67fa	??	??
ram:67fb	??	??
ram:67fc	??	??
ram:67fd	??	??
ram:67fe	??	??
ram:67ff	??	??
ram:6800	??	??
ram:6801	??	??
ram:6802	??	??
ram:6803	??	??
ram:6804	??	??
ram:6805	??	??
ram:6806	??	??
ram:6807	??	??
ram:6808	??	??
ram:6809	??	??
ram:680a	??	??
ram:680b	??	??
ram:680c	??	??
ram:680d	??	??
ram:680e	??	??
ram:680f	??	??
ram:6810	??	??
ram:6811	??	??
ram:6812	??	??
ram:6813	??	??
ram:6814	??	??
ram:6815	??	??
ram:6816	??	??
ram:6817	??	??
ram:6818	??	??
ram:6819	??	??
ram:681a	??	??
ram:681b	??	??
ram:681c	??	??
ram:681d	??	??
ram:681e	??	??
ram:681f	??	??
ram:6820	??	??
ram:6821	??	??
ram:6822	??	??
ram:6823	??	??
ram:6824	??	??
ram:6825	??	??
ram:6826	??	??
ram:6827	??	??

Ghidra - 961264-10.2764.u31

ram:6828	??	??
ram:6829	??	??
ram:682a	??	??
ram:682b	??	??
ram:682c	??	??
ram:682d	??	??
ram:682e	??	??
ram:682f	??	??
ram:6830	??	??
ram:6831	??	??
ram:6832	??	??
ram:6833	??	??
ram:6834	??	??
ram:6835	??	??
ram:6836	??	??
ram:6837	??	??
ram:6838	??	??
ram:6839	??	??
ram:683a	??	??
ram:683b	??	??
ram:683c	??	??
ram:683d	??	??
ram:683e	??	??
ram:683f	??	??
ram:6840	??	??
ram:6841	??	??
ram:6842	??	??
ram:6843	??	??
ram:6844	??	??
ram:6845	??	??
ram:6846	??	??
ram:6847	??	??
ram:6848	??	??
ram:6849	??	??
ram:684a	??	??
ram:684b	??	??
ram:684c	??	??
ram:684d	??	??
ram:684e	??	??
ram:684f	??	??
ram:6850	??	??
ram:6851	??	??
ram:6852	??	??
ram:6853	??	??
ram:6854	??	??
ram:6855	??	??
ram:6856	??	??
ram:6857	??	??
ram:6858	??	??
ram:6859	??	??
ram:685a	??	??
ram:685b	??	??
ram:685c	??	??
ram:685d	??	??
ram:685e	??	??
ram:685f	??	??
ram:6860	??	??
ram:6861	??	??
ram:6862	??	??
ram:6863	??	??
ram:6864	??	??
ram:6865	??	??
ram:6866	??	??
ram:6867	??	??
ram:6868	??	??
ram:6869	??	??
ram:686a	??	??
ram:686b	??	??
ram:686c	??	??
ram:686d	??	??
ram:686e	??	??
ram:686f	??	??
ram:6870	??	??
ram:6871	??	??
ram:6872	??	??
ram:6873	??	??
ram:6874	??	??
ram:6875	??	??
ram:6876	??	??
ram:6877	??	??
ram:6878	??	??
ram:6879	??	??
ram:687a	??	??
ram:687b	??	??
ram:687c	??	??

Ghidra - 961264-10.2764.u31

ram:687d	??	??
ram:687e	??	??
ram:687f	??	??
ram:6880	??	??
ram:6881	??	??
ram:6882	??	??
ram:6883	??	??
ram:6884	??	??
ram:6885	??	??
ram:6886	??	??
ram:6887	??	??
ram:6888	??	??
ram:6889	??	??
ram:688a	??	??
ram:688b	??	??
ram:688c	??	??
ram:688d	??	??
ram:688e	??	??
ram:688f	??	??
ram:6890	??	??
ram:6891	??	??
ram:6892	??	??
ram:6893	??	??
ram:6894	??	??
ram:6895	??	??
ram:6896	??	??
ram:6897	??	??
ram:6898	??	??
ram:6899	??	??
ram:689a	??	??
ram:689b	??	??
ram:689c	??	??
ram:689d	??	??
ram:689e	??	??
ram:689f	??	??
ram:68a0	??	??
ram:68a1	??	??
ram:68a2	??	??
ram:68a3	??	??
ram:68a4	??	??
ram:68a5	??	??
ram:68a6	??	??
ram:68a7	??	??
ram:68a8	??	??
ram:68a9	??	??
ram:68aa	??	??
ram:68ab	??	??
ram:68ac	??	??
ram:68ad	??	??
ram:68ae	??	??
ram:68af	??	??
ram:68b0	??	??
ram:68b1	??	??
ram:68b2	??	??
ram:68b3	??	??
ram:68b4	??	??
ram:68b5	??	??
ram:68b6	??	??
ram:68b7	??	??
ram:68b8	??	??
ram:68b9	??	??
ram:68ba	??	??
ram:68bb	??	??
ram:68bc	??	??
ram:68bd	??	??
ram:68be	??	??
ram:68bf	??	??
ram:68c0	??	??
ram:68c1	??	??
ram:68c2	??	??
ram:68c3	??	??
ram:68c4	??	??
ram:68c5	??	??
ram:68c6	??	??
ram:68c7	??	??
ram:68c8	??	??
ram:68c9	??	??
ram:68ca	??	??
ram:68cb	??	??
ram:68cc	??	??
ram:68cd	??	??
ram:68ce	??	??
ram:68cf	??	??
ram:68d0	??	??
ram:68d1	??	??

Ghidra - 961264-10.2764.u31

ram:68d2	??	??
ram:68d3	??	??
ram:68d4	??	??
ram:68d5	??	??
ram:68d6	??	??
ram:68d7	??	??
ram:68d8	??	??
ram:68d9	??	??
ram:68da	??	??
ram:68db	??	??
ram:68dc	??	??
ram:68dd	??	??
ram:68de	??	??
ram:68df	??	??
ram:68e0	??	??
ram:68e1	??	??
ram:68e2	??	??
ram:68e3	??	??
ram:68e4	??	??
ram:68e5	??	??
ram:68e6	??	??
ram:68e7	??	??
ram:68e8	??	??
ram:68e9	??	??
ram:68ea	??	??
ram:68eb	??	??
ram:68ec	??	??
ram:68ed	??	??
ram:68ee	??	??
ram:68ef	??	??
ram:68f0	??	??
ram:68f1	??	??
ram:68f2	??	??
ram:68f3	??	??
ram:68f4	??	??
ram:68f5	??	??
ram:68f6	??	??
ram:68f7	??	??
ram:68f8	??	??
ram:68f9	??	??
ram:68fa	??	??
ram:68fb	??	??
ram:68fc	??	??
ram:68fd	??	??
ram:68fe	??	??
ram:68ff	??	??
ram:6900	??	??
ram:6901	??	??
ram:6902	??	??
ram:6903	??	??
ram:6904	??	??
ram:6905	??	??
ram:6906	??	??
ram:6907	??	??
ram:6908	??	??
ram:6909	??	??
ram:690a	??	??
ram:690b	??	??
ram:690c	??	??
ram:690d	??	??
ram:690e	??	??
ram:690f	??	??
ram:6910	??	??
ram:6911	??	??
ram:6912	??	??
ram:6913	??	??
ram:6914	??	??
ram:6915	??	??
ram:6916	??	??
ram:6917	??	??
ram:6918	??	??
ram:6919	??	??
ram:691a	??	??
ram:691b	??	??
ram:691c	??	??
ram:691d	??	??
ram:691e	??	??
ram:691f	??	??
ram:6920	??	??
ram:6921	??	??
ram:6922	??	??
ram:6923	??	??
ram:6924	??	??
ram:6925	??	??
ram:6926	??	??

Ghidra - 961264-10.2764.u31

ram:6927	??	??
ram:6928	??	??
ram:6929	??	??
ram:692a	??	??
ram:692b	??	??
ram:692c	??	??
ram:692d	??	??
ram:692e	??	??
ram:692f	??	??
ram:6930	??	??
ram:6931	??	??
ram:6932	??	??
ram:6933	??	??
ram:6934	??	??
ram:6935	??	??
ram:6936	??	??
ram:6937	??	??
ram:6938	??	??
ram:6939	??	??
ram:693a	??	??
ram:693b	??	??
ram:693c	??	??
ram:693d	??	??
ram:693e	??	??
ram:693f	??	??
ram:6940	??	??
ram:6941	??	??
ram:6942	??	??
ram:6943	??	??
ram:6944	??	??
ram:6945	??	??
ram:6946	??	??
ram:6947	??	??
ram:6948	??	??
ram:6949	??	??
ram:694a	??	??
ram:694b	??	??
ram:694c	??	??
ram:694d	??	??
ram:694e	??	??
ram:694f	??	??
ram:6950	??	??
ram:6951	??	??
ram:6952	??	??
ram:6953	??	??
ram:6954	??	??
ram:6955	??	??
ram:6956	??	??
ram:6957	??	??
ram:6958	??	??
ram:6959	??	??
ram:695a	??	??
ram:695b	??	??
ram:695c	??	??
ram:695d	??	??
ram:695e	??	??
ram:695f	??	??
ram:6960	??	??
ram:6961	??	??
ram:6962	??	??
ram:6963	??	??
ram:6964	??	??
ram:6965	??	??
ram:6966	??	??
ram:6967	??	??
ram:6968	??	??
ram:6969	??	??
ram:696a	??	??
ram:696b	??	??
ram:696c	??	??
ram:696d	??	??
ram:696e	??	??
ram:696f	??	??
ram:6970	??	??
ram:6971	??	??
ram:6972	??	??
ram:6973	??	??
ram:6974	??	??
ram:6975	??	??
ram:6976	??	??
ram:6977	??	??
ram:6978	??	??
ram:6979	??	??
ram:697a	??	??
ram:697b	??	??

Ghidra - 961264-10.2764.u31

ram:697c	??	??
ram:697d	??	??
ram:697e	??	??
ram:697f	??	??
ram:6980	??	??
ram:6981	??	??
ram:6982	??	??
ram:6983	??	??
ram:6984	??	??
ram:6985	??	??
ram:6986	??	??
ram:6987	??	??
ram:6988	??	??
ram:6989	??	??
ram:698a	??	??
ram:698b	??	??
ram:698c	??	??
ram:698d	??	??
ram:698e	??	??
ram:698f	??	??
ram:6990	??	??
ram:6991	??	??
ram:6992	??	??
ram:6993	??	??
ram:6994	??	??
ram:6995	??	??
ram:6996	??	??
ram:6997	??	??
ram:6998	??	??
ram:6999	??	??
ram:699a	??	??
ram:699b	??	??
ram:699c	??	??
ram:699d	??	??
ram:699e	??	??
ram:699f	??	??
ram:69a0	??	??
ram:69a1	??	??
ram:69a2	??	??
ram:69a3	??	??
ram:69a4	??	??
ram:69a5	??	??
ram:69a6	??	??
ram:69a7	??	??
ram:69a8	??	??
ram:69a9	??	??
ram:69aa	??	??
ram:69ab	??	??
ram:69ac	??	??
ram:69ad	??	??
ram:69ae	??	??
ram:69af	??	??
ram:69b0	??	??
ram:69b1	??	??
ram:69b2	??	??
ram:69b3	??	??
ram:69b4	??	??
ram:69b5	??	??
ram:69b6	??	??
ram:69b7	??	??
ram:69b8	??	??
ram:69b9	??	??
ram:69ba	??	??
ram:69bb	??	??
ram:69bc	??	??
ram:69bd	??	??
ram:69be	??	??
ram:69bf	??	??
ram:69c0	??	??
ram:69c1	??	??
ram:69c2	??	??
ram:69c3	??	??
ram:69c4	??	??
ram:69c5	??	??
ram:69c6	??	??
ram:69c7	??	??
ram:69c8	??	??
ram:69c9	??	??
ram:69ca	??	??
ram:69cb	??	??
ram:69cc	??	??
ram:69cd	??	??
ram:69ce	??	??
ram:69cf	??	??
ram:69d0	??	??

Ghidra - 961264-10.2764.u31

ram:69d1	??	??
ram:69d2	??	??
ram:69d3	??	??
ram:69d4	??	??
ram:69d5	??	??
ram:69d6	??	??
ram:69d7	??	??
ram:69d8	??	??
ram:69d9	??	??
ram:69da	??	??
ram:69db	??	??
ram:69dc	??	??
ram:69dd	??	??
ram:69de	??	??
ram:69df	??	??
ram:69e0	??	??
ram:69e1	??	??
ram:69e2	??	??
ram:69e3	??	??
ram:69e4	??	??
ram:69e5	??	??
ram:69e6	??	??
ram:69e7	??	??
ram:69e8	??	??
ram:69e9	??	??
ram:69ea	??	??
ram:69eb	??	??
ram:69ec	??	??
ram:69ed	??	??
ram:69ee	??	??
ram:69ef	??	??
ram:69f0	??	??
ram:69f1	??	??
ram:69f2	??	??
ram:69f3	??	??
ram:69f4	??	??
ram:69f5	??	??
ram:69f6	??	??
ram:69f7	??	??
ram:69f8	??	??
ram:69f9	??	??
ram:69fa	??	??
ram:69fb	??	??
ram:69fc	??	??
ram:69fd	??	??
ram:69fe	??	??
ram:69ff	??	??
ram:6a00	??	??
ram:6a01	??	??
ram:6a02	??	??
ram:6a03	??	??
ram:6a04	??	??
ram:6a05	??	??
ram:6a06	??	??
ram:6a07	??	??
ram:6a08	??	??
ram:6a09	??	??
ram:6a0a	??	??
ram:6a0b	??	??
ram:6a0c	??	??
ram:6a0d	??	??
ram:6a0e	??	??
ram:6a0f	??	??
ram:6a10	??	??
ram:6a11	??	??
ram:6a12	??	??
ram:6a13	??	??
ram:6a14	??	??
ram:6a15	??	??
ram:6a16	??	??
ram:6a17	??	??
ram:6a18	??	??
ram:6a19	??	??
ram:6a1a	??	??
ram:6a1b	??	??
ram:6a1c	??	??
ram:6a1d	??	??
ram:6a1e	??	??
ram:6a1f	??	??
ram:6a20	??	??
ram:6a21	??	??
ram:6a22	??	??
ram:6a23	??	??
ram:6a24	??	??
ram:6a25	??	??

Ghidra - 961264-10.2764.u31

ram:6a26	??	??
ram:6a27	??	??
ram:6a28	??	??
ram:6a29	??	??
ram:6a2a	??	??
ram:6a2b	??	??
ram:6a2c	??	??
ram:6a2d	??	??
ram:6a2e	??	??
ram:6a2f	??	??
ram:6a30	??	??
ram:6a31	??	??
ram:6a32	??	??
ram:6a33	??	??
ram:6a34	??	??
ram:6a35	??	??
ram:6a36	??	??
ram:6a37	??	??
ram:6a38	??	??
ram:6a39	??	??
ram:6a3a	??	??
ram:6a3b	??	??
ram:6a3c	??	??
ram:6a3d	??	??
ram:6a3e	??	??
ram:6a3f	??	??
ram:6a40	??	??
ram:6a41	??	??
ram:6a42	??	??
ram:6a43	??	??
ram:6a44	??	??
ram:6a45	??	??
ram:6a46	??	??
ram:6a47	??	??
ram:6a48	??	??
ram:6a49	??	??
ram:6a4a	??	??
ram:6a4b	??	??
ram:6a4c	??	??
ram:6a4d	??	??
ram:6a4e	??	??
ram:6a4f	??	??
ram:6a50	??	??
ram:6a51	??	??
ram:6a52	??	??
ram:6a53	??	??
ram:6a54	??	??
ram:6a55	??	??
ram:6a56	??	??
ram:6a57	??	??
ram:6a58	??	??
ram:6a59	??	??
ram:6a5a	??	??
ram:6a5b	??	??
ram:6a5c	??	??
ram:6a5d	??	??
ram:6a5e	??	??
ram:6a5f	??	??
ram:6a60	??	??
ram:6a61	??	??
ram:6a62	??	??
ram:6a63	??	??
ram:6a64	??	??
ram:6a65	??	??
ram:6a66	??	??
ram:6a67	??	??
ram:6a68	??	??
ram:6a69	??	??
ram:6a6a	??	??
ram:6a6b	??	??
ram:6a6c	??	??
ram:6a6d	??	??
ram:6a6e	??	??
ram:6a6f	??	??
ram:6a70	??	??
ram:6a71	??	??
ram:6a72	??	??
ram:6a73	??	??
ram:6a74	??	??
ram:6a75	??	??
ram:6a76	??	??
ram:6a77	??	??
ram:6a78	??	??
ram:6a79	??	??
ram:6a7a	??	??

Ghidra - 961264-10.2764.u31

ram:6a7b	??	??
ram:6a7c	??	??
ram:6a7d	??	??
ram:6a7e	??	??
ram:6a7f	??	??
ram:6a80	??	??
ram:6a81	??	??
ram:6a82	??	??
ram:6a83	??	??
ram:6a84	??	??
ram:6a85	??	??
ram:6a86	??	??
ram:6a87	??	??
ram:6a88	??	??
ram:6a89	??	??
ram:6a8a	??	??
ram:6a8b	??	??
ram:6a8c	??	??
ram:6a8d	??	??
ram:6a8e	??	??
ram:6a8f	??	??
ram:6a90	??	??
ram:6a91	??	??
ram:6a92	??	??
ram:6a93	??	??
ram:6a94	??	??
ram:6a95	??	??
ram:6a96	??	??
ram:6a97	??	??
ram:6a98	??	??
ram:6a99	??	??
ram:6a9a	??	??
ram:6a9b	??	??
ram:6a9c	??	??
ram:6a9d	??	??
ram:6a9e	??	??
ram:6a9f	??	??
ram:6aa0	??	??
ram:6aa1	??	??
ram:6aa2	??	??
ram:6aa3	??	??
ram:6aa4	??	??
ram:6aa5	??	??
ram:6aa6	??	??
ram:6aa7	??	??
ram:6aa8	??	??
ram:6aa9	??	??
ram:6aaa	??	??
ram:6aab	??	??
ram:6aac	??	??
ram:6aad	??	??
ram:6aae	??	??
ram:6aaf	??	??
ram:6ab0	??	??
ram:6ab1	??	??
ram:6ab2	??	??
ram:6ab3	??	??
ram:6ab4	??	??
ram:6ab5	??	??
ram:6ab6	??	??
ram:6ab7	??	??
ram:6ab8	??	??
ram:6ab9	??	??
ram:6aba	??	??
ram:6abb	??	??
ram:6abc	??	??
ram:6abd	??	??
ram:6abe	??	??
ram:6abf	??	??
ram:6ac0	??	??
ram:6ac1	??	??
ram:6ac2	??	??
ram:6ac3	??	??
ram:6ac4	??	??
ram:6ac5	??	??
ram:6ac6	??	??
ram:6ac7	??	??
ram:6ac8	??	??
ram:6ac9	??	??
ram:6aca	??	??
ram:6acb	??	??
ram:6acc	??	??
ram:6acd	??	??
ram:6ace	??	??
ram:6acf	??	??

Ghidra - 961264-10.2764.u31

ram:6ad0	??	??
ram:6ad1	??	??
ram:6ad2	??	??
ram:6ad3	??	??
ram:6ad4	??	??
ram:6ad5	??	??
ram:6ad6	??	??
ram:6ad7	??	??
ram:6ad8	??	??
ram:6ad9	??	??
ram:6ada	??	??
ram:6adb	??	??
ram:6adc	??	??
ram:6add	??	??
ram:6ade	??	??
ram:6adf	??	??
ram:6ae0	??	??
ram:6ae1	??	??
ram:6ae2	??	??
ram:6ae3	??	??
ram:6ae4	??	??
ram:6ae5	??	??
ram:6ae6	??	??
ram:6ae7	??	??
ram:6ae8	??	??
ram:6ae9	??	??
ram:6aea	??	??
ram:6aeb	??	??
ram:6aec	??	??
ram:6aed	??	??
ram:6aee	??	??
ram:6aef	??	??
ram:6af0	??	??
ram:6af1	??	??
ram:6af2	??	??
ram:6af3	??	??
ram:6af4	??	??
ram:6af5	??	??
ram:6af6	??	??
ram:6af7	??	??
ram:6af8	??	??
ram:6af9	??	??
ram:6afa	??	??
ram:6afb	??	??
ram:6afc	??	??
ram:6afd	??	??
ram:6afe	??	??
ram:6aff	??	??
ram:6b00	??	??
ram:6b01	??	??
ram:6b02	??	??
ram:6b03	??	??
ram:6b04	??	??
ram:6b05	??	??
ram:6b06	??	??
ram:6b07	??	??
ram:6b08	??	??
ram:6b09	??	??
ram:6b0a	??	??
ram:6b0b	??	??
ram:6b0c	??	??
ram:6b0d	??	??
ram:6b0e	??	??
ram:6b0f	??	??
ram:6b10	??	??
ram:6b11	??	??
ram:6b12	??	??
ram:6b13	??	??
ram:6b14	??	??
ram:6b15	??	??
ram:6b16	??	??
ram:6b17	??	??
ram:6b18	??	??
ram:6b19	??	??
ram:6b1a	??	??
ram:6b1b	??	??
ram:6b1c	??	??
ram:6b1d	??	??
ram:6b1e	??	??
ram:6b1f	??	??
ram:6b20	??	??
ram:6b21	??	??
ram:6b22	??	??
ram:6b23	??	??
ram:6b24	??	??

Ghidra - 961264-10.2764.u31

ram:6b25	??	??
ram:6b26	??	??
ram:6b27	??	??
ram:6b28	??	??
ram:6b29	??	??
ram:6b2a	??	??
ram:6b2b	??	??
ram:6b2c	??	??
ram:6b2d	??	??
ram:6b2e	??	??
ram:6b2f	??	??
ram:6b30	??	??
ram:6b31	??	??
ram:6b32	??	??
ram:6b33	??	??
ram:6b34	??	??
ram:6b35	??	??
ram:6b36	??	??
ram:6b37	??	??
ram:6b38	??	??
ram:6b39	??	??
ram:6b3a	??	??
ram:6b3b	??	??
ram:6b3c	??	??
ram:6b3d	??	??
ram:6b3e	??	??
ram:6b3f	??	??
ram:6b40	??	??
ram:6b41	??	??
ram:6b42	??	??
ram:6b43	??	??
ram:6b44	??	??
ram:6b45	??	??
ram:6b46	??	??
ram:6b47	??	??
ram:6b48	??	??
ram:6b49	??	??
ram:6b4a	??	??
ram:6b4b	??	??
ram:6b4c	??	??
ram:6b4d	??	??
ram:6b4e	??	??
ram:6b4f	??	??
ram:6b50	??	??
ram:6b51	??	??
ram:6b52	??	??
ram:6b53	??	??
ram:6b54	??	??
ram:6b55	??	??
ram:6b56	??	??
ram:6b57	??	??
ram:6b58	??	??
ram:6b59	??	??
ram:6b5a	??	??
ram:6b5b	??	??
ram:6b5c	??	??
ram:6b5d	??	??
ram:6b5e	??	??
ram:6b5f	??	??
ram:6b60	??	??
ram:6b61	??	??
ram:6b62	??	??
ram:6b63	??	??
ram:6b64	??	??
ram:6b65	??	??
ram:6b66	??	??
ram:6b67	??	??
ram:6b68	??	??
ram:6b69	??	??
ram:6b6a	??	??
ram:6b6b	??	??
ram:6b6c	??	??
ram:6b6d	??	??
ram:6b6e	??	??
ram:6b6f	??	??
ram:6b70	??	??
ram:6b71	??	??
ram:6b72	??	??
ram:6b73	??	??
ram:6b74	??	??
ram:6b75	??	??
ram:6b76	??	??
ram:6b77	??	??
ram:6b78	??	??
ram:6b79	??	??

Ghidra - 961264-10.2764.u31

ram:6b7a	??	??
ram:6b7b	??	??
ram:6b7c	??	??
ram:6b7d	??	??
ram:6b7e	??	??
ram:6b7f	??	??
ram:6b80	??	??
ram:6b81	??	??
ram:6b82	??	??
ram:6b83	??	??
ram:6b84	??	??
ram:6b85	??	??
ram:6b86	??	??
ram:6b87	??	??
ram:6b88	??	??
ram:6b89	??	??
ram:6b8a	??	??
ram:6b8b	??	??
ram:6b8c	??	??
ram:6b8d	??	??
ram:6b8e	??	??
ram:6b8f	??	??
ram:6b90	??	??
ram:6b91	??	??
ram:6b92	??	??
ram:6b93	??	??
ram:6b94	??	??
ram:6b95	??	??
ram:6b96	??	??
ram:6b97	??	??
ram:6b98	??	??
ram:6b99	??	??
ram:6b9a	??	??
ram:6b9b	??	??
ram:6b9c	??	??
ram:6b9d	??	??
ram:6b9e	??	??
ram:6b9f	??	??
ram:6ba0	??	??
ram:6ba1	??	??
ram:6ba2	??	??
ram:6ba3	??	??
ram:6ba4	??	??
ram:6ba5	??	??
ram:6ba6	??	??
ram:6ba7	??	??
ram:6ba8	??	??
ram:6ba9	??	??
ram:6baa	??	??
ram:6bab	??	??
ram:6bac	??	??
ram:6bad	??	??
ram:6bae	??	??
ram:6baf	??	??
ram:6bb0	??	??
ram:6bb1	??	??
ram:6bb2	??	??
ram:6bb3	??	??
ram:6bb4	??	??
ram:6bb5	??	??
ram:6bb6	??	??
ram:6bb7	??	??
ram:6bb8	??	??
ram:6bb9	??	??
ram:6bba	??	??
ram:6bbb	??	??
ram:6bbc	??	??
ram:6bbd	??	??
ram:6bbe	??	??
ram:6bbf	??	??
ram:6bc0	??	??
ram:6bc1	??	??
ram:6bc2	??	??
ram:6bc3	??	??
ram:6bc4	??	??
ram:6bc5	??	??
ram:6bc6	??	??
ram:6bc7	??	??
ram:6bc8	??	??
ram:6bc9	??	??
ram:6bca	??	??
ram:6bcb	??	??
ram:6bcc	??	??
ram:6bcd	??	??
ram:6bce	??	??

Ghidra - 961264-10.2764.u31

ram:6bcf	??	??
ram:6bd0	??	??
ram:6bd1	??	??
ram:6bd2	??	??
ram:6bd3	??	??
ram:6bd4	??	??
ram:6bd5	??	??
ram:6bd6	??	??
ram:6bd7	??	??
ram:6bd8	??	??
ram:6bd9	??	??
ram:6bda	??	??
ram:6bdb	??	??
ram:6bdc	??	??
ram:6bdd	??	??
ram:6bde	??	??
ram:6bdf	??	??
ram:6be0	??	??
ram:6be1	??	??
ram:6be2	??	??
ram:6be3	??	??
ram:6be4	??	??
ram:6be5	??	??
ram:6be6	??	??
ram:6be7	??	??
ram:6be8	??	??
ram:6be9	??	??
ram:6bea	??	??
ram:6beb	??	??
ram:6bec	??	??
ram:6bed	??	??
ram:6bee	??	??
ram:6bef	??	??
ram:6bf0	??	??
ram:6bf1	??	??
ram:6bf2	??	??
ram:6bf3	??	??
ram:6bf4	??	??
ram:6bf5	??	??
ram:6bf6	??	??
ram:6bf7	??	??
ram:6bf8	??	??
ram:6bf9	??	??
ram:6bfa	??	??
ram:6bfb	??	??
ram:6bfc	??	??
ram:6bfd	??	??
ram:6bfe	??	??
ram:6bff	??	??
ram:6c00	??	??
ram:6c01	??	??
ram:6c02	??	??
ram:6c03	??	??
ram:6c04	??	??
ram:6c05	??	??
ram:6c06	??	??
ram:6c07	??	??
ram:6c08	??	??
ram:6c09	??	??
ram:6c0a	??	??
ram:6c0b	??	??
ram:6c0c	??	??
ram:6c0d	??	??
ram:6c0e	??	??
ram:6c0f	??	??
ram:6c10	??	??
ram:6c11	??	??
ram:6c12	??	??
ram:6c13	??	??
ram:6c14	??	??
ram:6c15	??	??
ram:6c16	??	??
ram:6c17	??	??
ram:6c18	??	??
ram:6c19	??	??
ram:6c1a	??	??
ram:6c1b	??	??
ram:6c1c	??	??
ram:6c1d	??	??
ram:6c1e	??	??
ram:6c1f	??	??
ram:6c20	??	??
ram:6c21	??	??
ram:6c22	??	??
ram:6c23	??	??

Ghidra - 961264-10.2764.u31

ram:6c24	??	??
ram:6c25	??	??
ram:6c26	??	??
ram:6c27	??	??
ram:6c28	??	??
ram:6c29	??	??
ram:6c2a	??	??
ram:6c2b	??	??
ram:6c2c	??	??
ram:6c2d	??	??
ram:6c2e	??	??
ram:6c2f	??	??
ram:6c30	??	??
ram:6c31	??	??
ram:6c32	??	??
ram:6c33	??	??
ram:6c34	??	??
ram:6c35	??	??
ram:6c36	??	??
ram:6c37	??	??
ram:6c38	??	??
ram:6c39	??	??
ram:6c3a	??	??
ram:6c3b	??	??
ram:6c3c	??	??
ram:6c3d	??	??
ram:6c3e	??	??
ram:6c3f	??	??
ram:6c40	??	??
ram:6c41	??	??
ram:6c42	??	??
ram:6c43	??	??
ram:6c44	??	??
ram:6c45	??	??
ram:6c46	??	??
ram:6c47	??	??
ram:6c48	??	??
ram:6c49	??	??
ram:6c4a	??	??
ram:6c4b	??	??
ram:6c4c	??	??
ram:6c4d	??	??
ram:6c4e	??	??
ram:6c4f	??	??
ram:6c50	??	??
ram:6c51	??	??
ram:6c52	??	??
ram:6c53	??	??
ram:6c54	??	??
ram:6c55	??	??
ram:6c56	??	??
ram:6c57	??	??
ram:6c58	??	??
ram:6c59	??	??
ram:6c5a	??	??
ram:6c5b	??	??
ram:6c5c	??	??
ram:6c5d	??	??
ram:6c5e	??	??
ram:6c5f	??	??
ram:6c60	??	??
ram:6c61	??	??
ram:6c62	??	??
ram:6c63	??	??
ram:6c64	??	??
ram:6c65	??	??
ram:6c66	??	??
ram:6c67	??	??
ram:6c68	??	??
ram:6c69	??	??
ram:6c6a	??	??
ram:6c6b	??	??
ram:6c6c	??	??
ram:6c6d	??	??
ram:6c6e	??	??
ram:6c6f	??	??
ram:6c70	??	??
ram:6c71	??	??
ram:6c72	??	??
ram:6c73	??	??
ram:6c74	??	??
ram:6c75	??	??
ram:6c76	??	??
ram:6c77	??	??
ram:6c78	??	??

Ghidra - 961264-10.2764.u31

ram:6c79	??	??
ram:6c7a	??	??
ram:6c7b	??	??
ram:6c7c	??	??
ram:6c7d	??	??
ram:6c7e	??	??
ram:6c7f	??	??
ram:6c80	??	??
ram:6c81	??	??
ram:6c82	??	??
ram:6c83	??	??
ram:6c84	??	??
ram:6c85	??	??
ram:6c86	??	??
ram:6c87	??	??
ram:6c88	??	??
ram:6c89	??	??
ram:6c8a	??	??
ram:6c8b	??	??
ram:6c8c	??	??
ram:6c8d	??	??
ram:6c8e	??	??
ram:6c8f	??	??
ram:6c90	??	??
ram:6c91	??	??
ram:6c92	??	??
ram:6c93	??	??
ram:6c94	??	??
ram:6c95	??	??
ram:6c96	??	??
ram:6c97	??	??
ram:6c98	??	??
ram:6c99	??	??
ram:6c9a	??	??
ram:6c9b	??	??
ram:6c9c	??	??
ram:6c9d	??	??
ram:6c9e	??	??
ram:6c9f	??	??
ram:6ca0	??	??
ram:6ca1	??	??
ram:6ca2	??	??
ram:6ca3	??	??
ram:6ca4	??	??
ram:6ca5	??	??
ram:6ca6	??	??
ram:6ca7	??	??
ram:6ca8	??	??
ram:6ca9	??	??
ram:6caa	??	??
ram:6cab	??	??
ram:6cac	??	??
ram:6cad	??	??
ram:6cae	??	??
ram:6caf	??	??
ram:6cb0	??	??
ram:6cb1	??	??
ram:6cb2	??	??
ram:6cb3	??	??
ram:6cb4	??	??
ram:6cb5	??	??
ram:6cb6	??	??
ram:6cb7	??	??
ram:6cb8	??	??
ram:6cb9	??	??
ram:6cba	??	??
ram:6cbb	??	??
ram:6cbc	??	??
ram:6cbd	??	??
ram:6cbe	??	??
ram:6cbf	??	??
ram:6cc0	??	??
ram:6cc1	??	??
ram:6cc2	??	??
ram:6cc3	??	??
ram:6cc4	??	??
ram:6cc5	??	??
ram:6cc6	??	??
ram:6cc7	??	??
ram:6cc8	??	??
ram:6cc9	??	??
ram:6cca	??	??
ram:6ccb	??	??
ram:6ccc	??	??
ram:6ccd	??	??

Ghidra - 961264-10.2764.u31

ram:6cce	??	??
ram:6ccf	??	??
ram:6cd0	??	??
ram:6cd1	??	??
ram:6cd2	??	??
ram:6cd3	??	??
ram:6cd4	??	??
ram:6cd5	??	??
ram:6cd6	??	??
ram:6cd7	??	??
ram:6cd8	??	??
ram:6cd9	??	??
ram:6cda	??	??
ram:6cdb	??	??
ram:6cdc	??	??
ram:6cdd	??	??
ram:6cde	??	??
ram:6cdf	??	??
ram:6ce0	??	??
ram:6ce1	??	??
ram:6ce2	??	??
ram:6ce3	??	??
ram:6ce4	??	??
ram:6ce5	??	??
ram:6ce6	??	??
ram:6ce7	??	??
ram:6ce8	??	??
ram:6ce9	??	??
ram:6cea	??	??
ram:6ceb	??	??
ram:6cec	??	??
ram:6ced	??	??
ram:6cee	??	??
ram:6cef	??	??
ram:6cf0	??	??
ram:6cf1	??	??
ram:6cf2	??	??
ram:6cf3	??	??
ram:6cf4	??	??
ram:6cf5	??	??
ram:6cf6	??	??
ram:6cf7	??	??
ram:6cf8	??	??
ram:6cf9	??	??
ram:6cfa	??	??
ram:6cfb	??	??
ram:6cfc	??	??
ram:6cfd	??	??
ram:6cfe	??	??
ram:6cff	??	??
ram:6d00	??	??
ram:6d01	??	??
ram:6d02	??	??
ram:6d03	??	??
ram:6d04	??	??
ram:6d05	??	??
ram:6d06	??	??
ram:6d07	??	??
ram:6d08	??	??
ram:6d09	??	??
ram:6d0a	??	??
ram:6d0b	??	??
ram:6d0c	??	??
ram:6d0d	??	??
ram:6d0e	??	??
ram:6d0f	??	??
ram:6d10	??	??
ram:6d11	??	??
ram:6d12	??	??
ram:6d13	??	??
ram:6d14	??	??
ram:6d15	??	??
ram:6d16	??	??
ram:6d17	??	??
ram:6d18	??	??
ram:6d19	??	??
ram:6d1a	??	??
ram:6d1b	??	??
ram:6d1c	??	??
ram:6d1d	??	??
ram:6d1e	??	??
ram:6d1f	??	??
ram:6d20	??	??
ram:6d21	??	??
ram:6d22	??	??

Ghidra - 961264-10.2764.u31

ram:6d23	??	??
ram:6d24	??	??
ram:6d25	??	??
ram:6d26	??	??
ram:6d27	??	??
ram:6d28	??	??
ram:6d29	??	??
ram:6d2a	??	??
ram:6d2b	??	??
ram:6d2c	??	??
ram:6d2d	??	??
ram:6d2e	??	??
ram:6d2f	??	??
ram:6d30	??	??
ram:6d31	??	??
ram:6d32	??	??
ram:6d33	??	??
ram:6d34	??	??
ram:6d35	??	??
ram:6d36	??	??
ram:6d37	??	??
ram:6d38	??	??
ram:6d39	??	??
ram:6d3a	??	??
ram:6d3b	??	??
ram:6d3c	??	??
ram:6d3d	??	??
ram:6d3e	??	??
ram:6d3f	??	??
ram:6d40	??	??
ram:6d41	??	??
ram:6d42	??	??
ram:6d43	??	??
ram:6d44	??	??
ram:6d45	??	??
ram:6d46	??	??
ram:6d47	??	??
ram:6d48	??	??
ram:6d49	??	??
ram:6d4a	??	??
ram:6d4b	??	??
ram:6d4c	??	??
ram:6d4d	??	??
ram:6d4e	??	??
ram:6d4f	??	??
ram:6d50	??	??
ram:6d51	??	??
ram:6d52	??	??
ram:6d53	??	??
ram:6d54	??	??
ram:6d55	??	??
ram:6d56	??	??
ram:6d57	??	??
ram:6d58	??	??
ram:6d59	??	??
ram:6d5a	??	??
ram:6d5b	??	??
ram:6d5c	??	??
ram:6d5d	??	??
ram:6d5e	??	??
ram:6d5f	??	??
ram:6d60	??	??
ram:6d61	??	??
ram:6d62	??	??
ram:6d63	??	??
ram:6d64	??	??
ram:6d65	??	??
ram:6d66	??	??
ram:6d67	??	??
ram:6d68	??	??
ram:6d69	??	??
ram:6d6a	??	??
ram:6d6b	??	??
ram:6d6c	??	??
ram:6d6d	??	??
ram:6d6e	??	??
ram:6d6f	??	??
ram:6d70	??	??
ram:6d71	??	??
ram:6d72	??	??
ram:6d73	??	??
ram:6d74	??	??
ram:6d75	??	??
ram:6d76	??	??
ram:6d77	??	??

Ghidra - 961264-10.2764.u31

ram:6d78	??	??
ram:6d79	??	??
ram:6d7a	??	??
ram:6d7b	??	??
ram:6d7c	??	??
ram:6d7d	??	??
ram:6d7e	??	??
ram:6d7f	??	??
ram:6d80	??	??
ram:6d81	??	??
ram:6d82	??	??
ram:6d83	??	??
ram:6d84	??	??
ram:6d85	??	??
ram:6d86	??	??
ram:6d87	??	??
ram:6d88	??	??
ram:6d89	??	??
ram:6d8a	??	??
ram:6d8b	??	??
ram:6d8c	??	??
ram:6d8d	??	??
ram:6d8e	??	??
ram:6d8f	??	??
ram:6d90	??	??
ram:6d91	??	??
ram:6d92	??	??
ram:6d93	??	??
ram:6d94	??	??
ram:6d95	??	??
ram:6d96	??	??
ram:6d97	??	??
ram:6d98	??	??
ram:6d99	??	??
ram:6d9a	??	??
ram:6d9b	??	??
ram:6d9c	??	??
ram:6d9d	??	??
ram:6d9e	??	??
ram:6d9f	??	??
ram:6da0	??	??
ram:6da1	??	??
ram:6da2	??	??
ram:6da3	??	??
ram:6da4	??	??
ram:6da5	??	??
ram:6da6	??	??
ram:6da7	??	??
ram:6da8	??	??
ram:6da9	??	??
ram:6daa	??	??
ram:6dab	??	??
ram:6dac	??	??
ram:6dad	??	??
ram:6dae	??	??
ram:6daf	??	??
ram:6db0	??	??
ram:6db1	??	??
ram:6db2	??	??
ram:6db3	??	??
ram:6db4	??	??
ram:6db5	??	??
ram:6db6	??	??
ram:6db7	??	??
ram:6db8	??	??
ram:6db9	??	??
ram:6dba	??	??
ram:6dbb	??	??
ram:6dbc	??	??
ram:6dbd	??	??
ram:6dbe	??	??
ram:6dbf	??	??
ram:6dc0	??	??
ram:6dc1	??	??
ram:6dc2	??	??
ram:6dc3	??	??
ram:6dc4	??	??
ram:6dc5	??	??
ram:6dc6	??	??
ram:6dc7	??	??
ram:6dc8	??	??
ram:6dc9	??	??
ram:6dca	??	??
ram:6dcb	??	??
ram:6dcc	??	??

Ghidra - 961264-10.2764.u31

ram:6dcd	??	??
ram:6dce	??	??
ram:6dcf	??	??
ram:6dd0	??	??
ram:6dd1	??	??
ram:6dd2	??	??
ram:6dd3	??	??
ram:6dd4	??	??
ram:6dd5	??	??
ram:6dd6	??	??
ram:6dd7	??	??
ram:6dd8	??	??
ram:6dd9	??	??
ram:6dda	??	??
ram:6ddb	??	??
ram:6ddc	??	??
ram:6ddd	??	??
ram:6dde	??	??
ram:6ddf	??	??
ram:6de0	??	??
ram:6de1	??	??
ram:6de2	??	??
ram:6de3	??	??
ram:6de4	??	??
ram:6de5	??	??
ram:6de6	??	??
ram:6de7	??	??
ram:6de8	??	??
ram:6de9	??	??
ram:6dea	??	??
ram:6deb	??	??
ram:6dec	??	??
ram:6ded	??	??
ram:6dee	??	??
ram:6def	??	??
ram:6df0	??	??
ram:6df1	??	??
ram:6df2	??	??
ram:6df3	??	??
ram:6df4	??	??
ram:6df5	??	??
ram:6df6	??	??
ram:6df7	??	??
ram:6df8	??	??
ram:6df9	??	??
ram:6dfa	??	??
ram:6dfb	??	??
ram:6dfc	??	??
ram:6dfd	??	??
ram:6dfe	??	??
ram:6dff	??	??
ram:6e00	??	??
ram:6e01	??	??
ram:6e02	??	??
ram:6e03	??	??
ram:6e04	??	??
ram:6e05	??	??
ram:6e06	??	??
ram:6e07	??	??
ram:6e08	??	??
ram:6e09	??	??
ram:6e0a	??	??
ram:6e0b	??	??
ram:6e0c	??	??
ram:6e0d	??	??
ram:6e0e	??	??
ram:6e0f	??	??
ram:6e10	??	??
ram:6e11	??	??
ram:6e12	??	??
ram:6e13	??	??
ram:6e14	??	??
ram:6e15	??	??
ram:6e16	??	??
ram:6e17	??	??
ram:6e18	??	??
ram:6e19	??	??
ram:6e1a	??	??
ram:6e1b	??	??
ram:6e1c	??	??
ram:6e1d	??	??
ram:6e1e	??	??
ram:6e1f	??	??
ram:6e20	??	??
ram:6e21	??	??

Ghidra - 961264-10.2764.u31

ram:6e22	??	??
ram:6e23	??	??
ram:6e24	??	??
ram:6e25	??	??
ram:6e26	??	??
ram:6e27	??	??
ram:6e28	??	??
ram:6e29	??	??
ram:6e2a	??	??
ram:6e2b	??	??
ram:6e2c	??	??
ram:6e2d	??	??
ram:6e2e	??	??
ram:6e2f	??	??
ram:6e30	??	??
ram:6e31	??	??
ram:6e32	??	??
ram:6e33	??	??
ram:6e34	??	??
ram:6e35	??	??
ram:6e36	??	??
ram:6e37	??	??
ram:6e38	??	??
ram:6e39	??	??
ram:6e3a	??	??
ram:6e3b	??	??
ram:6e3c	??	??
ram:6e3d	??	??
ram:6e3e	??	??
ram:6e3f	??	??
ram:6e40	??	??
ram:6e41	??	??
ram:6e42	??	??
ram:6e43	??	??
ram:6e44	??	??
ram:6e45	??	??
ram:6e46	??	??
ram:6e47	??	??
ram:6e48	??	??
ram:6e49	??	??
ram:6e4a	??	??
ram:6e4b	??	??
ram:6e4c	??	??
ram:6e4d	??	??
ram:6e4e	??	??
ram:6e4f	??	??
ram:6e50	??	??
ram:6e51	??	??
ram:6e52	??	??
ram:6e53	??	??
ram:6e54	??	??
ram:6e55	??	??
ram:6e56	??	??
ram:6e57	??	??
ram:6e58	??	??
ram:6e59	??	??
ram:6e5a	??	??
ram:6e5b	??	??
ram:6e5c	??	??
ram:6e5d	??	??
ram:6e5e	??	??
ram:6e5f	??	??
ram:6e60	??	??
ram:6e61	??	??
ram:6e62	??	??
ram:6e63	??	??
ram:6e64	??	??
ram:6e65	??	??
ram:6e66	??	??
ram:6e67	??	??
ram:6e68	??	??
ram:6e69	??	??
ram:6e6a	??	??
ram:6e6b	??	??
ram:6e6c	??	??
ram:6e6d	??	??
ram:6e6e	??	??
ram:6e6f	??	??
ram:6e70	??	??
ram:6e71	??	??
ram:6e72	??	??
ram:6e73	??	??
ram:6e74	??	??
ram:6e75	??	??
ram:6e76	??	??

Ghidra - 961264-10.2764.u31

ram:6e77	??	??
ram:6e78	??	??
ram:6e79	??	??
ram:6e7a	??	??
ram:6e7b	??	??
ram:6e7c	??	??
ram:6e7d	??	??
ram:6e7e	??	??
ram:6e7f	??	??
ram:6e80	??	??
ram:6e81	??	??
ram:6e82	??	??
ram:6e83	??	??
ram:6e84	??	??
ram:6e85	??	??
ram:6e86	??	??
ram:6e87	??	??
ram:6e88	??	??
ram:6e89	??	??
ram:6e8a	??	??
ram:6e8b	??	??
ram:6e8c	??	??
ram:6e8d	??	??
ram:6e8e	??	??
ram:6e8f	??	??
ram:6e90	??	??
ram:6e91	??	??
ram:6e92	??	??
ram:6e93	??	??
ram:6e94	??	??
ram:6e95	??	??
ram:6e96	??	??
ram:6e97	??	??
ram:6e98	??	??
ram:6e99	??	??
ram:6e9a	??	??
ram:6e9b	??	??
ram:6e9c	??	??
ram:6e9d	??	??
ram:6e9e	??	??
ram:6e9f	??	??
ram:6ea0	??	??
ram:6ea1	??	??
ram:6ea2	??	??
ram:6ea3	??	??
ram:6ea4	??	??
ram:6ea5	??	??
ram:6ea6	??	??
ram:6ea7	??	??
ram:6ea8	??	??
ram:6ea9	??	??
ram:6eaa	??	??
ram:6eab	??	??
ram:6eac	??	??
ram:6ead	??	??
ram:6eae	??	??
ram:6eaf	??	??
ram:6eb0	??	??
ram:6eb1	??	??
ram:6eb2	??	??
ram:6eb3	??	??
ram:6eb4	??	??
ram:6eb5	??	??
ram:6eb6	??	??
ram:6eb7	??	??
ram:6eb8	??	??
ram:6eb9	??	??
ram:6eba	??	??
ram:6ebb	??	??
ram:6ebc	??	??
ram:6ebd	??	??
ram:6ebe	??	??
ram:6ebf	??	??
ram:6ec0	??	??
ram:6ec1	??	??
ram:6ec2	??	??
ram:6ec3	??	??
ram:6ec4	??	??
ram:6ec5	??	??
ram:6ec6	??	??
ram:6ec7	??	??
ram:6ec8	??	??
ram:6ec9	??	??
ram:6eca	??	??
ram:6ecb	??	??

Ghidra - 961264-10.2764.u31

ram:6ecc	??	??
ram:6ecd	??	??
ram:6ece	??	??
ram:6ecf	??	??
ram:6ed0	??	??
ram:6ed1	??	??
ram:6ed2	??	??
ram:6ed3	??	??
ram:6ed4	??	??
ram:6ed5	??	??
ram:6ed6	??	??
ram:6ed7	??	??
ram:6ed8	??	??
ram:6ed9	??	??
ram:6eda	??	??
ram:6edb	??	??
ram:6edc	??	??
ram:6edd	??	??
ram:6ede	??	??
ram:6edf	??	??
ram:6ee0	??	??
ram:6ee1	??	??
ram:6ee2	??	??
ram:6ee3	??	??
ram:6ee4	??	??
ram:6ee5	??	??
ram:6ee6	??	??
ram:6ee7	??	??
ram:6ee8	??	??
ram:6ee9	??	??
ram:6eea	??	??
ram:6eeb	??	??
ram:6eec	??	??
ram:6eed	??	??
ram:6eee	??	??
ram:6eef	??	??
ram:6ef0	??	??
ram:6ef1	??	??
ram:6ef2	??	??
ram:6ef3	??	??
ram:6ef4	??	??
ram:6ef5	??	??
ram:6ef6	??	??
ram:6ef7	??	??
ram:6ef8	??	??
ram:6ef9	??	??
ram:6efa	??	??
ram:6efb	??	??
ram:6efc	??	??
ram:6efd	??	??
ram:6efe	??	??
ram:6eff	??	??
ram:6f00	??	??
ram:6f01	??	??
ram:6f02	??	??
ram:6f03	??	??
ram:6f04	??	??
ram:6f05	??	??
ram:6f06	??	??
ram:6f07	??	??
ram:6f08	??	??
ram:6f09	??	??
ram:6f0a	??	??
ram:6f0b	??	??
ram:6f0c	??	??
ram:6f0d	??	??
ram:6f0e	??	??
ram:6f0f	??	??
ram:6f10	??	??
ram:6f11	??	??
ram:6f12	??	??
ram:6f13	??	??
ram:6f14	??	??
ram:6f15	??	??
ram:6f16	??	??
ram:6f17	??	??
ram:6f18	??	??
ram:6f19	??	??
ram:6f1a	??	??
ram:6f1b	??	??
ram:6f1c	??	??
ram:6f1d	??	??
ram:6f1e	??	??
ram:6f1f	??	??
ram:6f20	??	??

Ghidra - 961264-10.2764.u31

ram:6f21	??	??
ram:6f22	??	??
ram:6f23	??	??
ram:6f24	??	??
ram:6f25	??	??
ram:6f26	??	??
ram:6f27	??	??
ram:6f28	??	??
ram:6f29	??	??
ram:6f2a	??	??
ram:6f2b	??	??
ram:6f2c	??	??
ram:6f2d	??	??
ram:6f2e	??	??
ram:6f2f	??	??
ram:6f30	??	??
ram:6f31	??	??
ram:6f32	??	??
ram:6f33	??	??
ram:6f34	??	??
ram:6f35	??	??
ram:6f36	??	??
ram:6f37	??	??
ram:6f38	??	??
ram:6f39	??	??
ram:6f3a	??	??
ram:6f3b	??	??
ram:6f3c	??	??
ram:6f3d	??	??
ram:6f3e	??	??
ram:6f3f	??	??
ram:6f40	??	??
ram:6f41	??	??
ram:6f42	??	??
ram:6f43	??	??
ram:6f44	??	??
ram:6f45	??	??
ram:6f46	??	??
ram:6f47	??	??
ram:6f48	??	??
ram:6f49	??	??
ram:6f4a	??	??
ram:6f4b	??	??
ram:6f4c	??	??
ram:6f4d	??	??
ram:6f4e	??	??
ram:6f4f	??	??
ram:6f50	??	??
ram:6f51	??	??
ram:6f52	??	??
ram:6f53	??	??
ram:6f54	??	??
ram:6f55	??	??
ram:6f56	??	??
ram:6f57	??	??
ram:6f58	??	??
ram:6f59	??	??
ram:6f5a	??	??
ram:6f5b	??	??
ram:6f5c	??	??
ram:6f5d	??	??
ram:6f5e	??	??
ram:6f5f	??	??
ram:6f60	??	??
ram:6f61	??	??
ram:6f62	??	??
ram:6f63	??	??
ram:6f64	??	??
ram:6f65	??	??
ram:6f66	??	??
ram:6f67	??	??
ram:6f68	??	??
ram:6f69	??	??
ram:6f6a	??	??
ram:6f6b	??	??
ram:6f6c	??	??
ram:6f6d	??	??
ram:6f6e	??	??
ram:6f6f	??	??
ram:6f70	??	??
ram:6f71	??	??
ram:6f72	??	??
ram:6f73	??	??
ram:6f74	??	??
ram:6f75	??	??

Ghidra - 961264-10.2764.u31

ram:6f76	??	??
ram:6f77	??	??
ram:6f78	??	??
ram:6f79	??	??
ram:6f7a	??	??
ram:6f7b	??	??
ram:6f7c	??	??
ram:6f7d	??	??
ram:6f7e	??	??
ram:6f7f	??	??
ram:6f80	??	??
ram:6f81	??	??
ram:6f82	??	??
ram:6f83	??	??
ram:6f84	??	??
ram:6f85	??	??
ram:6f86	??	??
ram:6f87	??	??
ram:6f88	??	??
ram:6f89	??	??
ram:6f8a	??	??
ram:6f8b	??	??
ram:6f8c	??	??
ram:6f8d	??	??
ram:6f8e	??	??
ram:6f8f	??	??
ram:6f90	??	??
ram:6f91	??	??
ram:6f92	??	??
ram:6f93	??	??
ram:6f94	??	??
ram:6f95	??	??
ram:6f96	??	??
ram:6f97	??	??
ram:6f98	??	??
ram:6f99	??	??
ram:6f9a	??	??
ram:6f9b	??	??
ram:6f9c	??	??
ram:6f9d	??	??
ram:6f9e	??	??
ram:6f9f	??	??
ram:6fa0	??	??
ram:6fa1	??	??
ram:6fa2	??	??
ram:6fa3	??	??
ram:6fa4	??	??
ram:6fa5	??	??
ram:6fa6	??	??
ram:6fa7	??	??
ram:6fa8	??	??
ram:6fa9	??	??
ram:6faa	??	??
ram:6fab	??	??
ram:6fac	??	??
ram:6fad	??	??
ram:6fae	??	??
ram:6faf	??	??
ram:6fb0	??	??
ram:6fb1	??	??
ram:6fb2	??	??
ram:6fb3	??	??
ram:6fb4	??	??
ram:6fb5	??	??
ram:6fb6	??	??
ram:6fb7	??	??
ram:6fb8	??	??
ram:6fb9	??	??
ram:6fba	??	??
ram:6fbb	??	??
ram:6fbc	??	??
ram:6fbd	??	??
ram:6fbe	??	??
ram:6fbf	??	??
ram:6fc0	??	??
ram:6fc1	??	??
ram:6fc2	??	??
ram:6fc3	??	??
ram:6fc4	??	??
ram:6fc5	??	??
ram:6fc6	??	??
ram:6fc7	??	??
ram:6fc8	??	??
ram:6fc9	??	??
ram:6fca	??	??

Ghidra - 961264-10.2764.u31

ram:6fcb	??	??
ram:6fcc	??	??
ram:6fcd	??	??
ram:6fce	??	??
ram:6fcf	??	??
ram:6fd0	??	??
ram:6fd1	??	??
ram:6fd2	??	??
ram:6fd3	??	??
ram:6fd4	??	??
ram:6fd5	??	??
ram:6fd6	??	??
ram:6fd7	??	??
ram:6fd8	??	??
ram:6fd9	??	??
ram:6fda	??	??
ram:6fdb	??	??
ram:6fdc	??	??
ram:6fdd	??	??
ram:6fde	??	??
ram:6fdf	??	??
ram:6fe0	??	??
ram:6fe1	??	??
ram:6fe2	??	??
ram:6fe3	??	??
ram:6fe4	??	??
ram:6fe5	??	??
ram:6fe6	??	??
ram:6fe7	??	??
ram:6fe8	??	??
ram:6fe9	??	??
ram:6fea	??	??
ram:6feb	??	??
ram:6fec	??	??
ram:6fed	??	??
ram:6fee	??	??
ram:6fef	??	??
ram:6ff0	??	??
ram:6ff1	??	??
ram:6ff2	??	??
ram:6ff3	??	??
ram:6ff4	??	??
ram:6ff5	??	??
ram:6ff6	??	??
ram:6ff7	??	??
ram:6ff8	??	??
ram:6ff9	??	??
ram:6ffa	??	??
ram:6ffb	??	??
ram:6ffc	??	??
ram:6ffd	??	??
ram:6ffe	??	??
ram:6fff	??	??
ram:7000	??	??
ram:7001	??	??
ram:7002	??	??
ram:7003	??	??
ram:7004	??	??
ram:7005	??	??
ram:7006	??	??
ram:7007	??	??
ram:7008	??	??
ram:7009	??	??
ram:700a	??	??
ram:700b	??	??
ram:700c	??	??
ram:700d	??	??
ram:700e	??	??
ram:700f	??	??
ram:7010	??	??
ram:7011	??	??
ram:7012	??	??
ram:7013	??	??
ram:7014	??	??
ram:7015	??	??
ram:7016	??	??
ram:7017	??	??
ram:7018	??	??
ram:7019	??	??
ram:701a	??	??
ram:701b	??	??
ram:701c	??	??
ram:701d	??	??
ram:701e	??	??
ram:701f	??	??

Ghidra - 961264-10.2764.u31

ram:7020	??	??
ram:7021	??	??
ram:7022	??	??
ram:7023	??	??
ram:7024	??	??
ram:7025	??	??
ram:7026	??	??
ram:7027	??	??
ram:7028	??	??
ram:7029	??	??
ram:702a	??	??
ram:702b	??	??
ram:702c	??	??
ram:702d	??	??
ram:702e	??	??
ram:702f	??	??
ram:7030	??	??
ram:7031	??	??
ram:7032	??	??
ram:7033	??	??
ram:7034	??	??
ram:7035	??	??
ram:7036	??	??
ram:7037	??	??
ram:7038	??	??
ram:7039	??	??
ram:703a	??	??
ram:703b	??	??
ram:703c	??	??
ram:703d	??	??
ram:703e	??	??
ram:703f	??	??
ram:7040	??	??
ram:7041	??	??
ram:7042	??	??
ram:7043	??	??
ram:7044	??	??
ram:7045	??	??
ram:7046	??	??
ram:7047	??	??
ram:7048	??	??
ram:7049	??	??
ram:704a	??	??
ram:704b	??	??
ram:704c	??	??
ram:704d	??	??
ram:704e	??	??
ram:704f	??	??
ram:7050	??	??
ram:7051	??	??
ram:7052	??	??
ram:7053	??	??
ram:7054	??	??
ram:7055	??	??
ram:7056	??	??
ram:7057	??	??
ram:7058	??	??
ram:7059	??	??
ram:705a	??	??
ram:705b	??	??
ram:705c	??	??
ram:705d	??	??
ram:705e	??	??
ram:705f	??	??
ram:7060	??	??
ram:7061	??	??
ram:7062	??	??
ram:7063	??	??
ram:7064	??	??
ram:7065	??	??
ram:7066	??	??
ram:7067	??	??
ram:7068	??	??
ram:7069	??	??
ram:706a	??	??
ram:706b	??	??
ram:706c	??	??
ram:706d	??	??
ram:706e	??	??
ram:706f	??	??
ram:7070	??	??
ram:7071	??	??
ram:7072	??	??
ram:7073	??	??
ram:7074	??	??

Ghidra - 961264-10.2764.u31

ram:7075	??	??
ram:7076	??	??
ram:7077	??	??
ram:7078	??	??
ram:7079	??	??
ram:707a	??	??
ram:707b	??	??
ram:707c	??	??
ram:707d	??	??
ram:707e	??	??
ram:707f	??	??
ram:7080	??	??
ram:7081	??	??
ram:7082	??	??
ram:7083	??	??
ram:7084	??	??
ram:7085	??	??
ram:7086	??	??
ram:7087	??	??
ram:7088	??	??
ram:7089	??	??
ram:708a	??	??
ram:708b	??	??
ram:708c	??	??
ram:708d	??	??
ram:708e	??	??
ram:708f	??	??
ram:7090	??	??
ram:7091	??	??
ram:7092	??	??
ram:7093	??	??
ram:7094	??	??
ram:7095	??	??
ram:7096	??	??
ram:7097	??	??
ram:7098	??	??
ram:7099	??	??
ram:709a	??	??
ram:709b	??	??
ram:709c	??	??
ram:709d	??	??
ram:709e	??	??
ram:709f	??	??
ram:70a0	??	??
ram:70a1	??	??
ram:70a2	??	??
ram:70a3	??	??
ram:70a4	??	??
ram:70a5	??	??
ram:70a6	??	??
ram:70a7	??	??
ram:70a8	??	??
ram:70a9	??	??
ram:70aa	??	??
ram:70ab	??	??
ram:70ac	??	??
ram:70ad	??	??
ram:70ae	??	??
ram:70af	??	??
ram:70b0	??	??
ram:70b1	??	??
ram:70b2	??	??
ram:70b3	??	??
ram:70b4	??	??
ram:70b5	??	??
ram:70b6	??	??
ram:70b7	??	??
ram:70b8	??	??
ram:70b9	??	??
ram:70ba	??	??
ram:70bb	??	??
ram:70bc	??	??
ram:70bd	??	??
ram:70be	??	??
ram:70bf	??	??
ram:70c0	??	??
ram:70c1	??	??
ram:70c2	??	??
ram:70c3	??	??
ram:70c4	??	??
ram:70c5	??	??
ram:70c6	??	??
ram:70c7	??	??
ram:70c8	??	??
ram:70c9	??	??

Ghidra - 961264-10.2764.u31

ram:70ca	??	??
ram:70cb	??	??
ram:70cc	??	??
ram:70cd	??	??
ram:70ce	??	??
ram:70cf	??	??
ram:70d0	??	??
ram:70d1	??	??
ram:70d2	??	??
ram:70d3	??	??
ram:70d4	??	??
ram:70d5	??	??
ram:70d6	??	??
ram:70d7	??	??
ram:70d8	??	??
ram:70d9	??	??
ram:70da	??	??
ram:70db	??	??
ram:70dc	??	??
ram:70dd	??	??
ram:70de	??	??
ram:70df	??	??
ram:70e0	??	??
ram:70e1	??	??
ram:70e2	??	??
ram:70e3	??	??
ram:70e4	??	??
ram:70e5	??	??
ram:70e6	??	??
ram:70e7	??	??
ram:70e8	??	??
ram:70e9	??	??
ram:70ea	??	??
ram:70eb	??	??
ram:70ec	??	??
ram:70ed	??	??
ram:70ee	??	??
ram:70ef	??	??
ram:70f0	??	??
ram:70f1	??	??
ram:70f2	??	??
ram:70f3	??	??
ram:70f4	??	??
ram:70f5	??	??
ram:70f6	??	??
ram:70f7	??	??
ram:70f8	??	??
ram:70f9	??	??
ram:70fa	??	??
ram:70fb	??	??
ram:70fc	??	??
ram:70fd	??	??
ram:70fe	??	??
ram:70ff	??	??
ram:7100	??	??
ram:7101	??	??
ram:7102	??	??
ram:7103	??	??
ram:7104	??	??
ram:7105	??	??
ram:7106	??	??
ram:7107	??	??
ram:7108	??	??
ram:7109	??	??
ram:710a	??	??
ram:710b	??	??
ram:710c	??	??
ram:710d	??	??
ram:710e	??	??
ram:710f	??	??
ram:7110	??	??
ram:7111	??	??
ram:7112	??	??
ram:7113	??	??
ram:7114	??	??
ram:7115	??	??
ram:7116	??	??
ram:7117	??	??
ram:7118	??	??
ram:7119	??	??
ram:711a	??	??
ram:711b	??	??
ram:711c	??	??
ram:711d	??	??
ram:711e	??	??

Ghidra - 961264-10.2764.u31

ram:711f	??	??
ram:7120	??	??
ram:7121	??	??
ram:7122	??	??
ram:7123	??	??
ram:7124	??	??
ram:7125	??	??
ram:7126	??	??
ram:7127	??	??
ram:7128	??	??
ram:7129	??	??
ram:712a	??	??
ram:712b	??	??
ram:712c	??	??
ram:712d	??	??
ram:712e	??	??
ram:712f	??	??
ram:7130	??	??
ram:7131	??	??
ram:7132	??	??
ram:7133	??	??
ram:7134	??	??
ram:7135	??	??
ram:7136	??	??
ram:7137	??	??
ram:7138	??	??
ram:7139	??	??
ram:713a	??	??
ram:713b	??	??
ram:713c	??	??
ram:713d	??	??
ram:713e	??	??
ram:713f	??	??
ram:7140	??	??
ram:7141	??	??
ram:7142	??	??
ram:7143	??	??
ram:7144	??	??
ram:7145	??	??
ram:7146	??	??
ram:7147	??	??
ram:7148	??	??
ram:7149	??	??
ram:714a	??	??
ram:714b	??	??
ram:714c	??	??
ram:714d	??	??
ram:714e	??	??
ram:714f	??	??
ram:7150	??	??
ram:7151	??	??
ram:7152	??	??
ram:7153	??	??
ram:7154	??	??
ram:7155	??	??
ram:7156	??	??
ram:7157	??	??
ram:7158	??	??
ram:7159	??	??
ram:715a	??	??
ram:715b	??	??
ram:715c	??	??
ram:715d	??	??
ram:715e	??	??
ram:715f	??	??
ram:7160	??	??
ram:7161	??	??
ram:7162	??	??
ram:7163	??	??
ram:7164	??	??
ram:7165	??	??
ram:7166	??	??
ram:7167	??	??
ram:7168	??	??
ram:7169	??	??
ram:716a	??	??
ram:716b	??	??
ram:716c	??	??
ram:716d	??	??
ram:716e	??	??
ram:716f	??	??
ram:7170	??	??
ram:7171	??	??
ram:7172	??	??
ram:7173	??	??

Ghidra - 961264-10.2764.u31

ram:7174	??	??
ram:7175	??	??
ram:7176	??	??
ram:7177	??	??
ram:7178	??	??
ram:7179	??	??
ram:717a	??	??
ram:717b	??	??
ram:717c	??	??
ram:717d	??	??
ram:717e	??	??
ram:717f	??	??
ram:7180	??	??
ram:7181	??	??
ram:7182	??	??
ram:7183	??	??
ram:7184	??	??
ram:7185	??	??
ram:7186	??	??
ram:7187	??	??
ram:7188	??	??
ram:7189	??	??
ram:718a	??	??
ram:718b	??	??
ram:718c	??	??
ram:718d	??	??
ram:718e	??	??
ram:718f	??	??
ram:7190	??	??
ram:7191	??	??
ram:7192	??	??
ram:7193	??	??
ram:7194	??	??
ram:7195	??	??
ram:7196	??	??
ram:7197	??	??
ram:7198	??	??
ram:7199	??	??
ram:719a	??	??
ram:719b	??	??
ram:719c	??	??
ram:719d	??	??
ram:719e	??	??
ram:719f	??	??
ram:71a0	??	??
ram:71a1	??	??
ram:71a2	??	??
ram:71a3	??	??
ram:71a4	??	??
ram:71a5	??	??
ram:71a6	??	??
ram:71a7	??	??
ram:71a8	??	??
ram:71a9	??	??
ram:71aa	??	??
ram:71ab	??	??
ram:71ac	??	??
ram:71ad	??	??
ram:71ae	??	??
ram:71af	??	??
ram:71b0	??	??
ram:71b1	??	??
ram:71b2	??	??
ram:71b3	??	??
ram:71b4	??	??
ram:71b5	??	??
ram:71b6	??	??
ram:71b7	??	??
ram:71b8	??	??
ram:71b9	??	??
ram:71ba	??	??
ram:71bb	??	??
ram:71bc	??	??
ram:71bd	??	??
ram:71be	??	??
ram:71bf	??	??
ram:71c0	??	??
ram:71c1	??	??
ram:71c2	??	??
ram:71c3	??	??
ram:71c4	??	??
ram:71c5	??	??
ram:71c6	??	??
ram:71c7	??	??
ram:71c8	??	??

Ghidra - 961264-10.2764.u31

ram:71c9	??	??
ram:71ca	??	??
ram:71cb	??	??
ram:71cc	??	??
ram:71cd	??	??
ram:71ce	??	??
ram:71cf	??	??
ram:71d0	??	??
ram:71d1	??	??
ram:71d2	??	??
ram:71d3	??	??
ram:71d4	??	??
ram:71d5	??	??
ram:71d6	??	??
ram:71d7	??	??
ram:71d8	??	??
ram:71d9	??	??
ram:71da	??	??
ram:71db	??	??
ram:71dc	??	??
ram:71dd	??	??
ram:71de	??	??
ram:71df	??	??
ram:71e0	??	??
ram:71e1	??	??
ram:71e2	??	??
ram:71e3	??	??
ram:71e4	??	??
ram:71e5	??	??
ram:71e6	??	??
ram:71e7	??	??
ram:71e8	??	??
ram:71e9	??	??
ram:71ea	??	??
ram:71eb	??	??
ram:71ec	??	??
ram:71ed	??	??
ram:71ee	??	??
ram:71ef	??	??
ram:71f0	??	??
ram:71f1	??	??
ram:71f2	??	??
ram:71f3	??	??
ram:71f4	??	??
ram:71f5	??	??
ram:71f6	??	??
ram:71f7	??	??
ram:71f8	??	??
ram:71f9	??	??
ram:71fa	??	??
ram:71fb	??	??
ram:71fc	??	??
ram:71fd	??	??
ram:71fe	??	??
ram:71ff	??	??
ram:7200	??	??
ram:7201	??	??
ram:7202	??	??
ram:7203	??	??
ram:7204	??	??
ram:7205	??	??
ram:7206	??	??
ram:7207	??	??
ram:7208	??	??
ram:7209	??	??
ram:720a	??	??
ram:720b	??	??
ram:720c	??	??
ram:720d	??	??
ram:720e	??	??
ram:720f	??	??
ram:7210	??	??
ram:7211	??	??
ram:7212	??	??
ram:7213	??	??
ram:7214	??	??
ram:7215	??	??
ram:7216	??	??
ram:7217	??	??
ram:7218	??	??
ram:7219	??	??
ram:721a	??	??
ram:721b	??	??
ram:721c	??	??
ram:721d	??	??

Ghidra - 961264-10.2764.u31

ram:721e	??	??
ram:721f	??	??
ram:7220	??	??
ram:7221	??	??
ram:7222	??	??
ram:7223	??	??
ram:7224	??	??
ram:7225	??	??
ram:7226	??	??
ram:7227	??	??
ram:7228	??	??
ram:7229	??	??
ram:722a	??	??
ram:722b	??	??
ram:722c	??	??
ram:722d	??	??
ram:722e	??	??
ram:722f	??	??
ram:7230	??	??
ram:7231	??	??
ram:7232	??	??
ram:7233	??	??
ram:7234	??	??
ram:7235	??	??
ram:7236	??	??
ram:7237	??	??
ram:7238	??	??
ram:7239	??	??
ram:723a	??	??
ram:723b	??	??
ram:723c	??	??
ram:723d	??	??
ram:723e	??	??
ram:723f	??	??
ram:7240	??	??
ram:7241	??	??
ram:7242	??	??
ram:7243	??	??
ram:7244	??	??
ram:7245	??	??
ram:7246	??	??
ram:7247	??	??
ram:7248	??	??
ram:7249	??	??
ram:724a	??	??
ram:724b	??	??
ram:724c	??	??
ram:724d	??	??
ram:724e	??	??
ram:724f	??	??
ram:7250	??	??
ram:7251	??	??
ram:7252	??	??
ram:7253	??	??
ram:7254	??	??
ram:7255	??	??
ram:7256	??	??
ram:7257	??	??
ram:7258	??	??
ram:7259	??	??
ram:725a	??	??
ram:725b	??	??
ram:725c	??	??
ram:725d	??	??
ram:725e	??	??
ram:725f	??	??
ram:7260	??	??
ram:7261	??	??
ram:7262	??	??
ram:7263	??	??
ram:7264	??	??
ram:7265	??	??
ram:7266	??	??
ram:7267	??	??
ram:7268	??	??
ram:7269	??	??
ram:726a	??	??
ram:726b	??	??
ram:726c	??	??
ram:726d	??	??
ram:726e	??	??
ram:726f	??	??
ram:7270	??	??
ram:7271	??	??
ram:7272	??	??

Ghidra - 961264-10.2764.u31

ram:7273	??	??
ram:7274	??	??
ram:7275	??	??
ram:7276	??	??
ram:7277	??	??
ram:7278	??	??
ram:7279	??	??
ram:727a	??	??
ram:727b	??	??
ram:727c	??	??
ram:727d	??	??
ram:727e	??	??
ram:727f	??	??
ram:7280	??	??
ram:7281	??	??
ram:7282	??	??
ram:7283	??	??
ram:7284	??	??
ram:7285	??	??
ram:7286	??	??
ram:7287	??	??
ram:7288	??	??
ram:7289	??	??
ram:728a	??	??
ram:728b	??	??
ram:728c	??	??
ram:728d	??	??
ram:728e	??	??
ram:728f	??	??
ram:7290	??	??
ram:7291	??	??
ram:7292	??	??
ram:7293	??	??
ram:7294	??	??
ram:7295	??	??
ram:7296	??	??
ram:7297	??	??
ram:7298	??	??
ram:7299	??	??
ram:729a	??	??
ram:729b	??	??
ram:729c	??	??
ram:729d	??	??
ram:729e	??	??
ram:729f	??	??
ram:72a0	??	??
ram:72a1	??	??
ram:72a2	??	??
ram:72a3	??	??
ram:72a4	??	??
ram:72a5	??	??
ram:72a6	??	??
ram:72a7	??	??
ram:72a8	??	??
ram:72a9	??	??
ram:72aa	??	??
ram:72ab	??	??
ram:72ac	??	??
ram:72ad	??	??
ram:72ae	??	??
ram:72af	??	??
ram:72b0	??	??
ram:72b1	??	??
ram:72b2	??	??
ram:72b3	??	??
ram:72b4	??	??
ram:72b5	??	??
ram:72b6	??	??
ram:72b7	??	??
ram:72b8	??	??
ram:72b9	??	??
ram:72ba	??	??
ram:72bb	??	??
ram:72bc	??	??
ram:72bd	??	??
ram:72be	??	??
ram:72bf	??	??
ram:72c0	??	??
ram:72c1	??	??
ram:72c2	??	??
ram:72c3	??	??
ram:72c4	??	??
ram:72c5	??	??
ram:72c6	??	??
ram:72c7	??	??

Ghidra - 961264-10.2764.u31

ram:72c8	??	??
ram:72c9	??	??
ram:72ca	??	??
ram:72cb	??	??
ram:72cc	??	??
ram:72cd	??	??
ram:72ce	??	??
ram:72cf	??	??
ram:72d0	??	??
ram:72d1	??	??
ram:72d2	??	??
ram:72d3	??	??
ram:72d4	??	??
ram:72d5	??	??
ram:72d6	??	??
ram:72d7	??	??
ram:72d8	??	??
ram:72d9	??	??
ram:72da	??	??
ram:72db	??	??
ram:72dc	??	??
ram:72dd	??	??
ram:72de	??	??
ram:72df	??	??
ram:72e0	??	??
ram:72e1	??	??
ram:72e2	??	??
ram:72e3	??	??
ram:72e4	??	??
ram:72e5	??	??
ram:72e6	??	??
ram:72e7	??	??
ram:72e8	??	??
ram:72e9	??	??
ram:72ea	??	??
ram:72eb	??	??
ram:72ec	??	??
ram:72ed	??	??
ram:72ee	??	??
ram:72ef	??	??
ram:72f0	??	??
ram:72f1	??	??
ram:72f2	??	??
ram:72f3	??	??
ram:72f4	??	??
ram:72f5	??	??
ram:72f6	??	??
ram:72f7	??	??
ram:72f8	??	??
ram:72f9	??	??
ram:72fa	??	??
ram:72fb	??	??
ram:72fc	??	??
ram:72fd	??	??
ram:72fe	??	??
ram:72ff	??	??
ram:7300	??	??
ram:7301	??	??
ram:7302	??	??
ram:7303	??	??
ram:7304	??	??
ram:7305	??	??
ram:7306	??	??
ram:7307	??	??
ram:7308	??	??
ram:7309	??	??
ram:730a	??	??
ram:730b	??	??
ram:730c	??	??
ram:730d	??	??
ram:730e	??	??
ram:730f	??	??
ram:7310	??	??
ram:7311	??	??
ram:7312	??	??
ram:7313	??	??
ram:7314	??	??
ram:7315	??	??
ram:7316	??	??
ram:7317	??	??
ram:7318	??	??
ram:7319	??	??
ram:731a	??	??
ram:731b	??	??
ram:731c	??	??

Ghidra - 961264-10.2764.u31

ram:731d	??	??
ram:731e	??	??
ram:731f	??	??
ram:7320	??	??
ram:7321	??	??
ram:7322	??	??
ram:7323	??	??
ram:7324	??	??
ram:7325	??	??
ram:7326	??	??
ram:7327	??	??
ram:7328	??	??
ram:7329	??	??
ram:732a	??	??
ram:732b	??	??
ram:732c	??	??
ram:732d	??	??
ram:732e	??	??
ram:732f	??	??
ram:7330	??	??
ram:7331	??	??
ram:7332	??	??
ram:7333	??	??
ram:7334	??	??
ram:7335	??	??
ram:7336	??	??
ram:7337	??	??
ram:7338	??	??
ram:7339	??	??
ram:733a	??	??
ram:733b	??	??
ram:733c	??	??
ram:733d	??	??
ram:733e	??	??
ram:733f	??	??
ram:7340	??	??
ram:7341	??	??
ram:7342	??	??
ram:7343	??	??
ram:7344	??	??
ram:7345	??	??
ram:7346	??	??
ram:7347	??	??
ram:7348	??	??
ram:7349	??	??
ram:734a	??	??
ram:734b	??	??
ram:734c	??	??
ram:734d	??	??
ram:734e	??	??
ram:734f	??	??
ram:7350	??	??
ram:7351	??	??
ram:7352	??	??
ram:7353	??	??
ram:7354	??	??
ram:7355	??	??
ram:7356	??	??
ram:7357	??	??
ram:7358	??	??
ram:7359	??	??
ram:735a	??	??
ram:735b	??	??
ram:735c	??	??
ram:735d	??	??
ram:735e	??	??
ram:735f	??	??
ram:7360	??	??
ram:7361	??	??
ram:7362	??	??
ram:7363	??	??
ram:7364	??	??
ram:7365	??	??
ram:7366	??	??
ram:7367	??	??
ram:7368	??	??
ram:7369	??	??
ram:736a	??	??
ram:736b	??	??
ram:736c	??	??
ram:736d	??	??
ram:736e	??	??
ram:736f	??	??
ram:7370	??	??
ram:7371	??	??

Ghidra - 961264-10.2764.u31

ram:7372	??	??
ram:7373	??	??
ram:7374	??	??
ram:7375	??	??
ram:7376	??	??
ram:7377	??	??
ram:7378	??	??
ram:7379	??	??
ram:737a	??	??
ram:737b	??	??
ram:737c	??	??
ram:737d	??	??
ram:737e	??	??
ram:737f	??	??
ram:7380	??	??
ram:7381	??	??
ram:7382	??	??
ram:7383	??	??
ram:7384	??	??
ram:7385	??	??
ram:7386	??	??
ram:7387	??	??
ram:7388	??	??
ram:7389	??	??
ram:738a	??	??
ram:738b	??	??
ram:738c	??	??
ram:738d	??	??
ram:738e	??	??
ram:738f	??	??
ram:7390	??	??
ram:7391	??	??
ram:7392	??	??
ram:7393	??	??
ram:7394	??	??
ram:7395	??	??
ram:7396	??	??
ram:7397	??	??
ram:7398	??	??
ram:7399	??	??
ram:739a	??	??
ram:739b	??	??
ram:739c	??	??
ram:739d	??	??
ram:739e	??	??
ram:739f	??	??
ram:73a0	??	??
ram:73a1	??	??
ram:73a2	??	??
ram:73a3	??	??
ram:73a4	??	??
ram:73a5	??	??
ram:73a6	??	??
ram:73a7	??	??
ram:73a8	??	??
ram:73a9	??	??
ram:73aa	??	??
ram:73ab	??	??
ram:73ac	??	??
ram:73ad	??	??
ram:73ae	??	??
ram:73af	??	??
ram:73b0	??	??
ram:73b1	??	??
ram:73b2	??	??
ram:73b3	??	??
ram:73b4	??	??
ram:73b5	??	??
ram:73b6	??	??
ram:73b7	??	??
ram:73b8	??	??
ram:73b9	??	??
ram:73ba	??	??
ram:73bb	??	??
ram:73bc	??	??
ram:73bd	??	??
ram:73be	??	??
ram:73bf	??	??
ram:73c0	??	??
ram:73c1	??	??
ram:73c2	??	??
ram:73c3	??	??
ram:73c4	??	??
ram:73c5	??	??
ram:73c6	??	??

Ghidra - 961264-10.2764.u31

ram:73c7	??	??
ram:73c8	??	??
ram:73c9	??	??
ram:73ca	??	??
ram:73cb	??	??
ram:73cc	??	??
ram:73cd	??	??
ram:73ce	??	??
ram:73cf	??	??
ram:73d0	??	??
ram:73d1	??	??
ram:73d2	??	??
ram:73d3	??	??
ram:73d4	??	??
ram:73d5	??	??
ram:73d6	??	??
ram:73d7	??	??
ram:73d8	??	??
ram:73d9	??	??
ram:73da	??	??
ram:73db	??	??
ram:73dc	??	??
ram:73dd	??	??
ram:73de	??	??
ram:73df	??	??
ram:73e0	??	??
ram:73e1	??	??
ram:73e2	??	??
ram:73e3	??	??
ram:73e4	??	??
ram:73e5	??	??
ram:73e6	??	??
ram:73e7	??	??
ram:73e8	??	??
ram:73e9	??	??
ram:73ea	??	??
ram:73eb	??	??
ram:73ec	??	??
ram:73ed	??	??
ram:73ee	??	??
ram:73ef	??	??
ram:73f0	??	??
ram:73f1	??	??
ram:73f2	??	??
ram:73f3	??	??
ram:73f4	??	??
ram:73f5	??	??
ram:73f6	??	??
ram:73f7	??	??
ram:73f8	??	??
ram:73f9	??	??
ram:73fa	??	??
ram:73fb	??	??
ram:73fc	??	??
ram:73fd	??	??
ram:73fe	??	??
ram:73ff	??	??
ram:7400	??	??
ram:7401	??	??
ram:7402	??	??
ram:7403	??	??
ram:7404	??	??
ram:7405	??	??
ram:7406	??	??
ram:7407	??	??
ram:7408	??	??
ram:7409	??	??
ram:740a	??	??
ram:740b	??	??
ram:740c	??	??
ram:740d	??	??
ram:740e	??	??
ram:740f	??	??
ram:7410	??	??
ram:7411	??	??
ram:7412	??	??
ram:7413	??	??
ram:7414	??	??
ram:7415	??	??
ram:7416	??	??
ram:7417	??	??
ram:7418	??	??
ram:7419	??	??
ram:741a	??	??
ram:741b	??	??

Ghidra - 961264-10.2764.u31

ram:741c	??	??
ram:741d	??	??
ram:741e	??	??
ram:741f	??	??
ram:7420	??	??
ram:7421	??	??
ram:7422	??	??
ram:7423	??	??
ram:7424	??	??
ram:7425	??	??
ram:7426	??	??
ram:7427	??	??
ram:7428	??	??
ram:7429	??	??
ram:742a	??	??
ram:742b	??	??
ram:742c	??	??
ram:742d	??	??
ram:742e	??	??
ram:742f	??	??
ram:7430	??	??
ram:7431	??	??
ram:7432	??	??
ram:7433	??	??
ram:7434	??	??
ram:7435	??	??
ram:7436	??	??
ram:7437	??	??
ram:7438	??	??
ram:7439	??	??
ram:743a	??	??
ram:743b	??	??
ram:743c	??	??
ram:743d	??	??
ram:743e	??	??
ram:743f	??	??
ram:7440	??	??
ram:7441	??	??
ram:7442	??	??
ram:7443	??	??
ram:7444	??	??
ram:7445	??	??
ram:7446	??	??
ram:7447	??	??
ram:7448	??	??
ram:7449	??	??
ram:744a	??	??
ram:744b	??	??
ram:744c	??	??
ram:744d	??	??
ram:744e	??	??
ram:744f	??	??
ram:7450	??	??
ram:7451	??	??
ram:7452	??	??
ram:7453	??	??
ram:7454	??	??
ram:7455	??	??
ram:7456	??	??
ram:7457	??	??
ram:7458	??	??
ram:7459	??	??
ram:745a	??	??
ram:745b	??	??
ram:745c	??	??
ram:745d	??	??
ram:745e	??	??
ram:745f	??	??
ram:7460	??	??
ram:7461	??	??
ram:7462	??	??
ram:7463	??	??
ram:7464	??	??
ram:7465	??	??
ram:7466	??	??
ram:7467	??	??
ram:7468	??	??
ram:7469	??	??
ram:746a	??	??
ram:746b	??	??
ram:746c	??	??
ram:746d	??	??
ram:746e	??	??
ram:746f	??	??
ram:7470	??	??

Ghidra - 961264-10.2764.u31

ram:7471	??	??
ram:7472	??	??
ram:7473	??	??
ram:7474	??	??
ram:7475	??	??
ram:7476	??	??
ram:7477	??	??
ram:7478	??	??
ram:7479	??	??
ram:747a	??	??
ram:747b	??	??
ram:747c	??	??
ram:747d	??	??
ram:747e	??	??
ram:747f	??	??
ram:7480	??	??
ram:7481	??	??
ram:7482	??	??
ram:7483	??	??
ram:7484	??	??
ram:7485	??	??
ram:7486	??	??
ram:7487	??	??
ram:7488	??	??
ram:7489	??	??
ram:748a	??	??
ram:748b	??	??
ram:748c	??	??
ram:748d	??	??
ram:748e	??	??
ram:748f	??	??
ram:7490	??	??
ram:7491	??	??
ram:7492	??	??
ram:7493	??	??
ram:7494	??	??
ram:7495	??	??
ram:7496	??	??
ram:7497	??	??
ram:7498	??	??
ram:7499	??	??
ram:749a	??	??
ram:749b	??	??
ram:749c	??	??
ram:749d	??	??
ram:749e	??	??
ram:749f	??	??
ram:74a0	??	??
ram:74a1	??	??
ram:74a2	??	??
ram:74a3	??	??
ram:74a4	??	??
ram:74a5	??	??
ram:74a6	??	??
ram:74a7	??	??
ram:74a8	??	??
ram:74a9	??	??
ram:74aa	??	??
ram:74ab	??	??
ram:74ac	??	??
ram:74ad	??	??
ram:74ae	??	??
ram:74af	??	??
ram:74b0	??	??
ram:74b1	??	??
ram:74b2	??	??
ram:74b3	??	??
ram:74b4	??	??
ram:74b5	??	??
ram:74b6	??	??
ram:74b7	??	??
ram:74b8	??	??
ram:74b9	??	??
ram:74ba	??	??
ram:74bb	??	??
ram:74bc	??	??
ram:74bd	??	??
ram:74be	??	??
ram:74bf	??	??
ram:74c0	??	??
ram:74c1	??	??
ram:74c2	??	??
ram:74c3	??	??
ram:74c4	??	??
ram:74c5	??	??

Ghidra - 961264-10.2764.u31

ram:74c6	??	??
ram:74c7	??	??
ram:74c8	??	??
ram:74c9	??	??
ram:74ca	??	??
ram:74cb	??	??
ram:74cc	??	??
ram:74cd	??	??
ram:74ce	??	??
ram:74cf	??	??
ram:74d0	??	??
ram:74d1	??	??
ram:74d2	??	??
ram:74d3	??	??
ram:74d4	??	??
ram:74d5	??	??
ram:74d6	??	??
ram:74d7	??	??
ram:74d8	??	??
ram:74d9	??	??
ram:74da	??	??
ram:74db	??	??
ram:74dc	??	??
ram:74dd	??	??
ram:74de	??	??
ram:74df	??	??
ram:74e0	??	??
ram:74e1	??	??
ram:74e2	??	??
ram:74e3	??	??
ram:74e4	??	??
ram:74e5	??	??
ram:74e6	??	??
ram:74e7	??	??
ram:74e8	??	??
ram:74e9	??	??
ram:74ea	??	??
ram:74eb	??	??
ram:74ec	??	??
ram:74ed	??	??
ram:74ee	??	??
ram:74ef	??	??
ram:74f0	??	??
ram:74f1	??	??
ram:74f2	??	??
ram:74f3	??	??
ram:74f4	??	??
ram:74f5	??	??
ram:74f6	??	??
ram:74f7	??	??
ram:74f8	??	??
ram:74f9	??	??
ram:74fa	??	??
ram:74fb	??	??
ram:74fc	??	??
ram:74fd	??	??
ram:74fe	??	??
ram:74ff	??	??
ram:7500	??	??
ram:7501	??	??
ram:7502	??	??
ram:7503	??	??
ram:7504	??	??
ram:7505	??	??
ram:7506	??	??
ram:7507	??	??
ram:7508	??	??
ram:7509	??	??
ram:750a	??	??
ram:750b	??	??
ram:750c	??	??
ram:750d	??	??
ram:750e	??	??
ram:750f	??	??
ram:7510	??	??
ram:7511	??	??
ram:7512	??	??
ram:7513	??	??
ram:7514	??	??
ram:7515	??	??
ram:7516	??	??
ram:7517	??	??
ram:7518	??	??
ram:7519	??	??
ram:751a	??	??

Ghidra - 961264-10.2764.u31

ram:751b	??	??
ram:751c	??	??
ram:751d	??	??
ram:751e	??	??
ram:751f	??	??
ram:7520	??	??
ram:7521	??	??
ram:7522	??	??
ram:7523	??	??
ram:7524	??	??
ram:7525	??	??
ram:7526	??	??
ram:7527	??	??
ram:7528	??	??
ram:7529	??	??
ram:752a	??	??
ram:752b	??	??
ram:752c	??	??
ram:752d	??	??
ram:752e	??	??
ram:752f	??	??
ram:7530	??	??
ram:7531	??	??
ram:7532	??	??
ram:7533	??	??
ram:7534	??	??
ram:7535	??	??
ram:7536	??	??
ram:7537	??	??
ram:7538	??	??
ram:7539	??	??
ram:753a	??	??
ram:753b	??	??
ram:753c	??	??
ram:753d	??	??
ram:753e	??	??
ram:753f	??	??
ram:7540	??	??
ram:7541	??	??
ram:7542	??	??
ram:7543	??	??
ram:7544	??	??
ram:7545	??	??
ram:7546	??	??
ram:7547	??	??
ram:7548	??	??
ram:7549	??	??
ram:754a	??	??
ram:754b	??	??
ram:754c	??	??
ram:754d	??	??
ram:754e	??	??
ram:754f	??	??
ram:7550	??	??
ram:7551	??	??
ram:7552	??	??
ram:7553	??	??
ram:7554	??	??
ram:7555	??	??
ram:7556	??	??
ram:7557	??	??
ram:7558	??	??
ram:7559	??	??
ram:755a	??	??
ram:755b	??	??
ram:755c	??	??
ram:755d	??	??
ram:755e	??	??
ram:755f	??	??
ram:7560	??	??
ram:7561	??	??
ram:7562	??	??
ram:7563	??	??
ram:7564	??	??
ram:7565	??	??
ram:7566	??	??
ram:7567	??	??
ram:7568	??	??
ram:7569	??	??
ram:756a	??	??
ram:756b	??	??
ram:756c	??	??
ram:756d	??	??
ram:756e	??	??
ram:756f	??	??

Ghidra - 961264-10.2764.u31

ram:7570	??	??
ram:7571	??	??
ram:7572	??	??
ram:7573	??	??
ram:7574	??	??
ram:7575	??	??
ram:7576	??	??
ram:7577	??	??
ram:7578	??	??
ram:7579	??	??
ram:757a	??	??
ram:757b	??	??
ram:757c	??	??
ram:757d	??	??
ram:757e	??	??
ram:757f	??	??
ram:7580	??	??
ram:7581	??	??
ram:7582	??	??
ram:7583	??	??
ram:7584	??	??
ram:7585	??	??
ram:7586	??	??
ram:7587	??	??
ram:7588	??	??
ram:7589	??	??
ram:758a	??	??
ram:758b	??	??
ram:758c	??	??
ram:758d	??	??
ram:758e	??	??
ram:758f	??	??
ram:7590	??	??
ram:7591	??	??
ram:7592	??	??
ram:7593	??	??
ram:7594	??	??
ram:7595	??	??
ram:7596	??	??
ram:7597	??	??
ram:7598	??	??
ram:7599	??	??
ram:759a	??	??
ram:759b	??	??
ram:759c	??	??
ram:759d	??	??
ram:759e	??	??
ram:759f	??	??
ram:75a0	??	??
ram:75a1	??	??
ram:75a2	??	??
ram:75a3	??	??
ram:75a4	??	??
ram:75a5	??	??
ram:75a6	??	??
ram:75a7	??	??
ram:75a8	??	??
ram:75a9	??	??
ram:75aa	??	??
ram:75ab	??	??
ram:75ac	??	??
ram:75ad	??	??
ram:75ae	??	??
ram:75af	??	??
ram:75b0	??	??
ram:75b1	??	??
ram:75b2	??	??
ram:75b3	??	??
ram:75b4	??	??
ram:75b5	??	??
ram:75b6	??	??
ram:75b7	??	??
ram:75b8	??	??
ram:75b9	??	??
ram:75ba	??	??
ram:75bb	??	??
ram:75bc	??	??
ram:75bd	??	??
ram:75be	??	??
ram:75bf	??	??
ram:75c0	??	??
ram:75c1	??	??
ram:75c2	??	??
ram:75c3	??	??
ram:75c4	??	??

Ghidra - 961264-10.2764.u31

ram:75c5	??	??
ram:75c6	??	??
ram:75c7	??	??
ram:75c8	??	??
ram:75c9	??	??
ram:75ca	??	??
ram:75cb	??	??
ram:75cc	??	??
ram:75cd	??	??
ram:75ce	??	??
ram:75cf	??	??
ram:75d0	??	??
ram:75d1	??	??
ram:75d2	??	??
ram:75d3	??	??
ram:75d4	??	??
ram:75d5	??	??
ram:75d6	??	??
ram:75d7	??	??
ram:75d8	??	??
ram:75d9	??	??
ram:75da	??	??
ram:75db	??	??
ram:75dc	??	??
ram:75dd	??	??
ram:75de	??	??
ram:75df	??	??
ram:75e0	??	??
ram:75e1	??	??
ram:75e2	??	??
ram:75e3	??	??
ram:75e4	??	??
ram:75e5	??	??
ram:75e6	??	??
ram:75e7	??	??
ram:75e8	??	??
ram:75e9	??	??
ram:75ea	??	??
ram:75eb	??	??
ram:75ec	??	??
ram:75ed	??	??
ram:75ee	??	??
ram:75ef	??	??
ram:75f0	??	??
ram:75f1	??	??
ram:75f2	??	??
ram:75f3	??	??
ram:75f4	??	??
ram:75f5	??	??
ram:75f6	??	??
ram:75f7	??	??
ram:75f8	??	??
ram:75f9	??	??
ram:75fa	??	??
ram:75fb	??	??
ram:75fc	??	??
ram:75fd	??	??
ram:75fe	??	??
ram:75ff	??	??
ram:7600	??	??
ram:7601	??	??
ram:7602	??	??
ram:7603	??	??
ram:7604	??	??
ram:7605	??	??
ram:7606	??	??
ram:7607	??	??
ram:7608	??	??
ram:7609	??	??
ram:760a	??	??
ram:760b	??	??
ram:760c	??	??
ram:760d	??	??
ram:760e	??	??
ram:760f	??	??
ram:7610	??	??
ram:7611	??	??
ram:7612	??	??
ram:7613	??	??
ram:7614	??	??
ram:7615	??	??
ram:7616	??	??
ram:7617	??	??
ram:7618	??	??
ram:7619	??	??

Ghidra - 961264-10.2764.u31

ram:761a	??	??
ram:761b	??	??
ram:761c	??	??
ram:761d	??	??
ram:761e	??	??
ram:761f	??	??
ram:7620	??	??
ram:7621	??	??
ram:7622	??	??
ram:7623	??	??
ram:7624	??	??
ram:7625	??	??
ram:7626	??	??
ram:7627	??	??
ram:7628	??	??
ram:7629	??	??
ram:762a	??	??
ram:762b	??	??
ram:762c	??	??
ram:762d	??	??
ram:762e	??	??
ram:762f	??	??
ram:7630	??	??
ram:7631	??	??
ram:7632	??	??
ram:7633	??	??
ram:7634	??	??
ram:7635	??	??
ram:7636	??	??
ram:7637	??	??
ram:7638	??	??
ram:7639	??	??
ram:763a	??	??
ram:763b	??	??
ram:763c	??	??
ram:763d	??	??
ram:763e	??	??
ram:763f	??	??
ram:7640	??	??
ram:7641	??	??
ram:7642	??	??
ram:7643	??	??
ram:7644	??	??
ram:7645	??	??
ram:7646	??	??
ram:7647	??	??
ram:7648	??	??
ram:7649	??	??
ram:764a	??	??
ram:764b	??	??
ram:764c	??	??
ram:764d	??	??
ram:764e	??	??
ram:764f	??	??
ram:7650	??	??
ram:7651	??	??
ram:7652	??	??
ram:7653	??	??
ram:7654	??	??
ram:7655	??	??
ram:7656	??	??
ram:7657	??	??
ram:7658	??	??
ram:7659	??	??
ram:765a	??	??
ram:765b	??	??
ram:765c	??	??
ram:765d	??	??
ram:765e	??	??
ram:765f	??	??
ram:7660	??	??
ram:7661	??	??
ram:7662	??	??
ram:7663	??	??
ram:7664	??	??
ram:7665	??	??
ram:7666	??	??
ram:7667	??	??
ram:7668	??	??
ram:7669	??	??
ram:766a	??	??
ram:766b	??	??
ram:766c	??	??
ram:766d	??	??
ram:766e	??	??

Ghidra - 961264-10.2764.u31

ram:766f	??	??
ram:7670	??	??
ram:7671	??	??
ram:7672	??	??
ram:7673	??	??
ram:7674	??	??
ram:7675	??	??
ram:7676	??	??
ram:7677	??	??
ram:7678	??	??
ram:7679	??	??
ram:767a	??	??
ram:767b	??	??
ram:767c	??	??
ram:767d	??	??
ram:767e	??	??
ram:767f	??	??
ram:7680	??	??
ram:7681	??	??
ram:7682	??	??
ram:7683	??	??
ram:7684	??	??
ram:7685	??	??
ram:7686	??	??
ram:7687	??	??
ram:7688	??	??
ram:7689	??	??
ram:768a	??	??
ram:768b	??	??
ram:768c	??	??
ram:768d	??	??
ram:768e	??	??
ram:768f	??	??
ram:7690	??	??
ram:7691	??	??
ram:7692	??	??
ram:7693	??	??
ram:7694	??	??
ram:7695	??	??
ram:7696	??	??
ram:7697	??	??
ram:7698	??	??
ram:7699	??	??
ram:769a	??	??
ram:769b	??	??
ram:769c	??	??
ram:769d	??	??
ram:769e	??	??
ram:769f	??	??
ram:76a0	??	??
ram:76a1	??	??
ram:76a2	??	??
ram:76a3	??	??
ram:76a4	??	??
ram:76a5	??	??
ram:76a6	??	??
ram:76a7	??	??
ram:76a8	??	??
ram:76a9	??	??
ram:76aa	??	??
ram:76ab	??	??
ram:76ac	??	??
ram:76ad	??	??
ram:76ae	??	??
ram:76af	??	??
ram:76b0	??	??
ram:76b1	??	??
ram:76b2	??	??
ram:76b3	??	??
ram:76b4	??	??
ram:76b5	??	??
ram:76b6	??	??
ram:76b7	??	??
ram:76b8	??	??
ram:76b9	??	??
ram:76ba	??	??
ram:76bb	??	??
ram:76bc	??	??
ram:76bd	??	??
ram:76be	??	??
ram:76bf	??	??
ram:76c0	??	??
ram:76c1	??	??
ram:76c2	??	??
ram:76c3	??	??

Ghidra - 961264-10.2764.u31

ram:76c4	??	??
ram:76c5	??	??
ram:76c6	??	??
ram:76c7	??	??
ram:76c8	??	??
ram:76c9	??	??
ram:76ca	??	??
ram:76cb	??	??
ram:76cc	??	??
ram:76cd	??	??
ram:76ce	??	??
ram:76cf	??	??
ram:76d0	??	??
ram:76d1	??	??
ram:76d2	??	??
ram:76d3	??	??
ram:76d4	??	??
ram:76d5	??	??
ram:76d6	??	??
ram:76d7	??	??
ram:76d8	??	??
ram:76d9	??	??
ram:76da	??	??
ram:76db	??	??
ram:76dc	??	??
ram:76dd	??	??
ram:76de	??	??
ram:76df	??	??
ram:76e0	??	??
ram:76e1	??	??
ram:76e2	??	??
ram:76e3	??	??
ram:76e4	??	??
ram:76e5	??	??
ram:76e6	??	??
ram:76e7	??	??
ram:76e8	??	??
ram:76e9	??	??
ram:76ea	??	??
ram:76eb	??	??
ram:76ec	??	??
ram:76ed	??	??
ram:76ee	??	??
ram:76ef	??	??
ram:76f0	??	??
ram:76f1	??	??
ram:76f2	??	??
ram:76f3	??	??
ram:76f4	??	??
ram:76f5	??	??
ram:76f6	??	??
ram:76f7	??	??
ram:76f8	??	??
ram:76f9	??	??
ram:76fa	??	??
ram:76fb	??	??
ram:76fc	??	??
ram:76fd	??	??
ram:76fe	??	??
ram:76ff	??	??
ram:7700	??	??
ram:7701	??	??
ram:7702	??	??
ram:7703	??	??
ram:7704	??	??
ram:7705	??	??
ram:7706	??	??
ram:7707	??	??
ram:7708	??	??
ram:7709	??	??
ram:770a	??	??
ram:770b	??	??
ram:770c	??	??
ram:770d	??	??
ram:770e	??	??
ram:770f	??	??
ram:7710	??	??
ram:7711	??	??
ram:7712	??	??
ram:7713	??	??
ram:7714	??	??
ram:7715	??	??
ram:7716	??	??
ram:7717	??	??
ram:7718	??	??

Ghidra - 961264-10.2764.u31

ram:7719	??	??
ram:771a	??	??
ram:771b	??	??
ram:771c	??	??
ram:771d	??	??
ram:771e	??	??
ram:771f	??	??
ram:7720	??	??
ram:7721	??	??
ram:7722	??	??
ram:7723	??	??
ram:7724	??	??
ram:7725	??	??
ram:7726	??	??
ram:7727	??	??
ram:7728	??	??
ram:7729	??	??
ram:772a	??	??
ram:772b	??	??
ram:772c	??	??
ram:772d	??	??
ram:772e	??	??
ram:772f	??	??
ram:7730	??	??
ram:7731	??	??
ram:7732	??	??
ram:7733	??	??
ram:7734	??	??
ram:7735	??	??
ram:7736	??	??
ram:7737	??	??
ram:7738	??	??
ram:7739	??	??
ram:773a	??	??
ram:773b	??	??
ram:773c	??	??
ram:773d	??	??
ram:773e	??	??
ram:773f	??	??
ram:7740	??	??
ram:7741	??	??
ram:7742	??	??
ram:7743	??	??
ram:7744	??	??
ram:7745	??	??
ram:7746	??	??
ram:7747	??	??
ram:7748	??	??
ram:7749	??	??
ram:774a	??	??
ram:774b	??	??
ram:774c	??	??
ram:774d	??	??
ram:774e	??	??
ram:774f	??	??
ram:7750	??	??
ram:7751	??	??
ram:7752	??	??
ram:7753	??	??
ram:7754	??	??
ram:7755	??	??
ram:7756	??	??
ram:7757	??	??
ram:7758	??	??
ram:7759	??	??
ram:775a	??	??
ram:775b	??	??
ram:775c	??	??
ram:775d	??	??
ram:775e	??	??
ram:775f	??	??
ram:7760	??	??
ram:7761	??	??
ram:7762	??	??
ram:7763	??	??
ram:7764	??	??
ram:7765	??	??
ram:7766	??	??
ram:7767	??	??
ram:7768	??	??
ram:7769	??	??
ram:776a	??	??
ram:776b	??	??
ram:776c	??	??
ram:776d	??	??

Ghidra - 961264-10.2764.u31

ram:776e	??	??
ram:776f	??	??
ram:7770	??	??
ram:7771	??	??
ram:7772	??	??
ram:7773	??	??
ram:7774	??	??
ram:7775	??	??
ram:7776	??	??
ram:7777	??	??
ram:7778	??	??
ram:7779	??	??
ram:777a	??	??
ram:777b	??	??
ram:777c	??	??
ram:777d	??	??
ram:777e	??	??
ram:777f	??	??
ram:7780	??	??
ram:7781	??	??
ram:7782	??	??
ram:7783	??	??
ram:7784	??	??
ram:7785	??	??
ram:7786	??	??
ram:7787	??	??
ram:7788	??	??
ram:7789	??	??
ram:778a	??	??
ram:778b	??	??
ram:778c	??	??
ram:778d	??	??
ram:778e	??	??
ram:778f	??	??
ram:7790	??	??
ram:7791	??	??
ram:7792	??	??
ram:7793	??	??
ram:7794	??	??
ram:7795	??	??
ram:7796	??	??
ram:7797	??	??
ram:7798	??	??
ram:7799	??	??
ram:779a	??	??
ram:779b	??	??
ram:779c	??	??
ram:779d	??	??
ram:779e	??	??
ram:779f	??	??
ram:77a0	??	??
ram:77a1	??	??
ram:77a2	??	??
ram:77a3	??	??
ram:77a4	??	??
ram:77a5	??	??
ram:77a6	??	??
ram:77a7	??	??
ram:77a8	??	??
ram:77a9	??	??
ram:77aa	??	??
ram:77ab	??	??
ram:77ac	??	??
ram:77ad	??	??
ram:77ae	??	??
ram:77af	??	??
ram:77b0	??	??
ram:77b1	??	??
ram:77b2	??	??
ram:77b3	??	??
ram:77b4	??	??
ram:77b5	??	??
ram:77b6	??	??
ram:77b7	??	??
ram:77b8	??	??
ram:77b9	??	??
ram:77ba	??	??
ram:77bb	??	??
ram:77bc	??	??
ram:77bd	??	??
ram:77be	??	??
ram:77bf	??	??
ram:77c0	??	??
ram:77c1	??	??
ram:77c2	??	??

Ghidra - 961264-10.2764.u31

ram:77c3	??	??
ram:77c4	??	??
ram:77c5	??	??
ram:77c6	??	??
ram:77c7	??	??
ram:77c8	??	??
ram:77c9	??	??
ram:77ca	??	??
ram:77cb	??	??
ram:77cc	??	??
ram:77cd	??	??
ram:77ce	??	??
ram:77cf	??	??
ram:77d0	??	??
ram:77d1	??	??
ram:77d2	??	??
ram:77d3	??	??
ram:77d4	??	??
ram:77d5	??	??
ram:77d6	??	??
ram:77d7	??	??
ram:77d8	??	??
ram:77d9	??	??
ram:77da	??	??
ram:77db	??	??
ram:77dc	??	??
ram:77dd	??	??
ram:77de	??	??
ram:77df	??	??
ram:77e0	??	??
ram:77e1	??	??
ram:77e2	??	??
ram:77e3	??	??
ram:77e4	??	??
ram:77e5	??	??
ram:77e6	??	??
ram:77e7	??	??
ram:77e8	??	??
ram:77e9	??	??
ram:77ea	??	??
ram:77eb	??	??
ram:77ec	??	??
ram:77ed	??	??
ram:77ee	??	??
ram:77ef	??	??
ram:77f0	??	??
ram:77f1	??	??
ram:77f2	??	??
ram:77f3	??	??
ram:77f4	??	??
ram:77f5	??	??
ram:77f6	??	??
ram:77f7	??	??
ram:77f8	??	??
ram:77f9	??	??
ram:77fa	??	??
ram:77fb	??	??
ram:77fc	??	??
ram:77fd	??	??
ram:77fe	??	??
ram:77ff	??	??
ram:7800	??	??
ram:7801	??	??
ram:7802	??	??
ram:7803	??	??
ram:7804	??	??
ram:7805	??	??
ram:7806	??	??
ram:7807	??	??
ram:7808	??	??
ram:7809	??	??
ram:780a	??	??
ram:780b	??	??
ram:780c	??	??
ram:780d	??	??
ram:780e	??	??
ram:780f	??	??
ram:7810	??	??
ram:7811	??	??
ram:7812	??	??
ram:7813	??	??
ram:7814	??	??
ram:7815	??	??
ram:7816	??	??
ram:7817	??	??

Ghidra - 961264-10.2764.u31

ram:7818	??	??
ram:7819	??	??
ram:781a	??	??
ram:781b	??	??
ram:781c	??	??
ram:781d	??	??
ram:781e	??	??
ram:781f	??	??
ram:7820	??	??
ram:7821	??	??
ram:7822	??	??
ram:7823	??	??
ram:7824	??	??
ram:7825	??	??
ram:7826	??	??
ram:7827	??	??
ram:7828	??	??
ram:7829	??	??
ram:782a	??	??
ram:782b	??	??
ram:782c	??	??
ram:782d	??	??
ram:782e	??	??
ram:782f	??	??
ram:7830	??	??
ram:7831	??	??
ram:7832	??	??
ram:7833	??	??
ram:7834	??	??
ram:7835	??	??
ram:7836	??	??
ram:7837	??	??
ram:7838	??	??
ram:7839	??	??
ram:783a	??	??
ram:783b	??	??
ram:783c	??	??
ram:783d	??	??
ram:783e	??	??
ram:783f	??	??
ram:7840	??	??
ram:7841	??	??
ram:7842	??	??
ram:7843	??	??
ram:7844	??	??
ram:7845	??	??
ram:7846	??	??
ram:7847	??	??
ram:7848	??	??
ram:7849	??	??
ram:784a	??	??
ram:784b	??	??
ram:784c	??	??
ram:784d	??	??
ram:784e	??	??
ram:784f	??	??
ram:7850	??	??
ram:7851	??	??
ram:7852	??	??
ram:7853	??	??
ram:7854	??	??
ram:7855	??	??
ram:7856	??	??
ram:7857	??	??
ram:7858	??	??
ram:7859	??	??
ram:785a	??	??
ram:785b	??	??
ram:785c	??	??
ram:785d	??	??
ram:785e	??	??
ram:785f	??	??
ram:7860	??	??
ram:7861	??	??
ram:7862	??	??
ram:7863	??	??
ram:7864	??	??
ram:7865	??	??
ram:7866	??	??
ram:7867	??	??
ram:7868	??	??
ram:7869	??	??
ram:786a	??	??
ram:786b	??	??
ram:786c	??	??

Ghidra - 961264-10.2764.u31

ram:786d	??	??
ram:786e	??	??
ram:786f	??	??
ram:7870	??	??
ram:7871	??	??
ram:7872	??	??
ram:7873	??	??
ram:7874	??	??
ram:7875	??	??
ram:7876	??	??
ram:7877	??	??
ram:7878	??	??
ram:7879	??	??
ram:787a	??	??
ram:787b	??	??
ram:787c	??	??
ram:787d	??	??
ram:787e	??	??
ram:787f	??	??
ram:7880	??	??
ram:7881	??	??
ram:7882	??	??
ram:7883	??	??
ram:7884	??	??
ram:7885	??	??
ram:7886	??	??
ram:7887	??	??
ram:7888	??	??
ram:7889	??	??
ram:788a	??	??
ram:788b	??	??
ram:788c	??	??
ram:788d	??	??
ram:788e	??	??
ram:788f	??	??
ram:7890	??	??
ram:7891	??	??
ram:7892	??	??
ram:7893	??	??
ram:7894	??	??
ram:7895	??	??
ram:7896	??	??
ram:7897	??	??
ram:7898	??	??
ram:7899	??	??
ram:789a	??	??
ram:789b	??	??
ram:789c	??	??
ram:789d	??	??
ram:789e	??	??
ram:789f	??	??
ram:78a0	??	??
ram:78a1	??	??
ram:78a2	??	??
ram:78a3	??	??
ram:78a4	??	??
ram:78a5	??	??
ram:78a6	??	??
ram:78a7	??	??
ram:78a8	??	??
ram:78a9	??	??
ram:78aa	??	??
ram:78ab	??	??
ram:78ac	??	??
ram:78ad	??	??
ram:78ae	??	??
ram:78af	??	??
ram:78b0	??	??
ram:78b1	??	??
ram:78b2	??	??
ram:78b3	??	??
ram:78b4	??	??
ram:78b5	??	??
ram:78b6	??	??
ram:78b7	??	??
ram:78b8	??	??
ram:78b9	??	??
ram:78ba	??	??
ram:78bb	??	??
ram:78bc	??	??
ram:78bd	??	??
ram:78be	??	??
ram:78bf	??	??
ram:78c0	??	??
ram:78c1	??	??

Ghidra - 961264-10.2764.u31

ram:78c2	??	??
ram:78c3	??	??
ram:78c4	??	??
ram:78c5	??	??
ram:78c6	??	??
ram:78c7	??	??
ram:78c8	??	??
ram:78c9	??	??
ram:78ca	??	??
ram:78cb	??	??
ram:78cc	??	??
ram:78cd	??	??
ram:78ce	??	??
ram:78cf	??	??
ram:78d0	??	??
ram:78d1	??	??
ram:78d2	??	??
ram:78d3	??	??
ram:78d4	??	??
ram:78d5	??	??
ram:78d6	??	??
ram:78d7	??	??
ram:78d8	??	??
ram:78d9	??	??
ram:78da	??	??
ram:78db	??	??
ram:78dc	??	??
ram:78dd	??	??
ram:78de	??	??
ram:78df	??	??
ram:78e0	??	??
ram:78e1	??	??
ram:78e2	??	??
ram:78e3	??	??
ram:78e4	??	??
ram:78e5	??	??
ram:78e6	??	??
ram:78e7	??	??
ram:78e8	??	??
ram:78e9	??	??
ram:78ea	??	??
ram:78eb	??	??
ram:78ec	??	??
ram:78ed	??	??
ram:78ee	??	??
ram:78ef	??	??
ram:78f0	??	??
ram:78f1	??	??
ram:78f2	??	??
ram:78f3	??	??
ram:78f4	??	??
ram:78f5	??	??
ram:78f6	??	??
ram:78f7	??	??
ram:78f8	??	??
ram:78f9	??	??
ram:78fa	??	??
ram:78fb	??	??
ram:78fc	??	??
ram:78fd	??	??
ram:78fe	??	??
ram:78ff	??	??
ram:7900	??	??
ram:7901	??	??
ram:7902	??	??
ram:7903	??	??
ram:7904	??	??
ram:7905	??	??
ram:7906	??	??
ram:7907	??	??
ram:7908	??	??
ram:7909	??	??
ram:790a	??	??
ram:790b	??	??
ram:790c	??	??
ram:790d	??	??
ram:790e	??	??
ram:790f	??	??
ram:7910	??	??
ram:7911	??	??
ram:7912	??	??
ram:7913	??	??
ram:7914	??	??
ram:7915	??	??
ram:7916	??	??

Ghidra - 961264-10.2764.u31

ram:7917	??	??
ram:7918	??	??
ram:7919	??	??
ram:791a	??	??
ram:791b	??	??
ram:791c	??	??
ram:791d	??	??
ram:791e	??	??
ram:791f	??	??
ram:7920	??	??
ram:7921	??	??
ram:7922	??	??
ram:7923	??	??
ram:7924	??	??
ram:7925	??	??
ram:7926	??	??
ram:7927	??	??
ram:7928	??	??
ram:7929	??	??
ram:792a	??	??
ram:792b	??	??
ram:792c	??	??
ram:792d	??	??
ram:792e	??	??
ram:792f	??	??
ram:7930	??	??
ram:7931	??	??
ram:7932	??	??
ram:7933	??	??
ram:7934	??	??
ram:7935	??	??
ram:7936	??	??
ram:7937	??	??
ram:7938	??	??
ram:7939	??	??
ram:793a	??	??
ram:793b	??	??
ram:793c	??	??
ram:793d	??	??
ram:793e	??	??
ram:793f	??	??
ram:7940	??	??
ram:7941	??	??
ram:7942	??	??
ram:7943	??	??
ram:7944	??	??
ram:7945	??	??
ram:7946	??	??
ram:7947	??	??
ram:7948	??	??
ram:7949	??	??
ram:794a	??	??
ram:794b	??	??
ram:794c	??	??
ram:794d	??	??
ram:794e	??	??
ram:794f	??	??
ram:7950	??	??
ram:7951	??	??
ram:7952	??	??
ram:7953	??	??
ram:7954	??	??
ram:7955	??	??
ram:7956	??	??
ram:7957	??	??
ram:7958	??	??
ram:7959	??	??
ram:795a	??	??
ram:795b	??	??
ram:795c	??	??
ram:795d	??	??
ram:795e	??	??
ram:795f	??	??
ram:7960	??	??
ram:7961	??	??
ram:7962	??	??
ram:7963	??	??
ram:7964	??	??
ram:7965	??	??
ram:7966	??	??
ram:7967	??	??
ram:7968	??	??
ram:7969	??	??
ram:796a	??	??
ram:796b	??	??

Ghidra - 961264-10.2764.u31

ram:796c	??	??
ram:796d	??	??
ram:796e	??	??
ram:796f	??	??
ram:7970	??	??
ram:7971	??	??
ram:7972	??	??
ram:7973	??	??
ram:7974	??	??
ram:7975	??	??
ram:7976	??	??
ram:7977	??	??
ram:7978	??	??
ram:7979	??	??
ram:797a	??	??
ram:797b	??	??
ram:797c	??	??
ram:797d	??	??
ram:797e	??	??
ram:797f	??	??
ram:7980	??	??
ram:7981	??	??
ram:7982	??	??
ram:7983	??	??
ram:7984	??	??
ram:7985	??	??
ram:7986	??	??
ram:7987	??	??
ram:7988	??	??
ram:7989	??	??
ram:798a	??	??
ram:798b	??	??
ram:798c	??	??
ram:798d	??	??
ram:798e	??	??
ram:798f	??	??
ram:7990	??	??
ram:7991	??	??
ram:7992	??	??
ram:7993	??	??
ram:7994	??	??
ram:7995	??	??
ram:7996	??	??
ram:7997	??	??
ram:7998	??	??
ram:7999	??	??
ram:799a	??	??
ram:799b	??	??
ram:799c	??	??
ram:799d	??	??
ram:799e	??	??
ram:799f	??	??
ram:79a0	??	??
ram:79a1	??	??
ram:79a2	??	??
ram:79a3	??	??
ram:79a4	??	??
ram:79a5	??	??
ram:79a6	??	??
ram:79a7	??	??
ram:79a8	??	??
ram:79a9	??	??
ram:79aa	??	??
ram:79ab	??	??
ram:79ac	??	??
ram:79ad	??	??
ram:79ae	??	??
ram:79af	??	??
ram:79b0	??	??
ram:79b1	??	??
ram:79b2	??	??
ram:79b3	??	??
ram:79b4	??	??
ram:79b5	??	??
ram:79b6	??	??
ram:79b7	??	??
ram:79b8	??	??
ram:79b9	??	??
ram:79ba	??	??
ram:79bb	??	??
ram:79bc	??	??
ram:79bd	??	??
ram:79be	??	??
ram:79bf	??	??
ram:79c0	??	??

Ghidra - 961264-10.2764.u31

ram:79c1	??	??
ram:79c2	??	??
ram:79c3	??	??
ram:79c4	??	??
ram:79c5	??	??
ram:79c6	??	??
ram:79c7	??	??
ram:79c8	??	??
ram:79c9	??	??
ram:79ca	??	??
ram:79cb	??	??
ram:79cc	??	??
ram:79cd	??	??
ram:79ce	??	??
ram:79cf	??	??
ram:79d0	??	??
ram:79d1	??	??
ram:79d2	??	??
ram:79d3	??	??
ram:79d4	??	??
ram:79d5	??	??
ram:79d6	??	??
ram:79d7	??	??
ram:79d8	??	??
ram:79d9	??	??
ram:79da	??	??
ram:79db	??	??
ram:79dc	??	??
ram:79dd	??	??
ram:79de	??	??
ram:79df	??	??
ram:79e0	??	??
ram:79e1	??	??
ram:79e2	??	??
ram:79e3	??	??
ram:79e4	??	??
ram:79e5	??	??
ram:79e6	??	??
ram:79e7	??	??
ram:79e8	??	??
ram:79e9	??	??
ram:79ea	??	??
ram:79eb	??	??
ram:79ec	??	??
ram:79ed	??	??
ram:79ee	??	??
ram:79ef	??	??
ram:79f0	??	??
ram:79f1	??	??
ram:79f2	??	??
ram:79f3	??	??
ram:79f4	??	??
ram:79f5	??	??
ram:79f6	??	??
ram:79f7	??	??
ram:79f8	??	??
ram:79f9	??	??
ram:79fa	??	??
ram:79fb	??	??
ram:79fc	??	??
ram:79fd	??	??
ram:79fe	??	??
ram:79ff	??	??
ram:7a00	??	??
ram:7a01	??	??
ram:7a02	??	??
ram:7a03	??	??
ram:7a04	??	??
ram:7a05	??	??
ram:7a06	??	??
ram:7a07	??	??
ram:7a08	??	??
ram:7a09	??	??
ram:7a0a	??	??
ram:7a0b	??	??
ram:7a0c	??	??
ram:7a0d	??	??
ram:7a0e	??	??
ram:7a0f	??	??
ram:7a10	??	??
ram:7a11	??	??
ram:7a12	??	??
ram:7a13	??	??
ram:7a14	??	??
ram:7a15	??	??

Ghidra - 961264-10.2764.u31

ram:7a16	??	??
ram:7a17	??	??
ram:7a18	??	??
ram:7a19	??	??
ram:7a1a	??	??
ram:7a1b	??	??
ram:7a1c	??	??
ram:7a1d	??	??
ram:7a1e	??	??
ram:7a1f	??	??
ram:7a20	??	??
ram:7a21	??	??
ram:7a22	??	??
ram:7a23	??	??
ram:7a24	??	??
ram:7a25	??	??
ram:7a26	??	??
ram:7a27	??	??
ram:7a28	??	??
ram:7a29	??	??
ram:7a2a	??	??
ram:7a2b	??	??
ram:7a2c	??	??
ram:7a2d	??	??
ram:7a2e	??	??
ram:7a2f	??	??
ram:7a30	??	??
ram:7a31	??	??
ram:7a32	??	??
ram:7a33	??	??
ram:7a34	??	??
ram:7a35	??	??
ram:7a36	??	??
ram:7a37	??	??
ram:7a38	??	??
ram:7a39	??	??
ram:7a3a	??	??
ram:7a3b	??	??
ram:7a3c	??	??
ram:7a3d	??	??
ram:7a3e	??	??
ram:7a3f	??	??
ram:7a40	??	??
ram:7a41	??	??
ram:7a42	??	??
ram:7a43	??	??
ram:7a44	??	??
ram:7a45	??	??
ram:7a46	??	??
ram:7a47	??	??
ram:7a48	??	??
ram:7a49	??	??
ram:7a4a	??	??
ram:7a4b	??	??
ram:7a4c	??	??
ram:7a4d	??	??
ram:7a4e	??	??
ram:7a4f	??	??
ram:7a50	??	??
ram:7a51	??	??
ram:7a52	??	??
ram:7a53	??	??
ram:7a54	??	??
ram:7a55	??	??
ram:7a56	??	??
ram:7a57	??	??
ram:7a58	??	??
ram:7a59	??	??
ram:7a5a	??	??
ram:7a5b	??	??
ram:7a5c	??	??
ram:7a5d	??	??
ram:7a5e	??	??
ram:7a5f	??	??
ram:7a60	??	??
ram:7a61	??	??
ram:7a62	??	??
ram:7a63	??	??
ram:7a64	??	??
ram:7a65	??	??
ram:7a66	??	??
ram:7a67	??	??
ram:7a68	??	??
ram:7a69	??	??
ram:7a6a	??	??

Ghidra - 961264-10.2764.u31

ram:7a6b	??	??
ram:7a6c	??	??
ram:7a6d	??	??
ram:7a6e	??	??
ram:7a6f	??	??
ram:7a70	??	??
ram:7a71	??	??
ram:7a72	??	??
ram:7a73	??	??
ram:7a74	??	??
ram:7a75	??	??
ram:7a76	??	??
ram:7a77	??	??
ram:7a78	??	??
ram:7a79	??	??
ram:7a7a	??	??
ram:7a7b	??	??
ram:7a7c	??	??
ram:7a7d	??	??
ram:7a7e	??	??
ram:7a7f	??	??
ram:7a80	??	??
ram:7a81	??	??
ram:7a82	??	??
ram:7a83	??	??
ram:7a84	??	??
ram:7a85	??	??
ram:7a86	??	??
ram:7a87	??	??
ram:7a88	??	??
ram:7a89	??	??
ram:7a8a	??	??
ram:7a8b	??	??
ram:7a8c	??	??
ram:7a8d	??	??
ram:7a8e	??	??
ram:7a8f	??	??
ram:7a90	??	??
ram:7a91	??	??
ram:7a92	??	??
ram:7a93	??	??
ram:7a94	??	??
ram:7a95	??	??
ram:7a96	??	??
ram:7a97	??	??
ram:7a98	??	??
ram:7a99	??	??
ram:7a9a	??	??
ram:7a9b	??	??
ram:7a9c	??	??
ram:7a9d	??	??
ram:7a9e	??	??
ram:7a9f	??	??
ram:7aa0	??	??
ram:7aa1	??	??
ram:7aa2	??	??
ram:7aa3	??	??
ram:7aa4	??	??
ram:7aa5	??	??
ram:7aa6	??	??
ram:7aa7	??	??
ram:7aa8	??	??
ram:7aa9	??	??
ram:7aaa	??	??
ram:7aab	??	??
ram:7aac	??	??
ram:7aad	??	??
ram:7aae	??	??
ram:7aaf	??	??
ram:7ab0	??	??
ram:7ab1	??	??
ram:7ab2	??	??
ram:7ab3	??	??
ram:7ab4	??	??
ram:7ab5	??	??
ram:7ab6	??	??
ram:7ab7	??	??
ram:7ab8	??	??
ram:7ab9	??	??
ram:7aba	??	??
ram:7abb	??	??
ram:7abc	??	??
ram:7abd	??	??
ram:7abe	??	??
ram:7abf	??	??

Ghidra - 961264-10.2764.u31

ram:7ac0	??	??
ram:7ac1	??	??
ram:7ac2	??	??
ram:7ac3	??	??
ram:7ac4	??	??
ram:7ac5	??	??
ram:7ac6	??	??
ram:7ac7	??	??
ram:7ac8	??	??
ram:7ac9	??	??
ram:7aca	??	??
ram:7acb	??	??
ram:7acc	??	??
ram:7acd	??	??
ram:7ace	??	??
ram:7acf	??	??
ram:7ad0	??	??
ram:7ad1	??	??
ram:7ad2	??	??
ram:7ad3	??	??
ram:7ad4	??	??
ram:7ad5	??	??
ram:7ad6	??	??
ram:7ad7	??	??
ram:7ad8	??	??
ram:7ad9	??	??
ram:7ada	??	??
ram:7adb	??	??
ram:7adc	??	??
ram:7add	??	??
ram:7ade	??	??
ram:7adf	??	??
ram:7ae0	??	??
ram:7ae1	??	??
ram:7ae2	??	??
ram:7ae3	??	??
ram:7ae4	??	??
ram:7ae5	??	??
ram:7ae6	??	??
ram:7ae7	??	??
ram:7ae8	??	??
ram:7ae9	??	??
ram:7aea	??	??
ram:7aeb	??	??
ram:7aec	??	??
ram:7aed	??	??
ram:7aee	??	??
ram:7aef	??	??
ram:7af0	??	??
ram:7af1	??	??
ram:7af2	??	??
ram:7af3	??	??
ram:7af4	??	??
ram:7af5	??	??
ram:7af6	??	??
ram:7af7	??	??
ram:7af8	??	??
ram:7af9	??	??
ram:7afa	??	??
ram:7afb	??	??
ram:7afc	??	??
ram:7afd	??	??
ram:7afe	??	??
ram:7aff	??	??
ram:7b00	??	??
ram:7b01	??	??
ram:7b02	??	??
ram:7b03	??	??
ram:7b04	??	??
ram:7b05	??	??
ram:7b06	??	??
ram:7b07	??	??
ram:7b08	??	??
ram:7b09	??	??
ram:7b0a	??	??
ram:7b0b	??	??
ram:7b0c	??	??
ram:7b0d	??	??
ram:7b0e	??	??
ram:7b0f	??	??
ram:7b10	??	??
ram:7b11	??	??
ram:7b12	??	??
ram:7b13	??	??
ram:7b14	??	??

Ghidra - 961264-10.2764.u31

ram:7b15	??	??
ram:7b16	??	??
ram:7b17	??	??
ram:7b18	??	??
ram:7b19	??	??
ram:7b1a	??	??
ram:7b1b	??	??
ram:7b1c	??	??
ram:7b1d	??	??
ram:7b1e	??	??
ram:7b1f	??	??
ram:7b20	??	??
ram:7b21	??	??
ram:7b22	??	??
ram:7b23	??	??
ram:7b24	??	??
ram:7b25	??	??
ram:7b26	??	??
ram:7b27	??	??
ram:7b28	??	??
ram:7b29	??	??
ram:7b2a	??	??
ram:7b2b	??	??
ram:7b2c	??	??
ram:7b2d	??	??
ram:7b2e	??	??
ram:7b2f	??	??
ram:7b30	??	??
ram:7b31	??	??
ram:7b32	??	??
ram:7b33	??	??
ram:7b34	??	??
ram:7b35	??	??
ram:7b36	??	??
ram:7b37	??	??
ram:7b38	??	??
ram:7b39	??	??
ram:7b3a	??	??
ram:7b3b	??	??
ram:7b3c	??	??
ram:7b3d	??	??
ram:7b3e	??	??
ram:7b3f	??	??
ram:7b40	??	??
ram:7b41	??	??
ram:7b42	??	??
ram:7b43	??	??
ram:7b44	??	??
ram:7b45	??	??
ram:7b46	??	??
ram:7b47	??	??
ram:7b48	??	??
ram:7b49	??	??
ram:7b4a	??	??
ram:7b4b	??	??
ram:7b4c	??	??
ram:7b4d	??	??
ram:7b4e	??	??
ram:7b4f	??	??
ram:7b50	??	??
ram:7b51	??	??
ram:7b52	??	??
ram:7b53	??	??
ram:7b54	??	??
ram:7b55	??	??
ram:7b56	??	??
ram:7b57	??	??
ram:7b58	??	??
ram:7b59	??	??
ram:7b5a	??	??
ram:7b5b	??	??
ram:7b5c	??	??
ram:7b5d	??	??
ram:7b5e	??	??
ram:7b5f	??	??
ram:7b60	??	??
ram:7b61	??	??
ram:7b62	??	??
ram:7b63	??	??
ram:7b64	??	??
ram:7b65	??	??
ram:7b66	??	??
ram:7b67	??	??
ram:7b68	??	??
ram:7b69	??	??

Ghidra - 961264-10.2764.u31

ram:7b6a	??	??
ram:7b6b	??	??
ram:7b6c	??	??
ram:7b6d	??	??
ram:7b6e	??	??
ram:7b6f	??	??
ram:7b70	??	??
ram:7b71	??	??
ram:7b72	??	??
ram:7b73	??	??
ram:7b74	??	??
ram:7b75	??	??
ram:7b76	??	??
ram:7b77	??	??
ram:7b78	??	??
ram:7b79	??	??
ram:7b7a	??	??
ram:7b7b	??	??
ram:7b7c	??	??
ram:7b7d	??	??
ram:7b7e	??	??
ram:7b7f	??	??
ram:7b80	??	??
ram:7b81	??	??
ram:7b82	??	??
ram:7b83	??	??
ram:7b84	??	??
ram:7b85	??	??
ram:7b86	??	??
ram:7b87	??	??
ram:7b88	??	??
ram:7b89	??	??
ram:7b8a	??	??
ram:7b8b	??	??
ram:7b8c	??	??
ram:7b8d	??	??
ram:7b8e	??	??
ram:7b8f	??	??
ram:7b90	??	??
ram:7b91	??	??
ram:7b92	??	??
ram:7b93	??	??
ram:7b94	??	??
ram:7b95	??	??
ram:7b96	??	??
ram:7b97	??	??
ram:7b98	??	??
ram:7b99	??	??
ram:7b9a	??	??
ram:7b9b	??	??
ram:7b9c	??	??
ram:7b9d	??	??
ram:7b9e	??	??
ram:7b9f	??	??
ram:7ba0	??	??
ram:7ba1	??	??
ram:7ba2	??	??
ram:7ba3	??	??
ram:7ba4	??	??
ram:7ba5	??	??
ram:7ba6	??	??
ram:7ba7	??	??
ram:7ba8	??	??
ram:7ba9	??	??
ram:7baa	??	??
ram:7bab	??	??
ram:7bac	??	??
ram:7bad	??	??
ram:7bae	??	??
ram:7baf	??	??
ram:7bb0	??	??
ram:7bb1	??	??
ram:7bb2	??	??
ram:7bb3	??	??
ram:7bb4	??	??
ram:7bb5	??	??
ram:7bb6	??	??
ram:7bb7	??	??
ram:7bb8	??	??
ram:7bb9	??	??
ram:7bba	??	??
ram:7bbb	??	??
ram:7bbc	??	??
ram:7bbd	??	??
ram:7bbe	??	??

Ghidra - 961264-10.2764.u31

ram:7bbf	??	??
ram:7bc0	??	??
ram:7bc1	??	??
ram:7bc2	??	??
ram:7bc3	??	??
ram:7bc4	??	??
ram:7bc5	??	??
ram:7bc6	??	??
ram:7bc7	??	??
ram:7bc8	??	??
ram:7bc9	??	??
ram:7bca	??	??
ram:7bcb	??	??
ram:7bcc	??	??
ram:7bcd	??	??
ram:7bce	??	??
ram:7bcf	??	??
ram:7bd0	??	??
ram:7bd1	??	??
ram:7bd2	??	??
ram:7bd3	??	??
ram:7bd4	??	??
ram:7bd5	??	??
ram:7bd6	??	??
ram:7bd7	??	??
ram:7bd8	??	??
ram:7bd9	??	??
ram:7bda	??	??
ram:7bdb	??	??
ram:7bdc	??	??
ram:7bdd	??	??
ram:7bde	??	??
ram:7bdf	??	??
ram:7be0	??	??
ram:7be1	??	??
ram:7be2	??	??
ram:7be3	??	??
ram:7be4	??	??
ram:7be5	??	??
ram:7be6	??	??
ram:7be7	??	??
ram:7be8	??	??
ram:7be9	??	??
ram:7bea	??	??
ram:7beb	??	??
ram:7bec	??	??
ram:7bed	??	??
ram:7bee	??	??
ram:7bef	??	??
ram:7bf0	??	??
ram:7bf1	??	??
ram:7bf2	??	??
ram:7bf3	??	??
ram:7bf4	??	??
ram:7bf5	??	??
ram:7bf6	??	??
ram:7bf7	??	??
ram:7bf8	??	??
ram:7bf9	??	??
ram:7bfa	??	??
ram:7bfb	??	??
ram:7bfc	??	??
ram:7bfd	??	??
ram:7bfe	??	??
ram:7bff	??	??
ram:7c00	??	??
ram:7c01	??	??
ram:7c02	??	??
ram:7c03	??	??
ram:7c04	??	??
ram:7c05	??	??
ram:7c06	??	??
ram:7c07	??	??
ram:7c08	??	??
ram:7c09	??	??
ram:7c0a	??	??
ram:7c0b	??	??
ram:7c0c	??	??
ram:7c0d	??	??
ram:7c0e	??	??
ram:7c0f	??	??
ram:7c10	??	??
ram:7c11	??	??
ram:7c12	??	??
ram:7c13	??	??

Ghidra - 961264-10.2764.u31

ram:7c14	??	??
ram:7c15	??	??
ram:7c16	??	??
ram:7c17	??	??
ram:7c18	??	??
ram:7c19	??	??
ram:7c1a	??	??
ram:7c1b	??	??
ram:7c1c	??	??
ram:7c1d	??	??
ram:7c1e	??	??
ram:7c1f	??	??
ram:7c20	??	??
ram:7c21	??	??
ram:7c22	??	??
ram:7c23	??	??
ram:7c24	??	??
ram:7c25	??	??
ram:7c26	??	??
ram:7c27	??	??
ram:7c28	??	??
ram:7c29	??	??
ram:7c2a	??	??
ram:7c2b	??	??
ram:7c2c	??	??
ram:7c2d	??	??
ram:7c2e	??	??
ram:7c2f	??	??
ram:7c30	??	??
ram:7c31	??	??
ram:7c32	??	??
ram:7c33	??	??
ram:7c34	??	??
ram:7c35	??	??
ram:7c36	??	??
ram:7c37	??	??
ram:7c38	??	??
ram:7c39	??	??
ram:7c3a	??	??
ram:7c3b	??	??
ram:7c3c	??	??
ram:7c3d	??	??
ram:7c3e	??	??
ram:7c3f	??	??
ram:7c40	??	??
ram:7c41	??	??
ram:7c42	??	??
ram:7c43	??	??
ram:7c44	??	??
ram:7c45	??	??
ram:7c46	??	??
ram:7c47	??	??
ram:7c48	??	??
ram:7c49	??	??
ram:7c4a	??	??
ram:7c4b	??	??
ram:7c4c	??	??
ram:7c4d	??	??
ram:7c4e	??	??
ram:7c4f	??	??
ram:7c50	??	??
ram:7c51	??	??
ram:7c52	??	??
ram:7c53	??	??
ram:7c54	??	??
ram:7c55	??	??
ram:7c56	??	??
ram:7c57	??	??
ram:7c58	??	??
ram:7c59	??	??
ram:7c5a	??	??
ram:7c5b	??	??
ram:7c5c	??	??
ram:7c5d	??	??
ram:7c5e	??	??
ram:7c5f	??	??
ram:7c60	??	??
ram:7c61	??	??
ram:7c62	??	??
ram:7c63	??	??
ram:7c64	??	??
ram:7c65	??	??
ram:7c66	??	??
ram:7c67	??	??
ram:7c68	??	??

Ghidra - 961264-10.2764.u31

ram:7c69	??	??
ram:7c6a	??	??
ram:7c6b	??	??
ram:7c6c	??	??
ram:7c6d	??	??
ram:7c6e	??	??
ram:7c6f	??	??
ram:7c70	??	??
ram:7c71	??	??
ram:7c72	??	??
ram:7c73	??	??
ram:7c74	??	??
ram:7c75	??	??
ram:7c76	??	??
ram:7c77	??	??
ram:7c78	??	??
ram:7c79	??	??
ram:7c7a	??	??
ram:7c7b	??	??
ram:7c7c	??	??
ram:7c7d	??	??
ram:7c7e	??	??
ram:7c7f	??	??
ram:7c80	??	??
ram:7c81	??	??
ram:7c82	??	??
ram:7c83	??	??
ram:7c84	??	??
ram:7c85	??	??
ram:7c86	??	??
ram:7c87	??	??
ram:7c88	??	??
ram:7c89	??	??
ram:7c8a	??	??
ram:7c8b	??	??
ram:7c8c	??	??
ram:7c8d	??	??
ram:7c8e	??	??
ram:7c8f	??	??
ram:7c90	??	??
ram:7c91	??	??
ram:7c92	??	??
ram:7c93	??	??
ram:7c94	??	??
ram:7c95	??	??
ram:7c96	??	??
ram:7c97	??	??
ram:7c98	??	??
ram:7c99	??	??
ram:7c9a	??	??
ram:7c9b	??	??
ram:7c9c	??	??
ram:7c9d	??	??
ram:7c9e	??	??
ram:7c9f	??	??
ram:7ca0	??	??
ram:7ca1	??	??
ram:7ca2	??	??
ram:7ca3	??	??
ram:7ca4	??	??
ram:7ca5	??	??
ram:7ca6	??	??
ram:7ca7	??	??
ram:7ca8	??	??
ram:7ca9	??	??
ram:7caa	??	??
ram:7cab	??	??
ram:7cac	??	??
ram:7cad	??	??
ram:7cae	??	??
ram:7caf	??	??
ram:7cb0	??	??
ram:7cb1	??	??
ram:7cb2	??	??
ram:7cb3	??	??
ram:7cb4	??	??
ram:7cb5	??	??
ram:7cb6	??	??
ram:7cb7	??	??
ram:7cb8	??	??
ram:7cb9	??	??
ram:7cba	??	??
ram:7cbb	??	??
ram:7cbc	??	??
ram:7cbd	??	??

Ghidra - 961264-10.2764.u31

ram:7cbe	??	??
ram:7cbf	??	??
ram:7cc0	??	??
ram:7cc1	??	??
ram:7cc2	??	??
ram:7cc3	??	??
ram:7cc4	??	??
ram:7cc5	??	??
ram:7cc6	??	??
ram:7cc7	??	??
ram:7cc8	??	??
ram:7cc9	??	??
ram:7cca	??	??
ram:7ccb	??	??
ram:7ccc	??	??
ram:7ccd	??	??
ram:7cce	??	??
ram:7ccf	??	??
ram:7cd0	??	??
ram:7cd1	??	??
ram:7cd2	??	??
ram:7cd3	??	??
ram:7cd4	??	??
ram:7cd5	??	??
ram:7cd6	??	??
ram:7cd7	??	??
ram:7cd8	??	??
ram:7cd9	??	??
ram:7cda	??	??
ram:7cdb	??	??
ram:7cdc	??	??
ram:7cdd	??	??
ram:7cde	??	??
ram:7cdf	??	??
ram:7ce0	??	??
ram:7ce1	??	??
ram:7ce2	??	??
ram:7ce3	??	??
ram:7ce4	??	??
ram:7ce5	??	??
ram:7ce6	??	??
ram:7ce7	??	??
ram:7ce8	??	??
ram:7ce9	??	??
ram:7cea	??	??
ram:7ceb	??	??
ram:7cec	??	??
ram:7ced	??	??
ram:7cee	??	??
ram:7cef	??	??
ram:7cf0	??	??
ram:7cf1	??	??
ram:7cf2	??	??
ram:7cf3	??	??
ram:7cf4	??	??
ram:7cf5	??	??
ram:7cf6	??	??
ram:7cf7	??	??
ram:7cf8	??	??
ram:7cf9	??	??
ram:7cfa	??	??
ram:7cfb	??	??
ram:7cfc	??	??
ram:7cfd	??	??
ram:7cfe	??	??
ram:7cff	??	??
ram:7d00	??	??
ram:7d01	??	??
ram:7d02	??	??
ram:7d03	??	??
ram:7d04	??	??
ram:7d05	??	??
ram:7d06	??	??
ram:7d07	??	??
ram:7d08	??	??
ram:7d09	??	??
ram:7d0a	??	??
ram:7d0b	??	??
ram:7d0c	??	??
ram:7d0d	??	??
ram:7d0e	??	??
ram:7d0f	??	??
ram:7d10	??	??
ram:7d11	??	??
ram:7d12	??	??

Ghidra - 961264-10.2764.u31

ram:7d13	??	??
ram:7d14	??	??
ram:7d15	??	??
ram:7d16	??	??
ram:7d17	??	??
ram:7d18	??	??
ram:7d19	??	??
ram:7d1a	??	??
ram:7d1b	??	??
ram:7d1c	??	??
ram:7d1d	??	??
ram:7d1e	??	??
ram:7d1f	??	??
ram:7d20	??	??
ram:7d21	??	??
ram:7d22	??	??
ram:7d23	??	??
ram:7d24	??	??
ram:7d25	??	??
ram:7d26	??	??
ram:7d27	??	??
ram:7d28	??	??
ram:7d29	??	??
ram:7d2a	??	??
ram:7d2b	??	??
ram:7d2c	??	??
ram:7d2d	??	??
ram:7d2e	??	??
ram:7d2f	??	??
ram:7d30	??	??
ram:7d31	??	??
ram:7d32	??	??
ram:7d33	??	??
ram:7d34	??	??
ram:7d35	??	??
ram:7d36	??	??
ram:7d37	??	??
ram:7d38	??	??
ram:7d39	??	??
ram:7d3a	??	??
ram:7d3b	??	??
ram:7d3c	??	??
ram:7d3d	??	??
ram:7d3e	??	??
ram:7d3f	??	??
ram:7d40	??	??
ram:7d41	??	??
ram:7d42	??	??
ram:7d43	??	??
ram:7d44	??	??
ram:7d45	??	??
ram:7d46	??	??
ram:7d47	??	??
ram:7d48	??	??
ram:7d49	??	??
ram:7d4a	??	??
ram:7d4b	??	??
ram:7d4c	??	??
ram:7d4d	??	??
ram:7d4e	??	??
ram:7d4f	??	??
ram:7d50	??	??
ram:7d51	??	??
ram:7d52	??	??
ram:7d53	??	??
ram:7d54	??	??
ram:7d55	??	??
ram:7d56	??	??
ram:7d57	??	??
ram:7d58	??	??
ram:7d59	??	??
ram:7d5a	??	??
ram:7d5b	??	??
ram:7d5c	??	??
ram:7d5d	??	??
ram:7d5e	??	??
ram:7d5f	??	??
ram:7d60	??	??
ram:7d61	??	??
ram:7d62	??	??
ram:7d63	??	??
ram:7d64	??	??
ram:7d65	??	??
ram:7d66	??	??
ram:7d67	??	??

Ghidra - 961264-10.2764.u31

ram:7d68	??	??
ram:7d69	??	??
ram:7d6a	??	??
ram:7d6b	??	??
ram:7d6c	??	??
ram:7d6d	??	??
ram:7d6e	??	??
ram:7d6f	??	??
ram:7d70	??	??
ram:7d71	??	??
ram:7d72	??	??
ram:7d73	??	??
ram:7d74	??	??
ram:7d75	??	??
ram:7d76	??	??
ram:7d77	??	??
ram:7d78	??	??
ram:7d79	??	??
ram:7d7a	??	??
ram:7d7b	??	??
ram:7d7c	??	??
ram:7d7d	??	??
ram:7d7e	??	??
ram:7d7f	??	??
ram:7d80	??	??
ram:7d81	??	??
ram:7d82	??	??
ram:7d83	??	??
ram:7d84	??	??
ram:7d85	??	??
ram:7d86	??	??
ram:7d87	??	??
ram:7d88	??	??
ram:7d89	??	??
ram:7d8a	??	??
ram:7d8b	??	??
ram:7d8c	??	??
ram:7d8d	??	??
ram:7d8e	??	??
ram:7d8f	??	??
ram:7d90	??	??
ram:7d91	??	??
ram:7d92	??	??
ram:7d93	??	??
ram:7d94	??	??
ram:7d95	??	??
ram:7d96	??	??
ram:7d97	??	??
ram:7d98	??	??
ram:7d99	??	??
ram:7d9a	??	??
ram:7d9b	??	??
ram:7d9c	??	??
ram:7d9d	??	??
ram:7d9e	??	??
ram:7d9f	??	??
ram:7da0	??	??
ram:7da1	??	??
ram:7da2	??	??
ram:7da3	??	??
ram:7da4	??	??
ram:7da5	??	??
ram:7da6	??	??
ram:7da7	??	??
ram:7da8	??	??
ram:7da9	??	??
ram:7daa	??	??
ram:7dab	??	??
ram:7dac	??	??
ram:7dad	??	??
ram:7dae	??	??
ram:7daf	??	??
ram:7db0	??	??
ram:7db1	??	??
ram:7db2	??	??
ram:7db3	??	??
ram:7db4	??	??
ram:7db5	??	??
ram:7db6	??	??
ram:7db7	??	??
ram:7db8	??	??
ram:7db9	??	??
ram:7dba	??	??
ram:7dbb	??	??
ram:7dbc	??	??

Ghidra - 961264-10.2764.u31

ram:7dbd	??	??
ram:7dbe	??	??
ram:7dbf	??	??
ram:7dc0	??	??
ram:7dc1	??	??
ram:7dc2	??	??
ram:7dc3	??	??
ram:7dc4	??	??
ram:7dc5	??	??
ram:7dc6	??	??
ram:7dc7	??	??
ram:7dc8	??	??
ram:7dc9	??	??
ram:7dca	??	??
ram:7dcb	??	??
ram:7dcc	??	??
ram:7dcd	??	??
ram:7dce	??	??
ram:7dcf	??	??
ram:7dd0	??	??
ram:7dd1	??	??
ram:7dd2	??	??
ram:7dd3	??	??
ram:7dd4	??	??
ram:7dd5	??	??
ram:7dd6	??	??
ram:7dd7	??	??
ram:7dd8	??	??
ram:7dd9	??	??
ram:7dda	??	??
ram:7ddb	??	??
ram:7ddc	??	??
ram:7ddd	??	??
ram:7dde	??	??
ram:7ddf	??	??
ram:7de0	??	??
ram:7de1	??	??
ram:7de2	??	??
ram:7de3	??	??
ram:7de4	??	??
ram:7de5	??	??
ram:7de6	??	??
ram:7de7	??	??
ram:7de8	??	??
ram:7de9	??	??
ram:7dea	??	??
ram:7deb	??	??
ram:7dec	??	??
ram:7ded	??	??
ram:7dee	??	??
ram:7def	??	??
ram:7df0	??	??
ram:7df1	??	??
ram:7df2	??	??
ram:7df3	??	??
ram:7df4	??	??
ram:7df5	??	??
ram:7df6	??	??
ram:7df7	??	??
ram:7df8	??	??
ram:7df9	??	??
ram:7dfa	??	??
ram:7dfb	??	??
ram:7dfc	??	??
ram:7dfd	??	??
ram:7dfe	??	??
ram:7dff	??	??
ram:7e00	??	??
ram:7e01	??	??
ram:7e02	??	??
ram:7e03	??	??
ram:7e04	??	??
ram:7e05	??	??
ram:7e06	??	??
ram:7e07	??	??
ram:7e08	??	??
ram:7e09	??	??
ram:7e0a	??	??
ram:7e0b	??	??
ram:7e0c	??	??
ram:7e0d	??	??
ram:7e0e	??	??
ram:7e0f	??	??
ram:7e10	??	??
ram:7e11	??	??

Ghidra - 961264-10.2764.u31

ram:7e12	??	??
ram:7e13	??	??
ram:7e14	??	??
ram:7e15	??	??
ram:7e16	??	??
ram:7e17	??	??
ram:7e18	??	??
ram:7e19	??	??
ram:7e1a	??	??
ram:7e1b	??	??
ram:7e1c	??	??
ram:7e1d	??	??
ram:7e1e	??	??
ram:7e1f	??	??
ram:7e20	??	??
ram:7e21	??	??
ram:7e22	??	??
ram:7e23	??	??
ram:7e24	??	??
ram:7e25	??	??
ram:7e26	??	??
ram:7e27	??	??
ram:7e28	??	??
ram:7e29	??	??
ram:7e2a	??	??
ram:7e2b	??	??
ram:7e2c	??	??
ram:7e2d	??	??
ram:7e2e	??	??
ram:7e2f	??	??
ram:7e30	??	??
ram:7e31	??	??
ram:7e32	??	??
ram:7e33	??	??
ram:7e34	??	??
ram:7e35	??	??
ram:7e36	??	??
ram:7e37	??	??
ram:7e38	??	??
ram:7e39	??	??
ram:7e3a	??	??
ram:7e3b	??	??
ram:7e3c	??	??
ram:7e3d	??	??
ram:7e3e	??	??
ram:7e3f	??	??
ram:7e40	??	??
ram:7e41	??	??
ram:7e42	??	??
ram:7e43	??	??
ram:7e44	??	??
ram:7e45	??	??
ram:7e46	??	??
ram:7e47	??	??
ram:7e48	??	??
ram:7e49	??	??
ram:7e4a	??	??
ram:7e4b	??	??
ram:7e4c	??	??
ram:7e4d	??	??
ram:7e4e	??	??
ram:7e4f	??	??
ram:7e50	??	??
ram:7e51	??	??
ram:7e52	??	??
ram:7e53	??	??
ram:7e54	??	??
ram:7e55	??	??
ram:7e56	??	??
ram:7e57	??	??
ram:7e58	??	??
ram:7e59	??	??
ram:7e5a	??	??
ram:7e5b	??	??
ram:7e5c	??	??
ram:7e5d	??	??
ram:7e5e	??	??
ram:7e5f	??	??
ram:7e60	??	??
ram:7e61	??	??
ram:7e62	??	??
ram:7e63	??	??
ram:7e64	??	??
ram:7e65	??	??
ram:7e66	??	??

Ghidra - 961264-10.2764.u31

ram:7e67	??	??
ram:7e68	??	??
ram:7e69	??	??
ram:7e6a	??	??
ram:7e6b	??	??
ram:7e6c	??	??
ram:7e6d	??	??
ram:7e6e	??	??
ram:7e6f	??	??
ram:7e70	??	??
ram:7e71	??	??
ram:7e72	??	??
ram:7e73	??	??
ram:7e74	??	??
ram:7e75	??	??
ram:7e76	??	??
ram:7e77	??	??
ram:7e78	??	??
ram:7e79	??	??
ram:7e7a	??	??
ram:7e7b	??	??
ram:7e7c	??	??
ram:7e7d	??	??
ram:7e7e	??	??
ram:7e7f	??	??
ram:7e80	??	??
ram:7e81	??	??
ram:7e82	??	??
ram:7e83	??	??
ram:7e84	??	??
ram:7e85	??	??
ram:7e86	??	??
ram:7e87	??	??
ram:7e88	??	??
ram:7e89	??	??
ram:7e8a	??	??
ram:7e8b	??	??
ram:7e8c	??	??
ram:7e8d	??	??
ram:7e8e	??	??
ram:7e8f	??	??
ram:7e90	??	??
ram:7e91	??	??
ram:7e92	??	??
ram:7e93	??	??
ram:7e94	??	??
ram:7e95	??	??
ram:7e96	??	??
ram:7e97	??	??
ram:7e98	??	??
ram:7e99	??	??
ram:7e9a	??	??
ram:7e9b	??	??
ram:7e9c	??	??
ram:7e9d	??	??
ram:7e9e	??	??
ram:7e9f	??	??
ram:7ea0	??	??
ram:7ea1	??	??
ram:7ea2	??	??
ram:7ea3	??	??
ram:7ea4	??	??
ram:7ea5	??	??
ram:7ea6	??	??
ram:7ea7	??	??
ram:7ea8	??	??
ram:7ea9	??	??
ram:7eaa	??	??
ram:7eab	??	??
ram:7eac	??	??
ram:7ead	??	??
ram:7eae	??	??
ram:7eaf	??	??
ram:7eb0	??	??
ram:7eb1	??	??
ram:7eb2	??	??
ram:7eb3	??	??
ram:7eb4	??	??
ram:7eb5	??	??
ram:7eb6	??	??
ram:7eb7	??	??
ram:7eb8	??	??
ram:7eb9	??	??
ram:7eba	??	??
ram:7ebb	??	??

Ghidra - 961264-10.2764.u31

ram:7ebc	??	??
ram:7ebd	??	??
ram:7ebe	??	??
ram:7ebf	??	??
ram:7ec0	??	??
ram:7ec1	??	??
ram:7ec2	??	??
ram:7ec3	??	??
ram:7ec4	??	??
ram:7ec5	??	??
ram:7ec6	??	??
ram:7ec7	??	??
ram:7ec8	??	??
ram:7ec9	??	??
ram:7eca	??	??
ram:7ecb	??	??
ram:7ecc	??	??
ram:7ecd	??	??
ram:7ece	??	??
ram:7ecf	??	??
ram:7ed0	??	??
ram:7ed1	??	??
ram:7ed2	??	??
ram:7ed3	??	??
ram:7ed4	??	??
ram:7ed5	??	??
ram:7ed6	??	??
ram:7ed7	??	??
ram:7ed8	??	??
ram:7ed9	??	??
ram:7eda	??	??
ram:7edb	??	??
ram:7edc	??	??
ram:7edd	??	??
ram:7ede	??	??
ram:7edf	??	??
ram:7ee0	??	??
ram:7ee1	??	??
ram:7ee2	??	??
ram:7ee3	??	??
ram:7ee4	??	??
ram:7ee5	??	??
ram:7ee6	??	??
ram:7ee7	??	??
ram:7ee8	??	??
ram:7ee9	??	??
ram:7eea	??	??
ram:7eeb	??	??
ram:7eec	??	??
ram:7eed	??	??
ram:7eee	??	??
ram:7eef	??	??
ram:7ef0	??	??
ram:7ef1	??	??
ram:7ef2	??	??
ram:7ef3	??	??
ram:7ef4	??	??
ram:7ef5	??	??
ram:7ef6	??	??
ram:7ef7	??	??
ram:7ef8	??	??
ram:7ef9	??	??
ram:7efa	??	??
ram:7efb	??	??
ram:7efc	??	??
ram:7efd	??	??
ram:7efe	??	??
ram:7eff	??	??
ram:7f00	??	??
ram:7f01	??	??
ram:7f02	??	??
ram:7f03	??	??
ram:7f04	??	??
ram:7f05	??	??
ram:7f06	??	??
ram:7f07	??	??
ram:7f08	??	??
ram:7f09	??	??
ram:7f0a	??	??
ram:7f0b	??	??
ram:7f0c	??	??
ram:7f0d	??	??
ram:7f0e	??	??
ram:7f0f	??	??
ram:7f10	??	??

Ghidra - 961264-10.2764.u31

ram:7f11	??	??
ram:7f12	??	??
ram:7f13	??	??
ram:7f14	??	??
ram:7f15	??	??
ram:7f16	??	??
ram:7f17	??	??
ram:7f18	??	??
ram:7f19	??	??
ram:7f1a	??	??
ram:7f1b	??	??
ram:7f1c	??	??
ram:7f1d	??	??
ram:7f1e	??	??
ram:7f1f	??	??
ram:7f20	??	??
ram:7f21	??	??
ram:7f22	??	??
ram:7f23	??	??
ram:7f24	??	??
ram:7f25	??	??
ram:7f26	??	??
ram:7f27	??	??
ram:7f28	??	??
ram:7f29	??	??
ram:7f2a	??	??
ram:7f2b	??	??
ram:7f2c	??	??
ram:7f2d	??	??
ram:7f2e	??	??
ram:7f2f	??	??
ram:7f30	??	??
ram:7f31	??	??
ram:7f32	??	??
ram:7f33	??	??
ram:7f34	??	??
ram:7f35	??	??
ram:7f36	??	??
ram:7f37	??	??
ram:7f38	??	??
ram:7f39	??	??
ram:7f3a	??	??
ram:7f3b	??	??
ram:7f3c	??	??
ram:7f3d	??	??
ram:7f3e	??	??
ram:7f3f	??	??
ram:7f40	??	??
ram:7f41	??	??
ram:7f42	??	??
ram:7f43	??	??
ram:7f44	??	??
ram:7f45	??	??
ram:7f46	??	??
ram:7f47	??	??
ram:7f48	??	??
ram:7f49	??	??
ram:7f4a	??	??
ram:7f4b	??	??
ram:7f4c	??	??
ram:7f4d	??	??
ram:7f4e	??	??
ram:7f4f	??	??
ram:7f50	??	??
ram:7f51	??	??
ram:7f52	??	??
ram:7f53	??	??
ram:7f54	??	??
ram:7f55	??	??
ram:7f56	??	??
ram:7f57	??	??
ram:7f58	??	??
ram:7f59	??	??
ram:7f5a	??	??
ram:7f5b	??	??
ram:7f5c	??	??
ram:7f5d	??	??
ram:7f5e	??	??
ram:7f5f	??	??
ram:7f60	??	??
ram:7f61	??	??
ram:7f62	??	??
ram:7f63	??	??
ram:7f64	??	??
ram:7f65	??	??

Ghidra - 961264-10.2764.u31

ram:7f66	??	??
ram:7f67	??	??
ram:7f68	??	??
ram:7f69	??	??
ram:7f6a	??	??
ram:7f6b	??	??
ram:7f6c	??	??
ram:7f6d	??	??
ram:7f6e	??	??
ram:7f6f	??	??
ram:7f70	??	??
ram:7f71	??	??
ram:7f72	??	??
ram:7f73	??	??
ram:7f74	??	??
ram:7f75	??	??
ram:7f76	??	??
ram:7f77	??	??
ram:7f78	??	??
ram:7f79	??	??
ram:7f7a	??	??
ram:7f7b	??	??
ram:7f7c	??	??
ram:7f7d	??	??
ram:7f7e	??	??
ram:7f7f	??	??
ram:7f80	??	??
ram:7f81	??	??
ram:7f82	??	??
ram:7f83	??	??
ram:7f84	??	??
ram:7f85	??	??
ram:7f86	??	??
ram:7f87	??	??
ram:7f88	??	??
ram:7f89	??	??
ram:7f8a	??	??
ram:7f8b	??	??
ram:7f8c	??	??
ram:7f8d	??	??
ram:7f8e	??	??
ram:7f8f	??	??
ram:7f90	??	??
ram:7f91	??	??
ram:7f92	??	??
ram:7f93	??	??
ram:7f94	??	??
ram:7f95	??	??
ram:7f96	??	??
ram:7f97	??	??
ram:7f98	??	??
ram:7f99	??	??
ram:7f9a	??	??
ram:7f9b	??	??
ram:7f9c	??	??
ram:7f9d	??	??
ram:7f9e	??	??
ram:7f9f	??	??
ram:7fa0	??	??
ram:7fa1	??	??
ram:7fa2	??	??
ram:7fa3	??	??
ram:7fa4	??	??
ram:7fa5	??	??
ram:7fa6	??	??
ram:7fa7	??	??
ram:7fa8	??	??
ram:7fa9	??	??
ram:7faa	??	??
ram:7fab	??	??
ram:7fac	??	??
ram:7fad	??	??
ram:7fae	??	??
ram:7faf	??	??
ram:7fb0	??	??
ram:7fb1	??	??
ram:7fb2	??	??
ram:7fb3	??	??
ram:7fb4	??	??
ram:7fb5	??	??
ram:7fb6	??	??
ram:7fb7	??	??
ram:7fb8	??	??
ram:7fb9	??	??
ram:7fba	??	??

Ghidra - 961264-10.2764.u31

ram:7fbb	??	??
ram:7fbc	??	??
ram:7fbd	??	??
ram:7fbe	??	??
ram:7fbf	??	??
ram:7fc0	??	??
ram:7fc1	??	??
ram:7fc2	??	??
ram:7fc3	??	??
ram:7fc4	??	??
ram:7fc5	??	??
ram:7fc6	??	??
ram:7fc7	??	??
ram:7fc8	??	??
ram:7fc9	??	??
ram:7fca	??	??
ram:7fcb	??	??
ram:7fcc	??	??
ram:7fcd	??	??
ram:7fce	??	??
ram:7fcf	??	??
ram:7fd0	??	??
ram:7fd1	??	??
ram:7fd2	??	??
ram:7fd3	??	??
ram:7fd4	??	??
ram:7fd5	??	??
ram:7fd6	??	??
ram:7fd7	??	??
ram:7fd8	??	??
ram:7fd9	??	??
ram:7fda	??	??
ram:7fdb	??	??
ram:7fdc	??	??
ram:7fdd	??	??
ram:7fde	??	??
ram:7fdf	??	??
ram:7fe0	??	??
ram:7fe1	??	??
ram:7fe2	??	??
ram:7fe3	??	??
ram:7fe4	??	??
ram:7fe5	??	??
ram:7fe6	??	??
ram:7fe7	??	??
ram:7fe8	??	??
ram:7fe9	??	??
ram:7fea	??	??
ram:7feb	??	??
ram:7fec	??	??
ram:7fed	??	??
ram:7fee	??	??
ram:7fef	??	??
ram:7ff0	??	??
ram:7ff1	??	??
ram:7ff2	??	??
ram:7ff3	??	??
ram:7ff4	??	??
ram:7ff5	??	??
ram:7ff6	??	??
ram:7ff7	??	??
ram:7ff8	??	??
ram:7ff9	??	??
ram:7ffa	??	??
ram:7ffb	??	??
ram:7ffc	??	??
ram:7ffd	??	??
ram:7ffe	??	??
ram:7fff	??	??

Ghidra - 961264-10.2764.u31

```

.....
//
// IO
// io:00-io:fe
//

IO:

00_ - 0F_ 0000_xx -> Z80-SIO Serial IO
1__0 - 1__7 0001__0_x -> MC6850 Serial IO Keyboard...
1__8 - 1__F 0001__1_x -> MC6850 Serial IO Printer ...
2__0 - 2__F 0010__xx -> 8253 Timer
3__0 - 3__F 0011__xxxx -> TMS9937/CRT5027 Display C...
4000 - 4FFF 0100__ -> DMA*
5000 - 5FFF 0101__ -> Control Port 1
6000 - 6FFF 0110__ -> Status/Control Port 2
7000 - 7FFF 0111__ -> Character Attribute** ***
8000 - FFFF 1_____ -> Expansion cards

* Controller must be provided on an Expansion-card.
** To set attribute to be used for new characters, set ATWR b...
*** To get attribute from video RAM, do a regular memory read...

Channel_A_Data XREF[8]: ram:02e0(R), ram:0320(W),
ram:0375(W), ram:039b(W),
FUN_ram_0e0c:0e3a(W),
FUN_ram_0ed4:0ef7(W),
FUN_ram_0eb6:0f30(W),
keyboard_to_host_transmission:0f...

io:00 char ??

Channel_A_Command_Status XREF[35]: init_host_serial_port:09e8(W),
init_host_serial_port:09ec(W),
init_host_serial_port:09f8(W),
init_host_serial_port:09fc(W),
ram:0a04(W),
update_uart_txcontrol_check_DTR...,
update_uart_txcontrol_check_DTR...,
update_uart_txcontrol_check_DTR...,
disable_cha_rx:0dbc(W),
disable_cha_rx:0dc3(W),
update_chA_reg3_Rx_maybe:0dd3(W),
update_chA_reg3_Rx_maybe:0de4(W),
update_chA_reg3_Rx_maybe:0de9(W),
FUN_ram_0e48:0e4c(W),
FUN_ram_0e48:0e53(W),
FUN_ram_0e5d:0e69(W),
FUN_ram_0e5d:0e70(W),
SetChannelA_Status:0e95(W),
SetChannelA_Status:0ea0(W),
ram:42a2(W), [more]

io:01 db ??

Channel_B_Data XREF[3]: ram:0358(R), ram:03b1(W),
send_data_to_printer:0fa0(W)

io:02 char ??

Channel_B_Command_Status XREF[15]: ram:02af(W), ram:02b1(R),
ram:03b8(W), ram:03d8(W),
ram:03da(R), ram:03e6(W),
setup_serial_channel_A_and_B:092a(W),
setup_serial_channel_A_and_B:094a(W),
setup_serial_channel_A_and_B:096a(W),
ram:095a(W), ram:0962(W),
ram:0967(W), ram:096b(W),
ram:096f(W)

io:03 db ??
io:04 ?? ??
io:05 ?? ??
io:06 ?? ??
io:07 ?? ??
io:08 ?? ??
io:09 ?? ??
io:0a ?? ??
io:0b ?? ??
io:0c ?? ??
io:0d ?? ??
io:0e ?? ??
io:0f ?? ??

```

Ghidra - 961264-10.2764.u31

	Keyboard_Read(StatusRegister)_Write(ControlReg, XREF[7]:	ram:044f(R), FUN_ram_0780:0792(R), initialize_system_variables:0832. initialize_system_variables:0836. initialize_system_variables:0886. initialize_system_variables:08a1. write_to_keyboard_return_carry_i.
io:10	db ??	
	Keyboard_Read(ReceiveDataRegister)_Write(Trans, XREF[6]:	ram:045d(R), FUN_ram_0780:0799(R), initialize_system_variables:083a. initialize_system_variables:0897. initialize_system_variables:08a8. write_to_keyboard_return_carry_i.
io:11	db ??	
io:12	?? ??	
io:13	?? ??	
io:14	?? ??	
io:15	?? ??	
io:16	?? ??	
io:17	?? ??	
	Printer_Read(StatusRegister)_Write(ControlReg, XREF[6]:	ram:0496(R), FUN_ram_0525:0529(W), vsync_interrupt_handler:05d7(W), check_printer_status:09b3(W), check_printer_status:09ce(W), FUN_ram_0fbd:0fd7(W)
io:18	db ??	
	Printer_Read(ReceiveDataRegister)_Write(Trans, XREF[2]:	FUN_ram_04b5:04e7(W), FUN_ram_04ef:04f3(R)
io:19	db ??	
io:1a	?? ??	
io:1b	?? ??	
io:1c	?? ??	
io:1d	?? ??	
io:1e	?? ??	
io:1f	?? ??	
	Timer.Counter_0	XREF[2]: ram:097c(W), ram:0980(W)
io:20	?? ??	
	Timer.Counter_1	XREF[2]: ram:098d(W), ram:0991(W)
io:21	?? ??	
	Timer.Counter_2	XREF[2]: check_printer_status:09de(W), check_printer_status:09e2(W)
io:22	db ??	
	Timer.ControlWord	XREF[3]: ram:0979(W), ram:098a(W), check_printer_status:09db(W)
io:23	db ??	
io:24	?? ??	
io:25	?? ??	
io:26	?? ??	
io:27	?? ??	
io:28	?? ??	
io:29	?? ??	
io:2a	?? ??	
io:2b	?? ??	
io:2c	?? ??	
io:2d	?? ??	
io:2e	?? ??	
io:2f	?? ??	
	0x30-0x3F - CRT (TI9927 / CRT5027)	
	VDC.LOAD_CONTROL_REGISTER_0	XREF[1]: terminal_boot_sequence:01f8(W)
io:30	db ??	
	VDC.LOAD_CONTROL_REGISTER_1	XREF[1]: terminal_boot_sequence:01fd(W)
io:31	db ??	
	VDC.LOAD_CONTROL_REGISTER_2	XREF[1]: terminal_boot_sequence:0200(W)
io:32	db ??	
	VDC.LOAD_CONTROL_REGISTER_3	XREF[1]: terminal_boot_sequence:0204(W)
io:33	db ??	
	VDC.LOAD_CONTROL_REGISTER_4	XREF[1]: terminal_boot_sequence:0208(W)
io:34	db ??	

Ghidra - 961264-10.2764.u31

```

VDC.LOAD_CONTROL_REGISTER_5_Vertical_data_startXREF[5]:    terminal_boot_sequence:020d(W),
                                                            wait_display_refresh_cycles:14c2,
                                                            wait_display_refresh_cycles:14c2,
                                                            FUN_ram_14eb:14f3(W),
                                                            FUN_ram_14eb:14ff(W)
io:35              db              ??

VDC.LOAD_CONTROL_REGISTER_6                                XREF[2]:    terminal_boot_sequence:0210(W),
                                                            wait_display_refresh_cycles:14e0,
io:36              db              ??

VDC.PROCESSOR_SELF_LOAD
io:37              db              ??

VDC.READ_CURSOR_ROW_ADDRESS
io:38              db              ??

VDC.READ_CURSOR_CHARACTER_ADDRESS
io:39              db              ??

VCD.RESET                                                  XREF[1]:    terminal_boot_sequence:01f4(W)
io:3a              db              ??

VCD.UP_SCROLL
io:3b              ??              ??

VDC.LOAD_CURSOR_CHARACTER_ADDRESS                        XREF[5]:    terminal_boot_sequence:0213(W),
                                                            FUN_ram_134c:134e(W),
                                                            increase_cursor_character:138b(W),
                                                            FUN_ram_13ca:13e4(W),
                                                            update_cursor_addresses:146a(W)
io:3c              db              ??

VDC.LOAD_CURSOR_ROW_ADDRESS                              XREF[2]:    terminal_boot_sequence:0215(W),
                                                            update_cursor_addresses:1467(W)
io:3d              db              ??

VDC.START_TIMING_CHAIN                                    XREF[2]:    terminal_boot_sequence:01f2(W),
                                                            terminal_boot_sequence:0217(W)
io:3e              db              ??

VDC.NON_PROCESSOR_SELF_LOAD
io:3f              db              ??
io:40              db              ??
DMA
io:41              ??              ??
io:42              ??              ??
io:43              ??              ??
io:44              ??              ??
io:45              ??              ??
io:46              ??              ??
io:47              ??              ??
io:48              ??              ??
io:49              ??              ??
io:4a              ??              ??
io:4b              ??              ??
io:4c              ??              ??
io:4d              ??              ??
io:4e              ??              ??
io:4f              ??              ??

WRITE to 74ls377 - 8 bit flip-flop - U29

0 = C0
1 = C1
2 = NVSEL (Enable None Volatile RAM - U43 - ER3400 - 4096 Bit...)
3 = V24EN
4 = ECSA
5 = /SSE
6 = /SETSEL
7 = DISBRD (Disable CHRRD ? U59C, schema 3)
ControlPort1                                             XREF[9]:    terminal_boot_sequence:01ed(W),
                                                            initialize_system_variables:080d,
                                                            setup_serial_channel_A_and_B:092,
                                                            SetChannelA_Status:0eb0(W),
                                                            write_to_nvram:11fe(W),
                                                            write_to_nvram:1212(W),
                                                            FUN_ram_1269:1271(W),
                                                            FUN_ram_1269:12a0(W),
                                                            ram:2278(W)
io:50              db              ??
io:51              ??              ??
io:52              ??              ??
io:53              ??              ??
io:54              ??              ??

```

Ghidra - 961264-10.2764.u31

```

io:55      ??      ??
io:56      ??      ??
io:57      ??      ??
io:58      ??      ??
io:59      ??      ??
io:5a      ??      ??
io:5b      ??      ??
io:5c      ??      ??
io:5d      ??      ??
io:5e      ??      ??
io:5f      ??      ??

WRITE TO 74ls377 - 8 bit flip-flop - U81

0 = ATRW (Enable 2KB SRAM U52 at 0x6000 with "ATR ram")
1 = CHRW (Enable 2KB SRAM U51 at 0x6000 with "CHR ram") - ...
2 = BKCUR
3 = VOF
4 = CEN
5 = /SELDOM
6 = /BAC
7 = /DISSEL

Default at start: 1101 1111

READ from Status port - 74LS240 - U82

0 = RXPR1
1 = MOBAC
2 = /CAR
3 = /CI

out_ControlPort2_in_StatusPort      XREF[16]:  terminal_boot_sequence:01f0(W),
                                         FUN_ram_04b5:04c7(R),
                                         vsync_interrupt_handler:0535(R),
                                         vsync_interrupt_handler:05b7(W),
                                         vsync_interrupt_handler:05ch(R),
                                         FUN_ram_0780:0790(W),
                                         FUN_ram_0780:07b2(W),
                                         send_A_to_statusport:07c6(W),
                                         write_AttributeRegister_And_Conf.,
                                         initialize_system_variables:0817.,
                                         something_write_controlport2:08f.,
                                         test_z80sio_ports:0c42(W),
                                         test_z80sio_ports:0cc0(W),
                                         update_uart_txcontrol_check_DTR...,
                                         FUN_ram_0ff0:0ff1(R),
                                         FUN_ram_1596:1481(W)

io:60      db      ??
io:61      ??      ??
io:62      ??      ??
io:63      ??      ??
io:64      ??      ??
io:65      ??      ??
io:66      ??      ??
io:67      ??      ??
io:68      ??      ??
io:69      ??      ??
io:6a      ??      ??
io:6b      ??      ??
io:6c      ??      ??
io:6d      ??      ??
io:6e      ??      ??
io:6f      ??      ??

```

	AttributeRegister		XREF[25]:
			write_AttributeRegister_And_Cont..
			initialize_display_memory:0bfa(W)..
			initialize_display_memory:0c13(R)..
			FUN_ram_1596:1596(W),
			FUN_ram_15af:15c6(R),
			FUN_ram_15d9:15df(W),
			FUN_ram_1605:160f(W),
			FUN_ram_169e:16c7(R),
			FUN_ram_169e:16c9(W),
			FUN_ram_169e:16d3(W),
			FUN_ram_16e7:1710(R),
			FUN_ram_1726:173b(W),
			clear_display_memory_range:175d..
			FUN_ram_1778:178d(W),
			FUN_ram_17a3:1855(R),
			FUN_ram_17a3:1857(W),
			FUN_ram_17a3:187e(W),
			FUN_ram_18a1:18bb(R),
			FUN_ram_18a1:18c7(W),
			FUN_ram_18a1:18f3(R), [more]
io:70	db	??	
io:71	??	??	
io:72	??	??	
io:73	??	??	
io:74	??	??	
io:75	??	??	
io:76	??	??	
io:77	??	??	
io:78	??	??	
io:79	??	??	
io:7a	??	??	
io:7b	??	??	
io:7c	??	??	
io:7d	??	??	
io:7e	??	??	
io:7f	??	??	
io:80	??	??	
io:81	??	??	
io:82	??	??	
io:83	??	??	
io:84	??	??	
io:85	??	??	
io:86	??	??	
io:87	??	??	
io:88	??	??	
io:89	??	??	
io:8a	??	??	
io:8b	??	??	
io:8c	??	??	
io:8d	??	??	
io:8e	??	??	
io:8f	??	??	
io:90	??	??	
io:91	??	??	
io:92	??	??	
io:93	??	??	
io:94	??	??	
io:95	??	??	
io:96	??	??	
io:97	??	??	
io:98	??	??	
io:99	??	??	
io:9a	??	??	
io:9b	??	??	
io:9c	??	??	
io:9d	??	??	
io:9e	??	??	
io:9f	??	??	
io:a0	??	??	
io:a1	??	??	
io:a2	??	??	
io:a3	??	??	
io:a4	??	??	
io:a5	??	??	
io:a6	??	??	
io:a7	??	??	
io:a8	??	??	
io:a9	??	??	
io:aa	??	??	
io:ab	??	??	
io:ac	??	??	
io:ad	??	??	
io:ae	??	??	
io:af	??	??	

Ghidra - 961264-10.2764.u31

io:b0	??	??
io:b1	??	??
io:b2	??	??
io:b3	??	??
io:b4	??	??
io:b5	??	??
io:b6	??	??
io:b7	??	??
io:b8	??	??
io:b9	??	??
io:ba	??	??
io:bb	??	??
io:bc	??	??
io:bd	??	??
io:be	??	??
io:bf	??	??

	unknown_io_c0	
io:c0	db	??
io:c1	??	??
io:c2	??	??
io:c3	??	??
io:c4	??	??
io:c5	??	??
io:c6	??	??
io:c7	??	??
io:c8	??	??
io:c9	??	??
io:ca	??	??
io:cb	??	??
io:cc	??	??
io:cd	??	??
io:ce	??	??
io:cf	??	??
io:d0	??	??
io:d1	??	??
io:d2	??	??
io:d3	??	??
io:d4	??	??
io:d5	??	??
io:d6	??	??
io:d7	??	??
io:d8	??	??
io:d9	??	??
io:da	??	??
io:db	??	??
io:dc	??	??
io:dd	??	??
io:de	??	??
io:df	??	??
io:e0	??	??
io:e1	??	??
io:e2	??	??
io:e3	??	??
io:e4	??	??
io:e5	??	??
io:e6	??	??
io:e7	??	??
io:e8	??	??
io:e9	??	??
io:ea	??	??
io:eb	??	??
io:ec	??	??
io:ed	??	??
io:ee	??	??
io:ef	??	??
io:f0	??	??
io:f1	??	??
io:f2	??	??
io:f3	??	??
io:f4	??	??
io:f5	??	??
io:f6	??	??
io:f7	??	??
io:f8	??	??
io:f9	??	??
io:fa	??	??
io:fb	??	??
io:fc	??	??
io:fd	??	??
io:fe	??	??

XREF[1]: terminal_boot_sequence:0239(W)