COMS 4701 Artificial Intelligence

Homework 3 Coding - Friday March 10th, 2021

Please read all the sections carefully:

I. Introduction

II. Backtracking Algorithm

III. Important Information

IV. What You Need To Submit

V. Before You Submit

I. Introduction

	1	2	3	4	5	6	7	8	9
Α	8		9	5		1	7	3	6
В	2		7		6	3			
С	1	6							
D					9		4		7
Е		9		3		7		2	
F	7		6		8				
G								6	3
Н				9	3		5		2
1	5	3	2	6		4	8		9

	1	2	3	4	5	6	7	8	9
Α	8	4	9	5	2	1	7	3	6
В	2	5	7	8	6	3	9	1	4
С	1	6	3	7	4	9	2	5	8
D	3	2	5	1	9	6	4	8	7
Е	4	9	8	3	5	7	6	2	1
F	7	1	6	4	8	2	3	9	5
G	9	8	4	2	7	5	1	6	3
Н	6	7	1	9	3	8	5	4	2
1	5	3	2	6	1	4	8	7	9

The objective of Sudoku is to fill a 9x9 grid with the numbers 1-9 so that each column, row, and 3x3 sub-grid (or box) contains one of each digit. You may try out the game here: <u>sudoku.com</u>. Sudoku has 81 **variables**, i.e. 81 tiles. The variables are named by **row** and **column**, and are **valued** from 1 to 9 subject to the constraints that no two cells in the same row, column, or box may be the same.

Frame your problem in terms of **variables**, **domains**, and **constraints**. We suggest representing a Sudoku board with a Python dictionary, where each key is a variable name based on location, and value of the tile placed there. Using variable names **Al... A9... I1... I9**, the board above has:

- $\operatorname{sudoku_dict}["B1"] = 2$, and
- $\operatorname{sudoku_dict}["E2"] = 9$.

We give value **zero** to a tile that has not yet been filled.

Executing your program

Your program will be executed as follows:

\$ python3 sudoku.py <input_string>

In the starter zip, sudokus_start.txt, contains hundreds of sample unsolved Sudoku boards, and sudokus_finish.txt the corresponding solutions. Each board is represented as a single line of text, starting from the top-left corner of the board, and listed left-to-right, top-to-bottom.

The first board in sudokus_start.txt is represented as the string:

Which is equivalent to:

Your program will generate output.txt, containing a single line of text representing the finished Sudoku board. E.g.:

Test your program using sudokus_finish.txt, which contains the solved versions of all of the same puzzles.

III. Backtracking Algorithm

Implement **backtracking** search using the minimum remaining value heuristic. Pick your own order of values to try for each variable, and apply forward checking to reduce variables domains.

- Test your program on sudokus_start.txt.
- Report the number of puzzles you can solve and the mean, standard deviation, min, and max of the runtime over all puzzles in sudokus_start.txt.

IV. Important Information

1. Test-Run Your Code

Test, test, test. Make sure you produce an output file with the **exact format** of the example given.

2. Grading Submissions

We test your final program on **20 boards**. Each board is worth **5 points** if solved, and zero otherwise. These boards are similar to those in your starter zip, so if you solve all those, you'll get full credit.

3. Time Limit

No brute-force! Your program should solve puzzles in **well under a minute** per board. Programs with much longer running times will be killed.

4. Just for fun

Try your code on the world's hardest Sudokus! There's nothing to submit here, just for fun. For example:

Sudoku:

8000000000360000070090200050007000000045700000100030001000068008500010090000400

Solution:

IV. What You Need To Submit

- 1. Your sudoku.py file (and any other python code dependency)
- 2. A README.txt with your results, including the:
 - number of boards you could solve from sudokus_start.txt,
 - running time statistics: min, max, mean, and standard deviation.

V. Before You Submit

- Ensure that your file is named sudoku.py
- Ensure that your file compiles and runs.