Task 1: Guided Activity, Student profile card

main.swift

Run ▶

```swift
import Foundation
let studentName = "Revathi Priyalakshmi S"
let rollNumber: Int = 247
let isHosteller = true
var semester: Int = 7
var cgpa: Double = 8.2
print("Name: \(studentName), Roll: \(rollNumber), Semester: \(semester)")
semester += 1
cgpa = 8.3
print("Name: \(studentName), Roll: \(rollNumber), Semester: \(semester), CGPA: \(cgpa)")
print(type(of: studentName))
print(type(of: rollNumber))
print(type(of: semester))
print(type(of: cgpa))
print(type(of: isHosteller))
```

OUTPUT:

Output

```
Name: Revathi Priyalakshmi S, Roll: 247, Semester: 7
Name: Revathi Priyalakshmi S, Roll: 247, Semester: 8, CGPA: 8.3
String
Int
Int
Double
Bool
```

TASK 2:Practice Task, Temperature converter:

main.swift Run ▶

```swift
import Foundation

var celsius: Double = 25.0
var fahrenheit = celsius * (9.0 / 5.0) + 32.0
var kelvin = celsius + 273.15

print("Celsius: \(String(format: "%.1f", celsius)) °C")
print("Fahrenheit: \(String(format: "%.1f", fahrenheit)) °F")
print("Kelvin: \(String(format: "%.1f", kelvin)) K")

celsius = 30.0

fahrenheit = celsius * (9.0 / 5.0) + 32.0
kelvin = celsius + 273.15

print("\nAfter changing Celsius:")
print("Celsius: \(String(format: "%.1f", celsius)) °C")
print("Fahrenheit: \(String(format: "%.1f", fahrenheit)) °F")
print("Kelvin: \(String(format: "%.1f", kelvin)) K")
```

OUTPUT:

```
Celsius: 25.0 °C
Fahrenheit: 77.0 °F
Kelvin: 298.1 K

After changing Celsius:
Celsius: 30.0 °C
Fahrenheit: 86.0 °F
Kelvin: 303.1 K
```

Task 3: Debug Task, Fix the compile errors:

main.swift

```swift
import  Foundation
var price: Double = 250.0
var quantity: Int = 3
let taxRate: Double = 0.18
price = 300.0
let subtotal = price * Double(quantity)
let tax = subtotal * taxRate
let total = subtotal + tax
var title = "Order"
print("Title: \(title)")
print("Subtotal:\(subtotal)")
print("Tax: \(tax)")
print("Total:\(total)")

```

OUTPUT:

Output

```
Title: Order
Subtotal:900.0
Tax: 162.0
Total:1062.0
```