

Compass



Welcome

employees

mongosh: localhost:27017



{ } My Queries

Data Modeling

CONNECTIONS (1)



localhost:27017

admin

collegeDB

students

companyDB

employees

config

foodsharedb

local

> _MONGOSH



> use companyDB

< switched to db companyDB

> db.employees.insertOne({

name: "Ravi",

age: 25,

dept: "HR",

salary: 30000

})

< {

acknowledged: true,

insertedId: ObjectId('69f5cf2e875460ba91cc7703')

}

> db.employees.insertMany([

{name: "Anu", age: 24, dept: "IT", salary: 40000},

{name: "Kumar", age: 28, dept: "Finance", salary: 50000}

])

< {

acknowledged: true,

insertedIds: {

'0': ObjectId('69f5cf39875460ba91cc7704'),

'1': ObjectId('69f5cf39875460ba91cc7705')

}



Compass

{ } My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome employees mongosh: localhost:27017 +

> _MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.find()
< {
  _id: ObjectId('69f5cf2e875460ba91cc7703'),
  name: 'Ravi',
  age: 25,
  dept: 'HR',
  salary: 30000
}
{
  _id: ObjectId('69f5cf39875460ba91cc7704'),
  name: 'Anu',
  age: 24,
  dept: 'IT',
  salary: 40000
}
{
  _id: ObjectId('69f5cf39875460ba91cc7705'),
  name: 'Kumar',
  age: 28,
  dept: 'Finance',
  salary: 50000
}
companyDB>
```

Compass

{ } My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome

employees

mongosh: localhost:27017

+

> _MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.updateOne(
  {name: "Ravi"},
  {$set: {salary: 35000}}
)
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
> db.employees.updateMany(
  {dept: "IT"},
  {$set: {dept: "Information Technology"}}
)
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```



Compass

{ } My Queries

🔗 Data Modeling

CONNECTIONS (1)

Search connections

- ▼ localhost:27017
 - ▶ admin
 - ▼ collegeDB
 - 📁 students
 - ▼ companyDB
 - 📁 employees
 - ▶ config
 - ▶ foodsharedb
 - ▶ local

Welcome employees mongosh: localhost:27017 +

> _MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.deleteOne({name: "Kumar"})
< {
  acknowledged: true,
  deletedCount: 1
}
> db.employees.deleteMany({age: {$lt: 25}})
< {
  acknowledged: true,
  deletedCount: 1
}
> db.employees.find()
< {
  _id: ObjectId('69f5cf2e875460ba91cc7703'),
  name: 'Ravi',
  age: 25,
  dept: 'HR',
  salary: 35000
}
companyDB >
```