

Compass



Welcome



employees



mongosh: localhost:27017



My Queries

Data Modeling

CONNECTIONS (1)



Search connections



localhost:27017

admin

collegeDB

students

companyDB

employees

config

foodsharedb

local

>_MONGOSH



```
> use companyDB
< switched to db companyDB
> db.employees.find({salary: {$gt: 35000}})
< {
  _id: ObjectId('69f5d3e4cb5f25f0e7cc7a08'),
  name: 'Anu',
  age: 24,
  dept: 'IT',
  salary: 40000
}
{
  _id: ObjectId('69f5d3e4cb5f25f0e7cc7a09'),
  name: 'Kumar',
  age: 28,
  dept: 'Finance',
  salary: 50000
}
companyDB> |
```



Search



ENG
IN



16:10
02-05-2026

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome

employees

mongosh: localhost:27017

>_MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.find({dept: "HR"})
< {
  _id: ObjectId('69f5cf2e875460ba91cc7703'),
  name: 'Ravi',
  age: 25,
  dept: 'HR',
  salary: 35000
}
{
  _id: ObjectId('69f5d3e4cb5f25f0e7cc7a0a'),
  name: 'Priya',
  age: 22,
  dept: 'HR',
  salary: 30000
}
companyDB >
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome

employees

mongosh: localhost:27017

>_MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.find({age: {$lt: 25}})
< {
  _id: ObjectId('69f5d3e4cb5f25f0e7cc7a08'),
  name: 'Anu',
  age: 24,
  dept: 'IT',
  salary: 40000
}
{
  _id: ObjectId('69f5d3e4cb5f25f0e7cc7a0a'),
  name: 'Priya',
  age: 22,
  dept: 'HR',
  salary: 30000
}
companyDB >
```

Compass



Welcome



employees



mongosh: localhost:27017



My Queries

Data Modeling

CONNECTIONS (1)



Search connections



localhost:27017

admin

collegeDB

students

companyDB

employees

config

foodsharedb

local

>_MONGOSH



```
> use companyDB
< switched to db companyDB
> db.employees.find({}, {name: 1, salary: 1, _id: 0})
< {
  name: 'Ravi',
  salary: 35000
}
{
  name: 'Anu',
  salary: 40000
}
{
  name: 'Kumar',
  salary: 50000
}
{
  name: 'Priya',
  salary: 30000
}
```

companyDB >



Search



ENG

IN



16:11

02-05-2026

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome

employees

mongosh: localhost:27017

>_MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.find({}, {dept: 1, _id: 0})
< {
  dept: 'HR'
}
{
  dept: 'IT'
}
{
  dept: 'Finance'
}
{
  dept: 'HR'
}
companyDB>
```

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - admin
 - collegeDB
 - students
 - companyDB
 - employees
 - config
 - foodsharedb
 - local

Welcome

employees

mongosh: localhost:27017

>_MONGOSH

```
> use companyDB
< switched to db companyDB
> db.employees.find(
  {salary: {$gt: 30000}},
  {name: 1, dept: 1, _id: 0}
)
< {
  name: 'Ravi',
  dept: 'HR'
}
{
  name: 'Anu',
  dept: 'IT'
}
{
  name: 'Kumar',
  dept: 'Finance'
}
companyDB> |
```