


Object Oriented Software Engineering

Module 1 - Introduction

Software Engineering:

- IEEE Definition: The application of a systematic, disciplined, quantifiable approach to the development, operation, and maintenance of software; that is, the application of engineering to software.
- Fritz Bauer Definition: The establishment and use of sound engineering principles in order to obtain economical software that is reliable and works efficiently on real machines.
- Simplified Definition: The process of designing, developing, testing, and maintaining software applications by using principles of engineering.

Layered Architecture: Software engineering is a layered technology.



The foundation for software engineering is the process layer. The software engineering process is the glue that holds the technology layers together and enables rational and timely development of computer software. Process defines a framework that must be established for effective delivery of software engineering technology. The software process forms the basis for management control of software projects and establishes the context in which technical methods are applied, work products (models, documents, data, reports, forms, etc.) are produced, milestones are established, quality is ensured, and change is properly managed.

Software engineering methods provide the technical how-to's for building software. Methods encompass a broad array of tasks that include communication, requirements analysis, design modeling, program construction, testing, and support. Software engineering methods rely on a set of basic principles that govern each area of the technology and include modeling activities and other descriptive techniques.

Software engineering tools provide automated or semi automated support for the process and the methods. When tools are integrated so that information created by one tool can be used by another, a system for the support of software development, called computer-aided software engineering, is established.

Process Framework:

A process framework establishes the foundation for a complete software engineering process by identifying a small number of framework activities that are applicable to all software projects, regardless of their size or complexity. In addition, the process framework encompasses a set of umbrella activities that are applicable across the entire software process. A generic process framework for software engineering encompasses five activities:


- **Communication.** Before any technical work can commence, it is critically important to communicate and collaborate with the customer (and other stakeholders). The intent is to understand stakeholders' objectives for the project and to gather requirements that help define software features and functions.
- **Planning.** Any complicated journey can be simplified if a map exists. A software project is a complicated journey, and the planning activity creates a "map" that helps guide the team as it makes the journey. The map—called a software project plan—defines the software engineering work by describing the technical tasks to be conducted, the risks that are likely, the resources that will be required, the work products to be produced, and a work schedule.
- **Modeling.** Whether you're a landscaper, a bridge builder, an aeronautical engineer, a carpenter, or an architect, you work with models every day. You create a "sketch" of the thing so that you'll understand the big picture—what it will look like architecturally, how the constituent parts fit together, and many other characteristics. If required, you refine the sketch into greater and greater detail in an effort to better understand the problem and how you're going to solve it. A software engineer does the same thing by creating models to better understand software requirements and the design that will achieve those requirements.
- **Construction.** This activity combines code generation (either manual or automated) and the testing that is required to uncover errors in the code.
- **Deployment.** The software (as a complete entity or as a partially completed increment) is delivered to the customer who evaluates the delivered product and provides feedback based on the evaluation.

Software engineering process framework activities are complemented by a number of umbrella activities.

- **Software project tracking and control**—allows the software team to assess progress against the project plan and take any necessary action to maintain the schedule.
- **Risk management**—assesses risks that may affect the outcome of the project or the quality of the product.
- **Software quality assurance**—defines and conducts the activities required to ensure software quality.
- **Technical reviews**—assesses software engineering work products in an effort to uncover and remove errors before they are propagated to the next activity.
- **Measurement**—defines and collects process, project, and product measures that assist the team in delivering software that meets stakeholders' needs; can be used in conjunction with all other framework and umbrella activities.
- **Software configuration management**—manages the effects of change throughout the software process.
- **Reusability management**—defines criteria for work product reuse (including software components) and establishes mechanisms to achieve reusable components.

- **Work product preparation and production**—encompasses the activities required to create work products such as models, documents, logs, forms, and lists.

Software Process



Applications of Software Engineering:

- Mobile App Development
- Web Development
- Embedded Systems
- AI and ML
- Healthcare Applications
- Finance Sector Solutions
- Automotive Industry Innovations
- Space Exploration

Application of OOSE:

- **Banking Software:** Object-Oriented Programming (OOP) is extensively used in banking applications to model complex financial transactions and customer interactions.
- **Electronic Health Record (EHR) Systems:** The encapsulation of sensitive information within objects ensures data protection while allowing for the flexible design of healthcare applications that can adapt to changing requirements.
- **Flight Control Systems:** It helps model the interactions between various components such as navigation systems and sensors, ensuring safety and reliability in aircraft operations.
- **Game Development:** OOP is a fundamental paradigm in game development, allowing developers to represent game entities (like characters and items) as objects. This facilitates complex interactions and behaviors, enabling the creation of immersive gaming experiences using engines like Unity and Unreal Engine.
- **Graphical User Interfaces (GUIs):** OOP is well-suited for GUI development, where graphical elements are modeled as objects.
- **Database Management Systems:** OOP enhances database interactions by encapsulating database operations within objects. This improves code organization and maintainability, allowing for easier mapping of database tables through Object-Relational Mapping (ORM) frameworks.
- **Simulation and Modeling:** OOP is used in various fields for simulating real-world systems, such as physics or finance. By modeling entities as objects, developers can create more accurate simulations that are easier to modify and extend.
- **Real-Time Systems:** OOP techniques simplify the design of real-time systems that respond to external events within strict timing constraints. By organizing system components as objects, developers can manage complexity more effectively.


Categories of Software

1. Based on Purpose :
 - System Software : This type includes operating systems (e.g., Windows, Linux), device drivers, and utilities that manage hardware resources and provide a platform for running application software.
 - Application Software : Designed to perform specific tasks for users, this category encompasses word processors, spreadsheets, databases, and multimedia applications (e.g., Microsoft Office, Adobe Photoshop)
2. Based on Platform :
 - Native Software : Developed for a specific operating system.
 - Cross-Platform Software : Designed to operate on multiple operating systems.
3. Based on Deployment :
 - Installed Software : Software that is installed directly on a user's device.
 - Cloud-Based Software : Hosted on remote servers and accessed via the internet.
4. Based on Licensing :
 - Proprietary Software : Owned by an individual or company; users must pay for licenses.
 - Open-Source Software : Available for free with access to source code, allowing users to modify it.
5. Based on Development Model :
 - Traditional Software : Developed using a waterfall model.

- Agile Software : Developed using iterative and adaptive approaches.

Types of Software

1. Operating System Software : Manages hardware resources and provides a user interface.
2. Utility Software: Performs maintenance tasks to enhance computer performance.
3. Programming Software: Assists developers in writing and debugging code.
4. Firmware: Low-level software embedded in hardware devices that controls their functions.
5. Driver Software: Allows higher level computer programs to communicate with hardware devices
6. Business Software :Supports business operations such as inventory management and customer relationship management.
7. Educational Software: Used for teaching and learning purposes.
8. Entertainment Software: Includes video games and multimedia applications.
9. Scientific Software: Tailored for scientific research and engineering tasks.
10. Document Management Software: Helps track and manage documents throughout their lifecycle.






Common Challenges in Software Development


- **Changing Requirements:** Frequent changes, or scope creep, disrupt the process, causing confusion and misalignment with client expectations.
- **Time Constraints:** Strict deadlines often compromise quality, leaving limited time for testing and debugging, resulting in errors and reduced user satisfaction.
- **System Complexity:** Modern software's increasing complexity complicates integration and maintenance, especially for large-scale applications.
- **Communication Barriers:** Poor communication leads to misunderstandings, errors, and delays in development.
- **Quality Assurance:** Rushing through testing phases to meet deadlines results in bug-prone and underperforming software.

- **Resource Management:** Misjudging time and resources causes delays and budget overruns.
- **Legacy Code:** Outdated or poorly documented code hampers maintenance, integration, and updates.
- **Lack of Skilled Developers:** A shortage of experienced developers makes it hard to staff projects.
- **Project Management Issues:** Ineffective leadership, unclear goals, and poor planning often result in project failures.
- **Keeping Up with Technology:** Rapid technological evolution forces developers to constantly learn new tools and frameworks, which can be overwhelming.

Process Flow:

Process Flow shows how the framework activities and the actions and the tasks that occur within each activity are organized with respect to sequence and time.





Communication

- Definition: This stage involves gathering requirements from customers and stakeholders to define the system's objectives and software requirements.
- Activities:
 - Requirement Gathering: Engaging with stakeholders through meetings, interviews, and surveys to understand their needs.
 - Objective Setting: Clearly defining what the system should achieve based on gathered requirements.

Effective communication is crucial for aligning all stakeholders on project goals and expectations.

Planning

- Definition: Planning establishes an engineering work plan, identifying technical risks, resource requirements, and a work schedule.
- Activities:
 - Work Plan: Creating a detailed outline of tasks necessary for software development.
 - Risk Assessment: Identifying potential risks and planning mitigation strategies.
 - Resource Allocation: Determining the resources (time, personnel, tools) needed for the project.

This stage aims to set a clear roadmap for the project and ensure that all necessary resources are accounted for.

Modeling

- Definition: Modeling involves creating representations of real-world entities to better understand requirements and design specifications.
- Activities:
 - Developing models that illustrate how the software will function in various scenarios.
 - Using these models to refine requirements and design architecture.

This phase helps in visualizing the software's structure and behavior before actual development begins.

Construction

- Definition: This stage encompasses the actual development of the software product based on the defined models and specifications.
- Activities:
 - Coding: Writing the actual code according to design specifications.
 - Integration: Combining different modules of code to create a complete system.


Construction is often the most time-consuming phase, as it involves translating designs into functional software.

Deployment

- Definition: Deployment is the final stage where the developed software is delivered to users and made operational.
- Activities:
 - Installation: Setting up the software in a production environment.
 - User Training: Educating users on how to effectively use the software.
 - Maintenance: Addressing any issues that arise post-deployment and implementing updates as necessary.

This stage ensures that users can effectively utilize the software while providing ongoing support.

Capability Maturity Model Integration (CMMI) :



- Level 5, Optimized—The organization has quantitative feedback systems in place to identify process weaknesses and strengthen them proactively. Project teams analyze defects to determine their causes; software processes are evaluated and updated to prevent known types of defects from recurring.

- Level 4, Managed—Detailed software process and product quality metrics establish the quantitative evaluation foundation. Meaningful variations in process performance can be distinguished from random noise, and trends in process and product qualities can be predicted.
- Level 3, Defined—Processes for management and engineering are documented, standardized, and integrated into a standard software process for the organization.
- Level 2, Repeatable—Basic project management processes are established to track cost, schedule, and functionality. Planning and managing new products is based on experience with similar projects.
- Level 1, Initial—Few processes are defined, and success depends more on individual heroic efforts than on following a process and using a synergistic team effort.

Prescriptive Process Model:

The prescriptive process model in software engineering is a structured framework that outlines specific activities, tasks, and quality assurance measures necessary for software development. It prescribes a clear sequence of phases that guide teams through the development lifecycle, from requirements gathering to maintenance.

Advantages of the Prescriptive Process Model

- Clarity and Structure: The model provides a clear framework, reducing ambiguity and helping teams maintain focus on project goals.
- Quality Assurance: Emphasizes rigorous testing and validation, ensuring that the final product meets quality standards.
- Predictability: Facilitates better resource management by allowing for more accurate estimation of project timelines and costs.
- Risk Management: Enables early identification of potential risks, allowing teams to implement mitigation strategies proactively.
- Documentation: Produces comprehensive documentation at each stage, enhancing understanding of the development process and providing a reference for future projects.
- Specialization of Tasks: Allows team members to specialize in specific phases, optimizing their expertise and efficiency.
- Measurable Progress: Progress can be easily tracked through defined milestones, aiding in project management.

Disadvantages of the Prescriptive Process Model

- Rigidity: The structured nature can lead to inflexibility, making it challenging to adapt to changing requirements or unexpected challenges during development.
- Overhead: Extensive documentation and adherence to processes can introduce overhead, potentially slowing down development efforts.
- Bureaucratic Management: The focus on documentation may lead to a bureaucratic approach where project management priorities overshadow user needs and effective system development.
- Late User Feedback: User feedback is often not incorporated until later stages, which can result in costly changes if issues are identified late in the process.
- Complexity in Long Projects: The model may struggle with complex or long-term projects where requirements evolve over time, leading to difficulties in managing scope and expectations.

- **Blocking States:** Dependencies between tasks can lead to delays if one team member falls behind, causing a bottleneck in progress.
- **High Risk for Changes:** Once a phase is completed, revisiting earlier stages can be costly and time-consuming due to the need to repeat multiple steps.

Waterfall Model

Features of Waterfall Model

- **Sequential Approach:** The waterfall model involves a sequential approach to software development, where each phase of the project is completed before moving on to the next one.
- **Document-Driven:** The waterfall model depended on documentation to ensure that the project is well-defined and the project team is working towards a clear set of goals.
- **Quality Control:** The waterfall model places a high emphasis on quality control and testing at each phase of the project, to ensure that the final product meets the requirements and expectations of the stakeholders.
- **Rigorous Planning:** It involves a careful planning process, where the project scope, timelines, and deliverables are carefully defined and monitored through the project lifecycle.

Advantages:

- **Clear Structure:** It provides a straightforward framework, making it easy to understand and manage. Each phase has defined objectives and deliverables, which aids in project organization.
- **Well-Defined Requirements:** It is particularly effective for projects with clearly defined requirements that are unlikely to change. This stability allows for thorough planning and documentation at the outset.
- **Milestones and Documentation:** It emphasizes extensive documentation and clear milestones, which can facilitate tracking progress and maintaining accountability throughout the development process.

- **Simplicity:** Its linear nature makes it simple to implement, especially for smaller projects where requirements are stable and well understood.
- **Departmentalization:** The model supports departmentalization, allowing teams to specialize in specific phases of the project, which can enhance efficiency in execution.

Disadvantages:

- **Inflexibility to Changes:** One of the most significant drawbacks is its rigidity; once a phase is completed, revisiting it to make changes can be costly and complicated. This inflexibility makes it unsuitable for projects where requirements may evolve over time.
- **Late Testing Phase:** Testing occurs only after implementation, which can lead to the discovery of significant defects late in the development cycle. This delay can result in high costs for error correction and rework.
- **No Iterative Feedback:** The model does not incorporate iterative feedback from users or stakeholders during the development process, potentially leading to a final product that does not meet user needs or expectations.
- **High Risk and Uncertainty:** The assumption that all requirements can be defined upfront introduces risks, especially in complex projects where unforeseen issues may arise.
- **Lengthy Development Cycle:** Since each phase must be completed in its entirety before moving on, projects can experience lengthy development cycles, delaying time-to-market and increasing costs if changes are needed later on.
- **Limited Stakeholder Involvement:** Stakeholders are often only involved during initial phases, which can lead to misalignment between project outcomes and user needs.

Incremental Model:

The Incremental Model is a software development methodology that divides the project into smaller, manageable segments called increments. Each increment is developed, tested, and integrated into the existing system, allowing for gradual enhancement of the software product. This approach enables teams to deliver functional parts of the software early and iteratively build upon them based on user feedback and changing requirements.

Advantages

- **Flexibility and Adaptability:** It allows for adjustments based on user feedback after each increment. This flexibility helps in accommodating changes in requirements without significant disruptions to the overall project.
- **Early Delivery of Functional Software:** By delivering increments, stakeholders can begin using parts of the software early in the development process. This early delivery can lead to quicker realization of benefits and user feedback, which can inform subsequent increments.
- **Reduced Risk:** Since each increment is developed and tested independently, risks are mitigated. Issues can be identified and resolved early in the development cycle, reducing the likelihood of major problems at later stages.
- **Improved Resource Management:** It allows for incremental resource allocation, enabling teams to adjust their efforts based on project needs and priorities. This can lead to more efficient use of resources over time.
- **Enhanced Collaboration:** Frequent iterations promote collaboration among team members and stakeholders, fostering a more engaged development process where input is continuously sought and integrated.

Disadvantages

- **Requires Comprehensive Planning:** Effective implementation of the Incremental Model necessitates thorough planning and design upfront to ensure that modules interface correctly and meet overall project objectives.
- **Potentially Higher Costs:** While initial costs may be lower due to phased delivery, the total cost of development can be higher if extensive changes are needed after initial increments are completed.
- **Dependency Management:** Managing dependencies between different increments can become complex, especially if there are significant interdependencies that need to be addressed during integration.
- **Incomplete System Until Final Increment:** The full system may not be usable until all increments are completed, which can delay the overall deployment of a fully functional product.
- **Need for Well-Defined Interfaces:** Clear definitions of module interfaces are crucial for successful integration; poorly defined interfaces can lead to complications during later stages of development.

RAD (Rapid Application Development) Model

RAD is a linear sequential software development process model that emphasizes a concise development cycle using an element based construction approach. If the requirements are well understood and described, and the project scope is a constraint, the RAD process enables a development team to create a fully functional system within a concise time period. RAD (Rapid Application Development) is a concept that products can be developed faster and of higher quality through:

- Gathering requirements using workshops or focus groups
- Prototyping and early, reiterative user testing of designs
- The re-use of software components
- A rigidly paced schedule that refers design improvements to the next product version
- Less formality in reviews and other team communication

The various phases of RAD are as follows:

1. Business Modelling: The information flow among business functions is defined by answering questions like what data drives the business process, what data is generated, who generates it, where does the information go, who processes it and so on.
2. Data Modelling: The data collected from business modeling is refined into a set of data objects (entities) that are needed to support the business. The attributes (character of each entity) are identified, and the relation between these data objects (entities) is defined.
3. Process Modelling: The information objects defined in the data modeling phase are transformed to achieve the data flow necessary to implement a business function. Processing descriptions are created for adding, modifying, deleting, or retrieving a data object.
4. Application Generation: Automated tools are used to facilitate construction of the software; even they use the 4th GL techniques.
5. Testing & Turnover: Many of the programming components have already been tested since RAD emphasis reuse. This reduces the overall testing time. But the new part must be tested, and all interfaces must be fully exercised.

Advantage of RAD Model

- This model is flexible for change.
- In this model, changes are adoptable.
- Each phase in RAD brings highest priority functionality to the customer.
- It reduced development time.
- It increases the reusability of features.

Disadvantage of RAD Model

- It required highly skilled designers.
- All applications are not compatible with RAD.
- For smaller projects, we cannot use the RAD model.
- On the high technical risk, it's not suitable.
- Required user involvement.

Evolutionary Prototyping Model

Evolutionary process model resembles the iterative enhancement model. The same phases are defined for the waterfall model that occurs here in a cyclical fashion. This model differs from the iterative enhancement model in the sense that this does not require a useful product at the end of each cycle. In evolutionary development, requirements are implemented by category rather than by priority. For example, in a simple database application, one cycle might implement the graphical user Interface (GUI), another file manipulation, another queries and another updates. All four cycles must be completed before there is a working product available. GUI allows the users to interact with the system, file manipulation allows the data to be saved and retrieved, queries allow users to get out of the system, and updates allow users to put data into the system.

Advantages

- **User-Centric Development:** The model encourages active user involvement throughout the development process, ensuring that the final product aligns closely with user needs and expectations. This engagement helps in identifying issues early on and refining functionalities accordingly.
- **Flexibility and Adaptability:** As requirements may change during the development process, the evolutionary model allows for adjustments based on ongoing feedback. This adaptability makes it suitable for projects with unclear or evolving requirements.
- **Reduced Risk of Failure:** By continuously refining the prototype through iterations, the risk of developing a product that does not meet user needs is minimized. Early identification of potential issues leads to better risk management.
- **Faster Delivery:** The iterative nature of it can lead to quicker delivery of functional components, allowing users to start using parts of the system sooner while further refinements are made.
- **Improved Requirement Clarity:** As users interact with prototypes, their understanding of the system improves, leading to clearer and more precise requirements over time.

Disadvantages

- **Indefinite Development Cycle:** One challenge is determining when to stop refining the prototype. Continuous tweaking can lead to delays in finalizing the product, making it difficult to establish a clear endpoint for development.
- **Resource Intensive:** The iterative process may require significant time and resources, especially if multiple revisions are needed based on user feedback. This can lead to increased costs if not managed properly.
- **Potential Scope Creep:** As users provide feedback and request changes, there is a risk that the project scope can expand beyond initial plans, complicating project management and timelines.
- **Documentation Challenges:** The focus on rapid prototyping may lead to inadequate documentation of requirements and design decisions, which can create difficulties in maintaining or scaling the system later on.
- **Complexity in Management:** Managing multiple iterations and integrating feedback can become complex, especially in larger projects with diverse stakeholder inputs.

Spiral model:

A spiral model is divided into a set of framework activities defined by the software engineering team. Each of the framework activities represent one segment of the spiral path. As this evolutionary process begins, the software team performs activities that are implied by a circuit around the spiral in a clockwise direction, beginning at the center. Risk (Chapter 28) is considered as each revolution is made. Anchor point milestones—a combination of work products and conditions that are attained along the path of the spiral—are noted for each evolutionary pass. The first circuit around the spiral might result in the development of a product specification; subsequent passes around the spiral might be used to develop a prototype and then progressively more sophisticated versions of the software. Each pass through the planning region results in adjustments to the project plan. Cost and schedule are adjusted based on feedback derived from the customer after delivery. In addition, the project manager adjusts the planned

number of iterations required to complete the software. Unlike other process models that end when software is delivered, the spiral model can be adapted to apply throughout the life of the computer software. Therefore, the first circuit around the spiral might represent a “concept development project” that starts at the core of the spiral and continues for multiple iterations until concept development is complete. If the concept is to be developed into an actual product, the process proceeds outward on the spiral and a “new product development project” commences. The new product will evolve through a number of iterations around the spiral. Later, a circuit around the spiral might be used to represent a “product enhancement project.” In essence, the spiral, when characterized in this way, remains operative until the software is retired. There are times when the process is dormant, but whenever a change is initiated, the process starts at the appropriate entry point (e.g., product enhancement). The spiral model is a realistic approach to the development of large-scale systems and software. Because software evolves as the process progresses, the developer and customer better understand and react to risks at each evolutionary level. The spiral model uses prototyping as a risk reduction mechanism but, more important, enables you to apply the prototyping approach at any stage in the evolution of the product. It maintains the systematic stepwise approach suggested by the classic life cycle but incorporates it into an iterative framework that more realistically reflects the real world. The spiral model demands a direct consideration of technical risks at all stages of the project and, if properly applied, should reduce risks before they become problematic.

Advantages

- Risk Management: The Spiral Model places a strong emphasis on identifying and mitigating risks at every iteration. This proactive approach helps in addressing potential issues early in the development process, reducing the likelihood of project failure.
- Iterative Development: By allowing for multiple iterations, the model facilitates gradual refinement of the software product. Feedback from each cycle can be incorporated into subsequent phases, leading to a more robust final product.
- User Involvement: The model encourages continuous user feedback and involvement throughout the development process. This engagement ensures that the final product aligns closely with user needs and expectations.
- Flexibility: The Spiral Model is adaptable to changes in requirements, making it suitable for projects where specifications may evolve over time. This flexibility allows teams to respond effectively to new information or changing conditions.
- Clear Milestones: Each iteration provides clear milestones and deliverables, which can enhance project management and tracking of progress.

Disadvantages

- Complexity: The model's iterative nature can introduce complexity in project management, requiring careful coordination of multiple phases and iterations. This complexity can be challenging for teams unfamiliar with the approach.
- Costly: Due to its emphasis on risk assessment and iterative development, the Spiral Model can be resource-intensive and may lead to higher costs compared to more straightforward methodologies like the Waterfall Model.

- Indefinite Timelines: The iterative process may result in unclear project timelines, as it can be difficult to determine when development will be completed. This uncertainty can complicate planning and budgeting efforts.
- Documentation Challenges: The focus on rapid prototyping and iteration may lead to insufficient documentation of requirements and design decisions, potentially creating issues for future maintenance or scaling of the software.
- Scope Creep: Continuous user feedback can sometimes lead to scope creep, where additional features are added beyond the original project plan, complicating project management and timelines.

Test Driven Development

Test-Driven Development (TDD) is a software development methodology that emphasizes writing tests before the actual code. This approach follows a repetitive cycle of writing a failing test, implementing the minimum code necessary to pass the test, and then refactoring the code while ensuring all tests continue to pass. TDD aims to enhance code quality and ensure that new features work as intended from the outset.

Advantages

- Improved Code Quality: TDD encourages developers to write only the necessary code to pass tests, which often leads to cleaner, more efficient code and reduces the likelihood of bugs.
- Early Bug Detection: By writing tests first, developers can catch errors early in the development process, which minimizes debugging time later on and reduces costs associated with fixing bugs after deployment.
- Clear Requirements: Writing tests before coding helps clarify requirements and expected behavior of the software. This can lead to better understanding among team members and stakeholders about what needs to be developed.

- **Facilitates Refactoring:** With a comprehensive suite of tests, developers can refactor existing code with confidence, knowing that any changes will be validated against the tests, thus maintaining functionality while improving code structure.
- **Enhanced Collaboration:** TDD fosters better communication among team members, as tests serve as documentation for how features are supposed to behave, making it easier for new team members to understand the system.

Disadvantages

- **Initial Time Investment:** The upfront time required to write tests before coding can slow down initial development phases. This can be a challenge for teams under tight deadlines.
- **Overhead in Test Maintenance:** As the codebase evolves, maintaining and updating tests can become cumbersome.
- **Limited Scope of Tests:** TDD typically focuses on unit testing, which may not cover integration or system-level issues adequately. This could result in undetected bugs that emerge when different components interact.
- **Potential for Incomplete Tests:** Developers may write minimal tests just to pass the current requirements without fully considering edge cases or future needs, leading to gaps in testing coverage.
- **Learning Curve:** Teams unfamiliar with TDD may face a steep learning curve as they adapt their development practices. This transition may require training and adjustments in workflow⁸.