

Connect Revenoid to Claude

MCP custom-connector setup guide · Claude desktop app

Server URL: `https://core.revenoid.com/api/v2/mcp`

Takes about a minute. Authenticate with OAuth (sign in, no key to copy) or an API key.

Step 1 — Open Connectors

1. In the Claude app's left sidebar, click **Customize**.
2. In the Customize panel, select **Connectors**. You'll see your existing connectors (GitHub, Gmail, Google Drive, ...).

Step 2 — Add a custom connector

1. Click the **+** button at the top-right of the Connectors list.
2. Choose **Add custom connector**. A dialog titled "Add custom connector" (BETA) opens.

Step 3 — Fill in the connector

Name	Revenoid
Remote MCP server URL	<code>https://core.revenoid.com/api/v2/mcp</code>

Leave **Advanced settings** closed for the OAuth path. Then click **Add**.

Step 4 — Authenticate (pick one)

Option A — OAuth (recommended). After clicking Add, Claude discovers Revenoid's authorization server and opens a browser window:

- You land on the "Connect Revenoid to Claude" consent screen.
- Enter your Revenoid email + password (use the eye icon to check it), then click Authorize.
- The window closes and the connector shows as connected.

No key to copy or store — Claude caches and refreshes the token for you.

Option B — API key. If you'd rather use a key (or before OAuth is enabled on your tenant), put the key in the URL — the dialog doesn't require custom headers. In Step 3 set the URL to:

```
https://core.revenoid.com/api/v2/mcp?api_key=rvk_live_<your-key>
```

Click Add — it connects immediately, no browser sign-in. Get a key from the Revenoid dashboard → Settings → API Keys. Treat it like a password.

Step 5 — Use it

Once connected, the connector lists Revenoid's tools. Ask for sales work in plain language — Claude routes it through Revenoid:

- "Find me 10 cybersecurity accounts and the VPs of Eng at each."
- "Research Snowflake and draft a cold email to their CRO in my voice."
- "Who at Acme have we talked to? Pull the call summaries."
- "Push these enriched contacts to my CRM."

Set per-tool permissions (Allow / Ask / Deny) in the connector's **Tool permissions** panel.

Troubleshooting

Symptom	Cause / fix
"Not allowed by CORS" / "not enabled"	The tenant's OAuth server isn't live yet — use the API-key URL (Option B), or have your admin enable it.
Connects but lists no tools	Reconnect; confirm the URL is exactly <code>https://core.revenoid.com/api/v2/mcp</code>
"Invalid email or password" on consent	Your Revenoid login. SSO-only accounts can't use the password screen yet — use Option B.
Browser sign-in never returns	Ensure pop-ups / redirects from <code>core.revenoid.com</code> aren't blocked.

Other ways to connect

Claude Code (CLI):

```
claude mcp add --transport http revenoid https://core.revenoid.com/api/v2/mcp
```

As a plugin: add the marketplace, then install:

```
/plugin marketplace add Revenoid-Inc/revenoid-mcp-plugin /plugin install  
revenoid-mcp@revenoid
```