# SAMPLE REQUEST



Same body as HD01. FTD wordmark on the chest, NEVER ENOUGH death-metal logo across the back. Plain sleeves.

## KEY FEATURES

- Cropped, boxy body with dropped shoulders and a blouson hem (body gathered into rib)
- Full balloon sleeves gathered into ribbed cuffs
- Two-piece hood with centre seam, self-lined
- Full-length front zip, single slider
- Split kangaroo pouch pocket, divided by the zip
- Ribbed cuffs and hem
- Screen prints by the manufacturer on cut panels before sewing (see artwork pages)

| | |
|---|---|
| STYLE CODE | FTD-D01-HD02 |
| STYLE NAME | Never Enough Zip Hoodie |
| COLLECTION | Drop 01 |
| COLOUR | Black |
| SAMPLE TYPE | First (proto / fit) sample |
| SAMPLE SIZE | M |
| SIZE RANGE | XS · S · M · L · XL · XXL |
| QUANTITY | 1 sample, plus a print strike-off on the sample fabric |
| BRAND CONTACT | — |
| VERSION / DATE | v0.1 · 21 Oct 2026 |

## IMPORTANT: PRINT BEFORE SEWING

Please screen print the panels listed on the "Cut panels" page while they are **cut but not yet sewn**, then sew the sample. Please send a photo of the strike-off for approval before printing. Same pattern as FTD-D01-HD01 / HD02 (one hoodie block, two print versions).

Value status: CONFIRMED decided PROPOSED starting point, please advise

TBC answer needed

# FLATS & FEATURES




FRONT





BACK

## CALLOUTS

1. Two-piece hood, self-lined, centre seam
2. Zip top stop at neck
3. Full-length zip, metal, single slider
4. Dropped shoulder, topstitched
5. Split pouch pocket, bar-tacked ends
6. Balloon sleeve, gathered into cuff
7. Rib cuff
8. Rib hem, body gathered in (blouson)
9. Chest print P1 (FTD wordmark)
10. Hood centre seam
11. Back print area (see artwork page)

# POINTS OF MEASURE




FRONT




BACK

Blue lines show the main points of measure; every point, with how to measure it, is in the measurement chart. Garment laid flat, unstretched unless noted.

**A** Body length
**B** Chest width
**C** Shoulder width (dropped)
**D** Body width above hem rib
**E** Hem rib width, relaxed
**F** Hem rib height
**G** Armhole, straight
**H** Sleeve length
**I** Bicep width
**J** Sleeve width at balloon
**K** Cuff width, relaxed
**L** Cuff height
**M** Neck width
**N** Front neck drop
**O** Hood height
**P** Hood width
**Q** Zip length
**R** Pouch pocket opening

# MEASUREMENT CHART

FTD-D01-HD02 · Never Enough Zip Hoodie
Drop 01 · Black · Sample size M · v0.1 · 21 Oct 2026

| CODE | POINT OF MEASURE | HOW TO MEASURE | XS | S | M | L | XL | XXL | TOL. | GRADE |
|---|---|---|---|---|---|---|---|---|---|---|
| A | Body length | HPS to bottom edge of hem rib | 56 | 58 | **60** | 62 | 64 | 66 | ±1 | 2 |
| B | Chest width | 2.5 cm below armhole, edge to edge | 60 | 63 | **66** | 69 | 72 | 75 | ±1 | 3 |
| C | Shoulder width (dropped) | Shoulder seam point to point, across back | 58 | 61 | **64** | 67 | 70 | 73 | ±1 | 3 |
| D | Body width above hem rib | Edge to edge at the rib seam | 46 | 49 | **52** | 55 | 58 | 61 | ±1 | 3 |
| E | Hem rib width, relaxed | Bottom edge, edge to edge | 34 | 37 | **40** | 43 | 46 | 49 | ±1 | 3 |
| F | Hem rib height | Rib seam to bottom edge | 7 | 7 | **7** | 7 | 7 | 7 | ±0.5 | 0 |
| G | Armhole, straight | Shoulder point to underarm, straight | 28 | 29 | **30** | 31 | 32 | 33 | ±0.5 | 1 |
| H | Sleeve length | Shoulder seam to cuff edge, along top of sleeve | 58 | 59 | **60** | 61 | 62 | 63 | ±1 | 1 |
| I | Bicep width | 2.5 cm below armhole, perpendicular to sleeve | 27 | 28 | **29** | 30 | 31 | 32 | ±0.5 | 1 |
| J | Sleeve width at balloon | Widest point of lower sleeve, approx. 20 cm above cuff | 29 | 30 | **31** | 32 | 33 | 34 | ±0.5 | 1 |
| K | Cuff width, relaxed | Cuff edge, edge to edge | 8.5 | 9 | **9.5** | 10 | 10.5 | 11 | ±0.5 | 0.5 |
| L | Cuff height | Cuff seam to edge | 7 | 7 | **7** | 7 | 7 | 7 | ±0.5 | 0 |
| M | Neck width | Seam to seam at shoulder | 20 | 20.5 | **21** | 21.5 | 22 | 22.5 | ±0.5 | 0.5 |
| N | Front neck drop | HPS to top of zip, vertical | 8 | 8.5 | **9** | 9.5 | 10 | 10.5 | ±0.5 | 0.5 |
| O | Hood height | Neck seam at side to top of hood | 35 | 35.5 | **36** | 36.5 | 37 | 37.5 | ±1 | 0.5 |
| P | Hood width | Widest point, laid flat | 26 | 26.5 | **27** | 27.5 | 28 | 28.5 | ±0.5 | 0.5 |
| Q | Zip length | Top stop to bottom of hem rib (to fit) | 49 | 50.5 | **52** | 53.5 | 55 | 56.5 | ±0.5 | 1.5 |
| R | Pouch pocket opening | Each side, along the opening edge | 15 | 15.5 | **16** | 16.5 | 17 | 17.5 | ±0.5 | 0.5 |

All values PROPOSED

Centimetres, laid flat. Sample size M highlighted. Proportions follow the flats; please check the pattern against them and advise on any points that won't work.

# MATERIALS & TRIMS

| COMPONENT | SPECIFICATION | PLACEMENT | COLOUR | STATUS |
|---|---|---|---|---|
| **Main fabric** | 100% cotton heavyweight fleece, brushed back, 450–500 gsm. Pre-shrunk; shrinkage ≤3% length and width. Cotton face required for screen printing (no polyester: ink dye migration). | Body, sleeves, hood, pocket | Black | PROPOSED |
| **Hood lining** | Self fabric (double-layer hood) | Hood | Black | PROPOSED |
| **Rib** | 2×2 rib, 95% cotton / 5% elastane, approx. 400 gsm | Cuffs, hem | Black, matched to main | PROPOSED |
| **Zip (sample)** | Metal, open-end (separating), no. 5 or 8 teeth, single auto-lock slider. Best available stock zip in this finish. | Centre front | Gunmetal / black nickel | PROPOSED |
| **Zip (production)** | As above with custom FTD puller. Quote separately: mould cost and minimum order. | Centre front | TBC | TBC |
| **Thread** | Polyester core-spun, Tex 40 | All seams | Black | PROPOSED |
| **Neck tape** | Woven or printed tape covering back neck seam (as drawn in flat) | Inside back neck | Black | TBC |
| **Main label** | Damask woven, end-fold, 50 × 20 mm visible. Artwork FTD-LBL-02 | Inside CB neck, sewn onto neck tape | Bone thread on black | PROPOSED |
| **Size label** | Printed satin tab, folded, 15 × 12.5 mm. Artwork FTD-LBL-04 | Under main label | White on black | PROPOSED |
| **Care / composition label** | Printed satin, 30 × 80 mm. Artwork FTD-LBL-03_care_hoodies | Left side seam, 8 cm above hem | White on black | PROPOSED |
| **Flag label (optional)** | Damask woven loop, 15 × 15 mm folded. Artwork FTD-LBL-05 | Left hem rib seam | Bone thread on black | PROPOSED |

Please send fabric and rib swatches with your quote if possible, so FTD can test print on them before sampling.

| AREA | DETAILS PROPOSED |
|---|---|
| **Seams** | Overlock (4-thread) all body and sleeve seams; twin-needle topstitch 6 mm at armhole seams as drawn. |
| **Shoulders** | Dropped shoulder; armhole seam topstitched on body side. |
| **Sleeves** | Balloon shape: extra volume in the lower sleeve, gathered evenly into the cuff. Cuff joined with overlock, topstitched. |
| **Hem** | Body gathered evenly into rib hem (blouson). Rib joined with overlock, cover-stitched. |
| **Zip** | Inserted between front panels, ending at hem rib bottom and at neck. Topstitched both sides 3 mm. Zip teeth exposed as drawn. |
| **Hood** | Two-piece, centre seam. Self-lined, joined at face opening and neck; no drawcord (per flat, confirm). |
| **Pouch pocket** | Split pouch, one each side of zip; opening edges and pocket outline twin-needle topstitched 6 mm; bar-tack at opening ends. |
| **Neck** | Back neck seam covered with neck tape; main label sewn into tape at centre back. |
| **Finishing** | Trim all threads; press; no fusing. Fold and bag individually. |

Stitch details follow the dashed topstitch lines on the flats. Where a different method is standard in your factory for the same look, please suggest it.

# ARTWORK & PRINT PLACEMENT




FRONT



BACK

| PRINT | APPROX. SIZE CM (W × H) | PLACEMENT | PANELS PRINTED |
|---|---|---|---|
| **P1 FTD wordmark (ART-01)** | 45 × 22.3 | Centred on CF, across the zip. Top edge approx. 8 cm below HPS. Matched across the zip within 3 mm. | Front L, Front R |
| **P2 NEVER ENOUGH logo (ART-02)** | 50 × 45.9 | Centred on CB. Top edge approx. 2 cm below the hood seam. | Back |

**Method:** Screen print by the manufacturer (in house or their usual print partner), one colour, white. Ink: water-based discharge or white plastisol, please advise for this fabric; strike-off on sample fabric to be approved by FTD before the sample panels are printed.

Sizes are taken from the flats and are approximate for the first sample. Please mark each print position on the pattern pieces so prints that cross seams or the zip line up.



### ART-01 · FTD WORDMARK PROPOSED

| | |
|---|---|
| **PRINT SIZE (W × H)** | 45 × 22.3 cm |
| **USED ON** | HD01 chest, HD02 chest |
| **FILES** | FTD-ART-01_FTD-wordmark.svg (vector)<br>FTD-ART-01_FTD-wordmark_45cm_300dpi.png |



### ART-02 · NEVER ENOUGH LOGO PROPOSED

| | |
|---|---|
| **PRINT SIZE (W × H)** | 50 × 45.9 cm |
| **USED ON** | HD02 back |
| **FILES** | FTD-ART-02_Never-Enough.svg (vector)<br>FTD-ART-02_Never-Enough_50cm_300dpi.png |

At the limit of a standard screen; confirm the printer's maximum print area.

One colour: white ink on black. Files are supplied as vector SVG plus a 300 dpi PNG film positive at print size (black = ink). Fine distressed detail in ART-03 is part of the design; please flag any lines too fine to hold on your mesh. Drop 01 uses five screens: ART-01, ART-02 and ART-03 for the hoodies and joggers (ART-01 and ART-03 shared between styles), and ART-01T and ART-02T at T-shirt size.

# CUT PANELS: PRINT BEFORE SEWING

## WHY

The FTD wordmark crosses the zip, so the two front panels are printed before the zip goes in. The back is printed flat at the same time so all prints are cured together. The panels are printed flat, then the garment is sewn.

### PANELS PRINTED BEFORE SEWING

- Front L
- Front R
- Back

### PANELS NOT PRINTED

- Sleeves (×2)
- Hood (×2 outer, ×2 lining)
- Pouch pocket pieces
- Cuff rib (×2)
- Hem rib

## STEPS

1. Make the sample pattern and mark the print positions on the pattern pieces from the artwork page.
2. Print a **strike-off** of each artwork on the sample fabric; send photos (and the swatch with the sample) for approval.
3. Once approved, cut the sample from pre-shrunk fabric and print the panels flat, matching prints across seams and the zip.
4. Cure and wash-test one printed offcut: no cracking or fading after 3 washes at 30°C.
5. Sew the sample to this pack and send it to FTD for fit and print approval.

If printing before sewing isn't possible for any panel, please tell us before quoting.

# LABELS, QUESTIONS & APPROVAL

## QUESTIONS FOR THE MANUFACTURER

1. Sample cost per style, lead time, and how many fit rounds are included.
2. Do you screen print in house? If not, who prints, and is printing cut panels before sewing standard for you?
3. Screen set-up cost per screen and print cost per location. Drop 01 uses five screens (ART-01, -02, -03 for the hoodies and joggers; ART-01T, -02T at T-shirt size).
4. Ink you recommend on this fleece (discharge or plastisol), and the cost of a strike-off on our fabric.
5. Production minimum order per style and colour, and how it can be split across sizes.
6. Fleece options at 450–500 gsm, 100% cotton: shrinkage figures and colourfastness.
7. Zip options for the sample (brand, finish), and for production: cost and minimum for a custom puller, including mould fee.
8. Can you grade the pattern XS–XXL? Who owns the pattern, and can we have a copy (PDF or DXF)?
9. Can you source the woven main and size labels, and the care labels?
10. Shipping method, cost and duties to the UK.

### LABELS

- UK law requires a fibre composition label on clothing sold in the UK (e.g. "100% cotton"). Care symbols are standard practice.
- Include the brand name and a contact address on the label or packaging so the product can be traced.
- Label artwork is in techpack/labels/ (see FTD-labels-overview.pdf). Please quote the woven and printed labels, or advise your usual label supplier.

## REVISION LOG

| VERSION | DATE | CHANGE |
|---|---|---|
| v0.1 | 21 Oct 2026 | First issue for sample quote |
| | | |
| | | |

### SAMPLE APPROVAL

| STAGE | DATE | COMMENTS | APPROVED BY |
|---|---|---|---|
| Fit sample | | | |
| Print test | | | |
| Pre-production | | | |