

Barrel-leg fleece pants with a stacked drawcord waistband. Crossbone crosses across both legs, front and back.

## KEY FEATURES

- Barrel leg: wide through the knee, curving back in to the hem
- Stacked double waistband, elasticated, with drawcord exiting at centre front
- Slanted side pockets
- Two rear welt pockets
- Centre back seam
- Clean-finished hem
- Screen prints applied by FTD in house (see artwork pages)

| | |
|---|---|
| STYLE CODE | FTD-D01-PT01 |
| STYLE NAME | Crossbone Baggy Pants |
| COLLECTION | Drop 01 |
| COLOUR | Black |
| SAMPLE TYPE | First (proto / fit) sample |
| SAMPLE SIZE | M |
| SIZE RANGE | XS · S · M · L · XL · XXL |
| QUANTITY | 1 sample, plus 1 spare set of the printable panels for test prints |
| BRAND CONTACT | — |
| VERSION / DATE | v0.1 · 21 Oct 2026 |

## IMPORTANT: PRINTED IN HOUSE

FTD screen prints this style itself. Please supply the panels listed on the "Cut panels" page **cut but not sewn**, send them to FTD for printing, then sew the sample when they return. Fabric matched to the Drop 01 zip hoodies.

Value status: CONFIRMED decided PROPOSED starting point, please advise

TBC answer needed

# FLATS & FEATURES




FRONT





BACK


## CALLOUTS

1. Stacked double waistband, elastic
2. Drawcord exits at CF
3. Slanted side pocket
4. Curved outseam (barrel leg)
5. Clean hem, twin-needle
6. Front print (see artwork page)
7. Rear welt pocket (×2)
8. Centre back seam
9. Back print (see artwork page)

# POINTS OF MEASURE




FRONT




BACK

Blue lines show the main points of measure; every point, with how to measure it, is in the measurement chart. Garment laid flat, unstretched unless noted.

**A** Waist, relaxed
**B** Waist, extended
**C** Hip
**D** Front rise
**E** Back rise
**F** Thigh
**G** Knee (barrel peak)
**H** Leg opening
**I** Inseam
**J** Outseam
**K** Waistband height (both bands)
**L** Side pocket opening
**M** Rear welt pocket width

# MEASUREMENT CHART

| CODE | POINT OF MEASURE | HOW TO MEASURE | XS | S | M | L | XL | XXL | TOL. | GRADE |
|---|---|---|---|---|---|---|---|---|---|---|
| A | Waist, relaxed | Top edge of waistband, edge to edge | 30 | 33 | **36** | 39 | 42 | 45 | ±1 | 3 |
| B | Waist, extended | Top edge, fully stretched | 46 | 49 | **52** | 55 | 58 | 61 | ±1 | 3 |
| C | Hip | 18 cm below top of waistband, edge to edge | 52 | 55 | **58** | 61 | 64 | 67 | ±1 | 3 |
| D | Front rise | Top of waistband to crotch seam, including band | 31 | 32 | **33** | 34 | 35 | 36 | ±0.5 | 1 |
| E | Back rise | Top of waistband to crotch seam, including band | 40 | 41 | **42** | 43 | 44 | 45 | ±0.5 | 1 |
| F | Thigh | 2.5 cm below crotch, perpendicular to leg | 33 | 34.5 | **36** | 37.5 | 39 | 40.5 | ±0.5 | 1.5 |
| G | Knee (barrel peak) | 36 cm below crotch | 34 | 35.5 | **37** | 38.5 | 40 | 41.5 | ±0.5 | 1.5 |
| H | Leg opening | Hem edge, edge to edge | 23 | 24 | **25** | 26 | 27 | 28 | ±0.5 | 1 |
| I | Inseam | Crotch to hem edge | 74 | 75 | **76** | 77 | 78 | 79 | ±1 | 1 |
| J | Outseam | Top of waistband to hem edge, along the curved side | 105 | 106.5 | **108** | 109.5 | 111 | 112.5 | ±1 | 1.5 |
| K | Waistband height (both bands) | Top edge to lower band seam | 9 | 9 | **9** | 9 | 9 | 9 | ±0.5 | 0 |
| L | Side pocket opening | Along the opening edge | 15 | 15.5 | **16** | 16.5 | 17 | 17.5 | ±0.5 | 0.5 |
| M | Rear welt pocket width | Each pocket, end to end | 12 | 12.5 | **13** | 13.5 | 14 | 14.5 | ±0.5 | 0.5 |

All values PROPOSED

Centimetres, laid flat. Sample size M highlighted. Proportions follow the flats; please check the pattern against them and advise on any points that won't work.

# MATERIALS & TRIMS

| COMPONENT | SPECIFICATION | PLACEMENT | COLOUR | STATUS |
|---|---|---|---|---|
| **Main fabric** | Same fleece as the zip hoodies: 100% cotton, brushed back, 450–500 gsm, pre-shrunk ≤3% | Legs, waistband | Black | PROPOSED |
| **Elastic** | Knitted elastic, 40 mm | Inside upper waistband | Black | PROPOSED |
| **Drawcord** | Round cotton cord, 8 mm, approx. 140 cm; tips TBC (knotted or metal aglets) | Lower waistband channel, exits at CF | Black | PROPOSED |
| **Drawcord exits** | Two buttonholes or gunmetal metal eyelets | CF lower waistband | Black / gunmetal | TBC |
| **Pocketing** | Self fabric or black cotton jersey | Side and rear pocket bags | Black | PROPOSED |
| **Thread** | Polyester core-spun, Tex 40 | All seams | Black | PROPOSED |
| **Main label** | Woven FTD label (same as hoodies) | Inside CB waistband | TBC | TBC |
| **Care / composition label** | Printed satin; fibre composition, care symbols, brand | Inside left side seam, below waistband | White on black | PROPOSED |

Please send fabric and rib swatches with your quote if possible, so FTD can test print on them before sampling.

| AREA | DETAILS PROPOSED |
|---|---|
| **Seams** | Overlock (4-thread); topstitch as drawn at pockets and waistband. |
| **Barrel leg** | Curved outseam and inseam to create the barrel. Manufacturer to advise if knee darts or a shaped front panel are needed to hold the curve. |
| **Waistband** | Stacked double band. Upper band carries the 40 mm elastic; lower band carries the drawcord channel with exits at CF. Both bands topstitched as drawn. |
| **Side pockets** | Slanted opening, topstitched 6 mm, bar-tacked at both ends. |
| **Rear welts** | Two single-welt pockets, bar-tacked. Sewn after printing (the back print crosses the right welt). |
| **Centre back** | Centre back seam, overlocked and topstitched. |
| **Hem** | Turned and twin-needle stitched, 2.5 cm, as drawn. |
| **Finishing** | Trim all threads; press; fold and bag individually. |

Stitch details follow the dashed topstitch lines on the flats. Where a different method is standard in your factory for the same look, please suggest it.

# ARTWORK & PRINT PLACEMENT



FRONT



BACK

| PRINT | APPROX. SIZE CM (W × H) | PLACEMENT | PANELS PRINTED |
|---|---|---|---|
| **P1 Front cross, left leg** | 32.7 × 41.8 | Upper left leg, running off the outseam. Cut by the side seam as drawn. | Front L |
| **P2 Front cross, right leg** | 27.1 × 44.5 | Lower right leg, running off the outseam. | Front R |
| **P3 Back crosses** | approx. 31 × 48 (upper) plus fragments | Upper back crossing the CB seam and the right welt pocket; second cross lower on the left leg. Match across CB seam within 5 mm. | Back L, Back R |

**Method:** Screen print by FTD in house. Ink: white plastisol or water-based discharge (TBC after test prints on the sample fabric). No printing by the manufacturer.

Sizes are taken from the flats and are approximate for the first sample. FTD will make 1:1 placement guides on the pattern pieces once the pattern is shared, so prints that cross seams line up.

# CUT PANELS: PRINT BEFORE SEWING

## WHY

The crosses run off the side seams, across the centre back seam and over the right rear welt pocket. The legs are printed flat before the seams, welts and waistband are sewn. FTD prints the flat panels, then the manufacturer sews the garment.

### PANELS TO SEND TO FTD, CUT AND UNSEWN

- Front L
- Front R
- Back L
- Back R

### PANELS THE FACTORY KEEPS

- Waistband bands
- Pocket bags and facings
- Welt pieces

## STEPS

1. Manufacturer shares the pattern (PDF or DXF) for the sample size. FTD makes placement guides.
2. Manufacturer cuts the sample and sends the printable panels to FTD, plus **1 spare set** for test prints.
3. Each panel marked on the reverse with style code, size and panel name; all notches cut.
4. FTD prints and cures the panels, then returns them with the spare set marked as used.
5. Manufacturer sews the sample to this pack and sends it to FTD for fit approval.

Allow for print shrinkage: panels should be cut from pre-shrunk fabric. If the manufacturer can't supply unsewn panels, please tell us before quoting.

# LABELS, QUESTIONS & APPROVAL

## QUESTIONS FOR THE MANUFACTURER

1. Sample cost per style, lead time, and how many fit rounds are included.
2. Can you supply the printable panels cut but unsewn, then sew them after we return them printed? Cost and turnaround?
3. Production minimum order per style and colour, and how it can be split across sizes.
4. Fleece options at 450–500 gsm, 100% cotton: shrinkage figures and colourfastness.
5. Zip options for the sample (brand, finish), and for production: cost and minimum for a custom puller, including mould fee.
6. Can you grade the pattern XS–XXL and share the pattern pieces (PDF or DXF) so we can make print placement guides?
7. Can you source the woven main and size labels, and the care labels?
8. Shipping method, cost and duties to the UK.

### LABELS

- UK law requires a fibre composition label on clothing sold in the UK (e.g. "100% cotton"). Care symbols are standard practice.
- Include the brand name and a contact address on the label or packaging so the product can be traced.
- Main label artwork, size label format and care wording will be supplied by FTD before production.

## REVISION LOG

| VERSION | DATE | CHANGE |
|---|---|---|
| v0.1 | 21 Oct 2026 | First issue for sample quote |
| | | |
| | | |

### SAMPLE APPROVAL

| STAGE | DATE | COMMENTS | APPROVED BY |
|---|---|---|---|
| Fit sample | | | |
| Print test | | | |
| Pre-production | | | |