

How should social AIs treat humans?

Kolmogorov–Smirnov and Euclidean distances in normative expectations

Sample: USA Full

Mental health provider	Friend	0.09 ($p = .547$)	0.03 ($p = 1.000$)	0.32 ($p < .001$)	0.06 ($p = 1.000$)	1.61
	Mental health provider	0.17 ($p = .030$)	0.29 ($p < .001$)	0.11 ($p = .297$)	0.14 ($p = .091$)	1.90
	Coworker	0.20 ($p = .003$)	0.14 ($p = .091$)	0.27 ($p < .001$)	0.25 ($p < .001$)	1.99
	Assistant	0.32 ($p < .001$)	0.10 ($p = .358$)	0.03 ($p = 1.000$)	0.23 ($p < .001$)	2.00
	Seller	0.29 ($p < .001$)	0.16 ($p = .031$)	0.10 ($p = .395$)	0.27 ($p < .001$)	2.40
	Teacher	0.15 ($p = .070$)	0.48 ($p < .001$)	0.14 ($p = .093$)	0.09 ($p = .547$)	2.61
	Romantic partner	0.18 ($p = .018$)	0.13 ($p = .147$)	0.68 ($p < .001$)	0.05 ($p = 1.000$)	4.50
		Care	Hierarchy	Mating	Transaction	Euclidean