

How should social AIs treat humans?

Kolmogorov–Smirnov and Euclidean distances in normative expectations
Sample: USA Pilot

Mental health provider	Friend	0.10 ($p = .807$)	0.08 ($p = .977$)	0.35 ($p < .001$)	0.07 ($p = .991$)	1.85
	Coworker	0.23 ($p = .010$)	0.09 ($p = .674$)	0.36 ($p < .001$)	0.21 ($p = .023$)	2.07
	Teacher	0.07 ($p = .807$)	0.41 ($p < .001$)	0.07 ($p = .585$)	0.09 ($p = .757$)	2.36
	Seller	0.17 ($p = .186$)	0.03 ($p = .991$)	0.21 ($p = .023$)	0.35 ($p < .001$)	2.36
	Mental health provider	0.23 ($p = .021$)	0.25 ($p = .010$)	0.11 ($p = .757$)	0.25 ($p = .010$)	2.45
	Assistant	0.47 ($p < .001$)	0.11 ($p = .426$)	0.12 ($p = .209$)	0.29 ($p < .001$)	2.64
	Romantic partner	0.10 ($p = .405$)	0.05 ($p = .955$)	0.59 ($p < .001$)	0.10 ($p = .585$)	3.58
		Care	Hierarchy	Mating	Transaction	Euclidean