

How should humans treat social AIs?

Kolmogorov–Smirnov and Euclidean distances in normative expectations

Sample: UK Full

Mental health provider	Assistant	0.23 ($p < .001$)	0.12 ($p = .188$)	0.04 ($p = 1.000$)	0.11 ($p = .242$)	1.35
	Seller	0.07 ($p = .827$)	0.37 ($p < .001$)	0.02 ($p = 1.000$)	0.12 ($p = .205$)	2.09
	Mental health provider	0.08 ($p = .661$)	0.50 ($p < .001$)	0.13 ($p = .141$)	0.15 ($p = .041$)	2.87
	Teacher	0.06 ($p = .890$)	0.53 ($p < .001$)	0.19 ($p = .003$)	0.22 ($p < .001$)	2.87
	Coworker	0.28 ($p < .001$)	0.46 ($p < .001$)	0.33 ($p < .001$)	0.22 ($p < .001$)	3.57
	Friend	0.43 ($p < .001$)	0.49 ($p < .001$)	0.35 ($p < .001$)	0.06 ($p = .996$)	3.87
	Romantic partner	0.55 ($p < .001$)	0.51 ($p < .001$)	0.68 ($p < .001$)	0.09 ($p = .552$)	5.82
		Care	Hierarchy	Mating	Transaction	Euclidean