

How should humans treat social AIs?

Kolmogorov–Smirnov and Euclidean distances in normative expectations

Sample: USA Pilot

Assistant	0.16 ($p = .142$)	0.07 ($p = .686$)	0.10 ($p = .233$)	0.19 ($p = .051$)	1.30
Mental health provider	0.12 ($p = .529$)	0.33 ($p < .001$)	0.10 ($p = .686$)	0.12 ($p = .529$)	2.29
Teacher	0.09 ($p = .602$)	0.54 ($p < .001$)	0.08 ($p = .472$)	0.10 ($p = .568$)	2.60
Seller	0.10 ($p = .553$)	0.42 ($p < .001$)	0.13 ($p = .229$)	0.30 ($p < .001$)	2.73
Coworker	0.20 ($p = .037$)	0.41 ($p < .001$)	0.37 ($p < .001$)	0.11 ($p = .472$)	3.12
Friend	0.40 ($p < .001$)	0.54 ($p < .001$)	0.33 ($p < .001$)	0.13 ($p = .457$)	4.00
Romantic partner	0.44 ($p < .001$)	0.37 ($p < .001$)	0.64 ($p < .001$)	0.20 ($p = .037$)	4.78
	Care	Hierarchy	Mating	Transaction	Euclidean