



REVITAL PRODUCTIONS

Team Access — Restricted Sync Verification

QA checklist for confirming restricted-teammate saves route correctly before
locking down direct Firestore access

ABOUT THIS DOCUMENT

Team Access — Restricted Sync Verification Checklist

Use this after pushing/deploying the app.js and firestore.rules commits from Aug 9, 2026 (restricted-teammate sync rewiring). Confirm every item below before starting the task that blocks restricted users from direct Firestore access — that step assumes this one actually works.

0. Before testing: push and deploy

```
cd ~/Downloads/"Agency Hub"
rm -f .git/HEAD.lock .git/index.lock
git add app.js
git commit -m "Route Team-Access-restricted teammates through the filtered clientsDb API"
git add firestore.rules
git commit -m "Commit the docSectionMap rules extension already live in Firebase Console"
git push origin main
```

Wait for the Cloudflare Worker build to finish (check the Cloudflare dashboard's Deployments tab), then hard-refresh hub.revitalproductions.com before testing.

1. Sanity check — unrestricted admin (you)

- [] Log in as admin@revitalproductions.com (or any account NOT listed in Team Access).
- [] Hub loads clients as normal, all sidebar sections visible.
- [] Open DevTools → Network tab → confirm you do NOT see repeated calls to **/api/restricted-client-data** (unrestricted admins should stay on the original Firestore listener path).
- [] Edit a field on any client, confirm "Saved to Cloud ✓" appears and the edit persists after a reload.

If any of these fail, something in the restriction-detection branch broke the unrestricted path — this is the highest-risk regression, stop and report back before continuing.

2. Juan's account (sections: core, ad-accounts-access, reporting-health, production, content-creation, account-ops, retention-social-proof, agency-globals — missing audits, strategy-competition, sales-pipeline)

- [] Log in as juan@revitalproductions.com.
- [] Sidebar: Audits, Strategy & Competition, and Sales sections should be hidden (unchanged from before — this was already working).

- [] Open a client he has access to. Fields belonging to Audits/Strategy/Sales-only data (e.g. UX/UI Audit results, Content Strategy, Sales Pipeline proposal/ROI) should be absent, not just hidden — check via DevTools console: **clientsDb[activeClientName]** should have no **uxuiAudit**, **strategyBuilder**, **proposal**, **roi**, etc. keys at all.
- [] Fields from sections he DOES have (onboarding checklist, brand kit, campaign launch, etc.) should be present and editable.
- [] Edit an allowed field (e.g. a checklist item) and save — confirm "Saved to Cloud ✓", then reload and confirm the edit persisted.
- [] Try (via DevTools console, not the UI) a POST to **/api/restricted-client-data** with a disallowed field (e.g. **proposal**) — should return a 403 "Not permitted to write: proposal" error, confirming the server-side section check is real, not just client-side.

3. Olaoluwa's account (sections: content-creation, audits, strategy-competition, agency-globals — missing core)

This is the account most likely to expose the "field she can't write got bundled into the save and rejected the whole thing" bug fixed client-side — worth extra attention here specifically.

- [] Log in as olaoluwa@revitalproductions.com.
- [] Open any client, edit something in a section she has (e.g. a Content Audit or Strategy Builder field).
- [] Save — confirm "Saved to Cloud ✓", NOT "Save Failed ✗". If it fails, check the browser console for a "Not permitted to write: lastEditedBy..." style error — that would mean the client-side field filter (**CLIENT_FIELD_SECTIONS_MIRROR**) missed something.
- [] Confirm she does NOT see core-section fields (onboarding checklist, brand vault, notifications) anywhere in clientsDb via DevTools.

4. Known, deliberate gap (not a bug)

Restricted-user edits to portal-facing fields (anything in core) won't re-sync the public client portal page (clients/{token}) until an unrestricted admin's next save does it. If this matters in practice (e.g. Juan regularly edits onboarding checklists clients see live), flag it and wire **syncPublicPortalDocs** into the restricted path next — deferred originally because it also reads **agency/salesPipeline** and **agency/referrals**, which a restricted caller may not have rules access to, so it needs its own careful pass.

5. Once everything above passes

Move to task #15: lock restricted users out of direct Firestore reads/writes on clientsDb/clientsDb-shard-* at the rules level (currently they still technically have document-level access via **hasAccountDataAccess()** — this checklist confirms the app itself no longer needs that access, which is what makes it safe to close).