



Assignment 4 Introduction to Linked Lists

1 Objectives

1. Implement singly/doubly linked lists.
2. Get introduced to ADTs (Abstract Data Types)
3. Implement an application for linked lists.

2 Problem Statement

It is required to implement the following interface twice. Once using a **Singly Linked List** implementation and once using a **Doubly Linked List** implementation in two different classes, **SingleLinkedList**, and **DoubleLinkedList**, respectively.

```
public interface ILinkedList {  
    /**  
     * Inserts a specified element at the specified position in the list.  
     * @param index  
     * @param element  
     */  
    public void add(int index, Object element);  
    /**  
     * Inserts the specified element at the end of the list.  
     * @param element  
     */  
    public void add(Object element);  
    /**  
     * @param index  
     * @return the element at the specified position in this list.  
     */  
    public Object get(int index);  
}
```



```
/**
 * Replaces the element at the specified position in this list with the
 * specified element.
 * @param index
 * @param element
 */
public void set(int index, Object element);
/**
 * Removes all of the elements from this list.
 */
public void clear();
/**
 * @return true if this list contains no elements.
 */
public boolean isEmpty();
/**
 * Removes the element at the specified position in this list.
 * @param index
 */
public void remove(int index);
/**
 * @return the number of elements in this list.
 */
public int size();
/**
 * @param fromIndex
 * @param toIndex
 * @return a view of the portion of this list between the specified fromIndex
 and toIndex, inclusively.
 */
public ILinkedList sublist(int fromIndex, int toIndex);
/**
 * @param o
 * @return true if this list contains an element with the same value as the
 specified element.
 */
public boolean contains(Object o);
}
```



3 Application

You are required to design a linked allocation system to represent and manipulate polynomials. You should use one of the linked list classes you implemented in part (A). Each term of the polynomial will be represented as a node, using its coefficient and exponent. Assume that you have 3 available polynomial variables: A, B and C, that can be set by the user and one variable R that acts as an accumulator for the results of operations on other polynomials. You should order the polynomial terms in descending order by the exponent. A polynomial can have a negative exponent.

Create a user-friendly, menu-driven system that performs the following operations:

- Read in a polynomial and store it in variable A, B, or C.
- Output a polynomial using a form that clearly displays it.
- Add two polynomials and store the result in R.
- Subtract two polynomials and store the result in R.
- Multiply two polynomials and store the result in R.
- Evaluate a polynomial at some point, a, where a is a floating point constant. In other words, substitute by the given value in your polynomial. Display the result as a floating point.
- Clear a polynomial. Note that: a polynomial whose value is cleared or initially unset cannot be involved in an operation.

It is required to implement the following interface by the core of your application. The core of the application should throw a runtime exception when it encounter any invalid input or operation.

```
public interface IPolynomialSolver {  
    /**  
    * Set polynomial terms (coefficients & exponents)  
    * @param poly: name of the polynomial  
    * @param terms: array of [coefficients][exponents]  
    */  
    void setPolynomial(char poly, int[][] terms);  
    /**  
    * Print the polynomial in ordered human readable representation  
    * @param poly: name of the polynomial  
    * @return: polynomial in the form like 27x^2+x-1  
    */  
    String print(char poly);  
}
```



```
/**
 * Clear the polynomial
 * @param poly: name of the polynomial
 */
void clearPolynomial(char poly);

/**
 * Evaluate the polynomial
 * @param poly: name of the polynomial
 * @param value: the polynomial constant value
 * @return the value of the polynomial
 */
float evaluatePolynomial(char poly, float value);

/**
 * Add two polynomials
 * @param poly1: first polynomial
 * @param poly2: second polynomial
 * @return the result polynomial
 */
int[][] add(char poly1, char poly2);

/**
 * Subtract two polynomials
 * @param poly1: first polynomial
 * @param poly2: second polynomial
 * @return the result polynomial
 */
int[][] subtract(char poly1, char poly2);

/**
 * Multiply two polynomials
 * @param poly1: first polynomial
 * @param poly2: second polynomial
 * @return: the result polynomial
 */
int[][] multiply(char poly1, char poly2);}
```



5 Deliverables

- Develop this assignment in Java language.
- You should work in a group of 2.
- You should follow the given interface specified in the Definition section.
- Take into consideration that your implementation will be used later in the project, so it has to be fully functional, well documented and reusable. Try very hard to clean up your implementation. Remove all unused variables. Do not write redundant and repeated code. You may use Checkstyle <http://checkstyle.sourceforge.net/> with your IDE to ensure that your code style follows the JAVA coding style standards (choose Sun Checks from the preferences).
- You should push your code to the repository.
- Late submission is accepted for only one week.
- Delivering a copy will be severely penalized for both parties, so delivering nothing is so much better than delivering a copy.