Ablation Study (Combined)

Method	Complexity	E2E	PFS	MFS@4
Incremental	Simple	93.3% ± 5.8%	3.37 ± 0.32	50.0% ± 10.0%
Incremental	Medium	93.3% ± 5.8%	3.39 ± 0.26	51.4% ± 5.7%
Incremental	Complex	90.0% ± 10.0%	3.24 ± 0.34	52.8% ± 5.1%
Incremental	Overall	92.2% ± 6.9%	3.33 ± 0.28	52.1% ± 3.3%
Incremental w/o Self-Refinement	Simple	63.3% ± 20.8%	2.33 ± 0.98	30.0% ± 26.5%
Incremental w/o Self-Refinement	Medium	23.3% ± 25.2%	0.94 ± 1.01	14.3% ± 14.3%
Incremental w/o Self-Refinement	Complex	3.3% ± 5.8%	0.12 ± 0.20	1.7% ± 2.9%
Incremental w/o Self-Refinement	Overall	30.0% ± 8.8%	1.13 ± 0.45	8.6% ± 5.3%

Entries are the combined estimate ± sample SD of 3 run-level aggregates (ddof=1), not SE or CI; rate SDs correspond to percentage points.
There are 10 paired tasks per complexity and 30 overall; repeat outcomes are not independent tasks. MFS@4 pools successful modules and module totals.
E2E requires both the front end and back end to pass build/compilation and startup checks; it does not imply complete business functionality.