SOFTWARE REQUIREMENTS SPECIFICATION

Whack-a-Prof Game

Version 1.0

Prepared by Team 2 - Specifications Group CISC 3140 Project Brooklyn College March 25, 2025

Contents

1.	Introduction	3
	1.1. Purpose	3
	1.2. Document Conventions	3
	1.3. Intended Audience and Reading Suggestions	3
	1.4. Project Scope	3
	1.5. References	3
2.	Overall Description	4
	2.1. Product Perspective	4
	2.2. Product Functions	$\overline{4}$
	2.3. User Classes and Characteristics	4
	2.4. Operating Environment	4
	2.5. Design and Implementation Constraints	4
	2.6. User Documentation	4
	2.7. Assumptions and Dependencies	5
2	External Interface Requirements	6
Э.	3.1. User Interfaces	6
	3.2. Hardware Interfaces	6
	3.3. Software Interfaces	6
	3.4. Communication Interfaces	6
	9.4. Communication interfaces	U
4.	System Features	7
	4.1. Gameplay Mechanics	7
	4.1.1. Description	7
	4.1.2. Stimulus/Response Sequences	7
	4.1.3. Functional Requirements	7
	4.2. Scoring and Difficulty	7
	4.2.1. Description	7
	4.2.2. Stimulus/Response Sequences	7
	4.2.3. Functional Requirements	7
5.	Nonfunctional Requirements	8
	5.1. Performance Requirements	8
	5.2. Security Requirements	8
	5.3. Software Quality Attributes	8
	5.4. Error Handling	8
	5.5. Future Enhancements	8
6.	Other Requirements	9
Α.	Glossary	10
В.	Analysis Models	11
C.	To Be Determined (TBD) List	12

1. Introduction

1.1. Purpose

This document specifies the detailed requirements for the Whack-a-Prof browser-based game, including features, user interfaces, design constraints, and interactions.

1.2. Document Conventions

The IEEE standard for SRS documentation is followed.

1.3. Intended Audience and Reading Suggestions

• Development Team: Sections 2-5

• QA Testers: Sections 3-5

• Evaluators (Professors, etc.): All sections recommended

1.4. Project Scope

Whack-a-Prof is an arcade-style browser game inspired by Whack-a-Mole. Players interact with professor characters to earn points, developed as a CISC 3140 project at Brooklyn College.

1.5. References

- IEEE SRS Standard 830-1998
- Karl E. Wiegers' Template: http://karlwiegers.com

2. Overall Description

2.1. Product Perspective

This game is standalone, browser-based, and client-side. It uses HTML5, JavaScript (with libraries), and CSS.

2.2. Product Functions

- Initiating, pausing, and ending gameplay
- Scoring points by clicking characters
- Random character appearances
- Local storage leaderboard
- Special "trustee" character with unique explosion animation

2.3. User Classes and Characteristics

• **Primary:** Project evaluators/professors

• Secondary: QA testers

• Tertiary: Development team

• End-user: General players

2.4. Operating Environment

• Hardware: PC, laptop, mobile device

• Software: Modern browsers supporting HTML5, CSS3, JavaScript, and local storage

• Screen Resolution: Minimum 1024x768 pixels

2.5. Design and Implementation Constraints

- Entirely in JavaScript (with permitted libraries)
- Subversion hosted on Brooklyn College Unix servers

2.6. User Documentation

- In-game interactive tutorial
- Contextual help prompts and tooltips

2.7. Assumptions and Dependencies

- Enabled JavaScript and local storage in browsers
- Modern web browsers (Chrome, Firefox, Safari, Edge)
- Possible use of external JavaScript libraries (to be specified during development)

3. External Interface Requirements

3.1. User Interfaces

Main game screen consists of:

- Main menu buttons clearly labeled: "Start," "Tutorial," "High Scores"
- Game screen with clickable characters
- Dynamic timer and score display
- Pause/Resume and Exit buttons clearly visible

Sketches and mockups to be provided separately.

3.2. Hardware Interfaces

Supported user input includes:

- Mouse/Trackpad
- Touchscreen devices

3.3. Software Interfaces

- HTML5, CSS3, JavaScript libraries
- Browser local storage API for high scores

3.4. Communication Interfaces

None (Client-side game).

4. System Features

4.1. Gameplay Mechanics

4.1.1. Description

Fast-paced game requiring quick interaction with randomly appearing professor characters.

4.1.2. Stimulus/Response Sequences

- 1. Character appears randomly.
- 2. Player clicks or taps character.
- 3. Game updates score immediately.
- 4. Trustee characters trigger a special visceral explosion animation lasting approximately 1 second.

4.1.3. Functional Requirements

- **REQ-1.1:** Characters appear using a uniformly randomized interval between 0.5 and 1.5 seconds.
- **REQ-1.2:** Trustee explosion animation clearly visualized with a visceral explosion of gore. The screen must be splattered with blood for 1 second, and a scream sound effect must be played.

4.2. Scoring and Difficulty

4.2.1. Description

The scoring system awards and deducts points, tracks player progress, and stores top scores.

4.2.2. Stimulus/Response Sequences

- 1. Successful character click: points awarded.
- 2. Missed clicks or inactivity: points deducted.

4.2.3. Functional Requirements

- REQ-2.1: Score updated dynamically, immediately after each player interaction.
- **REQ-2.2:** Top scores stored using browser local storage.

5. Nonfunctional Requirements

5.1. Performance Requirements

- Load time ≤ 5 seconds.
- Consistent 60 FPS animation rendering.

5.2. Security Requirements

No sensitive information handling required. Scores stored locally.

5.3. Software Quality Attributes

- Easy maintainability, readability of code.
- Robustness and stability during gameplay.

5.4. Error Handling

- Game gracefully handles local storage limitations.
- Game gracefully handles unexpected user interactions or browser incompatibilities, providing clear error messages.

5.5. Future Enhancements

Possible enhancements:

- Multiplayer mode
- Additional characters and special effects

6. Other Requirements

None identified at present.

A. Glossary

- Professor character: Standard clickable targets resembling faculty members.
- Trustee character: Special character triggering a visceral explosion animation upon interaction.
- \bullet $\ensuremath{\mathbf{FPS:}}$ Frames Per Second, animation smoothness metric.
- Local Storage: Browser's client-side storage mechanism.

B. Analysis Models

Placeholder for future UML diagrams or other models if required.

C. To Be Determined (TBD) List

- Final UI mockups and design specifics.
- Final choice of JavaScript libraries.
- Exact animation specifications for the trustee explosion effect.