Software Requirements Specification

Whack-a-Prof

Version 1.1

Prepared by Team 2 – Specifications Group
CISC 3140 Project • Brooklyn College
April 24, 2025

Contents

1. Introduction

1.1. Purpose

This document specifies the requirements for the browser-based game *Whack-a-Prof*, covering functionality, user interfaces, constraints, and external interactions.

1.2. Document Conventions

The structure follows IEEE Std 830-1998 (SRS).

1.3. Intended Audience and Reading Suggestions

- **Development Team**: Chapters 2–5
- **QA Testers**: Chapters 3–5
- **Evaluators**: All chapters

1.4. Project Scope

Whack-a-Prof is an arcade-style browser game inspired by *Whack-a-Mole*. Players earn points by clicking professors as doors open. The game was developed for CISC 3140 at Brooklyn College.

1.5. References

- IEEE SRS Standard 830-1998
- K. Wiegers, "Software Requirements," `http://karlwiegers.com`

2. Overall Description

2.1. Product Perspective

Whack-a-Prof is a standalone, client-side web application built with HTML5, JavaScript, and CSS.

2.2. Product Functions

- Start, pause, and end gameplay
- Score points by clicking professor characters
- Randomised character appearance
- Local-storage leaderboard (highest score)
- Special "trustee" character with unique explosion animation

2.3. User Classes and Characteristics

- **Primary**: Project evaluators / professors
- **Secondary**: QA testers
- **Tertiary**: Development team
- **End-users**: General players

2.4. Operating Environment

- *Hardware*: PC, laptop, or mobile device
- *Software*: Any modern HTML5-capable browser
- *Resolution*: $\geq 1024 \times 768$ px

2.5. Design and Implementation Constraints

- Implemented entirely in JavaScript (approved libraries permitted)
- Source repository hosted on Brooklyn College SVN servers

2.6. User Documentation

- In-game interactive tutorial
- Contextual help prompts / tooltips

2.7. Assumptions and Dependencies

- JavaScript and local-storage enabled in browser
- Target browsers: Chrome, Firefox, Safari, Edge (latest two versions)
- External libraries may be adopted later (TBD)

3. External Interface Requirements

3.1. User Interfaces

The main screen comprises:

- Clearly labelled buttons: Start, Tutorial, High Scores
- Game field where professors appear behind doors
- Dynamic timer and score display
- Pause/Resume and Exit controls

Sketches and mock-ups will be supplied separately.

3.2. Hardware Interfaces

- Mouse / track-pad
- Touchscreen

3.3. Software Interfaces

- HTML5, CSS3, JavaScript libraries
- Browser Local Storage API

3.4. Communication Interfaces

None (client-side only).

4. System Features

4.1. Gameplay and Scoring Mechanics

4.1.1. Description

A fast-paced game in which doors open at random and reveal professors. Players click them to earn points; an on-screen score updates immediately. Top scores persist locally.

4.1.2. Stimulus/Response Sequences

1. Door opens; professor character appears.
2. Player clicks / taps character.
3. Game increments score.
4. Successful hit: +10 points.
5. Miss or inactivity: –5 points.
6. Trustee character triggers a brief explosion animation ($\approx$ 1 s).

4.1.3. Functional Requirements

- **REQ-1.1**: Characters appear at uniformly random intervals of 0.5–1.5 s.
- **REQ-1.2**: Trustee explosion animation must visibly overlay the screen for $\approx$ 1 s and play an accompanying sound effect.
- **REQ-2.1**: Score updates in real-time after each interaction.
- **REQ-2.2**: Top scores are stored via Local Storage.

5. Non-functional Requirements

5.1. Performance

- Initial page load $\leq$ 5 s (on broadband).
- Animation renders at 60 fps on supported hardware.

5.2. Security

No sensitive data processed. All data remain local to the browser.

5.3. Software Quality Attributes

- Readable, maintainable codebase
- Robust gameplay with graceful error handling

5.4. Error Handling

- Detect and report Local Storage quota issues.
- Provide clear feedback for unsupported browsers.

5.5. Future Enhancements

- Multiplayer mode
- Additional characters and effects

6. Other Requirements

None at present.

A. Glossary

Professor Standard clickable target.

Trustee Special character triggering explosion animation.

FPS Frames per second.

Local Storage Browser-side key-value store.

B. To Be Determined (TBD)

- Final UI mock-ups and design specifics
- Final JavaScript library selection
- Precise animation specification for trustee effect