

SACRED HEART COLLEGE (AUTONOMOUS), THEVARA



BSc COMPUTER APPLICATIONS

PRACTICAL RECORD

Register No. _____ **Name:** _____

Class: 2nd BSc CA **Year:** 2023-24

Certified that this is a bonafide record of practical work done in **Advanced Web Technology** of BSc Computer Applications during the period 2023-24.

External Examiner: _____ **Internal Examiner:** _____

Submitted for the End Semester Practical Examination held on _____.

(Office Seal)

Contents

1 Simple Html Page	5
1.1 Aim	5
1.2 Code	5
1.3 Output	7
2 Time Table	8
2.1 Aim	8
2.2 Code	8
2.3 Output	10
3 CSS	11
3.1 Aim	11
3.2 Code	11
3.3 Output	13
4 Form	14
4.1 aim	14
4.2 Code	14
4.3 Output	16
5 Semester Re-registration Webpage	17
5.1 Aim	17
5.2 Code	17
5.3 Output	18
6 Profit or Loss	19
6.1 Aim	19
6.2 Code	19
6.3 Output	20
7 Electrical Connection Form	21
7.1 Aim	21
7.2 Code	21
7.3 Output	22
8 Word Search	23
8.1 Aim	23
8.2 Code	23
8.3 Output	24
9 Prime and Armstrong	25
9.1 Aim	25
9.2 Code	25
9.3 Output	26
10 Fibonacci Series	27
10.1 Aim	27
10.2 Code	27
10.3 Output	27
11 University Login	28
11.1 Aim	28
11.2 Code	28
11.3 Output	29

12 First Vowel	30
12.1 Aim	30
12.2 Code	30
12.3 Output	30
13 Basic Calculator	31
13.1 Aim	31
13.2 Code	31
13.3 Output	32
14 Company Profile Form	33
14.1 Aim	33
14.2 Code	33
14.3 Output	34
15 Random Number	35
15.1 Aim	35
15.2 Code	35
15.3 Output	36
16 Company Login Page	37
16.1 Aim	37
16.2 Code	37
16.3 Output	40
17 Registration Form	41
17.1 Aim	41
17.2 Code	41
17.3 Output	42
18 Hiding with JQuery	43
18.1 Aim	43
18.2 Code	43
18.3 Output	44
19 Online Railway Booking	45
19.1 Aim	45
19.2 Code	45
19.3 Output	47
20 AJAX	48
20.1 Aim	48
20.2 Code	48
20.3 Output	48
21 Customer Details	49
21.1 Aim	49
21.2 Code	49
21.3 Output	51
22 Number of Visitors	52
22.1 Aim	52
22.2 Code	52
22.3 Output	52
23 KSEB Login Page	53
23.1 Aim	53
23.2 Code	53
23.3 Output	55

24 Online Application Form	56
24.1 Aim	56
24.2 Code	56
24.3 Output	58
25 Current Date Time Cookie	59
25.1 Aim	59
25.2 Code	59
25.3 Output	59
26 Update Student Phone Number	60
26.1 Aim	60
26.2 Code	60
26.3 Output	62
27 Delete Student Entry	64
27.1 Aim	64
27.2 Code	64
27.3 Output	66
28 Session	68
28.1 Aim	68
28.2 Code	68
28.3 Output	70

1 Simple Html Page

1.1 Aim

- Design a webpage for your department.
- Utilize paragraphs and lists.
- Create links of the words Wifi and LAN to their respective wikipedia pages
- Insert an image that redirects to the college website
- Change the background color and create a link at the bottom to return to the top

1.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      Simple Html Page
    </title>
    <style>
      body {
        font-family: Arial, Helvetica, sans-serif;
        background: #eff1f5;
        color: #4c4f69;
        font-size: 1.3em;
      }
      body::-webkit-scrollbar { display: none; }
      .container {
        display: flex;
        flex-direction: column;
        justify-content: center;
        align-items: center;
        background-color: #e6e9ef;
        border-radius: 8px;
        padding: 0.5em;
        gap: 3px;
      }
      .dark {
        background-color: #dce0e8;
      }
      a {
        color: #dc8a78;
      }
      #college-img {
        background-image: url('https://www.shcollege.ac.in/wp-content/uploads/2020/11/
          ↵ /mc-scaled.jpg');
        background-repeat: no-repeat;
        background-position: center;
        width: 90vw;
        height: 50vh;
        border-radius: inherit;
      }
      li {
        margin-right: 0.9em;
      }
    </style>
```

```

</head>
<body>
  <a id="top"></a>
  <div class="container">
    <h1>
      <u>The Computer Science Department</u>
    </h1>
    <p style="width: 80%; text-align: center;">
      The <b>Computer Science Department</b> of Sacred Heart College, Thevara was
      → established in 2001.
      And since have molded industry leading professionals. Orientations are held
      → periodically to discuss advancements and
      rising trends in the field enabling understanding of cutting-edge
      → technologies. Students are provided with campus wide
      <a href="https://en.wikipedia.org/wiki/Wi-Fi">Wi-Fi</a> available to their
      → portable devices and Computer Systems
      constituting a <a
      → href="https://en.wikipedia.org/wiki/Local_area_network">Local Area
      → Network</a>
    </p>
    <p style="font-weight: 550;">
      The Department offers the following programs:
      <div class="container dark">
        <ul>
          <li><b>B.Sc. Computer Applications</b> (Triple Main incl. Mathematics &
          → Statistics)</li>
          <li><b>B. Computer Applications</b> (BCA: Mobile Applications and Cloud
          → technologies)</li>
          <li><b>M. Sc. Integrated Computer Science</b> (Data Science)</li>
        </ul>
      </div>
    </p>
    <a id="college-img" href="https://www.shcollege.ac.in/">
    </a>
    <a href="#top" style="margin-top: 10px;">Back to top</a>
  </div>
</body>
</html>

```

1.3 Output

The Computer Science Department

The **Computer Science Department** of Sacred Heart College, Thevara was established in 2001. And since have molded industry leading professionals. Orientations are held periodically to discuss advancements and rising trends in the field enabling understanding of cutting-edge technologies. Students are provided with campus wide **Wi-Fi** available to their portable devices and Computer Systems constituting a [Local Area Network](#)

The Department offers the following programs:

- **B.Sc. Computer Applications** (Triple Main incl. Mathematics & Statistics)
- **B. Computer Applications** (BCA: Mobile Applications and Cloud technologies)
- **M. Sc. Integrated Computer Science** (Data Science)



[Back to top](#)

2 Time Table

2.1 Aim

- Design the class time table in HTML using table tag

2.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      time table
    </title>
    <style>
      :root { --flamingo: #dd7878; }
      body {
        font-family: Arial, Helvetica, sans-serif;
        color: #4c4f69;
        font-size: 1.3em;
      }
      table {
        overflow: none;
        border-collapse: collapse;
        border-color: var(--flamingo);
      }
      th, td, tr {
        padding: 10px;
        border-top: solid;
        border-left: solid;
        border-right: solid;
        border-width: 2px;
      }
      tr, td {
        border-bottom: solid;
        text-align: center;
        border-color: inherit;
        color: var(--flamingo);
      }
      .flamingo {
        background-color: var(--flamingo);
        color: snow;
      }
      .center {
        width: 100%;
        height: 98vh;
        display: flex;
        flex-direction: column;
        justify-content: center;
        align-items: center;
      }
      .down {
        writing-mode: vertical-lr;
        text-orientation: upright;
        font-size: 1.4em;
        letter-spacing: 8px;
        color: snow;
        background-color: var(--flamingo);
      }
    </style>
  </head>
  <body>
    <table>
      <thead>
        <tr>
          <th>Subject</th>
          <th>Day</th>
          <th>Time</th>
        </tr>
      </thead>
      <tbody>
        <tr>
          <td>Mathematics</td>
          <td>Monday</td>
          <td>9:00 AM - 10:00 AM</td>
        </tr>
        <tr>
          <td>Science</td>
          <td>Tuesday</td>
          <td>10:30 AM - 11:30 AM</td>
        </tr>
        <tr>
          <td>English</td>
          <td>Wednesday</td>
          <td>12:00 PM - 1:00 PM</td>
        </tr>
        <tr>
          <td>History</td>
          <td>Thursday</td>
          <td>1:30 PM - 2:30 PM</td>
        </tr>
        <tr>
          <td>Geography</td>
          <td>Friday</td>
          <td>3:00 PM - 4:00 PM</td>
        </tr>
      </tbody>
    </table>
  </body>
</html>
```

```

        }
    </style>
</head>
<body>
<div class="center">
    <table>
        <th colspan="7"> B.Sc. Computer Application S4</th>
        <tr>
            <td class="flamingo">Monday</td>
            <td>Differential</td>
            <td>DBMS</td>
            <td>AWT</td>
            <td rowspan="5" class="down">BREAK</td>
            <td>Stat</td>
            <td>Sampling</td>
        </tr>
        <tr>
            <td class="flamingo">Tuesday</td>
            <td>Sampling</td>
            <td>Differential</td>
            <td>Sampling</td>
            <td>AWT</td>
            <td>Stat</td>
        </tr>
        <tr>
            <td class="flamingo">Wednesday</td>
            <td>Stat</td>
            <td>DBMS</td>
            <td>AWT</td>
            <td>Sampling</td>
            <td>Sampling</td>
        </tr>
        <tr>
            <td class="flamingo">Thursday</td>
            <td>Differential</td>
            <td>Differential</td>
            <td>DBMS</td>
            <td>Stat</td>
            <td>AWT</td>
        </tr>
        <tr>
            <td class="flamingo">Friday</td>
            <td>Stat</td>
            <td>DBMS</td>
            <td>Differential</td>
            <td>LAB</td>
            <td>LAB</td>
        </tr>
    </table>
</div>
</body>
</html>

```

2.3 Output

B.Sc. Computer Application S4						
Monday	Differential	DBMS	AWT	B R E A K	Stat	Sampling
	Sampling	Differential	Sampling		AWT	Stat
	Stat	DBMS	AWT		Sampling	Sampling
	Differential	Differential	DBMS		Stat	AWT
	Stat	DBMS	Differential		LAB	LAB

3 CSS

3.1 Aim

- utilize inline css for appending styles to html elements
- utilize an external css stylesheet

3.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      Cascading Style Sheets
    </title>
    <link rel="stylesheet" href="styles.css">
  </head>
  <body>
    <div class="container">
      <h1 style="color: #dc8a78;"> <u>Cats are the best</u> </h1>
      <p class="rose">
        Cats, with their enigmatic grace and independent spirit, have captivated human
        ↳ hearts for millennia. Their slender
        bodies adorned with sleek fur, often in a myriad of colors and patterns, exude
        ↳ elegance and agility. From the regal
        posture of a Siamese to the fluffy charm of a Maine Coon, each breed carries
        ↳ its own unique allure. Their eyes, like
        orbs of liquid gold or emerald pools, reflect an intelligence and curiosity
        ↳ that seem to pierce through the soul,
        hinting at the depths of their mysterious nature.
        
      </p>
      <p class="pink">
        
        Beyond their physical beauty, cats possess a remarkable array of behaviors and
        ↳ characteristics that further endear them
        to humans. Their unparalleled agility and reflexes make them formidable
        ↳ hunters, capable of executing acrobatic feats
        with precision and stealth. Yet, juxtaposed with this predatory prowess is
        ↳ their gentle and affectionate side. Cats have
        an innate ability to form deep bonds with their human companions, often
        ↳ displaying acts of loyalty and companionship
        that defy their reputation for aloofness.
      </p>
      <p class="lavender">
        One of the most fascinating aspects of cats is their complex communication
        ↳ system. From the subtle twitch of an ear to
        the melodious purr of contentment, they have mastered the art of conveying
        ↳ their emotions without uttering a single
        word. Their repertoire of vocalizations, ranging from plaintive meows to
        ↳ thunderous yowls, serves as a means of
        expressing desires, seeking attention, or issuing warnings. Furthermore, their
        ↳ body language, including tail flicks,
```

```

kneading paws, and arched backs, provides additional insight into their mood
↳ and intentions.

</p>
<p class="maroon">

In addition to their charm and charisma, cats also offer a plethora of
↳ benefits to their human counterparts. Numerous
studies have highlighted the positive impact of cat ownership on mental
↳ health, with their soothing presence and
affectionate companionship serving as sources of comfort and stress relief.
↳ Furthermore, their playful antics and
inquisitive nature bring joy and laughter into the lives of their owners,
↳ fostering a sense of happiness and well-being.
Whether curled up contentedly in a sunbeam or engaged in a spirited game of
↳ chase, cats have a remarkable ability to
enrich the lives of those fortunate enough to share their company.
</p>
</div>
</body>
</html>

```

external stylesheet

```

body {
  font-family: Arial, Helvetica, sans-serif;
  font-size: 1.3em;
}

body::-webkit-scrollbar { display: none; }

.container {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  padding: 50px;
  gap: 15px;
}

p {
  all: unset;
  border-radius: 8px;
  display: flex;
  align-items: center;
  padding: 10px;
  gap: 15px;
}

.rose {
  box-shadow: 5px 6px 5px #dc8a78;
}

.pink {
  box-shadow: 5px 6px 5px #ea76cb;
}

.lavender {
  box-shadow: 5px 6px 5px #7287fd;
}

```

```
}

.maroon {
  box-shadow: 5px 6px 5px #e64553;
}
```

3.3 Output


Cats are the best

Cats, with their enigmatic grace and independent spirit, have captivated human hearts for millennia. Their slender bodies adorned with sleek fur, often in a myriad of colors and patterns, exude elegance and agility. From the regal posture of a Siamese to the fluffy charm of a Maine Coon, each breed carries its own unique allure. Their eyes, like orbs of liquid gold or emerald pools, reflect an intelligence and curiosity that seem to pierce through the soul, hinting at the depths of their mysterious nature.



Beyond their physical beauty, cats possess a remarkable array of behaviors and characteristics that further endear them to humans. Their unparalleled agility and reflexes make them formidable hunters, capable of executing acrobatic feats with precision and stealth. Yet, juxtaposed with this predatory prowess is their gentle and affectionate side. Cats have an innate ability to form deep bonds with their human companions, often displaying acts of loyalty and companionship that defy their reputation for aloofness.

One of the most fascinating aspects of cats is their complex communication system. From the subtle twitch of an ear to the melodious purr of contentment, they have mastered the art of conveying their emotions without uttering a single word. Their repertoire of vocalizations, ranging from plaintive meows to thunderous yowls, serves as a means of expressing desires, seeking attention, or issuing warnings. Furthermore, their body language, including tail flicks, kneading paws, and arched backs, provides additional insight into their mood and intentions.



In addition to their charm and charisma, cats also offer a plethora of benefits to their human counterparts. Numerous studies have highlighted the positive impact of cat ownership on mental health, with their soothing presence and affectionate companionship serving as sources of comfort and stress relief. Furthermore, their playful antics and inquisitive nature bring joy and laughter into the lives of their owners, fostering a sense of happiness and well-being. Whether curled up contentedly in a sunbeam or engaged in a spirited game of chase, cats have a remarkable ability to enrich the lives of those fortunate enough to share their company.

4 Form

4.1 aim

- Create a simple form
- with fields name age address etc.
- include radio buttons checkboxes and a password field

4.2 Code

```
<html>
  <head>
    <title>Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl text-blue-400 font-semibold mb-2"> Form </h1>
      <form class="bg-slate-100 flex flex-col p-3 rounded-lg gap-1">
        <div class="flex flex-row justify-between">
          Full name:
          <input type="text" name="fullname"
                 class="text-center"
            />
        </div>

        <div class="flex flex-row justify-between">
          <p class="self-start">Gender: </p>
          <div class="flex flex-row gap-3 justify-evenly">
            <input type="radio" name="gender" value="male" class="">male</input>
            <input type="radio" name="gender" value="female">female</input>
            <input type="radio" name="gender" value="other">other</input>
          </div>
        </div>

        <div class="flex flex-row justify-between">
          Date of Birth:
          <input type="date" name="dob"/>
        </div>

        <div class="flex flex-row justify-between">
          Address:
          <input type="text" name="address"
                 class="text-center"/>
        </div>

        <div class="flex flex-row justify-between gap-3">
          Favourite Language:
          <input type="checkbox" name="sub" value="Java">Java</input>
          <input type="checkbox" name="sub" value="PHP">C</input>
          <input type="checkbox" name="sub" value="Rust">Rust</input>
        </div>

        <div class="flex flex-row justify-between">
          Favourite Singer:
          <input type="text" name="singer"
                 class="text-center">
        </div>
      </form>
    </section>
  </body>
</html>
```

```
        />
    </div>

<div class="flex flex-row justify-between">
    Favourite Movie:
    <input type="text" name="movie"
        class="text-center"
    />
</div>

<div class="flex flex-row justify-between">
    Email Id:
    <input type="email" name="email"
        class="text-center"
    />
</div>

<div class="flex flex-row justify-between">
    Password:
    <input type="password" name="pasw"
        class="text-center"
    />
</div>

<input
    class="bg-slate-300 hover:bg-slate-200 p-3 mt-2 rounded-md cursor-pointer"
    type="submit" value="Submit"
    >
</form>
</section>
</body>
</html>
```

4.3 Output

Form

Full name:	Abijit
Gender:	<input checked="" type="radio"/> male <input type="radio"/> female <input type="radio"/> other
Date of Birth:	11/05/2004 <input type="button" value="..."/>
Address:	Kaloor
Favourite Language:	<input type="checkbox"/> Java <input type="checkbox"/> C <input checked="" type="checkbox"/> Rust
Favourite Singer:	Somebody that I Know
Favourite Movie:	One Piece
Email Id:	abiabi@gmail.com
Password:	*****
<input type="button" value="Submit"/>	

5 Semester Re-registration Webpage

5.1 Aim

- Design a form with the following entries
- Enrolment No.
- Regional Centre Code (Drop-down)
- Study Centre Code (Drop-down)
- Semester (Drop-down)
- Email Id

5.2 Code

```
<html>
  <head>
    <title>Re-registration Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl text-blue-400 font-semibold mb-2">Semester Re-register</h1>
      <form class="bg-slate-100 flex flex-col p-3 rounded-lg gap-1 drop-shadow-md">
        <div class="flex flex-row justify-between gap-3">
          Enrollment number:
          <input type="text" required class="text-center">
        </div>
        <div class="flex flex-row justify-between gap-3">
          Regional centre code:
          <select name="rcc" required>
            <option value="1001">1001</option>
            <option value="1002">1002</option>
            <option value="1003">1003</option>
          </select>
        </div>

        <div class="flex flex-row justify-between gap-3">
          Study centre code:
          <select name="sc" required>
            <option value="s1">s1</option>
            <option value="s2">s2</option>
            <option value="s3">s3</option>
          </select>
        </div>

        <div class="flex flex-row justify-between gap-3">
          Semester:
          <select name="semester" required>
            <option value=1>1</option>
            <option value=2>2</option>
            <option value=3>3</option>
          </select>
        </div>

        <div class="flex flex-row justify-between gap-3">
          Email-id:
        </div>
      </form>
    </section>
  </body>
</html>
```

```
<input type="email" required class="text-center">
</div>
<input type="submit"
      class="bg-slate-300 hover:bg-slate-200 w-fit p-3 self-center rounded-md mt-2
      ↵ cursor-pointer"
    />
</form>
</section>
</body>
</html>
```

5.3 Output

Semester Re-register

Enrollment number:	<input type="text"/>
Regional centre code:	1001 ▾
Study centre code:	s1 ▾
Semester:	1 ▾
Email-id:	<input type="text"/>

6 Profit or Loss

6.1 Aim

- Write a JavaScript solution for the following
- Accept the cost price and selling price with a button
- Create a button to calculate the loss or profit and display it

6.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>Profit Calculator</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-orange-400 text-3xl font-semibold mb-2">Profit Calculator</h1>
      <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg">
        <div class="flex flex-row justify-evenly gap-2 w-52">
          <button
            type="button" onclick="get()"
            class="bg-slate-300 rounded-lg p-3 hover:bg-slate-200 active:bg-slate-400"
          >
            Input
          </button>
          <button
            type="button" onclick=profit()
            class="bg-slate-300 rounded-lg p-3 hover:bg-slate-200 active:bg-slate-400"
          >
            Output
          </button>
        </div>
        <p
          id="output"
          class="text-orange-400 text-xl text-center font-semibold font-sans"
        ></p>
      </div>
    </section>
    <script>
      var profit_amt = 0;
      var sell_price = 0;
      var cost_price = 0;

      function profit() {
        profit_amt = ((sell_price - cost_price)/cost_price) * 100;
        let result = "";
        if (profit_amt > 0) {
          result = "Your profit is " + profit_amt + "%"
        } else {
          result = "Your loss is " + profit_amt + "%"
        }
        document.getElementById("output").innerHTML = result;
      }


      function get() {
```

```
cost_price = prompt("Enter Cost Price");
sell_price = prompt("Enter Selling Price");
}
</script>
</body>
</html>
```

6.3 Output

Profit Calculator

Input Output



Profit Calculator

Input Output

Your profit is 34%

7 Electrical Connection Form

7.1 Aim

- Create a form with the following fields
- Permanent or temporary connection (radio button)
- Government or Private house (radio button)
- Name and Email

7.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>Electric Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="mb-2 text-3xl text-orange-400 font-semibold">
        Electrical Connection Form
      </h1>
      <form
        class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg"
        id="myform"
        onsubmit="validate()"
      >
        <p class="font-semibold">
          Specify Connection Type:
        </p>
        <div class="flex flex-row gap-3">
          <input name="connection" type="radio" value="temp" >
          temporary
        </input>
          <input name="connection" type="radio" value="perm" >
          permanent
        </input>
      </div>

        <p class="font-semibold">
          Specify House Type:
        </p>
        <div class="flex flex-row gap-3">
          <input name="house" type="radio" value="gov" >
          government house
        </input>
          <input name="house" type="radio" value="private" >
          private house
        </input>
      </div>
      <div class="flex flex-row justify-between">
        <p class="font-semibold">Name:</p>
        <input
          class="w-3/4 rounded-md text-center"
          type="text"
          placeholder=" Enter your name"
        >
      </div>
    </section>
  </body>
</html>
```

```

        />
    </div>
    <div class="flex flex-row justify-between">
        <p class="font-semibold">Email:</p>
        <input
            class="w-3/4 rounded-md text-center"
            type="email"
            placeholder=" Enter your email"
        />
    </div>
    <input
        class="bg-slate-300 w-fit self-center p-2 rounded-l mt-3 font-semibold"
        ↵ cursor-pointer hover:bg-slate-200"
        type="submit" value="Submit"
    />
</form>
</section>
<script>
    function validate() {
        let form = document.getElementById("myform");
        for (let input of form.elements) {
            if (input.value == "") {
                alert("Kindly fill all values");
                return;
            }
        }
        alert("Form Submitted Succesfully");
    }
</script>
</body>
</html>

```

7.3 Output

Electrical Connection Form

Specify Connection Type:

temporary permanent

Specify House Type:

government house private house

Name: Solo Stin

Email: solol@steelmail.com

Submit

8 Word Search

8.1 Aim

- Write a JavaScript Program to search for a word in a sentence
- the search should be performed when a appropriate button is clicked

8.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>Word Finder</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-pink-400 font-semibold text-3xl text-center mb-2">
        Word Finder
      </h1>
      <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg w-96">
        <p class="font-semibold">Enter your sentence</p>
        <input type="text" id="sentence" class="text-center"/>
        <p class="font-semibold">Enter the word to search</p>
        <input type="text" id="word" class="text-center text-orange-400"/>

        <button
          class="p-2 bg-slate-300 hover:bg-slate-200 w-32 self-center rounded-md mt-3
          ↩ text-xl"
          onclick=result()
        > Find </button>

        <p id="output" class="text-xl text-center mt-2"></p>
      </div>
    </section>
    <script>
      function result() {
        let sentence = document.getElementById("sentence").value.trim();
        let search_word = document.getElementById("word").value.trim();

        let output = document.getElementById("output");
        for (let word of sentence.split(" ")) {
          if (word == search_word) {
            output.innerHTML = "The word <a class='text-orange-400'>" +
              + word +
              "</a> is found in the string";
            return;
          }
        }
        output.innerHTML = "Could not find the word inside string";
      }
    </script>
  </body>
</html>
```

8.3 Output

Word Finder

Enter your sentence
Once upon a time there lived a cute cat

Enter the word to search

Find

The word **cat** is found in the string

Word Finder

Enter your sentence
Once upon a time there lived a cute cat

Enter the word to search

Find

Could not find the word inside string

9 Prime and Armstrong

9.1 Aim

- Write a program to determine whether a number is Armstrong or Prime

9.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>Prime or Armstrong?</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-pink-400 font-semibold text-3xl text-center mb-2">
        Prime or Armstrong
      </h1>
      <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg w-96">
        <div class="flex flex-row p-2 gap-1 justify-around">
          <p class="font-semibold">Enter a number</p>
          <input type="number" id="number" class="text-center"/>
        </div>
        <div class="flex flex-row p-2 gap-3 justify-center">
          <button
            class="p-2 bg-slate-300 hover:bg-slate-200 w-32 rounded-md text-xl"
            onclick=is_prime()
            > Prime? </button>
          <button
            class="p-2 bg-slate-300 hover:bg-slate-200 w-32 rounded-md text-xl"
            onclick=is_armstrong()
            > Armstrong? </button>
        </div>
        <p id="output" class="text-xl text-center mt-2"></p>
      </div>
    </section>
    <script>
      let output = document.getElementById("output");

      function is_prime() {
        let num = document.getElementById("number").value;
        for (let i = 2; i < num/2; i++) {
          if (num % i == 0) {
            output.innerHTML = num + " is NOT prime";
            return;
          }
        }
        output.innerHTML = "<a class='text-pink-400 font-semibold'>" + num + " is
          → PRIME </a>";
      }

      function is_armstrong() {
        let num = document.getElementById("number").value;
        let str_num = String(num);
        let exponent = str_num.length;
```

```

let result = 0;

for (let ch of str_num.split("")) {
    result += Number(ch) ** exponent;
}

if (result == num) {
    output.innerHTML = "<a class='text-pink-400 font-semibold'>" + num + " is
    ↵ ARMSTRONG</a>";
} else {
    output.innerHTML = num + " is NOT armstrong</a>";
}
}

</script>
</body>
</html>

```

9.3 Output

Prime or Armstrong

Enter a number

153 is ARMSTRONG

Prime or Armstrong

Enter a number

153 is NOT prime

10 Fibonacci Series

10.1 Aim

- Write a program to display the first n terms of the Fibonacci series

10.2 Code

```
<html>
  <head>
    <title>Fibonacci Series</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-pink-400 font-semibold text-3xl text-center mb-2">
        Fibonacci Series
      </h1>
      <div class="bg-slate-100 flex flex-col p-3 gap-2 rounded-lg w-96">
        <div class="flex flex-row justify-evenly">
          <p class="font-semibold">Enter the number of terms</p>
          <input class="text-center w-32" type="number" id="number"/>
        </div>
        <button
          class="p-2 bg-slate-300 hover:bg-slate-200 w-32 self-center rounded-md
          ↵ text-xl"
          onclick=getsseries()
        > Find </button>
        <p id="output" class="text-xl text-center"></p>
      </div>
    </section>
    <script>
      function getsseries() {
        let output = "";
        let number = document.getElementById("number").value;
        for (let i = 0; i < number; i++) {
          output += fibo(i) + " ";
        }
        document.getElementById("output").innerHTML = output;
      }
      function fibo(num) {
        return (num < 2)? num : fibo(num-1) + fibo(num-2);
      }
    </script>
  </body>
</html>
```

10.3 Output

Fibonacci Series

Enter the number of terms

Find

0 1 1 2 3 5 8 13

11 University Login

11.1 Aim

- Create a login page
- with fields name and enrollment number
- After submitting information, redirect to a welcome page

11.2 Code

index.html

```
<html>
  <head>
    <title>University Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="mb-2 text-3xl text-lime-400 font-semibold">
        Login
      </h1>
      <form
        class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg"
        action="login.html"
        method="get"
      >
        <div class="flex flex-row justify-between">
          <p class="font-semibold">Name:</p>
          <input
            class="w-3/4 rounded-md text-center"
            name="name"
            type="text" required
          />
        </div>
        <div class="flex flex-row justify-between">
          <p class="font-semibold">Enrollment No.:</p>
          <input
            class="w-2/4 rounded-md text-center"
            type="number" required
          />
        </div>
        <input
          class="bg-slate-300 w-fit self-center p-2 rounded-md mt-3 font-semibold"
          ↵ cursor-pointer hover:bg-slate-200"
          type="submit" value="Submit"
        />
      </form>
    </section>
  </body>
</html>
```

login.html

```
<html>
  <head>
    <title>University Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="mb-2 text-6xl text-slate-800 font-semibold">
        Welcome <a class="text-lime-300" id="name"></a>
      </h1>
      <h1 class="mb-2 text-xl text-slate-700 font-semibold">
        Login Successful
      </h1>
    </section>
    <script>
      let url = window.location.href;
      url = url
        .split('?')[1]
        // regex for removing + from GET
        .split('=')[1].replace(/\+/g, ' ');
      document.getElementById("name").innerHTML = url;
    </script>
  </body>
</html>
```

11.3 Output

Login

Name:	Zid Heart
Enrollment No.:	00100

Submit

Welcome Zid Heart
Login Successful

12 First Vowel

12.1 Aim

- Write a JavaScript program to find the first vowel in a string

12.2 Code

```
<html>
  <head>
    <title>First Vowel</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-semibold text-purple-400 mb-2">First Vowel</h1>
      <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg">
        <div class="flex flex-row">
          <input
            class="text-center"
            placeholder="Enter a String"
            id="input"
          />
          <button
            class="bg-slate-300 hover:bg-slate-200 p-3"
            onclick=firstvowel()
          > Find </button>
        </div>
        <p id="output" class="text-xl font-semibold text-center mt-2"></p>
      </div>
    </section>
    <script>
      function firstvowel() {
        let input = document.getElementById("input").value;
        let output = document.getElementById("output");
        let style = "<a class='text-purple-400'>";

        for (let ch of input.split("")) {
          if ("aeiouAEIOU".includes(ch)) {
            output.innerHTML = "first vowel is " + style + ch + "</a>";
            return;
          }
        }
        output.innerHTML = "No vowels found";
      }
    </script>
  </body>
</html>
```

12.3 Output



13 Basic Calculator

13.1 Aim

- Write a JavaScript program implementing a Simple Calculator

13.2 Code

```
<html>
  <head>
    <title>Basic Calculator</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-semibold text-teal-400 mb-2">Calculator</h1>
      <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-lg">
        <div class="flex flex-row rounded-md overflow-hidden">
          <input
            class="text-center"
            placeholder="Enter Expression"
            id="input"
          />
          <button
            class="bg-slate-300 hover:bg-slate-200 p-3 active:bg-slate-400"
            onclick=compute()
          > Find </button>
        </div>
        <p id="output" class="text-xl text-center mt-2"></p>
      </div>
    </section>
    <script>
      function compute() {
        let input = document.getElementById("input")
          .value.trim().split(' ');
        let output = document.getElementById("output");


        let style = "<a class='text-teal-400'>";
        let result = input[0] + " " + input[1] + " " + input[2] + " = " + style;

        if (input.length != 3) { output.innerHTML = "Invalid Expression"; return; }
        switch (input[1]) {
          case "+": result += (Number(input[0]) + Number(input[2])); break;
          case "-": result += Number(input[0]) - Number(input[2]); break;
          case "*": result += Number(input[0]) * Number(input[2]); break;
          case "/": result += Number(input[0]) / Number(input[2]); break;
          default: output.innerHTML = "Invalid Expression"; break;
        }

        output.innerHTML = result + "</a>";
      }
    </script>
  </body>
</html>
```

13.3 Output

Calculator




The interface shows a calculator with a light gray background. At the top, the word "Calculator" is written in a teal font. Below it is a rectangular input field with rounded corners. Inside the input field, the expression "1 + 2" is displayed. To the right of the input field is a dark gray button labeled "Find". Below the input field, the result "1 + 2 = 3" is shown in a teal font.

Enter Expression Find

1 + 2 = 3

Calculator




The interface shows a calculator with a light gray background. At the top, the word "Calculator" is written in a teal font. Below it is a rectangular input field with rounded corners. Inside the input field, the expression "70 - 1" is displayed. To the right of the input field is a dark gray button labeled "Find". Below the input field, the result "70 - 1 = 69" is shown in a teal font.

70 - 1

70 - 1 = 69

Calculator




The interface shows a calculator with a light gray background. At the top, the word "Calculator" is written in a teal font. Below it is a rectangular input field with rounded corners. Inside the input field, the expression "23 * 3" is displayed. To the right of the input field is a dark gray button labeled "Find". Below the input field, the result "23 * 3 = 69" is shown in a teal font.

23 * 3

23 * 3 = 69

Calculator



The interface shows a calculator with a light gray background. At the top, the word "Calculator" is written in a teal font. Below it is a rectangular input field with rounded corners. Inside the input field, the expression "480 / 2" is displayed. To the right of the input field is a dark gray button labeled "Find". Below the input field, the result "480 / 2 = 240" is shown in a teal font.

480 / 2

480 / 2 = 240

14 Company Profile Form

14.1 Aim

- Create a form for entering A company Profile
- The form should have an update button
- update button should update the profile

14.2 Code

```
<!DOCTYPE html>
<html>
  <head>
    <title>Company information</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-semibold text-purple-400 mb-2">Company Form</h1>
      <div class="flex flex-row gap-8 items-center">
        <div class="bg-slate-100 flex flex-col p-4 gap-1 rounded-md">
          <p class="font-semibold text-center">Employee Name</p>
          <input
            type="text" id="name" value="Ann Rexi"
            class="text-center" required
          />
          <p class="font-semibold text-center mt-1">Address</p>
          <input
            type="text" id="addr" value="Kochi, Kerala"
            class="text-center" required
          />
          <p class="font-semibold text-center mt-1">Email</p>
          <input
            type="email" id="email" value="annrexie@gmail.com"
            class="text-center" required
          />
          <button
            class="bg-slate-300 hover:bg-slate-200 active:bg-slate-400 p-3
              cursor-pointer mt-2 rounded-md"
            onclick=update()
          >Update</button>
        </div>
        <div class="bg-slate-100 flex flex-col p-4 text-2xl h-fit rounded-md">
          <p name="output"/>
          <p name="output"/>
          <p name="output"/>
        </div>
      </div>
    </section>
    <script>
      update(); // call once to display initial value
      function update() {
        let name = document.getElementById("name").value;
        let addr = document.getElementById("addr").value;
        let email = document.getElementById("email").value;
        let output = document.getElementsByName("output");
        let style = "<a class='text-pink-400 font-semibold'>"
```

```

        output[0].innerHTML = "Employee: " + style + name + "</a>"  

        output[1].innerHTML = "Address: " + style + addr + "</a>";  

        output[2].innerHTML = "Email: " + style + email + "</a>";  

    }  

</script>  

</body>  

</html>

```

14.3 Output

Company Form

Employee Name
Ann Rexi

Address
Kochi, Kerala

Email
annrexie@gmail.com

Employee: **Ann Rexi**
Address: **Kochi, Kerala**
Email: **annrexie@gmail.com**

Company Form

Employee Name
Ann Rexi

Address
Ernakulam Kerala

Email
annann@gmail.com

Employee: **Ann Rexi**
Address: **Ernakulam Kerala**
Email: **annann@gmail.com**

15 Random Number

15.1 Aim

- Write a JavaScript program to perform the following
- validation checks on text and email fields of a form
- Generate a random number when a Button is clicked

15.2 Code

```
<html>
  <head>
    <title>Random Number</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-semibold text-red-400 mb-2">Random Number</h1>
      <div class="bg-slate-100 flex flex-col p-3 rounded-lg">
        <form class="flex flex-row overflow-hidden rounded-s" onsubmit="validate()">
          <div class="flex flex-col">
            <input
              type="text" placeholder="Enter Name"
              class="text-center" name="name"
            />
            <input
              type="email" placeholder="Enter email"
              class="text-center" name="email"
            />
          </div>
          <input type="submit"
            class="bg-slate-300 hover:bg-slate-200 active:bg-slate-400 p-3
            ↪ cursor-pointer"
          />
        </form>
        <div class="flex flex-row rounded-sm overflow-hidden w-fit self-center">
          <button
            class="bg-slate-300 hover:bg-slate-200 active:bg-slate-400 p-3
            ↪ cursor-pointer"
            onclick=random()
          > generate </button>
          <p id="rand"
            class="bg-white flex flex-col justify-center p-3 pl-6 pr-6 text-red-400
            ↪ font-semibold"
          > 84 </p>
        </div>
      </div>
    </section>
    <script>
      document.forms[0].addEventListener("submit", function (e) { e.preventDefault() });
      function random() {
        document.getElementById("rand")
          .innerHTML = Math.floor(Math.random() * 100)
      }
      function validate() {
        let form = document.forms[0];
        if (form["name"].value == "") {

```

```
        alert("Name is empty")
    }
else if (form["email"].value == "") {
    alert("Email is empty")
} else {
    alert("Form Submitted")
}
</script>
</body>
</html>
```


15.3 Output

Random Number

Enter Name
Enter email

Submit

generate 84




Random Number

Nana Paul
Enter email

Submit

generate 97



Random Number

Nana Paul
mpaul@gmail.com

Submit

generate 27



16 Company Login Page

16.1 Aim

- Design a login page of a company
- with fields name and password
- redirect to the company homepage after clicking login
- the homepage must display details of the company

16.2 Code

index.html

```
<html>
  <head>
    <title>University Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body class="bg-[url('https://wallpaperaccess.com/full/3480773.jpg')]">
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <form
        class="bg-slate-950 flex flex-col p-4 gap-3 rounded-md text-white
        ↵ bg-opacity-55 w-1/5"
        action="webpage.html"
        method="get"
      >
        <h1 class="mb-4 text-3xl text-amber-500 font-semibold text-center">
          Login
        </h1>
        <div class="flex flex-row justify-between">
          <p class="font-semibold">Name:</p>
          <input
            class="w-3/4 rounded-md text-center bg-transparent border-slate-200
            ↵ border-2"
            name="name"
            type="text" required
          />
        </div>
        <div class="flex flex-row justify-between">
          <p class="font-semibold">Password:</p>
          <input
            class="w-2/4 rounded-md text-center bg-transparent border-slate-200
            ↵ border-2"
            type="password" required
          />
        </div>
        <input
          class="w-1/2 self-center p-3 rounded-md mt-3 font-semibold cursor-pointer
          ↵ hover:border-slate-200 border-2 border-transparent"
          type="submit" value="Submit"
        />
      </form>
    </section>
  </body>
</html>
```

webpage.html

```

<html>
  <head>
    <title>University Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body class="bg-[url('https://wallpaperaccess.com/full/3480773.jpg')] bg-fixed flex
  ↪ flex-col pt-10 pb-10 gap-4">
    <h1 class="text-6xl text-slate-50 font-semibold text-center drop-shadow-xl">
      Welcome <a class="text-amber-500" id="name"></a>
    </h1>
    <div class="flex flex-row w-full justify-center">
      <div class="bg-slate-950 bg-opacity-50 p-3 pt-10 pb-10 flex flex-col gap-5
      ↪ text-slate-50 w-3/4 items-center rounded-sm">
        <h1 class="text-3xl font-semibold"> Company Information </h1>
        <p class="w-5/6">
          Lorem ipsum dolor sit amet, officia excepteur ex fugiat reprehenderit enim
          ↪ labore culpa sint ad nisi Lorem pariatur
          mollit ex esse exercitation amet. Nisi anim cupidatat excepteur officia.
          ↪ Reprehenderit nostrud nostrud ipsum Lorem est
          aliquip amet voluptate voluptate dolor minim nulla est proident. Nostrud
          ↪ officia pariatur ut officia. Sit irure elit
          esse ea nulla sunt ex occaecat reprehenderit commodo officia dolor Lorem
          ↪ duis laboris cupidatat officia voluptate. Culpa
          proident adipisicing id nulla nisi laboris ex in Lorem sunt duis officia
          ↪ eiusmod. Aliqua reprehenderit commodo ex non
          excepteur duis sunt velit enim. Voluptate laboris sint cupidatat ullamco ut
          ↪ ea consectetur et est culpa et culpa duis.
        </p>
        <p class="w-5/6">
          Lorem ipsum dolor sit amet, officia excepteur ex fugiat reprehenderit enim
          ↪ labore culpa sint ad nisi Lorem pariatur
          mollit ex esse exercitation amet. Nisi anim cupidatat excepteur officia.
          ↪ Reprehenderit nostrud nostrud ipsum Lorem est
          aliquip amet voluptate voluptate dolor minim nulla est proident. Nostrud
          ↪ officia pariatur ut officia. Sit irure elit
          esse ea nulla sunt ex occaecat reprehenderit commodo officia dolor Lorem
          ↪ duis laboris cupidatat officia voluptate. Culpa
          proident adipisicing id nulla nisi laboris ex in Lorem sunt duis officia
          ↪ eiusmod. Aliqua reprehenderit commodo ex non
          excepteur duis sunt velit enim. Voluptate laboris sint cupidatat ullamco ut
          ↪ ea consectetur et est culpa et culpa duis.
        </p>
      <div
        class="bg-[url('https://wallpapercave.com/wp/wp6257941.jpg')] bg-cover h-96
        ↪ rounded-md w-3/4 self-center"
      ></div>
      <h1 class="text-3xl text-center font-semibold"> Our Purpose </h1>
      <p class="w-5/6">
        At the heart of our company beats a passion for anime|an art form that
        ↪ transcends boundaries, captivating hearts and
        minds worldwide. Our purpose is twofold: to celebrate the rich tapestry of
        ↪ anime, weaving together intricate narratives,
        vibrant characters, and breathtaking visuals, and to share this passion with
        ↪ enthusiasts, both seasoned and budding.
      </p>
    </div>
  </body>

```

```
Through our dedication to curating an eclectic selection of anime, we strive
↳ to create a space where individuals can
immerse themselves in worlds both familiar and fantastical, finding solace,
↳ inspiration, and connection.

</p>
<p class="w-5/6">
    Guided by our commitment to fostering a community of creativity and
    ↳ inclusivity, we aim to be more than just a platform;
    we aspire to be a beacon of light, illuminating new perspectives, igniting
    ↳ imaginations, and nurturing the boundless
    potential within each viewer. Together, let us embark on a journey where
    ↳ every frame tells a story, and every story
    sparks a dream.
</p>
</div>
</div>
<script>
    let url = window.location.href;
    url = url
        .split('?')[1]
        // regex for removing + from GET
        .split('=')[1].replace(/\+/g, ' ');
    document.getElementById("name").innerHTML = String(url);
</script>
</body>
</html>
```

16.3 Output



17 Registration Form

17.1 Aim

- Write a Javascript program to validate a form with the following fields
- Name, Email, Country code (text)
- Zip Code (Drop Down)

17.2 Code

```
<html>
  <head>
    <title>Registration Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl text-blue-400 font-semibold mb-2">Register</h1>
      <form
        name="registration"
        onsubmit="validate()"
        class="bg-white flex flex-col p-10 rounded-lg gap-8 font-semibold
          ↪ drop-shadow-xl *:flex *:flex-row *:justify-between *:gap-10
          ↪ *:items-center"
      >
        <div>
          Name
          <input type="text"
            name="name"
            class="text-center font-normal focus:outline-none border-b-2
              ↪ border-blue-300 focus:border-blue-400 drop-shadow-md bg-transparent"
            />
        </div>

        <div>
          Zip Code
          <select class="font-normal bg-blue-400 rounded-md px-2 py-1 text-white
            ↪ focus:outline-none">
            <option>2018</option>
            <option>8123</option>
            <option>1243</option>
          </select>
        </div>
        <div>
          Email id
          <input type="email"
            name="email"
            class="text-center font-normal focus:outline-none border-b-2
              ↪ border-blue-300 focus:border-blue-400 drop-shadow-md bg-transparent"
            />
        </div>
        <div>
          Country code
          <input type="text"
            name="country"
            class="text-center font-normal focus:outline-none border-b-2
              ↪ border-blue-300 focus:border-blue-400 drop-shadow-md bg-transparent"
            />
        </div>
    </section>
  </body>
</html>
```

```

        />
    </div>
    <input type="submit"
        class="bg-blue-400 hover:bg-blue-500 w-[100px] text p-3 rounded-md
        ↵ cursor-pointer text-white text-center font-semibold drop-shadow-md"
    />
</form>
</section>
<script>
    document.getElementsByName("registration")[0].addEventListener("submit",
    ↵ function (e) { e.preventDefault() });
    function validate() {
        let form = document.forms["registration"]

        if (form["name"].value == "") {
            alert("name is empty")
        } else if (form["email"].value == "") {
            alert("email is empty")
        } else if (form["country"].value == "") {
            alert("country code is empty")
        } else {
            alert("Form Submitted Successfully")
        }
    }
</script>
</body>
</html>

```

17.3 Output

Register

Name	<input type="text" value="Abi Nav"/>
Zip Code	<input style="background-color: #007bff; color: white; border-radius: 10px; padding: 5px; width: 50px; height: 30px;" type="text" value="8123"/>
Email id	<input type="text" value="itsabhi@soccer.com"/>
Country code	<input type="text" value="1"/>
<input style="background-color: #007bff; color: white; border-radius: 10px; padding: 10px; width: 150px; height: 50px;" type="button" value="Submit"/>	

18 Hiding with JQuery

18.1 Aim

- Use the JQuery library to hide elements using the different kinds of selectors
- make a drop down list which can be used to select what element is hidden

18.2 Code

```
<html>
  <head>
    <title>Jquery</title>
    <script src="https://cdn.tailwindcss.com"></script>
    <!-- The following line is very important for using JQUERY library -->
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-semibold text-rose-400 mb-2">Jquery Hide</h1>
      <div class="bg-white flex flex-col p-3 rounded-lg drop-shadow-md">
        <div class="flex flex-row p-3 gap-2 text-white font-semibold justify-evenly">
          <a
            class="bg-pink-400 p-3 rounded-md"
          > Element </a>
          <p
            id="id"
            class="bg-teal-400 p-3 pl-6 pr-6 rounded-md"
          > Id </p>
          <p
            class="cls bg-cyan-400 p-3 pl-4 pr-4 rounded-md"
          > Class </p>
        </div>
        <div class="flex flex-row p-3 gap-2 justify-evenly">
          <label for="selection" class="text-rose-400 font-semibold text-xl"> What to
            <-- hide? </label>
          <select name="selection" class="text-rose-400 text-center font-semibold
            <-- drop-shadow-sm">
            <option value="none">none</option>
            <option value="ele">element</option>
            <option value="id">id</option>
            <option value=".cls">class</option>
          </select>
        </div>
      </div>
    </section>
    <script>
      $(document).ready(function() {
        $("select").change(function() {
          var options = $(this).children("option:selected").val();


          // reset
          $("a").show();
          $("#id").show();
          $(".cls").show();

          if (options == "ele") { $("a").hide(); }
        })
      })
    </script>
  </body>
</html>
```


```
        else if (options == "id") { $("#id").hide(); }
        else if (options == "cls") { $(".cls").hide(); }
    })
})
</script>
</body>
</html>
```

18.3 Output

Jquery Hide




Jquery Hide



Jquery Hide



Jquery Hide



19 Online Railway Booking

19.1 Aim

- Design a website for booking online railway tickets having the following fields:
- Name, email, gender (radio)
- Date of Journey
- Destination (dropdown)

19.2 Code

```
<html>
  <head>
    <title>Railway Booking</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body class="bg-[url('https://cdn.wallpapersafari.com/51/69/G6gxTr.jpg')]">
    <section class="w-full h-screen flex flex-col justify-center items-center">
      <h1 class="text-3xl font-bold text-zinc-600 mb-2 drop-shadow-xl">Ticket
        ↵ booking</h1>
      <!-- Note the *: selecter selects every direct children and appends the styles
        ↵ to them -->
      <form class="bg-zinc-50 flex flex-col p-4 gap-3 drop-shadow-xl *:flex *:flex-row
        ↵ *:gap-4 *:p-2 *:justify-between *:items-center *:font-semibold w-[450px]">
        <label>
          Name
          <input
            type="text" name="name" required
            class="focus:outline-zinc-600 p-1 text-center focus:text-inherit w-3/4
              ↵ drop-shadow-sm"
          />
        </label>

        <label>
          Email
          <input
            type="email" name="email" required
            class="focus:outline-zinc-600 p-1 text-center focus:text-inherit w-8/12
              ↵ drop-shadow-sm"
          />
        </label>

        <label>
          Gender
          <div class="flex gap-2">
            <label class="flex flex-row p-2 gap-2 items-center">
              <input
                type="radio" name="gender" value="male"
                class="appearance-none w-5 h-5 border-[3px] border-zinc-600
                  ↵ cursor-pointer checked:border-[6px] checked:border-zinc-600
                  ↵ rounded-full"
              />
              Male
            </label>
            <label class="flex flex-row p-2 gap-2 items-center">
              <input
                type="radio" name="gender" value="female"
                class="appearance-none w-5 h-5 border-[3px] border-zinc-600
                  ↵ cursor-pointer checked:border-[6px] checked:border-zinc-600
                  ↵ rounded-full"
              />
              Female
            </label>
          </div>
        </label>
      </form>
    </section>
  </body>
</html>
```

```


        type="radio" name="gender" value="female"
        class="appearance-none w-5 h-5 border-[3px] border-zinc-600
        ↪ cursor-pointer checked:border-[6px] checked:border-zinc-600
        ↪ rounded-full"
    />
    Female
</label>
<label class="flex flex-row p-2 gap-2 items-center">
    <input
        type="radio" name="gender" value="other" checked
        class="appearance-none w-5 h-5 border-[3px] border-zinc-600
        ↪ cursor-pointer checked:border-[6px] checked:border-zinc-600
        ↪ rounded-full"
    />
    Other
    </label>
</div>
</label>

<label>
    Date
    <input
        type="date" name="date" required
        class="p-1 text-center focus:text-inherit drop-shadow-sm"
    />
</label>

<label>
    Destination
    <select name="destination" class="p-2 drop-shadow-sm">
        <option value="kochi">Kochi</option>
        <option value="triv">Trivandrum</option>
        <option value="kanoor">Kanoor</option>
    </select>
</label>
<div class="self-center w-3/4">
    <input
        type="submit" value="Book"
        class="bg-zinc-700 active:bg-zinc-800 p-4 w-full text-white text-xl
        → text-center cursor-pointer drop-shadow-lg"
    />
</div>
</form>
</section>
</body>
</html>

```

19.3 Output



A ticket booking form titled "Ticket booking" with a floral border. The form fields include Name (A. Rexi), Email (devayamuna@river.in), Gender (Female selected), Date (03/28/2024), Destination (Trivandrum), and a Book button.

Ticket booking	
Name	A. Rexi
Email	devayamuna@river.in
Gender	<input type="radio"/> Male <input checked="" type="radio"/> Female <input type="radio"/> Other
Date	03/28/2024 <input type="button" value=""/>
Destination	Trivandrum <input type="button" value=""/>
<input type="button" value="Book"/>	

20 AJAX

20.1 Aim

- Write a JavaScript program utilizing AJAX technology

20.2 Code

```
<html>
  <head>
    <title>Ajax</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="h-screen flex flex-col justify-center items-center p-4 gap-4">
      <h1 class="text-3xl font-semibold">Ajax Program</h1>
      <div class="bg-zinc-50 p-10 gap-10 flex flex-col justify-center border-2
        ↪ border-zinc-600">
        <a id="content">I have not been clicked</a>
        <button
          class="p-4 text-center bg-zinc-600 text-white cursor-pointer
          ↪ active:bg-zinc-800"
          onclick=update()
        > click me </button>
      </div>
    </section>
    <script>
      // NOTE: You will need to run this program via WAMP.
      // Also create a data.txt file
      function update() {
        const xhttp = new XMLHttpRequest();
        xhttp.onload = function () {
          document.getElementById('content').innerHTML = this.responseText;
        }
        xhttp.open("GET", "data.txt");
        xhttp.send();
      }
    </script>
  </body>
</html>
```

20.3 Output



21 Customer Details

21.1 Aim

- Use php to display details from a form in tabular manner in a new page. The form contains the following fields
 - customer number, name, place
 - email ID & phone number

21.2 Code

index.html

```
<html>
  <head>
    <title>Php Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-5
      ↵ gap-5 text-lg">
      <h1 class="text-4xl font-semibold text-emerald-400 drop-shadow-xl">Customer
      ↵ Form</h1>
      <form
        class="bg-white rounded-lg flex flex-col p-5 gap-3 *:flex *:justify-between
          ↵ *:items-center *:gap-5 *:p-3 font-semibold drop-shadow-xl"
        action="table.php" method="post"
      >
        <label>
          Customer Number
          <input
            class="p-1 px-2 text-center w-5/12 bg-transparent border-b-2
              ↵ border-emerald-400 focus:outline-none focus:border-emerald-500"
            type="number" name="cno" required
          />
        </label>
        <label>
          Name
          <input
            class="p-1 px-2 text-center w-3/4 bg-transparent border-b-2
              ↵ border-emerald-400 focus:outline-none focus:border-emerald-500"
            type="text" name="name" required
          />
        </label>
        <label>
          Place
          <input
            class="p-1 px-2 text-center bg-transparent border-b-2 border-emerald-400
              ↵ focus:outline-none focus:border-emerald-500"
            type="text" name="place" required
          />
        </label>
        <label>
          Email
          <input
            class="p-1 px-2 text-center w-8/12 bg-transparent border-b-2
              ↵ border-emerald-400 focus:outline-none focus:border-emerald-500"
```

```

        type="email" name="email" required
    />
</label>
<label>
    Phone
    <input
        class="p-1 px-2 text-center bg-transparent border-b-2 border-emerald-400
        ↪ focus:outline-none focus:border-emerald-500"
        type="number" name="phono" required
    />
</label>
<div class="w-11/12 self-center">
    <input
        type="submit" value="Submit"
        class="w-full bg-emerald-400 p-4 text-white text-center cursor-pointer
        ↪ hover:bg-emerald-500 active:bg-emerald-600 rounded-lg"
    />
</div>
</form>
</section>
</body>
</html>

```

table.php

```

<html>
    <head>
        <title>Received Data</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body>
        <section class="w-full h-screen flex flex-col justify-center items-center p-4
        ↪ gap-3 text-lg">
            <h1 class="text-4xl font-semibold text-emerald-400 drop-shadow-xl">Customer
            ↪ Information</h1>
            <div class="flex flex-col justify-center items-center shadow-md overflow-hidden
            ↪ rounded-md">
                <?php
                    function data($heading, $value) {
                        echo "
                            <div class='flex flex-col *:p-4 *:px-5 items-center text-center g-1'>
                                <h1 class='bg-emerald-400 text-white w-full
                                ↪ font-semibold'>$heading</h1>
                                <a class='bg-white w-full text-emerald-500 font-semibold'>
                                    $value
                                </a>
                            </div>
                        ";
                    }
                <?php
                    // Tables using Flexboxes, you may use <tr> <th> <td> instead
                    echo "<div class='flex flex-row'>";
                    echo data("Customer No.", $_POST['cno']);
                    echo data("Name", $_POST['name']);
                    echo data("Place", $_POST['place']);
                    echo data("Email", $_POST['email'].trim());
                    echo data("Phone No.", $_POST['phono']);
                
```

```
        echo "</div>";
    ?>
</div>
</section>
</body>
</html>
```

21.3 Output

Customer Form

Customer Number 3

Name Krishna Developer

Place Alapuzha

Email sixpacks@flutter.in

Phone 871484559

Submit

Customer Information

Customer No.	Name	Place	Email	Phone No.
3	Krishna Developer	Alapuzha	sixpacks@flutter.in	871484559

22 Number of Visitors

22.1 Aim

- Write a Php program to count the number of visitors

22.2 Code

index.php

```
<html>
  <head>
    <title>Cool</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-4
      gap-4">
      <h1 class="text-9xl font-semibold text-purple-400">
        Hello visitor
      <?php
        $filename= "visitors.txt";
        $data = 1;
        if (file_exists($filename)) {
          $file = fopen($filename, "r");
          $data = fread($file, filesize($filename));
          $data = (int)$data + 1;
        }
        $file = fopen($filename, "w");
        fwrite($file, $data);

        echo "$data";
      ?>
    </h1>
  </section>
</body>
</html>
```

22.3 Output

Hello visitor 17

23 KSEB Login Page

23.1 Aim

- Write a Php program to login and view the Consumer Bill

23.2 Code

index.html

```
<html>
  <head>
    <title>KSEB Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-4
      gap-4">
      <div class="flex drop-shadow-2xl rounded-md overflow-hidden">
        <div class="lg:bg-[url('https://rare-gallery.com/mocahbig/391790-anime-girl-m
          ikoto-misaka-4k-pc-wallpaper.jpg')] lg:w-[700px] lg:h-[600px] bg-cover
          bg-center">
        </div>
        <form
          action="login.php" method="post"
          class="bg-white flex flex-col p-5 py-10 gap-6 w-[500px] bg-opacity-95
          justify-center items-center h-full"
        >
          <h1 class="text-3xl font-semibold text-center text-zinc-600">KSEB Login</h1>
          <input
            type="text" name="name" placeholder="Username"
            class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
            border-b-2 border-zinc-300 focus:border-zinc-500 w-3/4"
          ></input>
          <input
            type="number" name="mobile" placeholder="Mobile number" required
            class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
            border-b-2 border-zinc-300 focus:border-zinc-500 w-3/4"
          />
          <input
            type="submit" value="Submit"
            class="bg-zinc-600 hover:bg-zinc-700 active:bg-zinc-800 cursor-pointer p-4
            mt-5 text-white text-xl font-semibold w-8/12 rounded-md"
          >
        </form>
      </div>
    </section>
  </body>
</html>
```

login.php

```
<html>
  <head>
    <title>Bill Due</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
```

```

<section class="w-full h-screen flex flex-col justify-center items-center p-4
↪ gap-4">
  <div class="bg-white p-8 gap-10 flex flex-col md:flex-row rounded-xl
↪ drop-shadow-md items-center">
    <?php
      function serve_data($database) {
        $tablename = "kseb";
        $mobile = $_POST['mobile'];

        $query = "SELECT * FROM $tablename WHERE mobile=$mobile";


        $result = $database->query($query);
        if ($result->num_rows < 1) {
          echo"
            <a class='text-4xl text-red-400 text-center'>
              Invalid User!
            </a>
          ";
          return;
        }
        $data = $result->fetch_assoc();
        display_data($data['mobile'], $data['name'], $data['bill'],
↪ $data['profile']);
      }

      function display_data($mobile, $name, $bill, $profile) {
        echo"
          <div class='bg-[url($profile)] w-52 h-52 bg-center bg-cover
↪ rounded-full'>
          </div>
          <div class='flex flex-col p-5 gap-2'>
            <p class='text-5xl font-semibold text-zinc-600'>
              $name
            </p>
            <p class='text-xl font-semibold text-zinc-300'>
              +$mobile
            </p>
            <p class='text-6xl font-semibold text-emerald-500 mt-3'>
              $ $bill
            </p>
          </div>
        ";
      }

      $database = new mysqli("localhost", "root", "root", "record");
      if ($database->connect_error) {
        echo "failed to connect to database";
        return;
      }
      serve_data($database);
    ?>
  </div>
</section>
</body>
</html>

```

23.3 Output



A user profile card for Misaka Mikoto. It features a circular profile picture of her with brown hair and a small flower in it. To the right of the picture, her name "Misaka Mikoto" is displayed in bold black text, followed by her phone number "+871484584" in smaller text. Below this information is a large green dollar amount "\$ 8000.00".

A user profile card for Joseph Joestar. It features a circular profile picture of him with spiky black hair and a determined expression. To the right of the picture, his name "Joseph Joestar" is displayed in bold black text, followed by his phone number "+871484581" in smaller text. Below this information is a large green dollar amount "\$ 1010.00".

24 Online Application Form

24.1 Aim

- Write a Php program to display the details from an html form

24.2 Code

index.html

```
<html>
  <head>
    <title>Online Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-4
      ↪ gap-4">

      <form
        action="display.php" method="post"
        class="bg-white flex flex-col gap-6 w-[500px] bg-opacity-95 justify-center
          ↪ items-center drop-shadow-lg"
      >
        <div class="bg-[url('https://timelinelivecovers.pro/facebook-cover/download/anime_
          ↪ -vocaloid-hatsune-miku-headphones-facebook-cover.jpg')] w-full h-[200px]
          ↪ bg-cover"></div>
        <h1 class="text-3xl font-semibold text-center text-slate-600">Application
          ↪ Form</h1>
        <div class="flex gap-10 justify-between w-3/4">
          <input
            type="text" name="fname" placeholder="First Name" required
            class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
              ↪ border-b-2 border-slate-300 focus:border-slate-500 w-1/2"
          />
          <input
            type="text" name="lname" placeholder="Last Name" required
            class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
              ↪ border-b-2 border-slate-300 focus:border-slate-500"
          />
        </div>
        <input
          type="number" name="regnum" placeholder="Register No." required
          class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none border-b-2
            ↪ border-slate-300 focus:border-slate-500 w-3/4"
        ></input>
        <input
          type="email" name="email" placeholder="Email" required
          class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none border-b-2
            ↪ border-slate-300 focus:border-slate-500 w-3/4"
        />
        <div class="flex gap-2">
          <label class="flex flex-row p-2 gap-2 items-center">
            <input
              type="radio" name="gender" value="male"
              class="appearance-none w-5 h-5 border-[3px] border-slate-500
                ↪ cursor-pointer checked:border-[6px] checked:border-slate-500
                ↪ rounded-full"
            />
```

```

        Male
    </label>
    <label class="flex flex-row p-2 gap-2 items-center">
        <input
            type="radio" name="gender" value="female"
            class="appearance-none w-5 h-5 border-[3px] border-slate-500
            ↪ cursor-pointer checked:border-[6px] checked:border-slate-500
            ↪ rounded-full"
        />
        Female
    </label>
    <label class="flex flex-row p-2 gap-2 items-center">
        <input
            type="radio" name="gender" value="other" checked
            class="appearance-none w-5 h-5 border-[3px] border-slate-500
            ↪ cursor-pointer checked:border-[6px] checked:border-slate-500
            ↪ rounded-full"
        />
        Other
    </label>
</div>
<input
    type="submit" value="Submit"
    class="bg-slate-600 hover:bg-slate-700 active:bg-slate-800 cursor-pointer
    ↪ p-4 mt-5 text-white text-xl font-semibold w-8/12 rounded-md mb-10"
    >
</form>
</section>
</body>
</html>

```

display.php

```

<html>
    <head>
        <title>Form</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body>
        <section class="w-full h-screen flex flex-col justify-center items-center p-4
        ↪ gap-4">
            <div class="bg-white flex p-5 px-8 gap-16 rounded-lg drop-shadow-lg">
                <div class="bg-[url('https://i.pinimg.com/originals/bd/38/b8/bd38b8584455009f_
                ↪ 03e1c87dfda809ac.jpg')] w-52 h-52 rounded-full
                ↪ bg-cover"></div>
                <?php
                    $fname = $_POST['fname'];
                    $lname = $_POST['lname'];
                    $register = $_POST['regnum'];
                    $email = $_POST['email'];
                    $gender = $_POST['gender'];
                    echo"
                        <div class='flex flex-col p-4 gap-1 justify-center'>
                            <a class='text-5xl text-teal-400 font-semibold'>
                                $fname $lname
                            </a>
                            <div class='*:text-xl flex justify-between gap-10'>
                                <a class='font-semibold text-zinc-600'>
```

```
$email  
/>  
<a class='text-zinc-600'>  
 #$register  
</a>  
</div>  
<a class='text-zinc-400 text-xl'>  
 $gender  
</a>  
</div>  
";  
>  
</div>  
</section>  
</body>  
</html>
```

24.3 Output



The application form interface features a large, vibrant illustration of the virtual singer Hatsune Miku at the top. Below the illustration, the title "Application Form" is centered in a bold, dark blue font. The form itself has two input fields: "Hatsune" and "Miku", both containing the number "39". A third field contains the email address "miku@mimail.com". At the bottom, there is a row of three radio buttons labeled "Male", "Female", and "Other", with "Female" being selected. A prominent dark blue "Submit" button is located at the bottom center.



25 Current Date Time Cookie

25.1 Aim

- Write a PHP program to store the current date and time in a cookie and display the last visited on date-time upon reopening the page

25.2 Code

```
<?php
date_default_timezone_set("Asia/Kolkata");
setcookie("visit", date("m.d.y"));
?>
<html>
<head>
<title>Cool</title>
<script src="https://cdn.tailwindcss.com"></script>
</head>
<body>
<section class="w-full h-screen flex flex-col justify-center items-center">
<h1 class="text-5xl font-semibold text-rose-500">
<?php
if ($cookie = $_COOKIE["visit"]) {
    echo "Your last visit was at $cookie";
} else {
    echo "No Cookies!";
}
?>
</h1>
</section>
</body>
</html>
```

25.3 Output

Your last visit was at 03.16.24

26 Update Student Phone Number

26.1 Aim

- Write a PHP program to login with register no. and update the phone number

26.2 Code

index.html

```
<html>
  <head>
    <title>Online Form</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-4
      gap-4">
      <form
        action="update.php" method="post"
        class="bg-white flex flex-col gap-6 w-[500px] bg-opacity-95 justify-center
        items-center drop-shadow-lg pb-10 rounded-md overflow-hidden">
        <div class="bg-[url('https://images5.alphacoders.com/111/1115987.jpg')] w-full
          h-[200px] bg-cover bg-bottom"></div>
        <div class="flex px-10 items-center gap-10">
          <div class="flex justify-center flex-col px-10 py-4 items-center gap-5">
            <input
              type="text" name="regno" placeholder="Register Number" required
              class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
              border-b-2 border-stone-300 focus:border-stone-500"
            />
            <input
              type="number" name="newnum" placeholder="New Mobile Number"
              class="p-1 px-4 drop-shadow-sm bg-transparent focus:outline-none
              border-b-2 border-stone-300 focus:border-stone-500"
            />
          </div>
          <input
            type="submit" value="Submit"
            class="ring-4 ring-stone-400 hover:ring-stone-500 active:ring-stone-600
            cursor-pointer p-4 text-stone-400 hover:text-stone-500
            active:text-stone-600 text-xl font-semibold w-8/12 rounded-md"
          />
        </div>
      </form>
    </section>
  </body>
</html>
```

update.php

```
<html>
  <head>
    <title>Cool</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
```

```

<section class="w-full h-screen flex flex-col justify-center items-center p-4
↪ gap-4">
  <div class="bg-white flex flex-col p-5 py-10 gap-10 rounded-lg drop-shadow-lg
↪ justify-center items-center ring-2 ring-stone-400">
    <div class="bg-[url('https://i.pinimg.com/originals/92/0b/8b/920b8b713723dfaef
↪ 3ecb370be5337d9a.jpg')] size-52 rounded-full bg-cover ring-stone-400
↪ ring-4 drop-shadow-xl"></div>
<?php
  function serve_data($database) {
    $regno = $_POST['regno'];
    $newnum = $_POST['newnum'];
    $tablename = "student";
    $update = false;

    if ($newnum != "") {
      // Update the name if the user has sent a new number on login
      $query = "UPDATE $tablename SET mobile=$newnum WHERE regno='$regno'";
      $database->query($query);
      $updated = true;
    }

    $query = "SELECT * FROM $tablename WHERE regno='$regno'";

    $result = $database->query($query);
    if ($result->num_rows < 1) {
      echo"
        <a class='text-4xl text-red-400 text-center'>
          Invalid User!
        </a>
      ";
      return;
    }

    $data = $result->fetch_assoc();

    display_data($data['mobile'], $data['name'], $data['regno'], $updated);
  }

  function display_data($mobile, $name, $regno, $updated) {
    echo"
      <div class='flex flex-col p-5 justify-center gap-5'>
        <a class='text-xl text-stone-300 font-semibold relative top-4'>
          $regno
        </a>
        <a class='text-5xl text-stone-500 font-semibold'>
          $name
        </a>
        <div class='flex gap-5 items-center'>
          <a class='font-semibold text-white px-2 w-fit bg-stone-400 flex'>
            +$mobile
          </a>
        </div>
      ";
      if ($updated) { // display text if the phone number is updated
        echo "<a class='text-stone-300 text-lg font-bold'>updated</a>";
      }
    echo "
  
```

```
        </div>
    </div>
    ";
}


$database = new mysqli("localhost", "root", "root", "record");

if ($database->connect_error) {
    echo "failed to connect to database";
    return;
}

serve_data($database);
?>
</div>
</section>
</body>
</html>
```

26.3 Output

Submission without entering new phone number



Submission with new phone number



22ucap7240

9929123904

Submit



22ucap7240

Violet Evergarden

+9929123904 updated

27 Delete Student Entry

27.1 Aim

- Write a program to login as Admin and delete the details of a student from the university database

27.2 Code

index.html

```
<html>
  <head>
    <title>Admin Login</title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
    <section class="w-full h-screen flex flex-col justify-center items-center p-4
      ↪ gap-4">
      <form
        action="login.php" method="post"
        class="flex justify-center pr-10 gap-10 items-center bg-white drop-shadow-xl
          ↪ rounded-md overflow-hidden">
        >
        <div class="bg-[url('https://i.pinimg.com/originals/cc/56/e9/cc56e94b4c5a4060_
          ↪ 5f3f016cf448cce5.jpg')] size-40 bg-cover
          ↪ drop-shadow-xl"></div>
        <div class="flex flex-col p-5 gap-5 rounded-lg">
          <input
            type="number" name="regno" placeholder="Delete Register" required
            class="focus:outline-none border-b-2 border-rose-300 focus:border-rose-400
              ↪ p-2 drop-shadow-md bg-transparent placeholder:text-rose-400"
          />
          <input
            type="password" name="pass" placeholder="Admin Password" required
            class="focus:outline-none border-b-2 border-slate-300
              ↪ focus:border-slate-400 p-2 drop-shadow-md bg-transparent"
          />
        </div>
        <input
          type="submit" value="Delete"
          class="font-semibold bg-red-500 hover:bg-red-600 active:bg-red-700 p-3 w-fit
            ↪ text-white self-center rounded-md text-2xl cursor-pointer
            ↪ drop-shadow-md"
        />
      </form>
    </section>
  </body>
</html>
```

login.php

```
<html>
  <head>
    <title>Delete </title>
    <script src="https://cdn.tailwindcss.com"></script>
  </head>
  <body>
```

```

<section class="w-full h-screen flex flex-col justify-center items-center p-4
→ gap-4">
<?php
    function display($msg, $color = "bg-red-500") {
        echo "<a class='text-4xl $color text-white font-semibold p-3
→ rounded-md'>$msg</a>";
    }

    function show_entry($dbase) {
        $query = "SELECT * FROM register";
        $result = $dbase->query($query);
        if ($result->num_rows < 1) { return; }

        echo "
<table class='drop-shadow-md rounded-md overflow-hidden w-[400px]'>
    <tr class='bg-emerald-400 flex p-5 gap-5 text-white'>
        <th class='w-1/5'>ID</th>
        <th class='w-4/5'>Name</th>
    </tr>
"; // start table

        while ($data = $result->fetch_assoc()) {
            $name = $data['name'];
            $id = $data['id'];
            echo "
                <tr class='bg-white flex p-5 gap-5 border-[1px]'>
                    <td class='w-1/5 text-center'>$id</td>
                    <td class='w-4/5 text-center'>$name</td>
                </tr>
            "; // table data
        }

        echo"
        </table>
    "; // end table
    }

    if ($_POST['pass'].trim() != "root") {
        display("WRONG PASSWORD");
        return;
    }

    // change password from "root" (the second one) to "" (default password of
    → wamp)
    $dbase = new mysqli("localhost", "root", "root", "record");
    if ($dbase->connect_error) {
        display("Failed to connect to database");
    }

    $regno = $_POST['regno'];
    $query = "DELETE FROM register WHERE id=$regno";
    $dbase->query($query);


    if ($dbase->affected_rows > 0) {
        display("Successfully Deleted Register Entry", "bg-emerald-400");
    } else {
        display("Failed to Delete Entry");
    }
}

```

```
show_entry($dbase);
?>
</section>
</body>
</html>
```

27.3 Output

Correct Password and Valid Entry




Succesfully Deleted Register Entry

Invalid Entry



Failed to Delete Entry

Wrong Password



WRONG PASSWORD

Dataset

ID	Name
1	rajesh
2	mahesh

28 Session

28.1 Aim

- Write a PHP program to create, update, and delete a session

28.2 Code

index.php

```
<?php
    session_start();
?>
<html>
    <head>
        <title>Session</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body>
        <section class="w-full h-screen flex flex-col justify-center items-center p-4
        ↪ gap-5">
            <h1 class="text-3xl font-semibold text-emerald-400"> Sessions </h1>
            <div class='flex gap-4 flex-col justify-center items-center'>
                <form
                    action="create.php" method="post"
                    class="flex p-8 gap-8 bg-white drop-shadow-md rounded-md"
                >
                    <input
                        type="text" name="color"
                        placeholder="Favourite Color" required
                        class="bg-transparent focus:outline-none border-b-2 border-emerald-300 p-2
                        ↪ text-center"
                    />
                    <input
                        type="submit" value="<?php if (isset($_SESSION['color'])) { echo 'Update';
                        ↪ } else { echo 'Create'; } ?>"
                        class="bg-emerald-400 hover:bg-emerald-500 p-4 text-white font-semibold
                        ↪ w-fit self-center rounded-md cursor-pointer"
                    />
                </form>
                <?php
                    if (isset($_SESSION['color'])) {
                        $style = "<a class='text-xl font-bold text-slate-400 px-2'>";
                        echo "<p class='text-lg'>your favourite color is " . $style .
                        ↪ $_SESSION['color'] . "</a></p>";
                        echo"
                            <a
                                href='destroy.php'
                                class='text-lg text-red-400 font-semibold hover:font-bold
                                ↪ active:text-red-500'
                            >
                                Destroy Session
                            </a>
                        ";
                    }
                ?>
            </div>
        </section>
```

```
</body>
</html>
```

create.php

```
<?php
    session_start();
?>
<html>
    <head>
        <title>Create</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body>
        <section class="w-full h-screen flex flex-col justify-center items-center p-4
        ↪ gap-4">
            <div class="flex flex-col p-5 gap-5 justify-center items-center">
                <h1 class='text-6xl text-emerald-400 font-semibold'>
                    Color
                    <?php if (isset($_SESSION['color'])) { echo 'Updated'; } else { echo
                    ↪ 'Created'; } ?>
                    Succesfully
                </h1>
                <?php
                    $color = $_POST['color'];
                    $_SESSION['color'] = $color;
                ?>
                <a
                    href="index.php"
                    class="bg-emerald-400 hover:bg-emerald-500 p-3 rounded-md drop-shadow-md
                    ↪ text-white font-semibold text-xl"
                    >return</a>
            </div>
        </section>
    </body>
</html>
```

destroy.php

```
<?php
    session_start();
?>
<html>
    <head>
        <title>Create</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body>
        <section class="w-full h-screen flex flex-col justify-center items-center p-4
        ↪ gap-4">
            <div class="flex flex-col p-5 gap-5 justify-center items-center">
                <?php session_destroy();?>
                <h1 class='text-6xl text-emerald-400 font-semibold'>
                    Session Destroyed Succesfully
                </h1>
                <a
                    href="index.php"
```

```
class="bg-emerald-400 hover:bg-emerald-500 p-3 rounded-md drop-shadow-md
↪ text-white font-semibold text-xl"
>return</a>
</div>
</section>
</body>
</html>
```

28.3 Output

Session Creation

Sessions

Black

Create

Color Created Successfully

return

Session Updation

Sessions

Scarlet

Update

your favourite color is Black

Destroy Session

Color Updated Successfully

return

Session Deletion

Sessions

Update

your favourite color is **Scarlet**

Destroy Session

Session Destroyed Successfully

return

Sessions

Create