INAMES (Block Letters)	FIRST NAMES ARDUL AZTEM	Sex M
ONE NUMBER. 027	6421834	
DRESS OR RESIDENTIAL	=54/11 OFF DIKUST	REST,
CUPATION TUBER	MARITA MARRIED DIVORCED	L STATUS SINGLE OTHER
OF DMY 12	PLACE OF BIRTH	ANY ALLEGIC REACTION TO MEDICINE
		FIRST ATTENDANCE
EXT OF KIN AN COLLISON-GE	ADDRESS OR PHONE No. OF NEXT (OF KIN



AND THE CONTRIBUTION OF THE PROPERTY OF THE PR
NAME: Abdul - Azeen Collison - Coffie CARD NUMBER: 13383 DATE: 10/09/2016
DATE: 10/09/2016
La wants to change glasses
and the same of the same of the same
vællkong, 615gl v. 6/36 ug, 6/5gl Hermothant dehog & BE.
(terrustant of
noo Rama a Dehot & BE.
Theelier o
$\mathcal{S}(\mathcal{G})$
(A) (I)
Quier Als Quiles
O C C C C C C C C C C C C C C C C C C C
alk Ryn - Rla
of miles
Elan Warpic eenguchentis
2. Cutte. Choi com BE 4:5/
2. Cutte. Choi com BE 4:5/ 2. Cutte. Refresh fears BE trad
Cee In 6/13 how may
Jee Joseph Josep
Vene integr

,	
1	
_	
,	

INTER-STAR EYE CLINIC & LASER CENTER

Loc: 10th Lane H/No. F764/1 Osu, RE Accra, Old American Embassy Road, Opposite Buka Restaurant Near Citizen Kofi. E-mail: Interstareyeclinic@gmail.com Tel: 0302-783832 / 027-7755354

NAME:					TEL H	OUSE :	Woi	RK		
ADDRESS:						DATI	OF BIRTH			
DATE OF TEST ,	ļ	R PRESCRIPTION GIVEN								
90-9-16		Sph	Cyi	Axis	Prisi	m Sph	Cyi	Axis	Prism	
70 7 70	Dist -2	·ve				22				
P.D.	Inter					-				
6 ym	Read				·					
HEIGHTS		NO	BL/	NK		TECH			•	
R L	R	L ·			,	CHEC	(ED			
DISPENSING NO	ΓES				ESCR	IPTION	1 .	GH¢	P	
		FRA	ME	121	on					
		LENSE	ES ,	UV	SI	V .	8	سره		
		COATI	NG							
		SUND	RIES	-						
•						TOTAL	anta	80.,	س	
		.*				VOUCHER	hello	pori	d	
·	-					BALANCE	101	9/16		
PLEASE TICK						DEPOSIT				
CASH	CHEQUE		CRE	DIT CARE		BALANCE		· · · ·		
DISPENSED BY	CHECK	KED BY	F	RECEIVED	ВҮ	DATE	16/09	116	-	
				·						

SYMPTOMS & HISTO!	RY			OCCI HUBI	JPATION BIES	
EXTERNAL EXAMIN	IATION OP	THALMOSCOPY		FIELD TO	ONOMĖTRY	COLOUR ETC
					: *	
				:	T	
PHTHALMOSCOPY	SUBJEC	TIVE			ACCC	MMODATION
6/59/	6/R	-2.00	of	= 61	R	76/c
66-21	6/L	- 2.73 Binoc ADD	-08	· =615	Rdg ADD	(
NUSCLE BALANCE					RETEST	DATE
Auto						·
R-2.5	501-	0,25× D3.	29			
1	00	20		100 L	•	
レー・イン	O - 1	~) ·	÷			