# lab-07-simpsons.Rmd

# Ryam Radi

## 17 March 2021

# **Packages**

```
library(tidyverse)
library(mosaicData)
```

# Exercises

1.

#### ?Whickham

Your answer: The data is observational as the description states that is based on age, somking, and mortality. which are all observable events and not produced via experiments.

2.

#### nrow(Whickham)

```
## [1] 1314
```

Your answer; There are 1,314 observations. As we know every row is an observation.

3.

## names (Whickham)

```
## [1] "outcome" "smoker" "age'
```

Your answer:

There are 3 variables, "outcome", and "age"

## unique(Whickham\$outcome)

```
## [1] Alive Dead
## Levels: Alive Dead
unique(Whickham$smoker)
```

```
## [1] Yes No
## Levels: No Yes
```

## unique(Whickham\$age)


```
## [1] 23 18 71 67 64 38 45 76 28 27 34 20 72 48 66 30 33 68 61 43 47 22 39 80 59 ## [26] 56 62 51 32 60 37 36 50 55 73 52 25 53 31 54 69 79 75 21 29 24 26 49 84 40 ## [51] 44 74 46 35 77 57 42 81 19 63 78 83 82 70 58 41 65
```


Your answer: Your answer: Using the 'unique()' funcation on the 3 variables we could see that "outcome" only takes Alive or Dead value, which makes it categorical non-ordinal. "smoker" only takes Tes or No, which also


makes it categorical non-ordinal. Age is numerical continous data.

One of the best ways to visualise categorical data is through the use of bar charts.


ggplot(Whickham, aes(x = outcome)) + geom\_bar()







ggplot(data=Whickham, aes(x=smoker, y=outcome, color=outcome)) + geom\_bar(stat="identity")




Answer 4: Smokers will die if yhey continue smoking.

Knit, commit, and push to github.

5.

```
Whickham %>%
  count(smoker, outcome)
##
     smoker outcome
## 1
         No
               Alive 502
## 2
               Dead 230
         No
        Yes
              Alive 443
        Yes
               Dead 139
Answer 5: smoker no (732): 31,4 (dead) » (68,6) alive smoker yes (582): 23,8 (dead) » (76,2) alive
Whickham <- Whickham%>% mutate (age_cat = case_when (age <= 44 ~ "18-44", age > 44. & age <= 64 ~ "45-6"
  7.
ggplot(data=Whickham, aes(x=outcome, y=smoker,color=smoker, fill=age_cat)) + geom_bar(stat="identity")
```



Knit, commit, and push to github.