

Battery report

COMPUTER NAME	TABLET-8H2L1JUH
SYSTEM PRODUCT NAME	Microsoft Corporation Surface Pro 7+
BIOS	18.200.143 04/25/2022
OS BUILD	19041.1.amd64fre.vb_release.191206-1406
PLATFORM ROLE	Slate
CONNECTED STANDBY	Supported
REPORT TIME	2023-05-16 16:49:21

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	SurfaceBattery
MANUFACTURER	DYN
SERIAL NUMBER	0018921047
CHEMISTRY	LION
DESIGN CAPACITY	48,870 mWh
FULL CHARGE CAPACITY	41,270 mWh
CYCLE COUNT	247

Recent usage


Power states over the last 3 days

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2023-05-13 17:26:00	Active	AC	99 %	40,780 mWh
	19:04:02	Active	Battery	99 % 40,780 mWh
	19:04:08	Connected standby	Battery	99 % 40,780 mWh
	19:51:52	Active	Battery	99 % 40,780 mWh
	21:57:55	Active	AC	19 % 7,890 mWh
	23:15:02	Active	Battery	99 % 40,780 mWh
2023-05-14 00:30:42	Connected standby	Battery	49 %	20,140 mWh
	10:48:25	Active	Battery	38 % 15,590 mWh
	10:51:24	Connected standby	Battery	36 % 15,040 mWh
	11:41:31	Active	Battery	36 % 14,900 mWh
	11:41:45	Active	AC	36 % 14,850 mWh
	18:11:59	Active	Battery	106 % 43,810 mWh
	18:12:04	Connected standby	Battery	106 % 43,810 mWh
	18:32:10	Active	Battery	106 % 43,810 mWh
	22:00:46	Active	AC	7 % 2,780 mWh
2023-05-15 00:38:49	Active	Battery	99 %	41,060 mWh
	00:42:55	Connected standby	Battery	99 % 41,040 mWh
	08:52:48	Active	Battery	99 % 40,950 mWh
	08:53:57	Active	AC	99 % 40,950 mWh
2023-05-16 02:45:42	Active	Battery	100 %	41,180 mWh
	02:46:17	Connected standby	Battery	100 % 41,180 mWh

START TIME	STATE	SOURCE	CAPACITY REMAINING	
09:44:37	Active	Battery	98 %	40,356 mWh
09:45:16	Active	AC	98 %	40,356 mWh
16:49:18	Report generated	AC	100 %	41,270 mWh

Battery usage

Battery drains over the last 3 days



START TIME	STATE	DURATION	ENERGY DRAINED	
2023-05-13 19:04:02	Active	0:00:05	-	-
19:04:08	Connected standby	0:47:44	-	-
19:51:52	Active	2:06:03	80 %	32,890 mWh
23:15:02	Active	1:15:39	50 %	20,640 mWh
2023-05-14 00:30:42	Connected standby	10:17:42	11 %	4,550 mWh
10:48:25	Active	0:02:58	1 %	550 mWh
10:51:24	Connected standby	0:50:07	-	140 mWh
11:41:31	Active	0:00:14	-	50 mWh
18:11:59	Active	0:00:04	-	-
18:12:04	Connected standby	0:20:06	-	-
18:32:10	Active	3:28:36	99 %	41,030 mWh
2023-05-15 00:38:49	Active	0:04:05	-	20 mWh
00:42:55	Connected standby	8:09:53	-	90 mWh
08:52:48	Active	0:01:09	-	-
2023-05-16 02:45:42	Active	0:00:34	-	-
02:46:17	Connected standby	6:58:20	2 %	824 mWh
09:44:37	Active	0:00:38	-	-

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2021-08-30 - 2021-09-06	8:39:12	44:02:05	66:29:08	90:45:32
2021-09-06 - 2021-09-13	2:40:15	11:54:03	61:50:40	64:23:25
2021-09-13 - 2021-09-20	0:00:05	-	64:05:51	102:36:06
2021-09-20 - 2021-09-27	4:48:44	19:17:20	118:02:36	181:02:57

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2021-09-27 - 2021-10-04	0:00:19	-	60:06:27	107:12:39
2021-10-04 - 2021-10-11	8:40:52	26:47:42	263:08:55	340:20:11
2021-10-11 - 2021-10-18	0:59:26	19:04:29	68:13:10	56:24:55
2021-10-18 - 2021-10-25	7:58:44	32:54:22	69:33:23	46:40:39
2021-10-25 - 2021-11-01	3:04:29	39:34:18	63:57:07	47:10:37
2021-11-01 - 2021-11-08	5:07:15	39:52:38	46:52:34	35:17:51
2021-11-08 - 2021-11-15	24:47:29	174:01:37	224:22:13	177:22:17
2021-11-15 - 2021-11-22	4:54:38	35:50:20	61:52:03	36:52:28
2021-11-22 - 2021-11-29	36:32:13	231:11:40	367:10:31	261:08:34
2021-11-29 - 2021-12-06	47:29:36	258:41:41	433:41:45	298:09:22
2021-12-06 - 2021-12-13	8:04:02	40:02:05	45:16:47	36:58:21
2021-12-13 - 2021-12-20	9:59:17	17:45:30	58:17:25	70:42:25
2021-12-20 - 2021-12-29	5:28:43	26:07:38	46:28:05	38:58:22
2021-12-29 - 2022-01-03	0:57:11	13:27:37	4:33:39	38:33:19
2022-01-03 - 2022-01-10	0:58:08	0:02:53	39:57:56	118:52:36
2022-01-10 - 2022-01-17	6:40:38	29:20:15	88:24:01	141:26:52
2022-01-17 - 2022-01-24	14:59:51	71:55:55	157:00:48	183:33:36
2022-01-24 - 2022-01-31	16:17:37	90:04:37	232:00:57	253:15:17
2022-01-31 - 2022-02-07	20:17:49	120:33:23	294:59:24	320:03:26
2022-02-07 - 2022-02-14	6:32:06	33:28:04	56:47:46	42:40:36
2022-02-14 - 2022-02-21	2:08:42	20:19:03	56:18:18	56:16:33
2022-02-21 - 2022-05-12	-	-	-	0:51:13
2022-05-12 - 2022-05-16	0:00:18	0:13:00	0:05:55	88:44:16
2022-05-16 - 2022-05-23	0:00:28	0:00:13	0:01:52	167:26:54
2022-05-23 - 2022-05-30	0:00:10	-	163:10:24	3:56:20
2022-05-30 - 2022-06-06	0:00:20	-	166:21:44	-
2022-06-06 - 2022-06-13	11:46:28	89:34:51	62:31:04	3:48:10
2022-06-13 - 2022-06-20	6:54:41	56:21:34	51:41:54	1:12:22
2022-06-20 - 2022-06-27	22:03:43	49:58:07	94:45:22	0:06:15
2022-06-27 - 2022-07-04	64:58:06	267:38:29	279:41:15	5:09:08
2022-07-04 - 2022-07-11	19:54:00	69:20:00	75:54:42	0:17:15
2022-07-11 - 2022-07-18	98:08:50	391:07:35	436:45:02	6:40:21
2022-07-18 - 2022-07-25	124:15:02	430:33:44	518:22:11	6:56:04
2022-07-25 - 2022-08-01	27:35:39	43:31:01	94:17:58	0:04:00
2022-08-01 - 2022-08-08	20:22:29	30:06:20	87:11:42	0:13:56
2022-08-08 - 2022-08-15	177:26:19	433:18:13	681:19:31	3:38:15
2022-08-15 - 2022-08-22	21:19:49	38:40:15	76:35:34	0:00:40
2022-08-22 - 2022-08-29	27:45:09	36:15:18	93:16:10	0:01:02
2022-08-29 - 2022-09-05	39:52:16	87:57:38	194:14:04	0:34:03
2022-09-05 - 2022-09-12	26:44:30	16:13:49	110:04:10	0:03:58
2022-09-12 - 2022-09-19	67:32:42	46:33:38	187:26:20	5:52:33
2022-09-19 - 2022-09-26	32:00:38	62:51:33	59:40:28	0:00:47
2022-09-26 - 2022-10-03	12:20:00	62:36:23	87:57:14	0:00:04
2022-10-03 - 2022-10-10	78:11:53	178:03:38	221:59:04	0:18:35
2022-10-10 - 2022-10-17	88:23:15	206:43:21	299:13:48	0:18:43
2022-10-17 - 2022-10-24	23:59:59	55:29:47	69:42:20	0:01:10
2022-10-24 - 2022-10-31	28:03:57	37:26:49	94:19:22	0:00:26
2022-10-31 - 2022-11-07	27:08:06	48:28:35	60:56:41	0:55:20
2022-11-07 - 2022-11-14	90:39:49	120:29:13	251:25:49	0:55:52
2022-11-14 - 2022-11-21	18:58:53	67:27:35	81:04:57	0:00:02
2022-11-21 - 2022-11-28	15:25:11	89:23:27	60:15:46	-
2022-11-28 - 2022-12-05	8:31:33	69:28:28	70:11:33	0:11:58
2022-12-05 - 2022-12-12	15:37:43	53:04:05	69:18:32	0:41:38
2022-12-12 - 2022-12-19	28:06:48	231:16:22	194:34:58	0:53:37

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2022-12-19 - 2022-12-27	15:43:43	126:48:07	34:25:37	-
2022-12-27 - 2023-01-03	17:17:05	135:58:22	34:25:37	-
2023-01-03 - 2023-01-09	19:42:55	55:41:57	65:36:56	0:00:35
2023-01-09 - 2023-01-16	82:55:36	214:29:03	183:42:59	2:53:59
2023-01-16 - 2023-01-23	17:32:23	68:39:13	76:07:09	0:00:06
2023-01-23 - 2023-01-30	49:38:56	31:50:56	81:56:58	0:00:08
2023-01-30 - 2023-02-06	38:13:37	28:36:07	75:08:56	0:01:10
2023-02-06 - 2023-02-13	24:07:32	67:27:44	70:13:35	-
2023-02-13 - 2023-02-20	32:30:28	59:03:00	74:23:06	-
2023-02-20 - 2023-02-27	62:05:54	110:14:35	148:06:25	0:00:02
2023-02-27 - 2023-03-06	35:16:31	23:45:26	87:41:38	-
2023-03-06 - 2023-03-13	126:14:24	178:59:56	316:33:50	0:12:17
2023-03-13 - 2023-03-20	20:08:21	-	4:37:49	-
2023-03-20 - 2023-03-27	12:18:34	85:02:10	70:16:09	0:21:07
2023-03-27 - 2023-04-03	24:13:48	55:47:50	72:25:54	-
2023-04-03 - 2023-04-10	20:30:15	52:55:00	69:39:22	3:50:19
2023-04-10 - 2023-04-17	592649:25:13	63:16:51	55:39:12	3:00:48
2023-04-17 - 2023-04-24	31:38:06	39:38:10	62:27:28	0:00:35
2023-04-24 - 2023-05-01	39:08:39	57:25:31	50:20:16	0:27:31
2023-05-01 - 2023-05-08	10:44:00	94:29:17	61:46:31	-
2023-05-08	5:26:19	9:06:41	9:26:31	-
2023-05-09	2:05:08	7:13:03	14:34:51	-
2023-05-10	2:35:16	7:16:12	14:08:05	-
2023-05-11	7:09:12	0:30:42	16:19:37	-
2023-05-12	3:59:34	7:14:05	12:37:26	-
2023-05-13	14:02:42	1:01:41	8:55:12	-
2023-05-14	4:02:28	11:27:54	8:29:18	-
2023-05-15	0:05:14	8:09:53	15:44:38	-

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2021-08-30 - 2021-09-06	51,759 mWh	48,870 mWh
2021-09-06 - 2021-09-13	51,864 mWh	48,870 mWh
2021-09-13 - 2021-09-20	52,547 mWh	48,870 mWh
2021-09-20 - 2021-09-27	52,923 mWh	48,870 mWh
2021-09-27 - 2021-10-04	53,070 mWh	48,870 mWh
2021-10-04 - 2021-10-11	52,885 mWh	48,870 mWh
2021-10-11 - 2021-10-18	50,706 mWh	48,870 mWh
2021-10-18 - 2021-10-25	53,208 mWh	48,870 mWh
2021-10-25 - 2021-11-01	52,340 mWh	48,870 mWh
2021-11-01 - 2021-11-08	52,340 mWh	48,870 mWh
2021-11-08 - 2021-11-15	52,282 mWh	48,870 mWh
2021-11-15 - 2021-11-22	52,265 mWh	48,870 mWh
2021-11-22 - 2021-11-29	51,971 mWh	48,870 mWh
2021-11-29 - 2021-12-06	51,702 mWh	48,870 mWh
2021-12-06 - 2021-12-13	50,147 mWh	48,870 mWh
2021-12-13 - 2021-12-20	50,421 mWh	48,870 mWh
2021-12-20 - 2021-12-29	48,155 mWh	48,870 mWh
2021-12-29 - 2022-01-03	49,170 mWh	48,870 mWh
2022-01-03 - 2022-01-10	47,166 mWh	48,870 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2022-01-10 - 2022-01-17	46,649 mWh	48,870 mWh
2022-01-17 - 2022-01-24	46,918 mWh	48,870 mWh
2022-01-24 - 2022-01-31	46,820 mWh	48,870 mWh
2022-01-31 - 2022-02-07	46,715 mWh	48,870 mWh
2022-02-07 - 2022-02-14	46,315 mWh	48,870 mWh
2022-02-14 - 2022-02-21	47,630 mWh	48,870 mWh
2022-02-21 - 2022-05-12	45,320 mWh	48,870 mWh
2022-05-12 - 2022-05-16	45,060 mWh	48,870 mWh
2022-05-16 - 2022-05-23	44,930 mWh	48,870 mWh
2022-05-23 - 2022-05-30	45,271 mWh	48,870 mWh
2022-05-30 - 2022-06-06	45,186 mWh	48,870 mWh
2022-06-06 - 2022-06-13	45,266 mWh	48,870 mWh
2022-06-13 - 2022-06-20	45,190 mWh	48,870 mWh
2022-06-20 - 2022-06-27	45,190 mWh	48,870 mWh
2022-06-27 - 2022-07-04	44,906 mWh	48,870 mWh
2022-07-04 - 2022-07-11	42,702 mWh	48,870 mWh
2022-07-11 - 2022-07-18	44,326 mWh	48,870 mWh
2022-07-18 - 2022-07-25	44,243 mWh	48,870 mWh
2022-07-25 - 2022-08-01	43,810 mWh	48,870 mWh
2022-08-01 - 2022-08-08	43,810 mWh	48,870 mWh
2022-08-08 - 2022-08-15	43,736 mWh	48,870 mWh
2022-08-15 - 2022-08-22	41,652 mWh	48,870 mWh
2022-08-22 - 2022-08-29	43,320 mWh	48,870 mWh
2022-08-29 - 2022-09-05	42,705 mWh	48,870 mWh
2022-09-05 - 2022-09-12	43,407 mWh	48,870 mWh
2022-09-12 - 2022-09-19	42,813 mWh	48,870 mWh
2022-09-19 - 2022-09-26	42,629 mWh	48,870 mWh
2022-09-26 - 2022-10-03	42,270 mWh	48,870 mWh
2022-10-03 - 2022-10-10	42,574 mWh	48,870 mWh
2022-10-10 - 2022-10-17	42,522 mWh	48,870 mWh
2022-10-17 - 2022-10-24	41,443 mWh	48,870 mWh
2022-10-24 - 2022-10-31	42,603 mWh	48,870 mWh
2022-10-31 - 2022-11-07	42,590 mWh	48,870 mWh
2022-11-07 - 2022-11-14	42,777 mWh	48,870 mWh
2022-11-14 - 2022-11-21	41,690 mWh	48,870 mWh
2022-11-21 - 2022-11-28	41,690 mWh	48,870 mWh
2022-11-28 - 2022-12-05	42,764 mWh	48,870 mWh
2022-12-05 - 2022-12-12	43,220 mWh	48,870 mWh
2022-12-12 - 2022-12-19	43,304 mWh	48,870 mWh
2022-12-19 - 2022-12-27	42,527 mWh	48,870 mWh
2022-12-27 - 2023-01-03	42,484 mWh	48,870 mWh
2023-01-03 - 2023-01-09	41,740 mWh	48,870 mWh
2023-01-09 - 2023-01-16	42,312 mWh	48,870 mWh
2023-01-16 - 2023-01-23	42,640 mWh	48,870 mWh
2023-01-23 - 2023-01-30	41,590 mWh	48,870 mWh
2023-01-30 - 2023-02-06	41,836 mWh	48,870 mWh
2023-02-06 - 2023-02-13	41,282 mWh	48,870 mWh
2023-02-13 - 2023-02-20	40,540 mWh	48,870 mWh
2023-02-20 - 2023-02-27	41,524 mWh	48,870 mWh
2023-02-27 - 2023-03-06	41,570 mWh	48,870 mWh
2023-03-06 - 2023-03-13	41,710 mWh	48,870 mWh
2023-03-13 - 2023-03-20	43,586 mWh	48,870 mWh
2023-03-20 - 2023-03-27	43,420 mWh	48,870 mWh
2023-03-27 - 2023-04-03	43,420 mWh	48,870 mWh
2023-04-03 - 2023-04-10	41,144 mWh	48,870 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2023-04-10 - 2023-04-17	38,970 mWh	48,870 mWh
2023-04-17 - 2023-04-24	40,570 mWh	48,870 mWh
2023-04-24 - 2023-05-01	40,834 mWh	48,870 mWh
2023-05-01 - 2023-05-08	41,476 mWh	48,870 mWh
2023-05-08	41,480 mWh	48,870 mWh
2023-05-09	41,387 mWh	48,870 mWh
2023-05-10	41,340 mWh	48,870 mWh
2023-05-11	41,340 mWh	48,870 mWh
2023-05-12	41,340 mWh	48,870 mWh
2023-05-13	41,340 mWh	48,870 mWh
2023-05-14	41,340 mWh	48,870 mWh
2023-05-15	41,340 mWh	48,870 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2021-08-30 - 2021-09-06	3:41:11	138:39:14 12 % / 16 h	3:28:50	130:54:53 12 % / 16 h
2021-09-06 - 2021-09-13	4:41:32	612:19:34 3 % / 16 h	4:25:16	576:58:40 3 % / 16 h
2021-09-13 - 2021-09-20	-	-	-	-
2021-09-20 - 2021-09-27	2:56:13	207:29:05 8 % / 16 h	2:42:43	191:35:42 8 % / 16 h
2021-09-27 - 2021-10-04	-	-	-	-
2021-10-04 - 2021-10-11	3:03:01	174:51:30 9 % / 16 h	2:49:07	161:35:00 10 % / 16 h
2021-10-11 - 2021-10-18	2:51:31	234:21:35 7 % / 16 h	2:45:19	225:52:26 7 % / 16 h
2021-10-18 - 2021-10-25	3:07:00	112:35:45 14 % / 16 h	2:51:45	103:24:58 15 % / 16 h
2021-10-25 - 2021-11-01	4:56:23	291:47:52 5 % / 16 h	4:36:44	272:27:08 6 % / 16 h
2021-11-01 - 2021-11-08	4:36:40	273:54:26 6 % / 16 h	4:18:20	255:44:52 6 % / 16 h
2021-11-08 - 2021-11-15	3:53:28	203:58:10 8 % / 16 h	3:38:14	190:39:30 8 % / 16 h
2021-11-15 - 2021-11-22	3:07:43	177:06:37 9 % / 16 h	2:55:32	165:36:20 10 % / 16 h
2021-11-22 - 2021-11-29	3:31:52	203:48:10 8 % / 16 h	3:19:13	191:38:32 8 % / 16 h
2021-11-29 - 2021-12-06	3:34:33	188:30:39 8 % / 16 h	3:22:48	178:11:06 9 % / 16 h
2021-12-06 - 2021-12-13	3:19:55	122:16:27 13 % / 16 h	3:14:49	119:09:37 13 % / 16 h
2021-12-13 - 2021-12-20	4:40:32	169:44:33 9 % / 16 h	4:31:54	164:31:16 10 % / 16 h
2021-12-20 - 2021-12-29	2:30:26	231:21:49 7 % / 16 h	2:32:40	234:47:56 7 % / 16 h
2021-12-29 - 2022-01-03	2:30:04	29:26:28 54 % / 16 h	2:29:09	29:15:42 55 % / 16 h
2022-01-03 - 2022-01-10	2:24:09	-	2:29:21	-

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2022-01-10 - 2022-01-17	2:40:43	90:53:53 18 % / 16 h	2:48:23	95:13:33 17 % / 16 h
2022-01-17 - 2022-01-24	3:00:19	127:52:50 13 % / 16 h	3:07:49	133:12:04 12 % / 16 h
2022-01-24 - 2022-01-31	2:55:49	143:56:19 11 % / 16 h	3:03:30	150:14:27 11 % / 16 h
2022-01-31 - 2022-02-07	2:54:27	188:55:22 8 % / 16 h	3:02:30	197:38:17 8 % / 16 h
2022-02-07 - 2022-02-14	2:53:11	77:31:34 21 % / 16 h	3:02:45	81:48:11 20 % / 16 h
2022-02-14 - 2022-02-21	4:05:36	194:45:07 8 % / 16 h	4:12:00	199:49:19 8 % / 16 h
2022-02-21 - 2022-05-12	-	-	-	-
2022-05-12 - 2022-05-16	-	122:02:15 13 % / 16 h	-	132:21:22 12 % / 16 h
2022-05-16 - 2022-05-23	-	-	-	-
2022-05-23 - 2022-05-30	-	-	-	-
2022-05-30 - 2022-06-06	-	-	-	-
2022-06-06 - 2022-06-13	7:19:39	73:19:51 22 % / 16 h	7:54:39	79:10:10 20 % / 16 h
2022-06-13 - 2022-06-20	4:56:40	58:31:00 27 % / 16 h	5:20:49	63:16:55 25 % / 16 h
2022-06-20 - 2022-06-27	6:09:12	306:05:51 5 % / 16 h	6:39:16	331:01:27 5 % / 16 h
2022-06-27 - 2022-07-04	6:03:40	100:09:25 16 % / 16 h	6:35:46	108:59:54 15 % / 16 h
2022-07-04 - 2022-07-11	6:30:54	427:57:59 4 % / 16 h	7:27:21	489:46:59 3 % / 16 h
2022-07-11 - 2022-07-18	5:48:40	122:26:33 13 % / 16 h	6:24:24	134:59:41 12 % / 16 h
2022-07-18 - 2022-07-25	5:33:12	132:55:47 12 % / 16 h	6:08:03	146:49:54 11 % / 16 h
2022-07-25 - 2022-08-01	7:02:01	46:35:45 34 % / 16 h	7:50:46	51:58:40 31 % / 16 h
2022-08-01 - 2022-08-08	5:07:39	138:29:03 12 % / 16 h	5:43:11	154:28:44 10 % / 16 h
2022-08-08 - 2022-08-15	5:40:24	142:49:16 11 % / 16 h	6:20:21	159:35:11 10 % / 16 h
2022-08-15 - 2022-08-22	5:57:20	123:52:21 13 % / 16 h	6:59:16	145:20:20 11 % / 16 h
2022-08-22 - 2022-08-29	6:30:27	61:31:58 26 % / 16 h	7:20:28	69:24:58 23 % / 16 h
2022-08-29 - 2022-09-05	4:58:07	121:11:04 13 % / 16 h	5:41:09	138:40:44 12 % / 16 h
2022-09-05 - 2022-09-12	7:04:11	180:38:34 9 % / 16 h	7:57:34	203:22:40 8 % / 16 h
2022-09-12 - 2022-09-19	7:35:49	119:46:26 13 % / 16 h	8:40:18	136:43:08 12 % / 16 h
2022-09-19 - 2022-09-26	5:45:45	119:04:04 13 % / 16 h	6:36:22	136:29:59 12 % / 16 h
2022-09-26 - 2022-10-03	4:13:27	265:19:37 6 % / 16 h	4:53:01	306:45:17 5 % / 16 h
2022-10-03 - 2022-10-10	5:43:37	173:12:10 9 % / 16 h	6:34:26	198:49:00 8 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2022-10-10 - 2022-10-17	5:32:56	180:33:53 9 % / 16 h	6:22:39	207:31:14 8 % / 16 h
2022-10-17 - 2022-10-24	5:59:46	450:42:10 4 % / 16 h	7:04:15	531:28:24 3 % / 16 h
2022-10-24 - 2022-10-31	11:34:35	164:19:00 10 % / 16 h	13:16:45	188:29:17 8 % / 16 h
2022-10-31 - 2022-11-07	6:17:43	227:22:47 7 % / 16 h	7:13:25	260:54:27 6 % / 16 h
2022-11-07 - 2022-11-14	8:14:14	179:07:20 9 % / 16 h	9:24:38	204:38:09 8 % / 16 h
2022-11-14 - 2022-11-21	4:41:51	36:22:39 44 % / 16 h	5:30:23	42:38:34 38 % / 16 h
2022-11-21 - 2022-11-28	10:41:14	284:41:54 6 % / 16 h	12:31:40	333:43:49 5 % / 16 h
2022-11-28 - 2022-12-05	5:57:25	40:34:43 39 % / 16 h	6:48:28	46:22:21 35 % / 16 h
2022-12-05 - 2022-12-12	4:28:13	49:15:40 32 % / 16 h	5:03:17	55:42:03 29 % / 16 h
2022-12-12 - 2022-12-19	5:04:05	66:51:18 24 % / 16 h	5:43:10	75:26:53 21 % / 16 h
2022-12-19 - 2022-12-27	12:34:05	289:52:22 6 % / 16 h	14:26:33	333:06:29 5 % / 16 h
2022-12-27 - 2023-01-03	10:50:13	290:40:45 6 % / 16 h	12:27:57	334:22:21 5 % / 16 h
2023-01-03 - 2023-01-09	4:17:17	44:33:12 36 % / 16 h	5:01:14	52:09:50 31 % / 16 h
2023-01-09 - 2023-01-16	6:14:18	117:24:38 14 % / 16 h	7:12:19	135:36:29 12 % / 16 h
2023-01-16 - 2023-01-23	5:59:54	149:31:28 11 % / 16 h	6:52:29	171:22:15 9 % / 16 h
2023-01-23 - 2023-01-30	5:36:05	120:18:30 13 % / 16 h	6:34:55	141:22:02 11 % / 16 h
2023-01-30 - 2023-02-06	9:29:26	249:48:36 6 % / 16 h	11:05:10	291:48:41 5 % / 16 h
2023-02-06 - 2023-02-13	4:23:59	335:20:13 5 % / 16 h	5:12:30	396:58:30 4 % / 16 h
2023-02-13 - 2023-02-20	7:03:29	0:00:02 2880000 % / 16 h	8:30:31	0:00:02 2880000 % / 16 h
2023-02-20 - 2023-02-27	6:59:21	0:00:03 1920000 % / 16 h	8:13:32	0:00:04 1440000 % / 16 h
2023-02-27 - 2023-03-06	4:47:47	103:05:18 16 % / 16 h	5:38:19	121:11:29 13 % / 16 h
2023-03-06 - 2023-03-13	5:48:15	851:36:27 2 % / 16 h	6:48:02	997:47:44 2 % / 16 h
2023-03-13 - 2023-03-20	21:12:46	-	23:47:04	-
2023-03-20 - 2023-03-27	3:31:49	324:10:03 5 % / 16 h	3:58:24	364:51:23 4 % / 16 h
2023-03-27 - 2023-04-03	7:10:35	364:19:05 4 % / 16 h	8:04:37	410:02:47 4 % / 16 h
2023-04-03 - 2023-04-10	4:39:57	122:18:53 13 % / 16 h	5:32:31	145:16:58 11 % / 16 h
2023-04-10 - 2023-04-17	112128:27:44	245:53:32 7 % / 16 h	140613:45:10	308:21:33 5 % / 16 h
2023-04-17 - 2023-04-24	9:06:48	67:27:34 24 % / 16 h	10:58:41	81:15:39 20 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-04-24 - 2023-05-01	8:21:16	492:56:15 3 % / 16 h	9:59:55	589:56:45 3 % / 16 h
2023-05-01 - 2023-05-08	4:08:35	127:20:20 13 % / 16 h	4:52:54	150:02:24 11 % / 16 h
2023-05-08	4:10:14	121:03:25 13 % / 16 h	4:54:49	142:37:28 11 % / 16 h
2023-05-09	4:46:29	228:01:24 7 % / 16 h	5:38:17	269:15:04 6 % / 16 h
2023-05-10	3:08:59	2311:51:36 1 % / 16 h	3:43:24	2732:57:38 1 % / 16 h
2023-05-11	8:43:53	-	10:19:18	-
2023-05-12	4:57:32	241:11:46 7 % / 16 h	5:51:44	285:07:47 6 % / 16 h
2023-05-13	7:59:55	265:37:25 6 % / 16 h	9:27:20	314:00:24 5 % / 16 h
2023-05-14	3:55:18	101:03:29 16 % / 16 h	4:38:10	119:27:56 13 % / 16 h
2023-05-15	180:17:18	3750:19:44 - / 16 h	213:07:39	4433:26:39 - / 16 h

Current estimate of battery life based on all observed drains since OS install

Since OS install	1404:50:51	127:46:02 13 % / 16 h	1660:44:15	151:02:23 11 % / 16 h
------------------	------------	--------------------------	------------	--------------------------