

GSE246382 real data notebook reconstruction / parameter comparisons

All-gene PCA · same-mouse sequence ≥ 1
k=20, min_dist=0.4 | 487 points / 10 clusters




Trust=0.996; graph components=1

All-gene PCA · same-mouse VDJ ≥ 3
k=20, min_dist=0.4 | 49 points / 2 clusters




Trust=0.946; graph components=1

All-gene PCA · same-mouse VDJ ≥ 1
k=20, min_dist=0.4 | 377 points / 7 clusters




Trust=0.995; graph components=1

All-gene PCA · same-mouse VDJ ≥ 3
k=20, min_dist=0.4 | 52 points / 3 clusters




Trust=0.937; graph components=1

All-gene PCA · pooled VDJ (diagnostic) ≥ 1
k=20, min_dist=0.4 | 217 points / 5 clusters



Trust=0.991; graph components=2

All-gene PCA · pooled VDJ (diagnostic) ≥ 3
k=20, min_dist=0.4 | 44 points / 2 clusters



Trust=0.895; graph components=1

All-gene PCA · all IGH VDJ (diagnostic) ≥ 1
k=20, min_dist=0.4 | 240 points / 6 clusters



Trust=0.994; graph components=2

Pooled VDJ panels are historical diagnostics; they merge donors/junctions. Colours are Leiden clusters, not fate labels.