

clone2vec forced to ≥ 2 cells
Clonotrace forced to ≥ 2 cells
Clonotrace, published distance
Benisse ≥ 2 cells
Mean of the embedding
Cluster composition
Medoid cell (CoNGA's rule)
Control: Threadfin, other seeds
Gut GC reporter
GC-fate sort
lamina propria
IgA
IgG
V-region mutation
plasma cell (RNA)
RBD reporter
recently divided
RBD-bait+
dark-zone gate
IgG
V-region mutation
NP reporter
recently divided
W33L
IgG
V-region mutation
GC + plasma cells
plasma-cell sort
W33L
V-region mutation
Plasmodium d10-42
IgG
V-region mutation
GC B cell (RNA)
plasmablast (RNA)
Plasmodium d0-14
IgG
V-region mutation
GC B cell (RNA)
plasmablast (RNA)
Human LN vaccine
blood (vs lymph node)
spike binding
IgG
IgA
V-region mutation
days after vaccination
GC B cell (RNA)
Spontaneous GC
IgG
IgA
V-region mutation
Human COVID-19
IgG
IgA
LARRY d2
day-6 neutrophil fraction
day-6 monocyte fraction
day-6 neutrophil share
−0.4
0.0
0.4
5 better
10 worse
of 41
2 better
13 worse
of 41
2 better
25 worse
of 41
1 unresolved
3 better
22 worse
of 31
7 better
10 worse
of 41
1 better
25 worse
of 41
1 better
21 worse
of 41
8 better
5 worse
of 82
4 unresolved