Real-TunnelBench

Live proxy benchmark with Iran-focused analysis

Generated 2026-11-10 16:23 UTC

Every configuration of the source list was parsed, launched inside a real proxy core and measured. The report ranks the working ones, explains why they are expected to behave well for Iranian users and lists the reasons every other configuration failed.

20	1	1	92.1	583
TESTED	ALIVE	SELECTED	BEST Mbps	MEDIAN ms

Field	Value
Source	https://github.com/barry-far/V2ray-Config/blob/main/Splitted-By-Protocol/vless.txt
Format	plain text
Source size	1,729,824 bytes / 6372 lines
Parsed / duplicates	3125 unique / 2430 duplicates
Rejected	812
Runner	Linux 7.0.0-1017-azure (x86_64) on runnervm7aw5e
Proxy core	sing-box 1.14.4
Iran vantage points	globalping error: HTTP Error 400: Bad Request
Duration	60.3 s

Best configurations of this run

#	Name	Protocol	Endpoint	Latency	Speed	Iran score
1	■■ Join+Telegram:@Farah_VPN ■■	vless	wwww.qarvian.ir:443	583 ms	92.1 Mbps	76

1. What was done

The pipeline has six stages. Each stage is described in the table below; the raw numbers of every stage are reported in section 2.

Stage	Description
1. Fetch	The source URL is downloaded (plain text or base64 subscription) with a size limit and SSRF protection.
2. Parse	Every line is parsed into a typed configuration (vless, vmess, trojan, ss, hysteria2, tuic, socks, http) and deduplicated.
3. Validate	Each configuration is rendered into a sing-box outbound and checked by the core itself; invalid entries are dropped.
4. Measure	A sing-box instance exposes one SOCKS inbound per configuration. Latency, throughput and the exit address are measured through the tunnel.
5. Enrich	Entry addresses are geolocated and classified (Iranian host, Iranian CDN, Cloudflare, global CDN, datacenter).
6. Score	Performance, latency, stability and Iran affinity are combined into the final ranking.

2. Scoring model

Axis	Weight	Meaning
speed	50%	sustained download throughput (logarithmic, 50 Mbps = full score)
latency	20%	round trip time of a small request through the tunnel
iran	22%	Iran affinity: entry location, TLS/REALITY shape and Iranian vantage point results
stability	8%	jitter of the latency samples

3. Results overview

Metric	Value
Source lines	6372
Configurations parsed	3125
Duplicates removed	2430
Rejected by the parser / core	812
Configurations tested	20
Alive configurations	1
Passed the quality thresholds	1
Best download speed	92.06 Mbps
Median latency of alive configurations	583 ms

Protocol distribution

Protocol	Count	Share
vless	3125	100.0%

Transport distribution

Transport	Count	Share
tcp	1607	51.4%
ws	1262	40.4%
grpc	212	6.8%
httpupgrade	42	1.3%

Transport	Count	Share
http	2	0.1%

4. Ranking

The 1 configuration(s) below are the ones that are alive and match the quality thresholds (0.50 Mbps minimum speed, 2000 ms maximum latency).

#	Name	Proto	Endpoint	Latency	Speed	Iran	Score
1	■■ Join+Telegram:@Farah_VPN ■■	vless	wwww.qarvian.ir:443	583 ms	92.1	76	**86.2**

5. Throughput of the best configurations



6. Failure analysis

Failure category	Count	Share of the tested set
Proxy handshake failed	17	89.5%
Timed out	2	10.5%

Handshake failures are dominated by dead servers, wrong credentials and expired subscriptions; they are not a property of the protocol itself. Configurations that only failed on the certificate are measured a second time without the certificate verification, because a lot of public configurations rely on SNI fronting.

Reasons reported by the proxy core

Reason reported by the core	Count
TLS certificate does not match the requested server name	5
the entry server rejected the request (HTTP status mismatch)	2
context canceled	1
reality verification failed	1
the entry server aborted the TLS handshake	1

7. Iran affinity

Iran affinity combines where the entry server is hosted with the shape of the connection. REALITY with uTLS, TLS on a standard port and a CDN fronted entry point are the characteristics that survive Iranian DPI the most often. No Iranian

vantage point was reachable during this run, so the score is based on the static analysis only.

Entry class	Alive configurations	Share
Global CDN	1	100.0%

Why the best candidates score well for Iran

Endpoint	Iran score	Reasoning
wwww.qarvian.ir:443	76	entry class: global-cdn (44); Iranian domain (.ir); TLS encrypted; WS transport behind a CDN; standard HTTPS port 443

8. Limitations

• The measurement runs on a GitHub Actions runner outside Iran; the throughput therefore reflects the runner's network, not an Iranian one. Use the Iran affinity score and the Iranian vantage point results to judge the local experience.

• A configuration that is alive during the run can still be rate limited or blocked later; free public configurations expire quickly.

• Only the protocols supported by sing-box can be tested; unknown schemes are reported as rejected lines.

• The Iranian vantage points come from a public measurement network and are subject to its availability and rate limits.

Appendix A - every measured configuration

#	Name	Proto	Trans	Endpoint	Latency	Speed	Exit	Class	Score	Reason
1	■■ Join+Telegram:@Farah_VPN ■■	vless	ws	wwww.qarvian.ir:443	583	92.1	US	Global CDN	86.2	-
2	@VpnCostumer+|+■■■+■■+■■■+■■■…	vless	ws	snapp.ir:2087	-	-	-	Hosted inside Iran	26.8	the entry server aborted the TLS handshake
3	@VPsave	vless	tcp	nt.zynexoz.ir:2086	-	-	-	Hosted inside Iran	26.8	context canceled
4	MTN+ZULA+@vpnsal @vpnsal @vpn…	vless	grpc	www.zula.ir:443	-	-	-	Hosted inside Iran	26.8	
5	@prisonvpnc	vless	ws	24janebi.ir:2083	-	-	-	Cloudflare anycast	25.5	the entry server rejected the request (HTTP status mismatch)
6	■ @vistav2ray ■■■■■ ■■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
7	@appsooner ■■■■■ ■■■■■■ ■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
8	@nofiltering2	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
9	@V2rayNPVTConfig	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
10	■ @vistav2ray ■■■■■ ■■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
11	@VEGAAAS_VPN2■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
12	@Cnetvpn ■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	
13	■■ ■■■■■■ ■■■■■■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	TLS certificate does not match the requested server name

#	Name	Proto	Trans	Endpoint	Latency	Speed	Exit	Class	Score	Reason
14	■■ ■■■■■■■ | ■■■■■■■ ■■■ ■■■■…	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	TLS certificate does not match the requested server name
15	■■ @Nap_v2ray ■■	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	TLS certificate does not match the requested server name
16	@TEHRANARGO■-5	vless	ws	wwww.qarvian.ir:443	-	-	-	Global CDN	21.5	TLS certificate does not match the requested server name
17	❤■■■ ■■■■■ ■■■■■■ HiByeVPNN@	vless	ws	vxc.galardoxtn.ir:443	-	-	-	Global CDN	21.5	TLS certificate does not match the requested server name
18	■■@ai_duet	vless	ws	fast.cd-tur4.ir:443	-	-	-	Global CDN	21.5	the entry server rejected the request (HTTP status mismatch)
19	TEL:Father_vpn	vless	tcp	a.r-o-o-t3.ir:443	-	-	-	Global CDN	21.1	reality verification failed
20	vless-wwww.qarvian.ir:443	vless	tcp	wwww.qarvian.ir:443	-	-	-	Global CDN	19.8	

The machine readable version of this report (results.json) contains the untruncated URIs of every configuration together with all measurements.