

Lecture 9: Normal Approximation

Chapter 3.2

Goals for Today

- ▶ Discuss how to find %'iles for negative values of z
- ▶ Examples
- ▶ Evaluating how “normal” certain data are.

Solving Normal Questions

Whenever solving questions of this sort **ALWAYS** draw a rough picture first and keep in mind:

1. The normal distribution/curve is **symmetric**
2. The total area under the curve is 1

Normal Probability Tables

Alternatively, whereas

- ▶ table on P.409 gives areas to the left of positive values of z .
- ▶ table on P.408 gives areas to the left of negative values of z .

I'm only going to give you P.409 table for exams.

Speeding on I-5

The distribution of passenger vehicle speeds traveling on Interstate 5 Freeway (I-5) in California is nearly normal with a mean of 72.6 mph and a standard deviation of 4.78 mph.

- a) What percent of passenger vehicles travel slower than 80 mph?
- b) What percent of passenger vehicles travel between 60 and 80 mph?
- c) How fast to do the fastest 5% of passenger vehicles travel?
- d) The speed limit on this stretch of the I-5 is 70 mph.
Approximate what percentage of the passenger vehicles travel above the speed limit on this stretch of the I-5.

Speeding on I-5

a) What percent of passenger vehicles travel slower than 80 mph?

Speeding on I-5

b) What percent of passenger vehicles travel between 60 and 80 mph?

Speeding on I-5

c) How fast do the fastest 5% of passenger vehicles travel?

Speeding on I-5

d) The speed limit on this stretch of the I-5 is 70 mph.
Approximate what percentage of the passenger vehicles travel above the speed limit on this stretch of the I-5.

Switching Gears: Normal Approximation

Although we stated that many processes in the physical world look bell-shaped, i.e. roughly normal, we must keep in mind that this is an **approximation**.


Switching Gears: Normal Approximation

Although we stated that many processes in the physical world look bell-shaped, i.e. roughly normal, we must keep in mind that this is an **approximation**.

Question: How do we verify normality?

Normal Approximation

What about these ones? How well do the histograms fit to the normal curve?



Normal Probability Plots

Normal probability plots (AKA quantile-quantile plots AKA QQ-plots) are a method for visually displaying how well data fit a normal curve.

Normal Probability Plots

Normal probability plots (AKA quantile-quantile plots AKA QQ-plots) are a method for visually displaying how well data fit a normal curve.

The k^{th} $q - \text{quantile}$ is the value such that proportion $\frac{k}{q}$ of the observations fall below it. So

Normal Probability Plots

Normal probability plots (AKA quantile-quantile plots AKA QQ-plots) are a method for visually displaying how well data fit a normal curve.

The k^{th} q – *quantile* is the value such that proportion $\frac{k}{q}$ of the observations fall below it. So

- ▶ The 4-quantiles are the *quartiles*.

Normal Probability Plots

Normal probability plots (AKA quantile-quantile plots AKA QQ-plots) are a method for visually displaying how well data fit a normal curve.

The k^{th} q – *quantile* is the value such that proportion $\frac{k}{q}$ of the observations fall below it. So

- ▶ The 4-quantiles are the *quartiles*.
- ▶ The 100-quantiles are the *percentiles*.

Normal Probability Plots

A normal probability plot compares:

- ▶ The **observed** quantiles of a data set (on the y -axis)
- ▶ The **theoretical** quantiles that are **exactly** normal (on the x -axis)







Normal Probability Plots

A normal probability plot compares:

- ▶ The **observed** quantiles of a data set (on the y -axis)
- ▶ The **theoretical** quantiles that are **exactly** normal (on the x -axis)

The more “normal” the data is, the better the fit.

Normal Probability Plots



Next Time

- ▶ Introduce some of the more useful other distributions:
Bernoulli, Geometric, Binomial, and Poisson