



## USER & REFERENCE GUIDE

# ArbiSmart Complete Guide

Staking, referrals, portfolio, governance and security — everything the platform does, written against the deployed contract rather than marketing copy.

---

|                      |                                                       |
|----------------------|-------------------------------------------------------|
| <b>Network</b>       | Polygon mainnet (chain id 137)                        |
| <b>Contract</b>      | 0x1Eb07993f2842dc9BB0B69dADE1d033324246768            |
| <b>Site</b>          | <a href="https://arbhub.site">https://arbhub.site</a> |
| <b>Document date</b> | July 2026                                             |

Exact bytecode match — Sourcify

Verified — Blockscout



# Contents

|           |                                            |    |
|-----------|--------------------------------------------|----|
| <b>1</b>  | What ArbiSmart is                          | 4  |
| <b>2</b>  | Before you start                           | 5  |
| <b>3</b>  | Connecting a wallet                        | 6  |
| <b>4</b>  | Staking plans                              | 6  |
| <b>5</b>  | Opening and managing a position            | 8  |
| <b>6</b>  | Claiming rewards                           | 9  |
| <b>7</b>  | The referral programme                     | 10 |
| <b>8</b>  | Leaving early                              | 11 |
| <b>9</b>  | The Portfolio page                         | 12 |
| <b>10</b> | Security: what the owner can and cannot do | 14 |
| <b>11</b> | Partner governance                         | 15 |
| <b>12</b> | Activity feed & verifying on-chain         | 17 |
| <b>13</b> | Contract & deployment reference            | 17 |
| <b>14</b> | Known limitations — read this              | 18 |
| <b>15</b> | FAQ                                        | 19 |
| <b>16</b> | Glossary                                   | 20 |

# What ArbiSmart is

---

ArbiSmart is a fixed-rate staking and referral platform running on a single, non-upgradeable smart contract on Polygon. You deposit USDT, it accrues a daily rate that depends on how much you staked, and you can claim or exit whenever you choose.

Everything that matters — your balance, your yield, the referral tree, the rules for pausing or freezing the protocol — lives in the contract, not on a server. The website at **arbhub.site** is a window onto that contract: it reads state directly from Polygon and writes transactions that you sign yourself. Nobody at ArbiSmart can edit your balance, and nobody can process a withdrawal on your behalf.

## What this guide is (and isn't)

This is a manual for using the site and a plain-language explanation of what the contract does. It is not financial advice, and it does not promise any return. Where the numbers in this guide could go stale — how many partners are registered, whether the protocol is paused — the guide tells you which live page to check instead of trusting the printed page.

## The three things that make this different from a typical staking site

### No owner withdrawal path

There is no function anywhere in the contract that sends staked principal to a wallet. The only transfers out are to the staker who earned them, two fixed fee wallets, and a capped performance fee.

### A vote can override the owner

Up to four partners can vote alongside the owner. Three of them can freeze the protocol and open no-penalty withdrawals over the owner's objection — see Section 11.

### You can always leave

Early exit needs no one's permission, at any time, for any reason. The only cost is a penalty that shrinks the longer you've stayed — see Section 8.

### The source is public

The deployed bytecode has been matched, byte for byte, against the source in this repository — see Section 13 for the verification links.

## SECTION 2

# Before you start

---

Four things you need before you can stake: a wallet, some POL for gas, USDT to stake, and the correct network selected.

## 2.1 A wallet

Any wallet that supports Polygon works: MetaMask, Trust Wallet, Rainbow, Coinbase Wallet, or anything that speaks WalletConnect. If you don't have one yet, MetaMask (browser extension or mobile app) is the most common starting point — install it from [metamask.io](https://metamask.io), create a new wallet, and **write down your recovery phrase somewhere offline**. Nobody, including ArbiSmart, can recover it for you if you lose it, and nobody legitimate will ever ask you for it.

## 2.2 POL for gas

Every transaction on Polygon — staking, claiming, exiting — costs a small amount of POL (Polygon's native gas token), typically a fraction of a cent to a few cents depending on network congestion. You need some POL in your wallet before you can do anything else. It is bought on almost any exchange and withdrawn to your wallet address on the Polygon network.

## 2.3 USDT on Polygon

The platform's collateral is Tether (USDT) on Polygon — not Ethereum USDT, not USDC. If you send the wrong network's USDT to your wallet it will not appear correctly and may be difficult to recover. When withdrawing from an exchange, explicitly choose the **Polygon** (sometimes labelled MATIC or POL) network for USDT.

### Double-check the network before sending funds

Sending USDT on the wrong network (Ethereum, BNB Chain, Tron, etc.) to a Polygon address is a common and often irreversible mistake. If in doubt, send a small test amount first.

## 2.4 Selecting Polygon in your wallet

The site prompts your wallet to switch networks automatically when you connect, but if you land on the site with the wrong network already selected, switch manually: open your wallet, find the network selector, and choose **Polygon** (chain ID 137). If Polygon isn't listed, most wallets let you add it automatically the first time a site requests it.

## SECTION 3

# Connecting a wallet

---

### 1 Open the site.

Go to <https://arbhub.site> and click

#### **Connect Wallet**

in the top-right corner of any page.

### 2 Choose your wallet.

A panel lists the available options — MetaMask, Trust Wallet, Rainbow, Coinbase Wallet, and WalletConnect (which lets a mobile wallet connect by scanning a QR code), plus any browser-injected wallet under "Other."

### 3 Approve the connection in your wallet.

Your wallet app or extension will ask you to confirm the connection and, if needed, switch to the Polygon network. Approve both.

### 4 Confirm you're connected.

The button in the top-right now shows a shortened version of your address and, on supported wallets, your network icon. You can open `/dashboard` or `/portfolio` once this is done.

#### **Connecting never asks for your recovery phrase**

A wallet connection only ever shares your public address and asks you to approve individual transactions. If any page or pop-up asks for your seed phrase or private key, close it — that is not how this site, or any legitimate wallet integration, works.

## 3.1 If only MetaMask appears

The list of wallets depends on a WalletConnect configuration on the server. If mobile wallets or WalletConnect's QR option are missing, only browser-extension wallets will connect — this is a server configuration matter, not something wrong with your wallet.

## SECTION 4

# Staking plans

---

Your plan is chosen automatically from the amount you stake — there is no separate plan-selection step. Four tiers exist, each with its own daily rate and fixed term.

| Plan            | Minimum     | Daily rate | Term     | Gross over term* |
|-----------------|-------------|------------|----------|------------------|
| <b>Starter</b>  | 10 USDT     | 1.20%      | 180 days | 216%             |
| <b>Growth</b>   | 500 USDT    | 1.80%      | 150 days | 270%             |
| <b>Advanced</b> | 2,500 USDT  | 2.40%      | 120 days | 288%             |
| <b>Elite</b>    | 10,000 USDT | 3.00%      | 90 days  | 270%             |

\* Gross figures are the daily rate multiplied by the full term, before the 10% fee applied to every claim (Section 6). They are contract parameters, not a forecast — see Section 14.

## 4.1 How the plan is chosen and changed

- Staking 2,500 USDT places you directly in **Advanced**; there is no need to start at Starter and work up.
- The overall staking limits are a **10 USDT minimum** and a **25,000 USDT maximum** per position.
- Adding funds to an existing position (Section 5.2) can push you into a higher tier. The site shows an **Upgrade plan** action when your balance already qualifies for a better rate; upgrading is a separate, explicit transaction — it does not happen automatically.
- Rewards accrue continuously (per second) at whatever rate your plan currently carries, and stop accruing once the plan's term has fully elapsed. Claiming after the term ends still pays out whatever accrued before it stopped.

## 4.2 The free-stake window

For the first 24 hours after the contract was deployed, a stake had to be exactly 10 USDT and was recorded as a "free" position. That window is a one-time, non-renewable event tied to the contract's deployment timestamp — it cannot be reopened, extended, or repeated, by the owner or anyone else. If you are reading this after that window, ignore it; new stakes simply go through the normal plans above.

### Free positions can't be topped up or upgraded

A position opened during the free window is fixed at 10 USDT for its whole term. To use a larger amount, exit that position (Section 8) and open a new, regular stake.

# Opening and managing a position

---

## 5.1 Opening a stake

### 1 Go to the Dashboard.

With your wallet connected, open /dashboard. If you have no active position, you'll see an **Open a position** panel.

### 2 Enter an amount.

Type the USDT amount, or use one of the plan shortcut buttons to fill in that plan's minimum. The panel shows which plan you'll land in, its daily rate, term, and projected gross yield as you type.

### 3 Add a referrer (optional).

If someone referred you, paste their wallet address, or simply open your referral link (Section 7) beforehand and it fills in automatically.

### 4 Approve USDT.

The first time, or whenever the contract isn't yet allowed to move that amount, click **Approve** and confirm the transaction in your wallet. This is a standard ERC-20 step, separate from staking itself, and only needs repeating if you want to stake more than you've already approved.

### 5 Stake.

Once approved, click **Stake**

and confirm in your wallet. Your position becomes active as soon as the transaction confirms.

## 5.2 Topping up

With an active (non-free) position, the **Manage position** panel lets you add funds: enter an amount (10 USDT minimum per top-up, 25,000 USDT total maximum), approve if needed, and confirm. Your rate stays the same until you separately choose to upgrade (Section 4.1).



## 5.3 Reading your position

The Dashboard's position card and the [Portfolio page](#) (Section 9) both show: staked principal, current daily rate, term progress as a bar with days elapsed, total already claimed, and — on Portfolio — a live figure for what has accrued since your last claim.

## SECTION 6

# Claiming rewards

---

Yield accrues automatically; nothing is paid out until you claim it.

### 1 Check what's claimable.

The Dashboard's

#### Yield rewards

panel and the Portfolio page both show the amount currently claimable, updated live.

### 2 Click Claim.

Confirm the transaction in your wallet.

### 3 Receive your share.

A fixed

#### 10% fee

is deducted (split as 7.5% and 2.5% between two protocol fee wallets) and the remaining 90% is sent to you in the same transaction.

#### Where the fee goes

This 10% claim fee is separate from any arbitrage performance fee (Section 13) — it applies to every yield claim regardless of what the protocol's own trading activity does. It also funds the referral programme: referral payouts (Section 7) come out of this fee pool, never out of your principal or your own yield.

## 6.1 Claiming referral rewards

Referral earnings accrue separately from staking yield and are claimed with their own button, either on the Dashboard's **Referral rewards** panel or on the Portfolio page. There is no fee deducted a second time on a referral claim — the fee was already taken when your referral claimed their own yield.

## 6.2 If a claim fails

A claim reverts (does nothing, and refunds your gas minus the small amount actually spent) if there is genuinely nothing to claim yet, if the protocol is paused (Section 10), or if your address has been blocked from claims specifically (Section 10.3). The interface disables the Claim button when it already knows a claim would fail, but a wallet-level rejection can still surface the underlying reason.

## SECTION 7

# The referral programme

Refer other stakers and earn a share of the protocol's fee on their claims — for as long as their stake stays active. Nothing is ever deducted from the person you referred; their principal and their own yield are untouched.

## 7.1 How referral levels work

Your level is determined by two things together: how many **active** referrals you have, and how much you personally have staked. Levels unlock higher payout percentages on three tiers of your network: your direct referrals (F1), their referrals (F2), and — from Silver upward — their referrals in turn (F3).

| Level    | Requirement                        | Direct (F1) | Second (F2) | Third (F3) |
|----------|------------------------------------|-------------|-------------|------------|
| Base     | Any active stake                   | 8%          | 4%          | —          |
| Silver   | 5 referrals + 500 USDT staked      | 12%         | 6%          | 2%         |
| Gold     | 25 referrals + 2,500 USDT staked   | 15%         | 8%          | 4%         |
| Platinum | 100 referrals + 10,000 USDT staked | 20%         | 10%         | 5%         |

Percentages are a share of the referred user's claim fee, not of their principal. Your level is recalculated automatically as your stake and active-referral count change.

## 7.2 Sharing your referral link

The Dashboard and Portfolio pages both show your personal referral link (your wallet address embedded in a URL). Anyone who opens it and stakes has you pre-filled as their referrer — they can still change it before confirming. You can also give someone your raw wallet address to paste into the "Referrer" field manually.

## 7.3 Your team

The Dashboard's **Your team** table lists your direct (F1) referrals with their current plan and staked amount, and the Portfolio/Dashboard referral panels show your total team volume across F1 and F2. This lets you see your network's activity without needing anyone's permission or private data — it's all public on-chain information, just organised for you.

### Referral status can never be gamed against you

A referral relationship is set once, the first time someone stakes with your link, and cannot be reassigned by anyone — not even the contract owner.

## SECTION 8

# Leaving early

You never need anyone's permission to exit. The only cost is a penalty on principal that shrinks the longer you've held the position.

| Time held     | Penalty on principal |
|---------------|----------------------|
| Week 1        | 50%                  |
| Week 2        | 40%                  |
| Week 3        | 30%                  |
| Week 4        | 20%                  |
| Week 5 onward | 10%                  |

### Unclaimed yield is forfeited on exit

Early exit returns your principal minus the penalty above — it does not also pay out yield you haven't claimed yet. Claim first (Section 6), then exit, if you want both.

1

#### Open the Exit panel

on the Dashboard. It shows your principal, the exact penalty for your current week, and what you'll receive.

**2****Click Exit early**

, then confirm the on-screen summary — this second step exists specifically so you don't exit by accident.

**3****Confirm the transaction**

in your wallet. Funds arrive in the same transaction; there is no waiting period for a normal early exit.

## 8.1 Free-stake positions

A position opened during the free window (Section 4.2) exits the same way, but since it never involved a real deposit into the paid tiers, no principal penalty applies to it in the same sense — it simply closes.

## 8.2 Exiting during a pause or blacklist

Early exit is deliberately **not** blocked by pausing the protocol or by being on the blacklist (Section 10.3) — those controls can stop new stakes and claims, but neither can trap your principal. The one situation where a different, no-penalty path applies is covered next.

## 8.3 Emergency withdrawal

If the protocol enters emergency mode (Section 11) or has been paused for 30 continuous days without emergency mode being triggered, a separate **Emergency withdrawal** action appears wherever the Exit panel would normally be. It returns 100% of your principal with **no penalty**. See Section 11 for exactly when this opens.

## SECTION 9

# The Portfolio page

---

`/portfolio` is the single place to see everything about your account: headline numbers, position detail, an earnings chart, and your full transaction history — all read from the chain, nothing simulated.

## 9.1 Headline figures

### Claimable now

Staking yield plus referral rewards, combined, ready to withdraw this instant.

### Staked principal

Your current position size, plan, and daily rate.

### Total earned

Everything you have ever claimed, from both sources, added together.

### Team volume

Combined staked amount across your F1 and F2 referrals, and your active referral count.

## 9.2 Position detail

A single-row table gives the exact numbers behind your position: plan, principal, daily rate, a progress bar showing days elapsed against the plan's term, total already claimed, and the amount that has accrued since your last claim (which is not the same as "total earned" — that figure only includes what you've actually withdrawn).

## 9.3 Earnings over time

A chart plots two lines — cumulative staking yield and cumulative referral earnings — built entirely from your own on-chain claim events. Hovering shows the exact figures and the date for any point. If you have fewer than two claims yet, the chart shows a note instead of an empty plot; it fills in as you claim.

## 9.4 Transaction history

Every action you've taken — staking, topping up, upgrading, claiming, exiting — is listed with a description, timestamp, amount, and a direct link to the transaction on the block explorer, so you (or anyone) can independently verify it happened exactly as shown.

### Why some RPC providers show less history

Reading years of history from a public blockchain node is not always free or unlimited. Some free RPC endpoints only serve a short recent window of activity rather than the full history; when that happens, the page says so explicitly rather than silently showing an incomplete history as if it were complete.

## Security: what the owner can and cannot do

Most staking platforms answer this question with a promise. Here, every claim below can be checked directly against the verified source (Section 13).

### 10.1 What the owner can do

| Action                               | Bound                                                                                                                             |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Collect protocol fees                | Fixed 10% of every claim, plus a capped share of realized arbitrage profit (max 20%). This is the business model, not a loophole. |
| Deploy pooled funds toward arbitrage | At most 20% of total assets plus realized profit, cumulatively — funds convert into contract-held positions, never a wallet.      |
| Pause the protocol                   | Suspends new stakes and claims. Early exit stays open the entire time (Section 8.2).                                              |
| Blacklist an address                 | Blocks new stakes and claims for that address only. Cannot block exit or emergency withdrawal.                                    |

### 10.2 What the owner cannot do

| Action                                      | Why not                                                                                                                                 |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Withdraw staked principal to a wallet       | No such function exists anywhere in the contract.                                                                                       |
| Bill your principal as "profit"             | The performance fee is calculated strictly on the surplus recovered above tracked principal, retired only by amounts actually returned. |
| Sweep the pool without partners and a delay | A fund rescue needs 3 of up to 5 votes plus a mandatory 7-day on-chain delay (Section 11.2).                                            |
| Override a partner vote                     | The owner holds exactly one vote, cannot unpause during emergency mode, and cannot alter the partner registry while a vote is live.     |

### 10.3 Blacklisting, precisely

A blacklisted address is blocked from: opening a new stake, topping up, upgrading a plan, and claiming yield or referral rewards. It is **not** blocked from early exit or emergency withdrawal — your principal can never be permanently frozen this way. The one genuine cost of being blacklisted is that yield already accrued but not yet claimed becomes inaccessible until the block is lifted.

### 10.4 Pausing, precisely

Pausing suspends staking, topping up, upgrading, and claiming. It does not touch early exit. If the protocol stays paused for 30 continuous days without emergency mode being separately triggered, emergency withdrawal (Section 8.3) opens automatically as a backstop against indefinite inaction.

## SECTION 11

# Partner governance

---

A registry of up to four partners forms a voting body together with the owner — up to five voters in total. Any three of them can act, regardless of what the other two want.

### 11.1 The emergency vote

Three votes flip the protocol into **emergency mode**: it pauses immediately, blocks new arbitrage deployments, and — after a fixed two-day delay from the moment quorum was reached — opens emergency withdrawal (Section 8.3) for every staker, with no penalty. The owner holds one of up to five votes and cannot single-handedly cause or block this outcome.

#### 1 MOMENT QUORUM IS REACHED Emergency mode activates

The protocol pauses immediately. New arbitrage deployments stop. The countdown to withdrawal begins.

#### 2 +2 DAYS Emergency withdrawal opens

Every staker can withdraw their full principal, no penalty, no permission needed from anyone.

Votes can be revoked by the voter who cast them at any point before the two-day delay elapses; once withdrawal has opened, the vote can no longer be revoked, so the escape hatch cannot be closed after the fact. If enough votes are revoked that the tally drops below three before the delay elapses, emergency mode is automatically cancelled (the protocol stays paused until the owner separately unpauses it).

## 11.2 The rescue vote

A second, separate vote exists for a genuine last-resort scenario: sweeping whatever collateral remains to a pre-designated **recovery wallet**. It also needs three of up to five votes, and — critically — a mandatory **seven-day** delay from the moment quorum is reached before it can execute. That is five full days longer than the emergency withdrawal delay above, by design.

1

DAY 0

### Quorum reached

Three votes arm the rescue. The recovery wallet address is now frozen — it cannot be changed while any rescue vote is outstanding.

2

DAY 2

### Stakers' own withdrawal opens

Because arming a rescue also satisfies emergency conditions, individual no-penalty withdrawal is available five days before any sweep could happen.

3

DAY 7

### Earliest possible sweep

Only now can the rescue execute, and only to the wallet frozen on day 0.

A rescue vote can be revoked at any point right up until the sweep actually executes — there is no equivalent of the emergency vote's "irrevocable after opening" rule, because there is nothing time-sensitive to protect once stakers already have their own exit open.

## 11.3 Watching governance live

The `/partners` page shows, in real time: current vote tallies for both mechanisms, every member of the voting body and whether each has voted, the recovery wallet address, and any live countdown. If you are ever unsure whether a partner registry exists or how many votes are needed right now, this page — not this document — is the source of truth.

### A vote with no registered partners has no teeth

This entire mechanism depends on partners actually being registered by the owner. A voting body of one (the owner alone) cannot reach the three-vote threshold by itself. Check `/partners` to see the current registry before relying on this protection.



## SECTION 12

# Activity feed & verifying on-chain

/activity shows a protocol-wide, filterable feed of every tracked event — stakes, claims, exits, governance votes, arbitrage actions — decoded directly from on-chain logs, with a link to the underlying transaction on every row.

Nothing on this page is written by a server that could be wrong or manipulated; it is a direct read of what the contract itself emitted. Use it to confirm protocol-wide activity, or use the Portfolio page (Section 9.4) for a version scoped to your own address.

### Staking filter

Stakes, top-ups, upgrades, claims, referral claims, exits, emergency withdrawals.

### Governance filter

Partner changes, emergency and rescue votes, activations and cancellations.

## SECTION 13

# Contract & deployment reference

|                  |                                                                                          |
|------------------|------------------------------------------------------------------------------------------|
| Network          | Polygon mainnet, chain ID 137                                                            |
| Contract address | 0x1Eb07993f2842dc9BB0B69dADE1d033324246768                                               |
| Collateral token | Tether on Polygon (on-chain symbol USDT0),<br>0xc2132D05D31c914a87C6611C10748AEb04B58e8F |
| Site             | <a href="https://arbhub.site">https://arbhub.site</a>                                    |

## 13.1 Verification — read the actual source

The deployed bytecode has been checked against this repository's source with an **exact match** on both creation and runtime code, on two independent services:

- **Sourcify:** [repo.sourcify.dev/137/0x1Eb07993f2842dc9BB0B69dADE1d033324246768](https://repo.sourcify.dev/137/0x1Eb07993f2842dc9BB0B69dADE1d033324246768)
- **Blockscout:** [polygon.blockscout.com/address/0x1Eb07993f2842dc9BB0B69dADE1d033324246768](https://polygon.blockscout.com/address/0x1Eb07993f2842dc9BB0B69dADE1d033324246768)

PolygonScan verification is pending an API key at the time of writing; check the site footer for the current status.

## 13.2 Testing, if you want to check the claims yourself

The full source, the Foundry test suite (76 tests, including 8 invariant properties run across 128,000 randomized calls each), and the frontend are public in the project's GitHub repository. Anyone technical enough to read Solidity can clone it, run `forge test`, and see the same results claimed in this guide.

### SECTION 14

## Known limitations — read this

---

A guide that only lists strengths is marketing. These are stated plainly because they materially affect what you should expect.

### **Daily rates are fixed contract parameters, not a guaranteed yield**

The 1.2%–3.0% daily rates in Section 4 are hard-coded and cannot be changed post-deployment — there is no owner function to adjust them. That means they also cannot be reduced if conditions change, but it equally means nothing backs them beyond the collateral actually in the pool. This document, and the site itself, make no claim that these rates are sustainable indefinitely.

### **The arbitrage engine cannot interact with real Polymarket markets on this deployment**

The contract's collateral is USDT, but Polymarket's markets are collateralized in USDC.e — a different token. This has no effect on staking, referrals, claiming, or exiting, which all work exactly as described. It means the owner-operated arbitrage functions (splitting, merging, and redeeming Polymarket positions) cannot be used to generate real trading profit on this specific deployment, regardless of what the contract's code is capable of in principle.

### **The owner is currently a single key, not a multisig**

The contract accepts a Gnosis Safe or a timelock contract as its owner with no code changes required, which would be a meaningfully stronger setup. The partner-voting mechanism (Section 11) is the mitigation currently in place for a single-key owner — but see the next point.

### **Check the live partner registry before relying on the 3-of-5 protection**

The three-vote override described in Section 11 only has force once partners are actually registered. Visit `/partners` for the current, real-time count rather than assuming it matches any number in this document.

### **Order-book arbitrage was never autonomous, by design**

Polymarket's own trading exchange is restricted to addresses Polymarket itself authorizes; this contract was never granted that role and cannot place order-book trades. The functions it does have only split, merge, and redeem already-resolved positions — genuinely autonomous, but a narrower capability than continuous buy-low/sell-high arbitrage would require.

### **Blacklisting can cost you accrued, unclaimed yield**

Your principal is always recoverable (Section 10.3), but yield you haven't claimed yet becomes temporarily inaccessible while an address is blocked. Claim regularly if this is a concern.

## **SECTION 15**

# **FAQ**

---

### **Is my principal safe?**

There is no function that lets the owner withdraw staked principal to a wallet, and early exit is never blockable. That is not the same as saying returns are guaranteed — see Section 14.

### **What happens if I need my money before the term ends?**

Use Early Exit (Section 8) at any time. You'll receive your principal minus a penalty that shrinks weekly, with no need to ask anyone's permission.

### **Can the owner take my staked funds?**

No function in the contract sends staked principal to any wallet, including the owner's. See Section 10 for the complete list of what the owner actually can and cannot do.

### **What happens in an "emergency"?**

If three of the voting body's members agree something is wrong, the protocol pauses and, two days later, every staker can withdraw their full principal with no penalty. See Section 11.1.

### **Where do referral rewards actually come from?**

From the protocol's own fee share on your referral's claims — never deducted from their principal or their yield. See Section 7.

### **Which wallets can I use?**

MetaMask always works. Trust Wallet, Rainbow, Coinbase Wallet, and mobile QR connection depend on a server-side configuration — see Section 3.1 if only MetaMask appears.

### **What fees will I pay?**

Small POL gas fees for each transaction, and a fixed 10% fee deducted automatically from each yield claim (Section 6). There is no separate deposit or withdrawal fee.

### **Who verifies that the contract does what this guide says?**

Anyone can, independently — see Section 13 for the exact verification links and how to run the test suite yourself.

### **Is this guide always accurate?**

The mechanics described here are fixed in the contract and cannot change. Live figures — partner count, pause state, current votes — can change, and the guide points you to the relevant page (Section 11.3, Section 12) rather than asking you to trust a printed number.

## **SECTION 16**

# **Glossary**

---

### **Wallet**

Software (browser extension, mobile app, or hardware device) that holds your private keys and lets you sign transactions. ArbiSmart never has access to it.

### **Private key / recovery phrase**

The secret that controls a wallet. Never share it with anyone or any website, including this one.

### **Gas**

The fee paid to the network to process a transaction, denominated in the network's native token (POL on Polygon).

### **POL**

Polygon's native gas token, needed for every transaction on the network.

### **Smart contract**

Code deployed permanently to a blockchain that runs exactly as written, with no server behind it that could be edited after the fact.

### **Immutable**

A value set once, at deployment, that no function in the contract can ever change afterward.

### **Principal**

The amount you originally staked, as distinct from the yield it has earned.

### **Yield**

Rewards accrued on your principal at your plan's daily rate.

### **Basis points (bps)**

A hundredth of a percent; 100 bps = 1%. Used in the contract for precise fee and rate figures.

### **Multisig**

A wallet that requires multiple independent approvals before it can act — stronger than a single key, because no one person can act alone.

### **Referral tree / F1, F2, F3**

F1 is who you referred directly; F2 is who they referred; F3 is who those people referred. Section 7 has the exact payout percentages per level.

### **Verified source / exact bytecode match**

Independent confirmation that the code deployed on-chain is, byte for byte, the same code published in the public repository — see Section 13.

---

This document describes the ArbiSmart smart contract and interface as deployed at the address in Section 13, and is provided for informational purposes only. It is not financial, legal, or investment advice, and nothing in it constitutes a guarantee of any return. Cryptocurrency staking carries risk, including the risk of losing some or all of the value deposited. Always verify contract addresses and transaction details in your own wallet before confirming, and consult the live pages referenced throughout ([/security](#), [/partners](#), [/activity](#)) for current, authoritative state rather than relying solely on this document.