Aegis-SOC: Complete Project Dossier

Rudra Pratap

Contents

Aegis-SOC — Complete Project Dossier **1**
1. Identity . . . 1
2. The problem it solves . . . 2
3. Architecture . . . 2
4. Detection coverage (13 rules) . . . 2
5. Measured results . . . 3
6. The AI threat model (the distinguishing contribution) . . . 3
7. Security assurance . . . 4
8. CI/CD . . . 4
9. API surface . . . 5
10. Limitations (stated, not discovered) . . . 5
11. Future work . . . 5
12. Repository map . . . 6
13. Reproduce everything . . . 6

Aegis-SOC — Complete Project Dossier

One-page reference for everything: what it is, how it works, what it measured, what it costs, and where each claim is evidenced. Deep detail lives in `REPORT.md` (architecture + evaluation) and `SECURITY-CICD-REPORT.md` (pipeline + security + resources).

---


1. Identity

Field	Value
Project	Aegis-SOC — cloud-native, AI-assisted security operations platform
Course	Advanced Cloud Computing (ECC 6103 / EAI 6304 / EAS 6304 / ESD 6304 / MCA20-E304C / ECS 6302)
Author	Rudra Pratap — M.Tech, Semester 3
Repository	`github.com/Rhack-INDIA/aegis-soc`
Live demo	`http://3.106.151.93` (AWS EC2 `t3.micro`, ~$7.60/month)
Container image	`ghcr.io/rhack-india/aegis-soc:latest` (public)
Stack	Python 3.12 · FastAPI · Pydantic · Docker · SQLite/Firestore · GitHub Actions
Recurring cost	**$0** on the Cloud Run reference design · **~$7.60/month** on the EC2 demo instance

2. The problem it solves

A SOC runs a four-step loop: collect telemetry, detect behaviour, triage what fired, respond. Alert volume grows faster than analyst headcount, and commercial SIEM pricing scales with gigabytes ingested rather than with risk. The project asks: **what is the largest credible SOC that fits in a $0 cloud budget, and what does that constraint force?**

3. Architecture



Layer	Implementation	Decision it encodes
Ingest	`POST /ingest` → 11-field ECS-lite subset, allow-list filter	Ground-truth labels cannot leak into detection
Detect (rules)	13 rules mapped to ATT&CK, 2 stateful (failure windows)	Precision + explainability
Detect (anomaly)	4-feature statistical baseline trained only on benign traffic	Catches behaviour with no signature
Fusion	One alert per distinct technique	The bug that lost a technique when only the top-severity match was emitted
Triage	LLM → Pydantic-validated JSON (verdict, severity, technique, confidence, narrative, action)	Prose, not authority
Policy gate	severity ≥ HIGH · score ≥ 0.80 · rule match · source IP present	The model cannot authorise containment
Store	SQLite locally, Firestore on Cloud Run (pluggable)	Cloud Run is ephemeral; alerts must survive
Console	Single-page, no build step, served by the same container	Demonstrable in 90 seconds

4. Detection coverage (13 rules)

Rule	Detection	ATT&CK	Severity
R001	SSH brute force from one source (≥5 failures / 120 s)	T1110	high
R002	Successful login after ≥5 failures	T1078	critical
R003	Local account creation	T1136.001	high
R004	`authorized_keys` modification	T1098.004	critical
R005	Cron persistence	T1053.003	medium

Rule	Detection	ATT&CK	Severity
R006	Reverse shell patterns	T1059.004	critical
R007	base64 payload piped to shell	T1140	high
R008	Log tampering	T1070.002	high
R009	Sudoers modification	T1548.003	critical
R010	`/etc/shadow` access	T1003.008	high
R011	Web traversal / injection	T1190	medium
R012	Download-and-execute	T1105	high
R013	Archive staging	T1560	medium

RAG corpus holds 14 ATT&CK techniques with descriptions and mitigations; retrieval is IDF-weighted term overlap (no embeddings — PyTorch would exceed the 0.5 GB image budget).

---

5. Measured results

Corpus: 624 events — 600 benign, 18 attack, 6 evasion — across 13 techniques. Regenerate with `python scripts/eval.py`.

Metric	Value	Meaning
Technique recall	**13/13 (1.000)**	Pipeline correctness — circular, see next row
Precision / F1	1.000 / 1.000	15 TP alerts, 0 false positives on benign replay
Evasion attribution	**1/6 (0.167)**	The honest ceiling of signature detection
Prompt-injection ASR	**58.3% → 0.0%**	Undefended → defences D1–D5 (12 payloads)
Throughput	**411.7 rps**, 0.0% errors	20 concurrent clients on `/ingest`
Latency	p50 23.9 ms · p95 154.2 ms · p99 249.8 ms	Same run, single worker
Memory	53.2 MiB idle → 54.3 MiB peak	512 MiB request is ~10× oversized
Tests	**30**	14 behavioural + 16 API-contract

The 1.000 is not a quality claim: corpus and rules were written together. The evasion set exists precisely to give a non-circular number.

---

6. The AI threat model (the distinguishing contribution)

Every field in a log line is attacker-written text, so an LLM reading logs consumes untrusted input that can carry instructions. Twelve payloads were hidden in attacker-controlled fields (`cmdline`, `User-Agent`), each attempting to make a HIGH-severity detection be reported as benign.

Defence	Mechanism
D1 Spotlighting	Untrusted content delimited; system prompt states log text is data, never instructions
D2 Sanitisation	Control chars stripped, delimiters escaped, fields truncated
D3 Schema validation	Response parsed into Pydantic; non-conforming output rejected, not repaired
D4 Action separation	The model cannot contain; a deterministic policy gate decides
D5 Critic override	A `false_positive` verdict against a high/critical rule is escalated

Result: 7/12 hijacked undefended, 0/12 defended. D4 is load-bearing — a successful hijack still cannot trigger a block.

---

7. Security assurance

Finding	Severity	Status
3 × `starlette 0.41.3` CVEs (Range DoS, StaticFiles SSRF/NTLM, form-limit DoS)	HIGH	Fixed (fastapi 0.146 / starlette 1.9)
44 × `util-linux` OS packages	HIGH	Accepted — parsed Trivy JSON: **every one has no fixed version**
`pytest` PYSEC-2026-1845	MEDIUM	Fixed (≥9.0.3, moved to dev requirements)
Dockerfile DL3025 shell-form CMD	MEDIUM	Fixed (exec-form entrypoint)
Dockerfile DL3066 non-numeric USER	LOW	Fixed (`USER 10001`)
4 × bandit B110/B112 defensive `try/except`	LOW	Accepted, CI fails on MEDIUM+
86 lint findings (24 under project policy)	INFO	Fixed — 0 remaining

Totals: **7 fixed, 4 accepted with stated residual risk, 0 open.** Secret scan: gitleaks over full history, no leaks (and it initially reported "no leaks" having scanned zero commits — documented as a methodological finding).

---

8. CI/CD

```
git push → ci (6 gates) → release (build + smoke test + publish GHCR)
                                  ↓
                    host pulls :latest (Watchtower)
```

Gate	Tool	Policy
Lint	ruff	`E,F,W,I,UP,B`
Tests	pytest	30 tests

Gate	Tool	Policy
SAST	bandit	fail on MEDIUM+
Dependencies	pip-audit	runtime **and** dev sets
Secrets	gitleaks	full history, `.gitleaks.toml` allowlist
Container	hadolint + Trivy + smoke	Trivy fails only on **fixable** HIGH/CRITICAL

Deploy is `workflow_dispatch` only, re-runs all gates, and uses Workload Identity Federation (keyless) for GCP. Dependabot covers pip, docker and actions.

---

9. API surface

Method	Path	Purpose
POST	`/ingest`	One event, array, or `{"events":[…]}`
GET	`/api/alerts?limit=`	Alert queue, newest first
GET	`/api/alerts/{id}`	Full alert incl. triage
POST	`/api/alerts/{id}/triage?defenses=`	Re-triage with defences on/off
POST	`/api/alerts/{id}/block`	Deterministic policy gate
GET	`/api/stats` · `/api/health` · `/api/version`	Counters, mode, deployed SHA
POST	`/api/simulate/attack` · `/api/simulate/injection` · `/api/reset`	Demo helpers

---

10. Limitations (stated, not discovered)

1. Synthetic corpus, single host; no Windows telemetry, no network sensors, no real adversary.
2. Triage runs a deterministic mock unless `GEMINI_API_KEY` is set — the UI labels it `simulated`.
3. Containment is simulated (`APPLY_BLOCKS=simulated`); no edge rule is created.
4. The demonstrated instance is AWS EC2 (~$7.60/month); the **$0 design is Cloud Run**, blocked by a closed GCP billing account.
5. Brute-force counters are per-instance, so thresholds scale with instance count.
6. No authentication on the console; HTTP only. Demo-only.
7. Cold-start latency was never measured (`docker restart` blocked by an approval prompt).

---

11. Future work

Live-model measurement; pySigma-compiled SigmaHQ rules; detections for the evasions that succeeded (`openssl`, systemd timers, in-place truncation); detection state moved to Firestore; Pub/Sub between ingest and triage; an uptime SLO.

---

12. Repository map

```
app/          schema · store · detect · triage · injections · main · static/index.html
lab/            gen_corpus.py — benign + attack + evasion corpus with ground truth
scripts/     eval.py · loadtest.py · security_checks.sh · ui_smoke_cdp.py · polish_slides.py
tests/          test_aegis.py (14) · test_api_contracts.py (16)
.github/        workflows/{ci,release,deploy}.yml · dependabot.yml
docs/       REPORT · SECURITY-CICD · PRESENTATION · DEMO_SCRIPT · VIVA_QA · DEPLOY_NOTES
                Aegis-SOC-Slides.pptx · PDFs
evals/          results.json · security/* · resource/*
```

13. Reproduce everything

```
python3 -m venv .venv && . .venv/bin/activate
pip install -r requirements-dev.txt
python lab/gen_corpus.py      # corpus + baseline
python scripts/eval.py        # every number in §5
uvicorn app.main:app --port 8080   # console
python -m pytest              # 30 tests
./scripts/security_checks.sh  # the CI gates, locally
```