





































## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
<b>PSI ID: 1 - Base- Pots &amp; Pans - 1 Re</b>							
1	Back Std- Base	33.660	x	29.160	L175PC16.26L175		130
1	Bottom Std- Base	23.500	x	33.220	L175PC16.26L175		142
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		125
1	Rail Std- Drawer	4.880	x	33.220	L175PC16.26L175		123
1	Rail Std- Base (Front)	4.880	x	33.220	L175PC16.26L175		128
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		127
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26L175		124
2	Drawer Box Back - Metabox	5.310	x	31.990	L175PC16.26L175		120
1	Drawer Box Back - Metabox	2.810	x	31.990	L175PC16.26L175		121
1	Drawer Box Bottom A - Metabox	19.610	x	31.990	L175PC16.26L175		122
1	Drawer Box Bottom B - Metabox	19.610	x	31.990	L175PC16.26L175		119
1	Drawer Box Bottom C - Metabox	19.610	x	31.990	L175PC16.26L175		166
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		126
<b>PSI ID: 2 - Base- Full Height Door -</b>							
1	Std Adj Shelf	16.000	x	25.590	L175PC16.26L175		132
1	Back Std- Base	26.160	x	29.160	L175PC16.26L175		139
1	Bottom Std- Base	23.500	x	25.720	L175PC16.26L175		138







## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		134
1	Rail Std- Base (Front)	4.880	x	25.720	L175PC16.26L175		137
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		136
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		133
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		135
<b>PSI ID: 3 - End (Finishing) Panel -</b>							
1	End (Finishing) Panel - Tall	26.130	x	90.500	L175PC16.26L175		140
<b>PSI ID: 4 - Base- Full Height Door -</b>							
1	Std Adj Shelf	16.000	x	33.090	L175PC16.26L175		108
1	Back Std- Base	33.660	x	29.160	L175PC16.26L175		147
1	Bottom Std- Base	23.500	x	33.220	L175PC16.26L175		101
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		98
1	Rail Std- Base (Front)	4.880	x	33.220	L175PC16.26L175		100
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		99
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26L175		129
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26L175		131
<b>PSI ID: 5 - Wall - 2 Doors- 0 Drawer</b>							
3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		102



## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Wall) - F	11.750	x	36.000	L175PC16.26L175		107
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		117
1	Back Std- Wall	33.660	x	35.160	L175PC16.26L175		105
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		104
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		103



## PSI ID: 6 - Wall - 2 Doors- 0 Drawer

1	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		97
1	Std Gable Left (Wall) - F	11.750	x	21.000	L175PC16.26L175		113
1	Std Gable Right (Wall) - UF	11.750	x	21.000	L175PC16.26L175		112
1	Back Std- Wall	29.160	x	20.160	L175PC16.26L175		111
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		110
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		109

















## PSI ID: 7 - Stove Vent Box - Interio

2	Stove Vent Box (Interior) - Side	11.130	x	30.000	L175PC16.26L175		114
1	Stove Vent Box (Interior) - Front	28.750	x	30.000	L175PC16.26L175		115













## PSI ID: 8 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		116
1	Std Gable Left (Wall) - F	11.750	x	36.000	L175PC16.26L175		168
















## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Wall) - F	11.750	x	36.000	L175PC16.26L175		167
1	Back Std- Wall	33.660	x	35.160	L175PC16.26L175		141
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		178
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		144
<b>PSI ID: 9 - Wall Refrigerator - 2 Do</b>							
2	Std Adj Shelf	23.500	x	17.600	L175PC16.26L175		170
1	Divider Standard	24.520	x	16.720	L175PC16.26L175		169
1	Std Gable Left (Wall) - UF	25.250	x	18.000	L175PC16.26L175		175
1	Std Gable Right (Wall) - UF	25.250	x	18.000	L175PC16.26L175		174
1	Back Std- Wall	36.660	x	17.160	L175PC16.26L175		173
1	Bottom Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		172
1	Top Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		171
<b>PSI ID: 10 - Wall- Microwave Cabinet</b>							
1	Finished Adj Shelf	10.770	x	25.660	L175PC16.26L175		187
1	Finished Fixed Shelf - Wall (MWS)	21.000	x	25.660	L175PC16.26L175		177
1	Finished Fixed Shelf	11.020	x	25.720	L175PC16.26L175		165
1	Finished Gable Left (Wall) - UF	11.750	x	36.000	L175PC16.26L175		183
1	Finished Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		182














## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Finished- Wall	26.160	x	35.160	L175PC16.26L175		181
1	Bottom Finished- Wall - UF	11.750	x	25.720	L175PC16.26L175		180
1	Top Finished- Wall - UF	11.750	x	25.720	L175PC16.26L175		179
<b>PSI ID: 11 - Base Filler</b>							
2	*Base Filler	6.000	x	34.750	L175PC16.26L175		184
<b>PSI ID: 12 - Wall Filler</b>							
1	*Wall Filler	6.000	x	36.000	L175PC16.26L175		185
<b>PSI ID: 13 - 2 Flush Bulkhead Trim w-</b>							
3	Bulkhead Trim w-mitered 1 3-4 Nailer	6.000	x	96.000	L175PC16.26L175		186
<b>PSI ID: 14 - Standard Toe Kick (Kitch</b>							
3	Standard Toe Kick	4.750	x	96.000	L175PC16.26L175		153
<b>PSI ID: 15 - Wall Filler</b>							
1	*Wall Filler	6.000	x	18.000	L175PC16.26L175		176
<b>PSI ID: 16 - Wall Filler</b>							
1	*Wall Filler	6.000	x	36.000	L175PC16.26L175		145
<b>PSI ID: 19 - Sink Base- Full Height D</b>							
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		152
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		151
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		148







## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		150
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26OAK		4
1	Horizontal Support Rail	3.390	x	34.720	L175PC16.26OAK		6
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		149
<b>PSI ID: 20 - Straight Base End (Finis)</b>							
1	End (Finishing) Panel - Base	24.000	x	34.750	OAKPC16.26OAK		2
<b>PSI ID: 21 - Peninsula Base Panel</b>							
1	End (Finishing) Panel - Peninsula	81.630	x	36.000	OAKPC16.26OAK		1
<b>PSI ID: 22 - Base- Drawer Bank - 3 Re</b>							
1	Back Std- Base	20.160	x	29.160	L175PC16.26L175		39
1	Bottom Std- Base	23.500	x	19.720	L175PC16.26L175		32
1	Rail Std- Base (Back)	4.880	x	19.720	L175PC16.26L175		72
1	Rail Std- Drawer	4.880	x	19.720	L175PC16.26L175		53
1	Rail Std- Base (Front)	4.880	x	19.720	L175PC16.26L175		106
1	Kick Blocking	4.250	x	19.720	L175PC16.26L175		58
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		164
3	Drawer Box Back - Metabox	2.810	x	18.490	L175PC16.26L175		162
1	Drawer Box Back - Metabox	5.310	x	18.490	L175PC16.26L175		158








## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Bottom A - Metabox	17.640	x	18.490	L175PC16.26L175		156
1	Drawer Box Bottom B - Metabox	19.610	x	18.490	L175PC16.26L175		161
1	Drawer Box Bottom C - Metabox	19.610	x	18.490	L175PC16.26L175		159
1	Drawer Box Bottom D - Metabox	19.610	x	18.490	L175PC16.26L175		157
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK		5
<b>PSI ID: 24 - Standard Toe Kick (Kitch</b>							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		8
<b>PSI ID: 26 - Sample Door &amp; Panels (2)</b>							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		7
<b>PSI ID: 27 - Dishwasher Filler (Horiz</b>							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26OAK		9
<b>PSI ID: 30 - Vanity High- Drawer Bank</b>							
1	Back Std- Base	17.160	x	27.160	L175PC16.26L175		94
1	Bottom Std- Base	20.750	x	16.720	L175PC16.26L175		45
1	Rail Std- Base (Back)	4.880	x	16.720	L175PC16.26L175		40
1	Rail Std- Drawer	4.880	x	16.720	L175PC16.26L175		33
1	Rail Std- Base (Front)	4.880	x	16.720	L175PC16.26L175		44
1	Kick Blocking	4.250	x	16.720	L175PC16.26L175		43




## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		88
3	Drawer Box Back - Metabox	5.310	x	15.490	L175PC16.26L175		34
1	Drawer Box Bottom A - Metabox	19.610	x	15.490	L175PC16.26L175		87
1	Drawer Box Bottom B - Metabox	19.610	x	15.490	L175PC16.26L175		73
1	Drawer Box Bottom C - Metabox	19.610	x	15.490	L175PC16.26L175		49
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		55

## PSI ID: 31 - Vanity High- Sink Base-


















1	Back Std- Base	24.660	x	27.160	L175PC16.26L175		26
1	Bottom Std- Base	20.750	x	24.220	L175PC16.26L175		31
1	Rail Std- Base (Back)	4.880	x	24.220	L175PC16.26L175		46
1	Kick Blocking	4.250	x	24.220	L175PC16.26L175		50
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		35
1	Horizontal Support Rail	3.390	x	24.220	L175PC16.26OAK		14
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		30

## PSI ID: 32 - Vanity High- Combo 3 Doo





2	Std Adj Shelf	16.000	x	12.840	L175PC16.26L175		77
2	Back Std- Base Right	13.410	x	27.160	L175PC16.26L175		68
1	Back Std- Base Center	20.160	x	27.160	L175PC16.26L175		71










## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
2	Bottom Std- Base Right	20.750	x	12.970	L175PC16.26L175		65
1	Bottom Std- Base Center	20.750	x	19.720	L175PC16.26L175		41
1	Rail Std- Base Center (Back)	4.880	x	19.720	L175PC16.26L175		38
1	Rail Std- Base Left (Back)	4.880	x	12.970	L175PC16.26L175		37
1	Rail Std- Base Right (Back)	4.880	x	12.970	L175PC16.26L175		62
1	Rail Std- Drawer	4.880	x	19.720	L175PC16.26L175		76
1	Rail Std- Drawer Left	4.880	x	12.970	L175PC16.26L175		75
1	Rail Std- Drawer Right	4.880	x	12.970	L175PC16.26L175		54
1	Rail Std- Base Left (Front)	4.880	x	12.970	L175PC16.26L175		28
1	Rail Std- Base Right (Front)	4.880	x	12.970	L175PC16.26L175		95
2	Kick Blocking- Right	4.250	x	12.970	L175PC16.26L175		57
1	Kick Blocking- Center	4.250	x	19.720	L175PC16.26L175		59
1	Std Gable Left (Ctr Cab) - UF	20.750	x	32.750	L175PC16.26L175		48
1	Std Gable Left (Right Cab) - UF	20.750	x	32.750	L175PC16.26L175		84
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		74
2	Drawer Box Back - Metabox	2.810	x	11.740	L175PC16.26L175		79
2	Drawer Box Bottom A - Metabox	19.610	x	11.740	L175PC16.26L175		86






## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Ctr Cab) - UF	20.750	x	32.750	L175PC16.26L175		51
1	Std Gable Right (Left Cab) - UF	20.750	x	32.750	L175PC16.26L175		47
1	Horiz Support Rail - False Front Ctr	3.390	x	19.720	L175PC16.26OAK		25
1	Std Gable Right (Base) - F	20.750	x	32.750	L175PC16.26OAK		10














## PSI ID: 33 - Vanity High- Sink Base-

1	Back Std- Base	24.660	x	27.160	L175PC16.26L175		93
1	Bottom Std- Base	20.750	x	24.220	L175PC16.26L175		92
1	Rail Std- Base (Back)	4.880	x	24.220	L175PC16.26L175		90
1	Kick Blocking	4.250	x	24.220	L175PC16.26L175		91
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		89
1	Horizontal Support Rail	3.390	x	24.220	L175PC16.26OAK		17
1	Std Gable Right (Base) - F	20.750	x	32.750	L175PC16.26OAK		11

## PSI ID: 34 - Vanity High- Sink Base-













1	Back Std- Base	27.660	x	27.160	L175PC16.26L175		146
1	Bottom Std- Base	20.750	x	27.220	L175PC16.26L175		52
1	Rail Std- Base (Back)	4.880	x	27.220	L175PC16.26L175		60
1	Kick Blocking	4.250	x	27.220	L175PC16.26L175		82
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		154

## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Horizontal Support Rail	3.390	x	27.220	L175PC16.26OAK		22
1	Std Gable Right (Base) - F	20.750	x	32.750	L175PC16.26OAK		13
<b>PSI ID: 35 - Vanity High Filler</b>							
3	*Base Filler	6.000	x	34.750	L175PC16.26OAK		15
<b>PSI ID: 36 - Standard Toe Kick (Kitch</b>							
3	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		20
<b>PSI ID: 38 - Sample Door &amp; Panels (2)</b>							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		19
<b>PSI ID: 41 - Vanity High- Sink Base-</b>							
1	Back Std- Base	32.160	x	27.160	L175PC16.26L175		64
1	Bottom Std- Base	20.750	x	31.720	L175PC16.26L175		63
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175		70
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175		143
1	Std Gable Left (Base) - F	20.750	x	32.750	L175PC16.26OAK		23
1	Horizontal Support Rail	3.390	x	31.720	L175PC16.26OAK		18
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		61
<b>PSI ID: 42 - Standard Toe Kick (Kitch</b>							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		12

**PSI ID: 43 - Vanity High Filler**

## Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	*Base Filler	6.000	x	34.750	L175PC16.26OAK		24
<b>PSI ID: 45 - Base- Full Height Door -</b>							
1	Std Adj Shelf	16.000	x	25.590	L175PC16.26L175		80
1	Back Std- Base	26.160	x	29.160	L175PC16.26L175		67
1	Bottom Std- Base	23.500	x	25.720	L175PC16.26L175		66
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		96
1	Rail Std- Base (Front)	4.880	x	25.720	L175PC16.26L175		85
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		163
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		81
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		83
<b>PSI ID: 46 - Base Filler</b>							
1	*Base Filler	6.000	x	34.750	L175PC16.26OAK		21
<b>PSI ID: 47 - Standard Toe Kick (Kitch</b>							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		16
<b>PSI ID: 50 - Soffit &amp; Valance</b>							
1	Valance Top for Soffit	11.500	x	75.500	OAKPC16.26OAK		3

Total Parts Per Reports: 205.00

## Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------