








































Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 1 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	37.590	L175PC16.26L175		146
1	Back Std- Base	38.160	x	29.160	L175PC16.26L175		112
1	Bottom Std- Base	23.500	x	37.720	L175PC16.26L175		151
1	Rail Std- Base (Back)	4.880	x	37.720	L175PC16.26L175		109
1	Rail Std- Base (Front)	4.880	x	37.720	L175PC16.26L175		111
1	Kick Blocking	4.250	x	37.720	L175PC16.26L175		110
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		37
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		36
PSI ID: 2 - Base- Blind Corner Right							
1	Std Adj Shelf	16.000	x	43.530	L175PC16.26L175		122
1	Back Std- Base	44.160	x	29.160	L175PC16.26L175		121
1	Bottom Std- Base	23.500	x	43.720	L175PC16.26L175		120
1	Blind Corner Panel	24.000	x	28.720	L175PC16.26BIRCH		41
1	Rail Std- Base (Back)	4.880	x	43.720	L175PC16.26L175		126
1	Rail Std- Base (Front)	4.880	x	43.720	L175PC16.26L175		119
1	Kick Blocking	4.250	x	43.720	L175PC16.26L175		105
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		115









Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		117
PSI ID: 4 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	16.590	L175PC16.26L175		123
1	Back Std- Base	17.160	x	29.160	L175PC16.26L175		82
1	Bottom Std- Base	23.500	x	16.720	L175PC16.26L175		116
1	Rail Std- Base (Back)	4.880	x	16.720	L175PC16.26L175		165
1	Rail Std- Base (Front)	4.880	x	16.720	L175PC16.26L175		118
1	Kick Blocking	4.250	x	16.720	L175PC16.26L175		93
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		39
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		124
PSI ID: 5 - Base- Drawer Bank - 3 Re							
1	Back Std- Base	17.160	x	29.160	L175PC16.26L175		97
1	Bottom Std- Base	23.500	x	16.720	L175PC16.26L175		96
1	Rail Std- Base (Back)	4.880	x	16.720	L175PC16.26L175		166
1	Rail Std- Drawer	4.880	x	16.720	L175PC16.26L175		98
1	Rail Std- Base (Front)	4.880	x	16.720	L175PC16.26L175		95
1	Kick Blocking	4.250	x	16.720	L175PC16.26L175		94
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		104


Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Back - Metabox	5.310	x	15.490	L175PC16.26L175		85
3	Drawer Box Back - Metabox	2.810	x	15.490	L175PC16.26L175		130
1	Drawer Box Bottom A - Metabox	19.610	x	15.490	L175PC16.26L175		131
1	Drawer Box Bottom B - Metabox	19.610	x	15.490	L175PC16.26L175		128
1	Drawer Box Bottom C - Metabox	19.610	x	15.490	L175PC16.26L175		86
1	Drawer Box Bottom D - Metabox	19.610	x	15.490	L175PC16.26L175		84
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		38
















PSI ID: 6 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	27.090	L175PC16.26L175		99
1	Back Std- Base	27.660	x	29.160	L175PC16.26L175		150
1	Bottom Std- Base	23.500	x	27.220	L175PC16.26L175		149
1	Rail Std- Base (Back)	4.880	x	27.220	L175PC16.26L175		101
1	Rail Std- Base (Front)	4.880	x	27.220	L175PC16.26L175		125
1	Kick Blocking	4.250	x	27.220	L175PC16.26L175		102
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		100
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		135














PSI ID: 7 - Sink Base- Full Height D

1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		157
---	----------------	--------	---	--------	-----------------	---	-----
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		156
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		154
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		155
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		153
1	Horizontal Support Rail	3.390	x	34.720	L175PC16.26BIRCH		33
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		35
PSI ID: 8 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	10.590	L175PC16.26L175		158
1	Back Std- Base	11.160	x	29.160	L175PC16.26L175		163
1	Bottom Std- Base	23.500	x	10.720	L175PC16.26L175		162
1	Top Std- Base	23.500	x	10.720	L175PC16.26L175		160
1	Kick Blocking	4.250	x	10.720	L175PC16.26L175		161
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		40
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		159
PSI ID: 9 - Straight Base End (Finis							
1	End (Finishing) Panel - Base	24.380	x	34.750	BIRCHPC16.26BIRCH		13
PSI ID: 10 - Base Filler							
1	*Base Filler	6.000	x	34.750	L175PC16.26BIRCH		31

Part Consolidation Report







QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 11 - Standard Toe Kick (Kitch							
3	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		32
PSI ID: 13 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26BIRCH		30
PSI ID: 16 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	BIRCHPC16.26BIRCH		34
PSI ID: 17 - Wall- Blind Corner (Righ							
3	Std Adj Shelf	10.130	x	43.530	L175PC16.26L175		129
1	Blind Corner Panel	12.000	x	37.720	L175MDF16.26MDF		25
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		136
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		147
1	Back Std- Wall	44.160	x	38.160	L175PC16.26L175		134
1	Bottom Std- Wall - UF	11.750	x	43.720	L175PC16.26L175		133
1	Top Std- Wall - UF	11.750	x	43.720	L175PC16.26L175		132
PSI ID: 19 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	16.590	L175PC16.26L175		138
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		27
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		142

Part Consolidation Report







QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Std- Wall	17.160	x	38.160	L175PC16.26L175		141
1	Bottom Std- Wall - UF	11.750	x	16.720	L175PC16.26L175		140
1	Top Std- Wall - UF	11.750	x	16.720	L175PC16.26L175		139
PSI ID: 20 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	37.590	L175PC16.26L175		145
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		24
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		26
1	Back Std- Wall	38.160	x	38.160	L175PC16.26L175		80
1	Bottom Std- Wall - UF	11.750	x	37.720	L175PC16.26L175		103
1	Top Std- Wall - UF	11.750	x	37.720	L175PC16.26L175		167
PSI ID: 21 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	18.090	L175PC16.26L175		87
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		114
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		28
1	Back Std- Wall	18.660	x	38.160	L175PC16.26L175		77
1	Bottom Std- Wall - UF	11.750	x	18.220	L175PC16.26L175		64
1	Top Std- Wall - UF	11.750	x	18.220	L175PC16.26L175		88

PSI ID: 22 - Wall - 2 Doors- 0 Drawer



Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
3	Std Adj Shelf	10.770	x	37.590	L175PC16.26L175		58
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		57
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		54
1	Back Std- Wall	38.160	x	38.160	L175PC16.26L175		61
1	Bottom Std- Wall - UF	11.750	x	37.720	L175PC16.26L175		51
1	Top Std- Wall - UF	11.750	x	37.720	L175PC16.26L175		52


PSI ID: 23 - Wall - 2 Doors- 0 Drawer

1	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		164
1	Std Gable Left (Wall) - UF	11.750	x	27.000	L175PC16.26L175		108
1	Std Gable Right (Wall) - UF	11.750	x	27.000	L175PC16.26L175		72
1	Back Std- Wall	29.160	x	26.160	L175PC16.26L175		53
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		113
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		67















PSI ID: 24 - Stove Vent Box - Interior

2	Stove Vent Box (Interior) - Side	11.130	x	30.000	L175PC16.26L175		59
1	Stove Vent Box (Interior) - Front	28.750	x	30.000	L175PC16.26L175		90

















PSI ID: 25 - Wall - 2 Doors- 0 Drawer

1	Std Adj Shelf	10.770	x	31.590	L175PC16.26L175		91
---	---------------	--------	---	--------	-----------------	---	----















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Wall) - UF	11.750	x	23.000	L175PC16.26L175		66
1	Std Gable Right (Wall) - UF	11.750	x	23.000	L175PC16.26L175		55
1	Back Std- Wall	32.160	x	22.160	L175PC16.26L175		63
1	Bottom Std- Wall - F	11.750	x	31.720	L175MDF16.26MDF		29
1	Top Std- Wall - UF	11.750	x	31.720	L175PC16.26L175		81
PSI ID: 26 - Wood Moulding - Bulkhead							
3	Bulkhead Trim	18.000	x	96.000	MDFMDF16.26MDF		16
PSI ID: 27 - Wall Filler							
1	*Wall Filler	6.000	x	39.000	MDFMDF16.26MDF		15
PSI ID: 28 - Wall Filler							
1	*Wall Filler	6.000	x	24.000	MDFMDF16.26MDF		14
PSI ID: 31 - Vanity - Full Height Doo							
1	Std Adj Shelf	16.000	x	12.090	L175PC16.26L175		78
1	Back Std- Base	12.660	x	25.030	L175PC16.26L175		148
1	Bottom Std- Base	20.750	x	12.220	L175PC16.26L175		107
1	Top Std- Base	20.750	x	12.220	L175PC16.26L175		83
1	Door 3-4- Base- Right	13.380	x	25.750	OAKPC19.05OAK		19
1	Kick Blocking	4.250	x	12.220	L175PC16.26L175		106

Part Consolidation Report


QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		144
1	Std Gable Right (Base) - F	20.750	x	30.630	L175PC16.26OAK		45
PSI ID: 32 - Vanity- Sink Base- Full							
1	Back Std- Base	26.160	x	25.030	L175PC16.26L175		75
1	Bottom Std- Base	20.750	x	25.720	L175PC16.26L175		74
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		92
2	Door 3-4- Base- Right	13.380	x	25.750	OAKPC19.05OAK		21
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		73
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		143
1	Horizontal Support Rail	3.390	x	25.720	L175PC16.26OAK		49
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		71
PSI ID: 33 - Vanity - Full Height Doo							
1	Std Adj Shelf	16.000	x	12.090	L175PC16.26L175		76
1	Back Std- Base	12.660	x	25.030	L175PC16.26L175		65
1	Bottom Std- Base	20.750	x	12.220	L175PC16.26L175		60
1	Top Std- Base	20.750	x	12.220	L175PC16.26L175		79
1	Door 3-4- Base- Left	13.380	x	25.750	OAKPC19.05OAK		18
1	Kick Blocking	4.250	x	12.220	L175PC16.26L175		152

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26OAK		50
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		68
PSI ID: 34 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		48
PSI ID: 36 - Sample Door & Panels (2)							
1	Door- (Sample - Internal use only)	12.000	x	15.000	OAKPC19.05OAK		17
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		47
PSI ID: 40 - Vanity- Sink Base- Full							
1	Back Std- Base	38.160	x	25.030	L175PC16.26L175		69
1	Bottom Std- Base	20.750	x	37.720	L175PC16.26L175		62
1	Rail Std- Base (Back)	4.880	x	37.720	L175PC16.26L175		56
2	Door 3-4- Base- Right	19.380	x	25.750	OAKPC19.05OAK		23
1	Kick Blocking	4.250	x	37.720	L175PC16.26L175		137
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		70
1	Horizontal Support Rail	3.390	x	37.720	L175PC16.26OAK		44
1	Std Gable Right (Base) - F	20.750	x	30.630	L175PC16.26OAK		42
PSI ID: 41 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		43

Part Consolidation Report



QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 42 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26OAK	 AM001446PART0005.DXF /AR	46

Total Parts Per Reports: 172.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------