






















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 1 - Base- Cooktop - 1 False							
1	Back Std- Base	29.160	x	29.160	L175PC16.26L175		127
1	Bottom Std- Base	23.500	x	28.720	L175PC16.26L175		126
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		124
1	Rail Std- Drawer	4.880	x	28.720	L175PC16.26L175		118
1	Rail Std- Base (Front)	4.880	x	28.720	L175PC16.26L175		163
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		165
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		123
2	Drawer Box Back - Metabox	5.310	x	27.490	L175PC16.26L175		122
1	Drawer Box Bottom B - Metabox	19.610	x	27.490	L175PC16.26L175		121
1	Drawer Box Bottom C - Metabox	19.610	x	27.490	L175PC16.26L175		119
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		125
1	Horiz Support Rail - False Front	2.750	x	28.720	L175MDF16.26MDF		17
PSI ID: 2 - End (Finishing) Panel -							
1	End (Finishing) Panel - Tall	25.250	x	95.500	MDFMDF16.26MDF		187
PSI ID: 3 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	30.090	L175PC16.26L175		130
1	Back Std- Base	30.660	x	29.160	L175PC16.26L175		137



Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	23.500	x	30.220	L175PC16.26L175		136
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		132
1	Rail Std- Base (Front)	4.880	x	30.220	L175PC16.26L175		135
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		134
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		131
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		133

















PSI ID: 4 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	30.090	L175PC16.26L175		138
1	Back Std- Base	30.660	x	29.160	L175PC16.26L175		94
1	Bottom Std- Base	23.500	x	30.220	L175PC16.26L175		93
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		140
1	Rail Std- Base (Front)	4.880	x	30.220	L175PC16.26L175		128
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		102
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		139
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		104
















PSI ID: 5 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		95
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		101

Part Consolidation Report







QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		100
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		98
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		99
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		96
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		97
PSI ID: 6 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		115
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		108
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		107
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		105
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		106
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		103
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		91
PSI ID: 7 - Wall Refrigerator - 2 Do							
2	Std Adj Shelf	23.500	x	17.600	L175PC16.26L175		110
1	Divider Standard	24.520	x	21.720	L175PC16.26L175		109
1	Std Gable Left (Wall) - UF	25.250	x	23.000	L175PC16.26L175		92
1	Std Gable Right (Wall) - UF	25.250	x	23.000	L175PC16.26L175		142

Part Consolidation Report







QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Std- Wall	36.660	x	22.160	L175PC16.26L175		113
1	Bottom Std- Wall - F	25.250	x	36.220	L175MDF16.26MDF		19
1	Top Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		112
PSI ID: 8 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	12.090	L175PC16.26L175		129
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		170
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		16
1	Back Std- Wall	12.660	x	38.160	L175PC16.26L175		168
1	Bottom Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		167
1	Top Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		166
PSI ID: 9 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		171
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		178
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		175
1	Back Std- Wall	29.160	x	38.160	L175PC16.26L175		174
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		173
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		172

PSI ID: 10 - Wall - 1 Door- 0 Drawers

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
3	Std Adj Shelf	10.770	x	12.090	L175PC16.26L175		177
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175MDF16.26MDF		18
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		176
1	Back Std- Wall	12.660	x	38.160	L175PC16.26L175		180
1	Bottom Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		179
1	Top Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		153
















PSI ID: 11 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		182
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		186
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		162
1	Back Std- Wall	29.160	x	38.160	L175PC16.26L175		185
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		183
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		184













PSI ID: 12 - Tall Double Oven (micro-

2	Std Adj Shelf	23.500	x	28.590	L175PC16.26L175		154
1	Back Std- Tall	29.160	x	89.410	L175PC16.26L175		150
1	Bottom Std- Tall	25.250	x	28.720	L175PC16.26L175		149
1	Top Std- Tall - UF	25.250	x	28.720	L175PC16.26L175		148















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
2	Std Fixed Rails	4.880	x	28.720	L175PC16.26L175		144
3	Std Fixed Shelf	24.520	x	28.720	L175PC16.26L175		143
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		147
1	Std Gable Left (Tall) - UF	25.250	x	95.000	L175PC16.26L175		146
1	Drawer Box Back - Metabox	5.310	x	27.490	L175PC16.26L175		152
1	Drawer Box Bottom A - Metabox	19.610	x	27.490	L175PC16.26L175		151
1	Std Gable Right (Tall) - UF	25.250	x	95.000	L175PC16.26L175		145
PSI ID: 13 - Wall Flush Filler							
1	Flush Filler- MDF	29.880	x	6.000	MDFMDF19.05MDF		188
PSI ID: 14 - Wall Flush Filler							
1	Flush Filler- MDF	29.880	x	6.000	MDFMDF19.05MDF		189
PSI ID: 15 - Tall Pantry - 2 Wide - 3							
6	Std Adj Shelf	23.500	x	25.590	L175PC16.26L175		155
1	Back Std- Tall	26.160	x	89.410	L175PC16.26L175		116
1	Bottom Std- Tall	25.250	x	25.720	L175PC16.26L175		161
1	Top Std- Tall - UF	25.250	x	25.720	L175PC16.26L175		160
1	Std Fixed Shelf 2	24.520	x	25.720	L175PC16.26L175		141
1	Std Fixed Shelf	24.520	x	25.720	L175PC16.26L175		156

Part Consolidation Report








QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		159
1	Std Gable Left (Tall) - UF	25.250	x	95.000	L175PC16.26L175		158
1	Std Gable Right (Tall) - UF	25.250	x	95.000	L175PC16.26L175		157
PSI ID: 17 - Wall Filler							
1	*Wall Filler	6.000	x	23.000	MDFMDF16.26MDF		5
PSI ID: 18 - Tall Filler							
2	*Tall Filler	6.000	x	95.500	MDFMDF16.26MDF		7
PSI ID: 19 - Wood Moulding - Bulkhead							
3	Bulkhead Trim	5.000	x	96.000	MDFMDF16.26MDF		6
PSI ID: 20 - Standard Toe Kick (Kitch							
3	Standard Toe Kick	4.750	x	96.000	MDFMDF16.26MDF		4
PSI ID: 21 - Base Filler							
1	*Base Filler	6.000	x	34.750	MDFMDF16.26MDF		2
PSI ID: 22 - Wall Filler							
1	*Wall Filler	6.000	x	39.000	MDFMDF16.26MDF		3
PSI ID: 25 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	31.590	L175PC16.26L175		41
1	Back Std- Base	32.160	x	29.160	L175PC16.26L175		117
1	Bottom Std- Base	23.500	x	31.720	L175PC16.26L175		56

Part Consolidation Report










QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175		53
1	Rail Std- Base (Front)	4.880	x	31.720	L175PC16.26L175		43
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175		38
1	Std Gable Left (Base) - F	23.500	x	34.750	L175MDF16.26MDF		13
1	Std Gable Right (Base) - F	23.500	x	34.750	L175MDF16.26MDF		14
PSI ID: 26 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	72.000	x	36.000	MDFMDF16.26MDF		8
PSI ID: 27 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	72.000	x	36.000	MDFMDF16.26MDF		9
PSI ID: 29 - Sink Base- Full Height D							
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		58
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		61
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		85
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		40
1	Std Gable Left (Base) - F	23.500	x	34.750	L175MDF16.26MDF		12
1	Horizontal Support Rail	3.390	x	34.720	L175MDF16.26MDF		15
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		45

PSI ID: 31 - Base- Full Height Door -















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Adj Shelf	16.000	x	15.090	L175PC16.26L175		48
1	Back Std- Base	15.660	x	29.160	L175PC16.26L175		39
1	Bottom Std- Base	23.500	x	15.220	L175PC16.26L175		34
1	Top Std- Base	23.500	x	15.220	L175PC16.26L175		52
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		42
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		51
1	Std Gable Right (Base) - F	23.500	x	34.750	L175MDF16.26MDF		10










PSI ID: 32 - Base- Drawer Bank - 3 Re

1	Back Std- Base	15.660	x	29.160	L175PC16.26L175		67
1	Bottom Std- Base	23.500	x	15.220	L175PC16.26L175		80
1	Top Std- Base	23.500	x	15.220	L175PC16.26L175		78
1	Rail Std- Drawer	4.880	x	15.220	L175PC16.26L175		81
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		90
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		76
1	Drawer Box Back - Metabox	5.310	x	13.990	L175PC16.26L175		59
3	Drawer Box Back - Metabox	2.810	x	13.990	L175PC16.26L175		74
1	Drawer Box Bottom A - Metabox	19.610	x	13.990	L175PC16.26L175		169








Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Bottom B - Metabox	19.610	x	13.990	L175PC16.26L175		72
1	Drawer Box Bottom C - Metabox	19.610	x	13.990	L175PC16.26L175		69
1	Drawer Box Bottom D - Metabox	19.610	x	13.990	L175PC16.26L175		57
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		77
PSI ID: 34 - Standard Toe Kick (Kitch							
2	Standard Toe Kick	4.750	x	96.000	MDFMDF16.26MDF		1
PSI ID: 36 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175MDF16.26MDF		11
PSI ID: 39 - Vanity- Sink Base- Full							
1	Back Std- Base	29.160	x	25.030	L175PC16.26L175		55
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		89
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		86
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		181
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26BIRCH		28
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26BIRCH		31
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		87
PSI ID: 40 - Vanity - Door - Drawer							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		79

Part Consolidation Report














QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Std- Base	14.160	x	25.030	L175PC16.26L175		62
1	Bottom Std- Base	20.750	x	13.720	L175PC16.26L175		37
1	Top Std- Base	20.750	x	13.720	L175PC16.26L175		49
1	Rail Std- Drawer	4.880	x	13.720	L175PC16.26L175		47
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		50
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		71
1	Drawer Box Back - Metabox	2.810	x	12.490	L175PC16.26L175		68
1	Drawer Box Bottom A - Metabox	19.610	x	12.490	L175PC16.26L175		46
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		63

PSI ID: 41 - Vanity- Sink Base- Full







1	Back Std- Base	29.160	x	25.030	L175PC16.26L175		114
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		36
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		65
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		88
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		44
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26BIRCH		27
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		111

PSI ID: 42 - Vanity Filler


Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	*Base Filler	6.000	x	30.630	L175PC16.26BIRCH		22
PSI ID: 43 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		24
PSI ID: 44 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26BIRCH		25
PSI ID: 47 - Vanity- Sink Base- Full							
1	Back Std- Base	27.660	x	25.030	L175PC16.26L175		54
1	Bottom Std- Base	20.750	x	27.220	L175PC16.26L175		66
1	Rail Std- Base (Back)	4.880	x	27.220	L175PC16.26L175		70
1	Kick Blocking	4.250	x	27.220	L175PC16.26L175		75
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		164
1	Horizontal Support Rail	3.390	x	27.220	L175PC16.26BIRCH		33
1	Std Gable Right (Base) - F	20.750	x	30.630	L175PC16.26BIRCH		21
PSI ID: 48 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26BIRCH		29
PSI ID: 49 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		30
PSI ID: 52 - Vanity- Sink Base- Full							
1	Back Std- Base	30.660	x	25.030	L175PC16.26L175		64


Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	20.750	x	30.220	L175PC16.26L175		84
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		60
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		83
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26BIRCH		20
1	Horizontal Support Rail	3.390	x	30.220	L175PC16.26BIRCH		23
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		82

PSI ID: 53 - Standard Toe Kick (Kitch

1	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		26
---	-------------------	-------	---	--------	------------------	---	----

PSI ID: 54 - Vanity Filler

1	*Base Filler	6.000	x	30.630	L175PC16.26BIRCH		32
---	--------------	-------	---	--------	------------------	---	----

Total Parts Per Reports: 214.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------