



























Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 1 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	36.000	x	36.000	BIRCHPC16.26BIRCH	 AM001542PART0007.DXF /AR	1
PSI ID: 2 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	36.000	x	36.000	BIRCHPC16.26BIRCH	 AM001542PART0007.DXF /AR	2
PSI ID: 3 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	31.590	L175PC16.26L175	 AM001542ASSQ0006.DXF /AR	135
1	Back Std- Base	32.160	x	29.160	L175PC16.26L175	 AM001542BBCK0007.DXF /AR	137
1	Bottom Std- Base	23.500	x	31.720	L175PC16.26L175	 AM001542BBSQ0008.DXF /AR	136
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175	 AM001542BRSQ0005.DXF /AR	132
1	Rail Std- Base (Front)	4.880	x	31.720	L175PC16.26L175	 AM001542FRSQ0003.DXF /AR	134
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175	 AM001542KBSQ0006.DXF /AR	133
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175	 AM001542LB200001.DXF /AR	131
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26BIRCH	 AM001542RB200002.DXF /AR	19
PSI ID: 4 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	72.000	x	36.000	BIRCHPC16.26BIRCH	 AM001542PART0008.DXF /AR	3
PSI ID: 5 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	63.000	x	36.000	BIRCHPC16.26BIRCH	 AM001542PART0009.DXF /AR	4
PSI ID: 7 - Sink Base- Full Height D							
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175	 AM001542BBCK0008.DXF /AR	148




Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		147
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		144
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		120
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26BIRCH		17
1	Horizontal Support Rail	3.390	x	34.720	L175PC16.26BIRCH		18
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		145















PSI ID: 8 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	15.090	L175PC16.26L175		100
1	Back Std- Base	15.660	x	29.160	L175PC16.26L175		104
1	Bottom Std- Base	23.500	x	15.220	L175PC16.26L175		103
1	Top Std- Base	23.500	x	15.220	L175PC16.26L175		140
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		138
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		150
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		115















PSI ID: 9 - Base- Drawer Bank - 3 Re

1	Back Std- Base	15.660	x	29.160	L175PC16.26L175		110
1	Bottom Std- Base	23.500	x	15.220	L175PC16.26L175		109
1	Top Std- Base	23.500	x	15.220	L175PC16.26L175		107















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Rail Std- Drawer	4.880	x	15.220	L175PC16.26L175		119
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		108
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		105
1	Drawer Box Bottom A - Metabox BM	19.610	x	13.990	L175PC16.26L175		117
1	Drawer Box Bottom B - Metabox BM	19.610	x	13.990	L175PC16.26L175		102
1	Drawer Box Bottom C - Metabox BM	19.610	x	13.990	L175PC16.26L175		114
1	Drawer Box Bottom D - Metabox BM	19.610	x	13.990	L175PC16.26L175		111
1	Drawer Box Back - Metabox	5.310	x	13.990	L175PC16.26L175		112
3	Drawer Box Back - Metabox	2.810	x	13.990	L175PC16.26L175		126
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		106
PSI ID: 11 - Standard Toe Kick (Kitch							
2	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		16
PSI ID: 13 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26BIRCH		14
PSI ID: 16 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26BIRCH		15
PSI ID: 17 - Vanity- Sink Base- Full							
1	Back Std- Base	26.160	x	25.030	L175PC16.26L175		125




Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	20.750	x	25.720	L175PC16.26L175		76
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		113
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		151
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		161
1	Horizontal Support Rail	3.390	x	25.720	L175PC16.26BIRCH		6
1	Std Gable Right (Base) - F	20.750	x	30.630	L175PC16.26BIRCH		5
PSI ID: 18 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26BIRCH		12
PSI ID: 19 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		7
PSI ID: 21 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26BIRCH		8
PSI ID: 24 - Vanity- Sink Base- Full							
1	Back Std- Base	30.660	x	25.030	L175PC16.26L175		75
1	Bottom Std- Base	20.750	x	30.220	L175PC16.26L175		158
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		176
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		95
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26BIRCH		10









Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Horizontal Support Rail	3.390	x	30.220	L175PC16.26BIRCH		9
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		83
PSI ID: 25 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26BIRCH		13
PSI ID: 26 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26BIRCH		11
PSI ID: 29 - End (Finishing) Panel -							
1	End (Finishing) Panel - Tall	25.250	x	93.500	#178_TFPC16.26#178_TF		193
PSI ID: 30 - Base- Cooktop - 1 False							
1	Back Std- Base	29.160	x	29.160	L175PC16.26L175		44
1	Bottom Std- Base	23.500	x	28.720	L175PC16.26L175		139
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		121
1	Rail Std- Drawer	4.880	x	28.720	L175PC16.26L175		129
1	Rail Std- Base (Front)	4.880	x	28.720	L175PC16.26L175		42
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		88
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		38
1	Drawer Box Bottom B - Metabox BM	15.670	x	27.490	L175PC16.26L175		36
1	Drawer Box Bottom C - Metabox BM	15.670	x	27.490	L175PC16.26L175		82






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
2	Drawer Box Back - Metabox	5.310	x	27.490	L175PC16.26L175		51
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		87
1	Horiz Support Rail - False Front	2.750	x	28.720	L175PC16.26#178_TF		179

















PSI ID: 31 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	27.090	L175PC16.26L175		141
1	Back Std- Base	27.660	x	29.160	L175PC16.26L175		39
1	Bottom Std- Base	23.500	x	27.220	L175PC16.26L175		23
1	Rail Std- Base (Back)	4.880	x	27.220	L175PC16.26L175		143
1	Rail Std- Base (Front)	4.880	x	27.220	L175PC16.26L175		50
1	Kick Blocking	4.250	x	27.220	L175PC16.26L175		49
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		142
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		48
















PSI ID: 32 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	27.090	L175PC16.26L175		34
1	Back Std- Base	27.660	x	29.160	L175PC16.26L175		35
1	Bottom Std- Base	23.500	x	27.220	L175PC16.26L175		58
1	Rail Std- Base (Back)	4.880	x	27.220	L175PC16.26L175		20
1	Rail Std- Base (Front)	4.880	x	27.220	L175PC16.26L175		57






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	27.220	L175PC16.26L175		56
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		29
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		31
PSI ID: 33 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	12.090	L175PC16.26L175		25
1	Back Std- Base	12.660	x	29.160	L175PC16.26L175		43
1	Bottom Std- Base	23.500	x	12.220	L175PC16.26L175		22
1	Top Std- Base	23.500	x	12.220	L175PC16.26L175		40
1	Kick Blocking	4.250	x	12.220	L175PC16.26L175		41
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		28
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		27
PSI ID: 34 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	12.090	L175PC16.26L175		32
1	Back Std- Base	12.660	x	29.160	L175PC16.26L175		21
1	Bottom Std- Base	23.500	x	12.220	L175PC16.26L175		64
1	Top Std- Base	23.500	x	12.220	L175PC16.26L175		47
1	Kick Blocking	4.250	x	12.220	L175PC16.26L175		24
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		45







Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		46
PSI ID: 35 - Wall Refrigerator - 2 Do							
2	Std Adj Shelf	23.500	x	17.600	L175PC16.26L175		127
1	Divider Standard	24.520	x	19.720	L175PC16.26L175		78
1	Std Gable Left (Wall) - UF	25.250	x	21.000	L175PC16.26L175		90
1	Std Gable Right (Wall) - UF	25.250	x	21.000	L175PC16.26L175		77
1	Back Std- Wall	36.660	x	20.160	L175PC16.26L175		85
1	Bottom Std- Wall - F	25.250	x	36.220	L175PC16.26#178_TF		184
1	Top Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		84
PSI ID: 36 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	12.090	L175PC16.26L175		91
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		96
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175PC16.26#178_TF		191
1	Back Std- Wall	12.660	x	38.160	L175PC16.26L175		94
1	Bottom Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		93
1	Top Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		92
PSI ID: 37 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	24.090	L175PC16.26L175		97






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		79
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		55
1	Back Std- Wall	24.660	x	38.160	L175PC16.26L175		54
1	Bottom Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		53
1	Top Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		98

















PSI ID: 38 - Wall - 1 Door- 0 Drawers

3	Std Adj Shelf	10.770	x	12.090	L175PC16.26L175		80
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175PC16.26#178_TF		183
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		61
1	Back Std- Wall	12.660	x	38.160	L175PC16.26L175		60
1	Bottom Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		59
1	Top Std- Wall - UF	11.750	x	12.220	L175PC16.26L175		81













PSI ID: 39 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	24.090	L175PC16.26L175		63
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		175
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		173
1	Back Std- Wall	24.660	x	38.160	L175PC16.26L175		67
1	Bottom Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		52

















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Top Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		65
PSI ID: 40 - Tall Double Oven (micro-							
2	Std Adj Shelf	23.500	x	28.590	L175PC16.26L175		168
1	Back Std- Tall	29.160	x	87.410	L175PC16.26L175		156
1	Bottom Std- Tall	25.250	x	28.720	L175PC16.26L175		155
1	Top Std- Tall - UF	25.250	x	28.720	L175PC16.26L175		154
1	Std Fixed Rail	4.880	x	28.720	L175PC16.26L175		167
4	Std Fixed Shelf	24.520	x	28.720	L175PC16.26L175		166
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		153
1	Std Gable Left (Tall) - UF	25.250	x	93.000	L175PC16.26L175		159
1	Drawer Box Bottom A - Metabox BM	19.610	x	27.490	L175PC16.26L175		164
1	Drawer Box Back - Metabox	5.310	x	27.490	L175PC16.26L175		165
1	Std Gable Right (Tall) - UF	25.250	x	93.000	L175PC16.26L175		163
PSI ID: 43 - Tall Pantry - 2 Wide - 3							
6	Std Adj Shelf	23.500	x	33.090	L175PC16.26L175		146
1	Back Std- Tall	33.660	x	87.410	L175PC16.26L175		68
1	Bottom Std- Tall	25.250	x	33.220	L175PC16.26L175		152
1	Top Std- Tall - UF	25.250	x	33.220	L175PC16.26L175		162












Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Fixed Shelf 2	24.520	x	33.220	L175PC16.26L175		157
1	Std Fixed Shelf	24.520	x	33.220	L175PC16.26L175		62
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		170
1	Std Gable Left (Tall) - UF	25.250	x	93.000	L175PC16.26L175		149
1	Std Gable Right (Tall) - UF	25.250	x	93.000	L175PC16.26L175		160
PSI ID: 44 - Wall Filler							
1	*Wall Filler	6.000	x	21.000	L175PC16.26#178_TF		190
PSI ID: 45 - Tall Filler							
2	*Tall Filler	6.000	x	93.500	L175PC16.26#178_TF		187
PSI ID: 46 - Wood Moulding - Bulkhead							
3	Bulkhead Trim	5.000	x	96.000	L175PC16.26#178_TF		192
PSI ID: 47 - Standard Toe Kick (Kitch							
2	Standard Toe Kick	4.750	x	96.000	L175PC16.26#178_TF		180
PSI ID: 48 - Base Filler							
1	*Base Filler	6.000	x	34.750	L175PC16.26#178_TF		182
PSI ID: 49 - Wall Filler							
1	*Wall Filler	6.000	x	39.000	L175PC16.26#178_TF		178
PSI ID: 51 - Vanity- Sink Base- Full							
1	Back Std- Base	29.160	x	25.030	L175PC16.26L175		37

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		30
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		122
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		124
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26#178_TF		186
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26#178_TF		181
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		123
PSI ID: 52 - Vanity- Drawer Bank - 1							
1	Back Std- Base	14.160	x	25.030	L175PC16.26L175		89
1	Bottom Std- Base	20.750	x	13.720	L175PC16.26L175		66
1	Top Std- Base	20.750	x	13.720	L175PC16.26L175		169
1	Rail Std- Drawer	4.880	x	13.720	L175PC16.26L175		26
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		99
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		171
1	Drawer Box Bottom A - Metabox BM	19.610	x	12.490	L175PC16.26L175		172
1	Drawer Box Bottom B - Metabox BM	19.610	x	12.490	L175PC16.26L175		174
1	Drawer Box Bottom C - Metabox BM	19.610	x	12.490	L175PC16.26L175		128
2	Drawer Box Back - Metabox	5.310	x	12.490	L175PC16.26L175		33

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Back - Metabox	2.810	x	12.490	L175PC16.26L175		86
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		101
PSI ID: 53 - Vanity- Sink Base- Full							
1	Back Std- Base	29.160	x	25.030	L175PC16.26L175		74
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		73
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		70
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		72
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		69
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26#178_TF		188
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		71
PSI ID: 54 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26#178_TF		189
PSI ID: 55 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26#178_TF		185

Total Parts Per Reports: 218.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------