

































Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 1 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	34.590	L175PC16.26L175		168
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		133
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		132
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		129
1	Rail Std- Base (Front)	4.880	x	34.720	L175PC16.26L175		131
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		130
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		128
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK		48
PSI ID: 3 - Base- Pie Cut (Right) -							
1	Std Adj Shelf	36.030	x	34.030	L175PC16.26L175		186
1	Back Std- Base (Diag)	16.940	x	34.750	L175PC16.26L175		135
1	Back Std- Base (Corner Left)	22.980	x	29.160	L175PC16.26L175		137
1	Back Std- Base (Corner Right)	24.980	x	29.160	L175PC16.26L175		136
1	Bottom Std- Base (Corner)	36.860	x	34.860	L175PC16.26L175		147
1	Top Std- Base (Corner)	34.860	x	36.860	L175PC16.26L175		144
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		153
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		126
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 5 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		152
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		155
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		146
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		148
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		139
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26OAK		45
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		149
PSI ID: 7 - Base- Pots & Pans - 1 Re							
1	Back Std- Base	24.660	x	29.160	L175PC16.26L175		107
1	Bottom Std- Base	23.500	x	24.220	L175PC16.26L175		119
1	Rail Std- Base (Back)	4.880	x	24.220	L175PC16.26L175		103
1	Rail Std- Drawer	4.880	x	24.220	L175PC16.26L175		138
1	Rail Std- Base (Front)	4.880	x	24.220	L175PC16.26L175		105
1	Kick Blocking	4.250	x	24.220	L175PC16.26L175		104
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26OAK		47
1	Drawer Box Back - Metabox	2.810	x	22.990	L175PC16.26L175		125
2	Drawer Box Back - Metabox	5.310	x	22.990	L175PC16.26L175		142
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Bottom A - Metabox	19.610	x	22.990	L175PC16.26L175		112
1	Drawer Box Bottom B - Metabox	19.610	x	22.990	L175PC16.26L175		141
1	Drawer Box Bottom C - Metabox	19.610	x	22.990	L175PC16.26L175		143
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK		40
PSI ID: 8 - Base- Full Height Door -							
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		122
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		123
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		118
1	Rail Std- Base (Front)	4.880	x	34.720	L175PC16.26L175		124
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		99
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		163
2	Rollout Box Back - Metabox	2.810	x	33.490	L175PC16.26L175		109
2	Rollout Box Bottom - Metabox	18.980	x	33.490	L175PC16.26L175		108
2	Rollout Box Front New - Metabox	2.400	x	32.190	L175PC16.26L175		110
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		120
PSI ID: 10 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	15.090	L175PC16.26L175		121
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175PC16.26OAK		30
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		185
1	Back Std- Wall	15.660	x	38.160	L175PC16.26L175		199
1	Bottom Std- Wall - UF	11.750	x	15.220	L175PC16.26L175		182
1	Top Std- Wall - UF	11.750	x	15.220	L175PC16.26L175		183
PSI ID: 11 - Wall - 2 Doors- 0 Drawer							
1	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		205
1	Std Gable Left (Wall) - UF	11.750	x	28.500	L175PC16.26L175		195
1	Std Gable Right (Wall) - UF	11.750	x	28.500	L175PC16.26L175		201
1	Back Std- Wall	29.160	x	27.660	L175PC16.26L175		202
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		203
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		204
PSI ID: 12 - Stove Vent Box - Interior							
1	Stove Vent Box (Interior) - Front	28.750	x	30.000	L175PC16.26L175		198
2	Stove Vent Box (Interior) - Side	11.130	x	30.000	L175PC16.26L175		206
PSI ID: 13 - Wall - 2 Doors- 0 Drawer							
1	Std Adj Shelf	10.770	x	37.590	L175PC16.26L175		197
1	Std Gable Left (Wall) - UF	11.750	x	23.000	L175PC16.26L175		157
1	Std Gable Right (Wall) - UF	11.750	x	23.000	L175PC16.26L175		181














Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Std- Wall	38.160	x	22.160	L175PC16.26L175		200
1	Bottom Std- Wall - F	11.750	x	37.720	L175PC16.26OAK		28
1	Top Std- Wall - UF	11.750	x	37.720	L175PC16.26L175		178
PSI ID: 14 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	24.090	L175PC16.26L175		158
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175PC16.26OAK		33
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175PC16.26OAK		31
1	Back Std- Wall	24.660	x	38.160	L175PC16.26L175		161
1	Bottom Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		160
1	Top Std- Wall - UF	11.750	x	24.220	L175PC16.26L175		159
PSI ID: 15 - Wall End Backsplash Pane							
1	Backsplash Panel	27.000	x	39.000	OAKPC16.26OAK		12
PSI ID: 16 - Wall- Blind Corner (Righ							
3	Std Adj Shelf	10.130	x	30.030	L175PC16.26L175		165
1	Blind Corner Panel	12.000	x	37.720	L175PC16.26OAK		36
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		176
1	Std Gable Right (Wall) - UF	11.750	x	39.000	L175PC16.26L175		177
1	Back Std- Wall	30.660	x	38.160	L175PC16.26L175		156
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		174
1	Top Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		172
PSI ID: 18 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		175
1	Std Gable Left (Wall) - UF	11.750	x	39.000	L175PC16.26L175		170
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175PC16.26OAK		44
1	Back Std- Wall	33.660	x	38.160	L175PC16.26L175		179
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		173
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		167
PSI ID: 19 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		169
1	Std Gable Left (Wall) - F	11.750	x	39.000	L175PC16.26OAK		32
1	Std Gable Right (Wall) - F	11.750	x	39.000	L175PC16.26OAK		24
1	Back Std- Wall	33.660	x	38.160	L175PC16.26L175		100
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		193
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		97
PSI ID: 20 - Wall Filler							
1	*Wall Filler	6.000	x	23.000	L175PC16.26OAK		26

Part Consolidation Report















QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 21 - Wall Filler							
1	*Wall Filler	6.000	x	39.000	L175PC16.26OAK	 AM001561PART0005.DXF /AR	27
PSI ID: 23 - 10 Flush Bulkhead Trim w							
3	Bulkhead Trim w-mitered 1 3-4 Nailer	19.000	x	96.000	L175PC16.26OAK	 AM001561PART0006.DXF /AR	42
PSI ID: 24 - Standard Toe Kick (Kitch							
2	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK	 AM001561PART0002.DXF /AR	25
PSI ID: 25 - Light Valance - Coverboa							
1	_Custom Coverboard 5-8 - Bottom	12.750	x	27.000	L175PC16.26OAK	 AM001561LVCBB001.DXF /AR	43
1	_Custom Coverboard 5-8 - Top	12.750	x	27.000	L175PC16.26OAK	 AM001561LVCBT001.DXF /AR	35
PSI ID: 26 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK	 AM001561PART0007.DXF /AR	38
PSI ID: 30 - Sink Base- Full Height D							
1	Back Std- Base	35.160	x	29.160	L175PC16.26L175	 AM001561BBCK0002.DXF /AR	53
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175	 AM001561BBSQ0002.DXF /AR	71
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175	 AM001561BRSQ0002.DXF /AR	145
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175	 AM001561KBSQ0002.DXF /AR	92
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175	 AM001561LS200001.DXF /AR	94
1	Horizontal Support Rail	3.390	x	34.720	L175PC16.26OAK	 AM001561RLHS0001.DXF /AR	23
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK	 AM001561RS200001.DXF /AR	14

Part Consolidation Report

















QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 31 - Base- Drawer Bank - 3 Re							
1	Back Std- Base	17.160	x	29.160	L175PC16.26L175		52
1	Bottom Std- Base	23.500	x	16.720	L175PC16.26L175		93
1	Rail Std- Base (Back)	4.880	x	16.720	L175PC16.26L175		81
1	Rail Std- Drawer	4.880	x	16.720	L175PC16.26L175		70
1	Rail Std- Base (Front)	4.880	x	16.720	L175PC16.26L175		50
1	Kick Blocking	4.250	x	16.720	L175PC16.26L175		55
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		64
3	Drawer Box Back - Metabox	2.810	x	15.490	L175PC16.26L175		134
1	Drawer Box Back - Metabox	5.310	x	15.490	L175PC16.26L175		66
1	Drawer Box Bottom A - Metabox	19.610	x	15.490	L175PC16.26L175		65
1	Drawer Box Bottom B - Metabox	19.610	x	15.490	L175PC16.26L175		62
1	Drawer Box Bottom C - Metabox	19.610	x	15.490	L175PC16.26L175		63
1	Drawer Box Bottom D - Metabox	19.610	x	15.490	L175PC16.26L175		58
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		51
PSI ID: 32 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	81.500	x	36.000	OAKPC16.26OAK		8

PSI ID: 33 - Filler w One Attached Pa














Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	***RTC***Base Filler Panel	32.380	x	36.000	L175PC16.26OAK		22
PSI ID: 37 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		13
PSI ID: 38 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26OAK		15
PSI ID: 39 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		20
PSI ID: 43 - Vanity - Door - Drawer							
1	Std Adj Shelf	16.000	x	15.090	L175PC16.26L175		98
1	Back Std- Base	15.660	x	25.030	L175PC16.26L175		184
1	Bottom Std- Base	20.750	x	15.220	L175PC16.26L175		80
1	Top Std- Base	20.750	x	15.220	L175PC16.26L175		78
1	Rail Std- Drawer	4.880	x	15.220	L175PC16.26L175		75
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		79
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		127
1	Drawer Box Back - Metabox	2.810	x	13.990	L175PC16.26L175		73
1	Drawer Box Bottom A - Metabox	19.610	x	13.990	L175PC16.26L175		74
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		77

















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 44 - Vanity- Sink Base- Door							
1	Back Std- Base	29.160	x	25.030	L175PC16.26L175		187
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		82
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		85
1	Rail Std- Drawer	4.880	x	28.720	L175PC16.26L175		87
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		171
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		86
1	Horiz Support Rail - False Front	3.390	x	28.720	L175PC16.26OAK		29
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		111
PSI ID: 45 - Vanity - Door - Drawer							
1	Std Adj Shelf	16.000	x	15.090	L175PC16.26L175		151
1	Back Std- Base	15.660	x	25.030	L175PC16.26L175		59
1	Bottom Std- Base	20.750	x	15.220	L175PC16.26L175		106
1	Top Std- Base	20.750	x	15.220	L175PC16.26L175		67
1	Rail Std- Drawer	4.880	x	15.220	L175PC16.26L175		101
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		60
1	Std Gable Left (Base) - UF	20.750	x	30.630	L175PC16.26L175		102
1	Drawer Box Back - Metabox	2.810	x	13.990	L175PC16.26L175		56













Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Bottom A - Metabox	19.610	x	13.990	L175PC16.26L175		57
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		54
PSI ID: 46 - Vanity Filler							
2	*Base Filler	6.000	x	30.630	L175PC16.26OAK		41
PSI ID: 48 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		49
PSI ID: 51 - Vanity- Sink Base- Full							
1	Back Std- Base	32.160	x	25.030	L175PC16.26L175		72
1	Bottom Std- Base	20.750	x	31.720	L175PC16.26L175		68
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175		162
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175		69
1	Std Gable Left (Base) - F	20.750	x	30.630	L175PC16.26OAK		34
1	Horizontal Support Rail	3.390	x	31.720	L175PC16.26OAK		46
1	Std Gable Right (Base) - UF	20.750	x	30.630	L175PC16.26L175		89
PSI ID: 52 - Vanity Filler							
1	*Base Filler	6.000	x	30.630	L175PC16.26OAK		37
PSI ID: 54 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		39
PSI ID: 56 - Vanity High- Drawer Bank							

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Back Std- Base	21.660	x	29.160	L175PC16.26L175		180
1	Bottom Std- Base	20.750	x	21.220	L175PC16.26L175		188
1	Rail Std- Base (Back)	4.880	x	21.220	L175PC16.26L175		192
1	Rail Std- Drawer	4.880	x	21.220	L175PC16.26L175		117
1	Rail Std- Base (Front)	4.880	x	21.220	L175PC16.26L175		189
1	Kick Blocking	4.250	x	21.220	L175PC16.26L175		190
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		154
2	Drawer Box Back - Metabox	5.310	x	19.990	L175PC16.26L175		113
1	Drawer Box Back - Metabox	2.810	x	19.990	L175PC16.26L175		166
1	Drawer Box Bottom A - Metabox	19.610	x	19.990	L175PC16.26L175		196
1	Drawer Box Bottom B - Metabox	19.610	x	19.990	L175PC16.26L175		114
1	Drawer Box Bottom C - Metabox	19.610	x	19.990	L175PC16.26L175		116
1	Std Gable Right (Base) - UF	20.750	x	34.750	L175PC16.26L175		191
PSI ID: 57 - Vanity High- Sink Base-							
1	Back Std- Base	26.160	x	29.160	L175PC16.26L175		95
1	Bottom Std- Base	20.750	x	25.720	L175PC16.26L175		96
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		91

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		76
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		194
1	Horizontal Support Rail	3.390	x	25.720	L175PC16.26OAK		19
1	Std Gable Right (Base) - F	20.750	x	34.750	L175PC16.26OAK		16
PSI ID: 58 - Vanity High- Sink Base-							
1	Back Std- Base	26.160	x	29.160	L175PC16.26L175		164
1	Bottom Std- Base	20.750	x	25.720	L175PC16.26L175		88
1	Rail Std- Base (Back)	4.880	x	25.720	L175PC16.26L175		83
1	Kick Blocking	4.250	x	25.720	L175PC16.26L175		150
1	Std Gable Left (Base) - F	20.750	x	34.750	L175PC16.26OAK		17
1	Horizontal Support Rail	3.390	x	25.720	L175PC16.26OAK		18
1	Std Gable Right (Base) - UF	20.750	x	34.750	L175PC16.26L175		90
PSI ID: 60 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		21

Total Parts Per Reports: 216.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------