
















































Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|-----------------------------------|--------|---|--------|-----------------|---|-------|
| PSI ID: 1 - Peninsula Base Panel | | | | | | | |
| 1 | End (Finishing) Panel - Peninsula | 96.000 | x | 36.000 | MDFMDF16.26MDF |  | 6 |
| PSI ID: 2 - Base- Pots & Pans - 1 Re | | | | | | | |
| 1 | Back Std- Base | 24.660 | x | 29.160 | L175PC16.26L175 |  | 170 |
| 1 | Bottom Std- Base | 23.500 | x | 24.220 | L175PC16.26L175 |  | 171 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 24.220 | L175PC16.26L175 |  | 175 |
| 1 | Rail Std- Drawer | 4.880 | x | 24.220 | L175PC16.26L175 |  | 244 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 24.220 | L175PC16.26L175 |  | 172 |
| 1 | Kick Blocking | 4.250 | x | 24.220 | L175PC16.26L175 |  | 173 |
| 1 | Std Gable Left (Base) - F | 23.500 | x | 34.750 | L175MDF16.26MDF |  | 44 |
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 179 |
| 1 | Drawer Box Bottom B - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 181 |
| 1 | Drawer Box Bottom C - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 182 |
| 2 | Drawer Box Back - Metabox | 5.310 | x | 22.990 | L175PC16.26L175 |  | 183 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 22.990 | L175PC16.26L175 |  | 178 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 185 |
| PSI ID: 3 - Base- Pots & Pans - 1 Re | | | | | | | |
| 1 | Back Std- Base | 24.660 | x | 29.160 | L175PC16.26L175 |  | 196 |

















Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Bottom Std- Base | 23.500 | x | 24.220 | L175PC16.26L175 |  | 186 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 24.220 | L175PC16.26L175 |  | 201 |
| 1 | Rail Std- Drawer | 4.880 | x | 24.220 | L175PC16.26L175 |  | 203 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 24.220 | L175PC16.26L175 |  | 198 |
| 1 | Kick Blocking | 4.250 | x | 24.220 | L175PC16.26L175 |  | 199 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 202 |
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 176 |
| 1 | Drawer Box Bottom B - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 195 |
| 1 | Drawer Box Bottom C - Metabox BM | 19.610 | x | 22.990 | L175PC16.26L175 |  | 235 |
| 2 | Drawer Box Back - Metabox | 5.310 | x | 22.990 | L175PC16.26L175 |  | 197 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 22.990 | L175PC16.26L175 |  | 204 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 200 |
| PSI ID: 4 - Base- Drawer Bank - 3 Re | | | | | | | |
| 1 | Back Std- Base | 26.160 | x | 29.160 | L175PC16.26L175 |  | 141 |
| 1 | Bottom Std- Base | 23.500 | x | 25.720 | L175PC16.26L175 |  | 142 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 25.720 | L175PC16.26L175 |  | 174 |
| 1 | Rail Std- Drawer | 4.880 | x | 25.720 | L175PC16.26L175 |  | 140 |




Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Rail Std- Base (Front) | 4.880 | x | 25.720 | L175PC16.26L175 |  | 143 |
| 1 | Kick Blocking | 4.250 | x | 25.720 | L175PC16.26L175 |  | 144 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 205 |
| 1 | Drawer Box Bottom A - Metabox BM | 17.640 | x | 24.490 | L175PC16.26L175 |  | 188 |
| 1 | Drawer Box Bottom B - Metabox BM | 19.610 | x | 24.490 | L175PC16.26L175 |  | 190 |
| 1 | Drawer Box Bottom C - Metabox BM | 19.610 | x | 24.490 | L175PC16.26L175 |  | 191 |
| 1 | Drawer Box Bottom D - Metabox BM | 19.610 | x | 24.490 | L175PC16.26L175 |  | 194 |
| 3 | Drawer Box Back - Metabox | 2.810 | x | 24.490 | L175PC16.26L175 |  | 225 |
| 1 | Drawer Box Back - Metabox | 5.310 | x | 24.490 | L175PC16.26L175 |  | 193 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 145 |
| PSI ID: 5 - Sink Base- Full Height D | | | | | | | |
| 1 | Back Std- Base | 35.160 | x | 29.160 | L175PC16.26L175 |  | 133 |
| 1 | Bottom Std- Base | 23.500 | x | 34.720 | L175PC16.26L175 |  | 270 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 34.720 | L175PC16.26L175 |  | 146 |
| 1 | Kick Blocking | 4.250 | x | 34.720 | L175PC16.26L175 |  | 135 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 137 |
| 1 | Horizontal Support Rail | 3.390 | x | 34.720 | L175MDF16.26MDF |  | 48 |







Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|-----------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Gable Right (Base) - F | 23.500 | x | 34.750 | L175MDF16.26MDF |  | 40 |
| PSI ID: 6 - Base- Full Height Door - | | | | | | | |
| 1 | Std Adj Shelf | 16.000 | x | 34.590 | L175PC16.26L175 |  | 167 |
| 1 | Back Std- Base | 35.160 | x | 29.160 | L175PC16.26L175 |  | 162 |
| 1 | Bottom Std- Base | 23.500 | x | 34.720 | L175PC16.26L175 |  | 163 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 34.720 | L175PC16.26L175 |  | 155 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 34.720 | L175PC16.26L175 |  | 164 |
| 1 | Kick Blocking | 4.250 | x | 34.720 | L175PC16.26L175 |  | 138 |
| 1 | Std Gable Left (Base) - F | 23.500 | x | 34.750 | L175MDF16.26MDF |  | 53 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 136 |
| PSI ID: 7 - Base Euro Cargo Waste Bi | | | | | | | |
| 1 | Back Std- Base | 16.780 | x | 29.160 | L175PC16.26L175 |  | 220 |
| 1 | Bottom Std- Base | 23.500 | x | 16.350 | L175PC16.26L175 |  | 153 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 16.350 | L175PC16.26L175 |  | 147 |
| 1 | Rail Std- Drawer | 22.770 | x | 16.350 | L175PC16.26L175 |  | 161 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 16.350 | L175PC16.26L175 |  | 154 |
| 1 | Kick Blocking | 4.250 | x | 16.350 | L175PC16.26L175 |  | 165 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 158 |







Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|-----|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 15.110 | L175PC16.26L175 |  | 160 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 15.110 | L175PC16.26L175 |  | 159 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 156 |

PSI ID: 8 - Base- Full Door - Pull O












| | | | | | | | |
|---|-----------------------------|--------|---|--------|-----------------|---|-----|
| 1 | Back Std- Base | 11.160 | x | 29.160 | L175PC16.26L175 |  | 251 |
| 1 | Bottom Std- Base | 23.500 | x | 10.720 | L175PC16.26L175 |  | 187 |
| 1 | Top Std- Base | 23.500 | x | 10.720 | L175PC16.26L175 |  | 206 |
| 1 | Kick Blocking | 4.250 | x | 10.720 | L175PC16.26L175 |  | 132 |
| 1 | Std Gable Left (Base) - F | 23.500 | x | 34.750 | L175MDF16.26MDF |  | 39 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 150 |

PSI ID: 9 - Base- Full Door - Pull O






| | | | | | | | |
|---|----------------------------|--------|---|--------|-----------------|---|-----|
| 1 | Back Std- Base | 11.160 | x | 29.160 | L175PC16.26L175 |  | 246 |
| 1 | Bottom Std- Base | 23.500 | x | 10.720 | L175PC16.26L175 |  | 247 |
| 1 | Top Std- Base | 23.500 | x | 10.720 | L175PC16.26L175 |  | 249 |
| 1 | Kick Blocking | 4.250 | x | 10.720 | L175PC16.26L175 |  | 248 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 250 |
| 1 | Std Gable Right (Base) - F | 23.500 | x | 34.750 | L175MDF16.26MDF |  | 42 |

PSI ID: 10 - Base- Door - Drawer - 1









Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|-----|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Adj Shelf | 16.000 | x | 18.090 | L175PC16.26L175 |  | 245 |
| 1 | Back Std- Base | 18.660 | x | 29.160 | L175PC16.26L175 |  | 262 |
| 1 | Bottom Std- Base | 23.500 | x | 18.220 | L175PC16.26L175 |  | 260 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 18.220 | L175PC16.26L175 |  | 240 |
| 1 | Rail Std- Drawer | 4.880 | x | 18.220 | L175PC16.26L175 |  | 252 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 18.220 | L175PC16.26L175 |  | 237 |
| 1 | Kick Blocking | 4.250 | x | 18.220 | L175PC16.26L175 |  | 238 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 241 |
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 16.990 | L175PC16.26L175 |  | 243 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 16.990 | L175PC16.26L175 |  | 242 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 239 |







PSI ID: 11 - Base- Door - Drawer - 2

| | | | | | | | |
|---|--------------------------------|--------|---|--------|-----------------|---|-----|
| 1 | Std Adj Shelf | 16.000 | x | 37.590 | L175PC16.26L175 |  | 267 |
| 1 | Back Std- Base | 38.160 | x | 29.160 | L175PC16.26L175 |  | 255 |
| 1 | Bottom Std- Base | 23.500 | x | 37.720 | L175PC16.26L175 |  | 256 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 37.720 | L175PC16.26L175 |  | 271 |
| 1 | Drawer Divider - Standard Left | 22.770 | x | 5.100 | L175PC16.26L175 |  | 265 |



Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|-----|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Drawer Divider - Standard Right | 22.770 | x | 5.100 | L175PC16.26L175 |  | 266 |
| 1 | Rail Std- Drawer | 4.880 | x | 37.720 | L175PC16.26L175 |  | 253 |
| 1 | Rail Std- Base (Front) | 4.880 | x | 37.720 | L175PC16.26L175 |  | 257 |
| 1 | Kick Blocking | 4.250 | x | 37.720 | L175PC16.26L175 |  | 258 |
| 1 | Std Gable Left (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 261 |
| 2 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 16.990 | L175PC16.26L175 |  | 269 |
| 2 | Drawer Box Back - Metabox | 2.810 | x | 16.990 | L175PC16.26L175 |  | 268 |
| 1 | Std Gable Right (Base) - UF | 23.500 | x | 34.750 | L175PC16.26L175 |  | 259 |
















PSI ID: 12 - Wall - 2 Doors- 0 Drawer

| | | | | | | | |
|---|----------------------------|--------|---|--------|-----------------|---|-----|
| 2 | Std Adj Shelf | 10.770 | x | 36.090 | L175PC16.26L175 |  | 254 |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 230 |
| 1 | Std Gable Right (Wall) - F | 11.750 | x | 33.000 | L175MDF16.26MDF |  | 45 |
| 1 | Back Std- Wall | 36.660 | x | 32.160 | L175PC16.26L175 |  | 232 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 233 |
| 1 | Top Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 234 |
















PSI ID: 13 - Wall - 2 Doors- 0 Drawer

| | | | | | | | |
|---|---------------------------|--------|---|--------|-----------------|---|-----|
| 2 | Std Adj Shelf | 12.020 | x | 28.590 | L175PC16.26L175 |  | 229 |
| 1 | Std Gable Left (Wall) - F | 13.000 | x | 30.000 | L175MDF16.26MDF |  | 50 |

Part Consolidation Report















| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---------------------------------------|-----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Gable Right (Wall) - F | 13.000 | x | 30.000 | L175MDF16.26MDF |  | 52 |
| 1 | Back Std- Wall | 29.160 | x | 29.160 | L175PC16.26L175 |  | 226 |
| 1 | Bottom Std- Wall - UF | 13.000 | x | 28.720 | L175PC16.26L175 |  | 236 |
| 1 | Top Std- Wall - UF | 13.000 | x | 28.720 | L175PC16.26L175 |  | 228 |
| PSI ID: 14 - Stove Vent Box - Interio | | | | | | | |
| 1 | Stove Vent Box (Interior) - Front | 28.750 | x | 30.000 | L175PC16.26L175 |  | 222 |
| 2 | Stove Vent Box (Interior) - Side | 11.130 | x | 30.000 | L175PC16.26L175 |  | 223 |
| PSI ID: 15 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 2 | Std Adj Shelf | 10.770 | x | 34.590 | L175PC16.26L175 |  | 221 |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 115 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 184 |
| 1 | Back Std- Wall | 35.160 | x | 32.160 | L175PC16.26L175 |  | 81 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 34.720 | L175PC16.26L175 |  | 148 |
| 1 | Top Std- Wall - UF | 11.750 | x | 34.720 | L175PC16.26L175 |  | 89 |
| PSI ID: 16 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 2 | Std Adj Shelf | 10.770 | x | 36.090 | L175PC16.26L175 |  | 67 |
| 1 | Std Gable Left (Wall) - F | 11.750 | x | 33.000 | L175MDF16.26MDF |  | 51 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 109 |

Part Consolidation Report
















| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|-----------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Back Std- Wall | 36.660 | x | 32.160 | L175PC16.26L175 |  | 102 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 111 |
| 1 | Top Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 78 |
| PSI ID: 17 - Wall Refrigerator - 2 Do | | | | | | | |
| 4 | Std Adj Shelf | 23.500 | x | 17.600 | L175PC16.26L175 |  | 107 |
| 1 | Divider Standard | 24.520 | x | 30.720 | L175PC16.26L175 |  | 177 |
| 1 | Std Gable Left (Wall) - UF | 25.250 | x | 32.000 | L175PC16.26L175 |  | 66 |
| 1 | Std Gable Right (Wall) - UF | 25.250 | x | 32.000 | L175PC16.26L175 |  | 103 |
| 1 | Back Std- Wall | 36.660 | x | 31.160 | L175PC16.26L175 |  | 104 |
| 1 | Bottom Std- Wall - F | 25.250 | x | 36.220 | L175MDF16.26MDF |  | 47 |
| 1 | Top Std- Wall - UF | 25.250 | x | 36.220 | L175PC16.26L175 |  | 63 |
| PSI ID: 18 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 68 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 131 |
| 1 | Back Std- Wall | 36.660 | x | 14.160 | L175PC16.26L175 |  | 74 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 166 |
| 1 | Top Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 110 |

PSI ID: 19 - Wall - 2 Doors- 0 Drawer














Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 168 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 93 |
| 1 | Back Std- Wall | 36.660 | x | 14.160 | L175PC16.26L175 |  | 119 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 95 |
| 1 | Top Std- Wall - UF | 11.750 | x | 36.220 | L175PC16.26L175 |  | 96 |
| PSI ID: 20 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 85 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 87 |
| 1 | Back Std- Wall | 35.160 | x | 14.160 | L175PC16.26L175 |  | 88 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 34.720 | L175PC16.26L175 |  | 124 |
| 1 | Top Std- Wall - UF | 11.750 | x | 34.720 | L175PC16.26L175 |  | 72 |
| PSI ID: 21 - Wall End (Finishing) Pan | | | | | | | |
| 1 | End (Finishing) Panel - Wall | 12.630 | x | 48.000 | MDFMDF16.26MDF |  | 5 |
| PSI ID: 22 - Wall End (Finishing) Pan | | | | | | | |
| 1 | End (Finishing) Panel - Wall | 12.630 | x | 48.000 | MDFMDF16.26MDF |  | 4 |
| PSI ID: 23 - Wall - 1 Door- 0 Drawers | | | | | | | |
| 2 | Std Adj Shelf | 10.770 | x | 16.590 | L175PC16.26L175 |  | 84 |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 80 |

Part Consolidation Report













| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 33.000 | L175PC16.26L175 |  | 69 |
| 1 | Back Std- Wall | 17.160 | x | 32.160 | L175PC16.26L175 |  | 64 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 16.720 | L175PC16.26L175 |  | 65 |
| 1 | Top Std- Wall - UF | 11.750 | x | 16.720 | L175PC16.26L175 |  | 116 |
| PSI ID: 24 - Wall - 1 Door- 0 Drawers | | | | | | | |
| 1 | Std Gable Left (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 77 |
| 1 | Std Gable Right (Wall) - UF | 11.750 | x | 15.000 | L175PC16.26L175 |  | 73 |
| 1 | Back Std- Wall | 17.160 | x | 14.160 | L175PC16.26L175 |  | 151 |
| 1 | Bottom Std- Wall - UF | 11.750 | x | 16.720 | L175PC16.26L175 |  | 75 |
| 1 | Top Std- Wall - UF | 11.750 | x | 16.720 | L175PC16.26L175 |  | 83 |
| PSI ID: 25 - Wall - 1 Door- 0 Drawers | | | | | | | |
| 1 | Finished Gable Left (Wall) - UF | 11.750 | x | 36.000 | MDFMDF16.26L175 |  | 11 |
| 1 | Finished Gable Right (Wall) - UF | 11.750 | x | 36.000 | MDFMDF16.26L175 |  | 15 |
| 1 | Back Finished- Wall | 18.660 | x | 35.160 | L175MDF16.26MDF |  | 36 |
| 1 | Bottom Finished- Wall - UF | 11.750 | x | 18.220 | MDFMDF16.26L175 |  | 13 |
| 1 | Top Finished- Wall - UF | 11.750 | x | 18.220 | MDFMDF16.26L175 |  | 10 |
| PSI ID: 27 - Wall - 1 Door- 0 Drawers | | | | | | | |
| 1 | Finished Gable Left (Wall) - UF | 11.750 | x | 36.000 | MDFMDF16.26L175 |  | 12 |

Part Consolidation Report

















| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|----------------------------------|--------|---|---------|-----------------|---|-------|
| 1 | Finished Gable Right (Wall) - UF | 11.750 | x | 36.000 | MDFMDF16.26L175 |  | 16 |
| 1 | Back Finished- Wall | 18.660 | x | 35.160 | L175MDF16.26MDF |  | 43 |
| 1 | Bottom Finished- Wall - UF | 11.750 | x | 18.220 | MDFMDF16.26L175 |  | 17 |
| 1 | Top Finished- Wall - UF | 11.750 | x | 18.220 | MDFMDF16.26L175 |  | 14 |
| PSI ID: 29 - Wall - Open Shelf Thick | | | | | | | |
| 3 | Open Adj Shelf | 10.770 | x | 16.940 | MDFMDF31.75MDF |  | 24 |
| 1 | Open Gable Left (Wall) - UF | 11.750 | x | 36.000 | MDFMDF31.75MDF |  | 19 |
| 1 | Open Gable Right (Wall) - UF | 11.750 | x | 36.000 | MDFMDF31.75MDF |  | 21 |
| 1 | Back Open- Wall | 17.440 | x | 33.940 | L175MDF16.26MDF |  | 38 |
| 1 | Bottom Open- Wall - UF | 11.750 | x | 17.000 | MDFMDF31.75MDF |  | 23 |
| 1 | Top Open- Wall - UF | 11.750 | x | 17.000 | MDFMDF31.75MDF |  | 20 |
| PSI ID: 31 - Tall Filler w One Attach | | | | | | | |
| 1 | ***RTC***Tall Filler Panel | 31.130 | x | 104.500 | MDFMDF16.26MDF |  | 32 |
| PSI ID: 32 - Base Filler | | | | | | | |
| 1 | *Base Filler | 6.000 | x | 34.750 | MDFMDF16.26MDF |  | 26 |
| PSI ID: 33 - Wall Filler | | | | | | | |
| 2 | *Wall Filler | 6.000 | x | 36.000 | MDFMDF16.26MDF |  | 29 |

PSI ID: 34 - End (Finishing) Panel -

















Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|---------------------------------|--------|---|--------|----------------|---|-------|
| 1 | End (Finishing) Panel - Tall- B | 25.250 | x | 15.500 | MDFMDF16.26MDF |  | 3 |
| 1 | End (Finishing) Panel - Tall- A | 25.250 | x | 95.000 | MDFMDF16.26MDF |  | 9 |
| PSI ID: 35 - Wood Moulding - Bulkhead | | | | | | | |
| 4 | Bulkhead Trim | 5.000 | x | 96.000 | MDFMDF16.26MDF |  | 35 |
| PSI ID: 38 - Standard Toe Kick (Kitch | | | | | | | |
| 5 | Standard Toe Kick | 4.750 | x | 96.000 | MDFMDF16.26MDF |  | 27 |
| PSI ID: 39 - Wall Filler | | | | | | | |
| 1 | *Wall Filler | 6.000 | x | 48.000 | MDFMDF16.26MDF |  | 30 |
| PSI ID: 40 - Base Island Column s-Ret | | | | | | | |
| 1 | End Panel - Island End 1 1-4 | 36.500 | x | 34.750 | MDFMDF31.75MDF |  | 18 |
| 1 | End Panel - Island Return | 10.630 | x | 34.750 | MDFMDF16.26MDF |  | 1 |
| 1 | End Panel - Island Front | 5.000 | x | 34.750 | MDFMDF16.26MDF |  | 2 |
| PSI ID: 41 - Base Island Column s-Ret | | | | | | | |
| 1 | End Panel - Island End 1 1-4 | 36.500 | x | 34.750 | MDFMDF31.75MDF |  | 22 |
| 1 | End Panel - Island Return | 10.630 | x | 34.750 | MDFMDF16.26MDF |  | 8 |
| 1 | End Panel - Island Front | 5.000 | x | 34.750 | MDFMDF16.26MDF |  | 7 |
| PSI ID: 42 - Base Filler | | | | | | | |
| 2 | *Base Filler | 6.000 | x | 34.750 | MDFMDF16.26MDF |  | 28 |
| PSI ID: 43 - Dishwasher Filler (Horiz | | | | | | | |

Part Consolidation Report














| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|----------------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Base Filler - Dish Washer | 3.000 | x | 30.000 | L175MDF16.26MDF |  | 49 |
| PSI ID: 46 - Vanity- Drawer Bank - 1 | | | | | | | |
| 1 | Back Std- Base | 14.160 | x | 25.030 | L175PC16.26L175 |  | 149 |
| 1 | Bottom Std- Base | 20.750 | x | 13.720 | L175PC16.26L175 |  | 105 |
| 1 | Top Std- Base | 20.750 | x | 13.720 | L175PC16.26L175 |  | 91 |
| 1 | Rail Std- Drawer | 4.880 | x | 13.720 | L175PC16.26L175 |  | 128 |
| 1 | Kick Blocking | 4.250 | x | 13.720 | L175PC16.26L175 |  | 129 |
| 1 | Std Gable Left (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 114 |
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 123 |
| 1 | Drawer Box Bottom B - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 125 |
| 1 | Drawer Box Bottom C - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 126 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 12.490 | L175PC16.26L175 |  | 122 |
| 2 | Drawer Box Back - Metabox | 5.310 | x | 12.490 | L175PC16.26L175 |  | 157 |
| 1 | Std Gable Right (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 113 |
| PSI ID: 47 - Vanity- Sink Base- Full | | | | | | | |
| 1 | Back Std- Base | 32.160 | x | 25.030 | L175PC16.26L175 |  | 134 |
| 1 | Bottom Std- Base | 20.750 | x | 31.720 | L175PC16.26L175 |  | 94 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 31.720 | L175PC16.26L175 |  | 79 |

Part Consolidation Report

















| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|---|----------------------------------|--------|---|--------|------------------|---|-------|
| 1 | Kick Blocking | 4.250 | x | 31.720 | L175PC16.26L175 |  | 213 |
| 1 | Std Gable Left (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 82 |
| 1 | Horizontal Support Rail | 3.390 | x | 31.720 | L175PC16.26BIRCH |  | 61 |
| 1 | Std Gable Right (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 214 |
| PSI ID: 48 - Vanity- Drawer Bank - 1 | | | | | | | |
| 1 | Back Std- Base | 14.160 | x | 25.030 | L175PC16.26L175 |  | 231 |
| 1 | Bottom Std- Base | 20.750 | x | 13.720 | L175PC16.26L175 |  | 97 |
| 1 | Top Std- Base | 20.750 | x | 13.720 | L175PC16.26L175 |  | 108 |
| 1 | Rail Std- Drawer | 4.880 | x | 13.720 | L175PC16.26L175 |  | 100 |
| 1 | Kick Blocking | 4.250 | x | 13.720 | L175PC16.26L175 |  | 98 |
| 1 | Std Gable Left (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 210 |
| 1 | Drawer Box Bottom A - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 76 |
| 1 | Drawer Box Bottom B - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 70 |
| 1 | Drawer Box Bottom C - Metabox BM | 19.610 | x | 12.490 | L175PC16.26L175 |  | 106 |
| 1 | Drawer Box Back - Metabox | 2.810 | x | 12.490 | L175PC16.26L175 |  | 101 |
| 2 | Drawer Box Back - Metabox | 5.310 | x | 12.490 | L175PC16.26L175 |  | 71 |
| 1 | Std Gable Right (Base) - F | 20.750 | x | 30.630 | L175PC16.26BIRCH |  | 56 |

PSI ID: 49 - Vanity Filler








Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|----------------------------|--------|---|--------|------------------|---|-------|
| 1 | *Base Filler | 6.000 | x | 30.630 | L175PC16.26BIRCH |  | 55 |
| PSI ID: 50 - Standard Toe Kick (Kitch | | | | | | | |
| 1 | Standard Toe Kick | 4.750 | x | 96.000 | L175PC16.26BIRCH |  | 62 |
| PSI ID: 53 - Sample Door & Panels (2) | | | | | | | |
| 2 | Sample Board - 11 x 14 | 11.000 | x | 14.000 | L175PC16.26BIRCH |  | 58 |
| PSI ID: 54 - Vanity- Sink Base- Full | | | | | | | |
| 1 | Back Std- Base | 27.660 | x | 25.030 | L175PC16.26L175 |  | 215 |
| 1 | Bottom Std- Base | 20.750 | x | 27.220 | L175PC16.26L175 |  | 216 |
| 1 | Rail Std- Base (Back) | 4.880 | x | 27.220 | L175PC16.26L175 |  | 218 |
| 1 | Kick Blocking | 4.250 | x | 27.220 | L175PC16.26L175 |  | 217 |
| 1 | Std Gable Left (Base) - UF | 20.750 | x | 30.630 | L175PC16.26L175 |  | 219 |
| 1 | Horizontal Support Rail | 3.390 | x | 27.220 | L175PC16.26BIRCH |  | 57 |
| 1 | Std Gable Right (Base) - F | 20.750 | x | 30.630 | L175PC16.26BIRCH |  | 60 |
| PSI ID: 55 - Vanity Filler | | | | | | | |
| 1 | *Base Filler | 6.000 | x | 30.630 | L175PC16.26BIRCH |  | 54 |
| PSI ID: 56 - Standard Toe Kick (Kitch | | | | | | | |
| 1 | Standard Toe Kick | 4.750 | x | 96.000 | L175PC16.26BIRCH |  | 59 |
| PSI ID: 58 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 2 | Std Adj Shelf | 14.770 | x | 30.090 | L175PC16.26L175 |  | 211 |

Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|-----------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Gable Left (Wall) - UF | 15.750 | x | 30.000 | L175PC16.26L175 |  | 227 |
| 1 | Std Gable Right (Wall) - UF | 15.750 | x | 30.000 | L175PC16.26L175 |  | 207 |
| 1 | Back Std- Wall | 30.660 | x | 29.160 | L175PC16.26L175 |  | 208 |
| 1 | Bottom Std- Wall - F | 15.750 | x | 30.220 | L175MDF16.26MDF |  | 41 |
| 1 | Top Std- Wall - UF | 15.750 | x | 30.220 | L175PC16.26L175 |  | 209 |
| PSI ID: 59 - Wall - 2 Doors- 0 Drawer | | | | | | | |
| 2 | Std Adj Shelf | 14.770 | x | 30.090 | L175PC16.26L175 |  | 212 |
| 1 | Std Gable Left (Wall) - UF | 15.750 | x | 30.000 | L175PC16.26L175 |  | 120 |
| 1 | Std Gable Right (Wall) - UF | 15.750 | x | 30.000 | L175PC16.26L175 |  | 130 |
| 1 | Back Std- Wall | 30.660 | x | 29.160 | L175PC16.26L175 |  | 121 |
| 1 | Bottom Std- Wall - F | 15.750 | x | 30.220 | L175MDF16.26MDF |  | 46 |
| 1 | Top Std- Wall - UF | 15.750 | x | 30.220 | L175PC16.26L175 |  | 112 |
| PSI ID: 60 - Tall Fridge Pantry - 2 W | | | | | | | |
| 5 | Std Adj Shelf | 14.770 | x | 25.590 | L175PC16.26L175 |  | 118 |
| 1 | Back Std- Tall | 26.160 | x | 81.410 | L175PC16.26L175 |  | 86 |
| 1 | Bottom Std- Tall | 15.750 | x | 25.720 | L175PC16.26L175 |  | 224 |
| 1 | Top Std- Tall - UF | 15.750 | x | 25.720 | L175PC16.26L175 |  | 99 |
| 1 | Std Fixed Shelf 2 | 15.020 | x | 25.720 | L175PC16.26L175 |  | 152 |

Part Consolidation Report

| QTY | Part Description | Width | x | Length | Material | EVO Barcode | SEQ # |
|--|----------------------------|--------|---|--------|-----------------|---|-------|
| 1 | Std Fixed Shelf | 15.020 | x | 25.720 | L175PC16.26L175 |  | 117 |
| 1 | Kick Blocking | 4.250 | x | 25.720 | L175PC16.26L175 |  | 90 |
| 1 | Std Gable Left (Tall) - UF | 15.750 | x | 87.000 | L175PC16.26L175 |  | 92 |
| 1 | Std Gable Right (Tall) - F | 15.750 | x | 87.000 | L175MDF16.26MDF |  | 37 |
| PSI ID: 61 - Tall Filler | | | | | | | |
| 1 | *Tall Filler | 6.000 | x | 87.500 | MDFMDF16.26MDF |  | 34 |
| PSI ID: 62 - Standard Toe Kick (Kitch | | | | | | | |
| 1 | Standard Toe Kick | 4.750 | x | 96.000 | MDFMDF16.26MDF |  | 31 |
| PSI ID: 63 - Wall Filler | | | | | | | |
| 2 | *Wall Filler | 6.000 | x | 30.000 | MDFMDF16.26MDF |  | 33 |

Total Parts Per Reports: 298.00

Parts Requiring Bottom Machining

| PSI | Part Description | Width | Length | Material | BottomProgram | SEQ # |
|-----|------------------|-------|--------|----------|---------------|-------|
|-----|------------------|-------|--------|----------|---------------|-------|