














































Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 2 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	30.090	L175PC16.26L175		188
1	Back Std- Base	30.660	x	29.160	L175PC16.26L175		181
1	Bottom Std- Base	23.500	x	30.220	L175PC16.26L175		175
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		186
1	Rail Std- Base (Front)	4.880	x	30.220	L175PC16.26L175		183
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		184
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		187
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		185
PSI ID: 3 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	50.060	x	36.000	L175PC16.26L175		179
PSI ID: 4 - Peninsula Base Panel							
1	End (Finishing) Panel - Peninsula	50.060	x	36.000	L175PC16.26L175		178
PSI ID: 5 - End (Finishing) Panel -							
1	End (Finishing) Panel - Tall	25.250	x	95.500	L175PC16.26L175		177
PSI ID: 6 - Base- Pots & Pans - 1 Re							
1	Back Std- Base	30.660	x	29.160	L175PC16.26L175		210
1	Bottom Std- Base	23.500	x	30.220	L175PC16.26L175		200






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		204
1	Rail Std- Drawer	4.880	x	30.220	L175PC16.26L175		206
1	Rail Std- Base (Front)	4.880	x	30.220	L175PC16.26L175		191
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		202
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		205
2	Drawer Box Back - Metabox	5.310	x	28.990	L175PC16.26L175		182
1	Drawer Box Back - Metabox	2.810	x	28.990	L175PC16.26L175		208
1	Drawer Box Bottom A - Metabox	19.610	x	28.990	L175PC16.26L175		207
1	Drawer Box Bottom B - Metabox	19.610	x	28.990	L175PC16.26L175		201
1	Drawer Box Bottom C - Metabox	19.610	x	28.990	L175PC16.26L175		176
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		203
PSI ID: 7 - Base- Pots & Pans - 1 Re							
1	Back Std- Base	30.660	x	29.160	L175PC16.26L175		150
1	Bottom Std- Base	23.500	x	30.220	L175PC16.26L175		151
1	Rail Std- Base (Back)	4.880	x	30.220	L175PC16.26L175		146
1	Rail Std- Drawer	4.880	x	30.220	L175PC16.26L175		192
1	Rail Std- Base (Front)	4.880	x	30.220	L175PC16.26L175		152








Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	30.220	L175PC16.26L175		153
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		173
2	Drawer Box Back - Metabox	5.310	x	28.990	L175PC16.26L175		197
1	Drawer Box Back - Metabox	2.810	x	28.990	L175PC16.26L175		194
1	Drawer Box Bottom A - Metabox	19.610	x	28.990	L175PC16.26L175		193
1	Drawer Box Bottom B - Metabox	19.610	x	28.990	L175PC16.26L175		196
1	Drawer Box Bottom C - Metabox	19.610	x	28.990	L175PC16.26L175		198
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		180
PSI ID: 8 - Base- Drawer Bank - 3 Re							
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		165
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		164
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		140
1	Rail Std- Drawer	4.880	x	13.720	L175PC16.26L175		172
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		139
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26L175		141
3	Drawer Box Back - Metabox	2.810	x	12.490	L175PC16.26L175		147
1	Drawer Box Back - Metabox	5.310	x	12.490	L175PC16.26L175		148

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Bottom A - Metabox	19.610	x	12.490	L175PC16.26L175		143
1	Drawer Box Bottom B - Metabox	19.610	x	12.490	L175PC16.26L175		155
1	Drawer Box Bottom C - Metabox	19.610	x	12.490	L175PC16.26L175		138
1	Drawer Box Bottom D - Metabox	19.610	x	12.490	L175PC16.26L175		149
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26L175		142

















PSI ID: 9 - Sink Base- Full Height D

1	Back Std- Base	35.160	x	29.160	L175PC16.26L175		156
1	Bottom Std- Base	23.500	x	34.720	L175PC16.26L175		166
1	Rail Std- Base (Back)	4.880	x	34.720	L175PC16.26L175		169
1	Kick Blocking	4.250	x	34.720	L175PC16.26L175		167
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26L175		170
1	Horizontal Support Rail	3.390	x	34.720	L175PC16.26L175		171
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		168

















PSI ID: 10 - Base Euro Cargo Waste Bi

1	Back Std- Base	16.780	x	29.160	L175PC16.26L175		158
1	Bottom Std- Base	23.500	x	16.350	L175PC16.26L175		159
1	Rail Std- Base (Back)	4.880	x	16.350	L175PC16.26L175		163
1	Rail Std- Base (Front)	4.880	x	16.350	L175PC16.26L175		160
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	16.350	L175PC16.26L175		161
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		174
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		162
PSI ID: 11 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	6.090	L175PC16.26L175		225
1	Back Std- Base	6.660	x	29.160	L175PC16.26L175		257
1	Bottom Std- Base	23.500	x	6.220	L175PC16.26L175		258
1	Top Std- Base	23.500	x	6.220	L175PC16.26L175		260
1	Kick Blocking	4.250	x	6.220	L175PC16.26L175		259
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		209
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26L175		154
PSI ID: 12 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	33.090	L175PC16.26L175		256
1	Back Std- Base	33.660	x	29.160	L175PC16.26L175		249
1	Bottom Std- Base	23.500	x	33.220	L175PC16.26L175		250
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		254
1	Rail Std- Base (Front)	4.880	x	33.220	L175PC16.26L175		261
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		252






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		255
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		244
PSI ID: 13 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	33.090	L175PC16.26L175		248
1	Back Std- Base	33.660	x	29.160	L175PC16.26L175		278
1	Bottom Std- Base	23.500	x	33.220	L175PC16.26L175		253
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		246
1	Rail Std- Base (Front)	4.880	x	33.220	L175PC16.26L175		272
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		270
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		247
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		245
PSI ID: 14 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		277
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		271
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		262
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		274
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		273
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		276



Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		275
PSI ID: 15 - Wall Refrigerator - 2 Do							
2	Std Adj Shelf	23.500	x	17.600	L175PC16.26L175		268
1	Divider Standard	24.520	x	21.720	L175PC16.26L175		269
1	Std Gable Left (Wall) - UF	25.250	x	23.000	L175PC16.26L175		263
1	Std Gable Right (Wall) - UF	25.250	x	23.000	L175PC16.26L175		264
1	Back Std- Wall	36.660	x	22.160	L175PC16.26L175		265
1	Bottom Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		266
1	Top Std- Wall - UF	25.250	x	36.220	L175PC16.26L175		267
PSI ID: 16 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	30.090	L175PC16.26L175		243
1	Std Gable Left (Wall) - UF	11.750	x	41.000	L175PC16.26L175		221
1	Std Gable Right (Wall) - F	11.750	x	41.000	L175PC16.26L175		222
1	Back Std- Wall	30.660	x	40.160	L175PC16.26L175		223
1	Bottom Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		224
1	Top Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		251
PSI ID: 17 - Wall - 2 Doors- 0 Drawer							
1	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		220







Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Wall) - UF	11.750	x	24.000	L175PC16.26L175		216
1	Std Gable Right (Wall) - UF	11.750	x	24.000	L175PC16.26L175		226
1	Back Std- Wall	29.160	x	23.160	L175PC16.26L175		217
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		211
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		219



PSI ID: 18 - Stove Vent Box - Interior

1	Stove Vent Box (Interior) - Front	28.750	x	30.000	L175PC16.26L175		214
2	Stove Vent Box (Interior) - Side	11.130	x	30.000	L175PC16.26L175		215

















PSI ID: 19 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	30.090	L175PC16.26L175		213
1	Std Gable Left (Wall) - F	11.750	x	41.000	L175PC16.26L175		242
1	Std Gable Right (Wall) - UF	11.750	x	41.000	L175PC16.26L175		218
1	Back Std- Wall	30.660	x	40.160	L175PC16.26L175		236
1	Bottom Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		234
1	Top Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		212













PSI ID: 20 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		241
1	Std Gable Left (Wall) - UF	11.750	x	41.000	L175PC16.26L175		227

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Wall) - UF	11.750	x	41.000	L175PC16.26L175		237
1	Back Std- Wall	33.660	x	40.160	L175PC16.26L175		238
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		239
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		240
PSI ID: 21 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		235
1	Std Gable Left (Wall) - UF	11.750	x	41.000	L175PC16.26L175		229
1	Std Gable Right (Wall) - UF	11.750	x	41.000	L175PC16.26L175		230
1	Back Std- Wall	33.660	x	40.160	L175PC16.26L175		231
1	Bottom Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		232
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		233
PSI ID: 22 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	13.590	L175PC16.26L175		228
1	Std Gable Left (Wall) - UF	11.750	x	41.000	L175PC16.26L175		49
1	Std Gable Right (Wall) - UF	11.750	x	41.000	L175PC16.26L175		50
1	Back Std- Wall	14.160	x	40.160	L175PC16.26L175		157
1	Bottom Std- Wall - UF	11.750	x	13.720	L175PC16.26L175		279
1	Top Std- Wall - UF	11.750	x	13.720	L175PC16.26L175		118












Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 23 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	30.090	L175PC16.26L175		65
1	Std Gable Left (Wall) - UF	11.750	x	41.000	L175PC16.26L175		37
1	Std Gable Right (Wall) - UF	11.750	x	41.000	L175PC16.26L175		113
1	Back Std- Wall	30.660	x	40.160	L175PC16.26L175		44
1	Bottom Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		46
1	Top Std- Wall - UF	11.750	x	30.220	L175PC16.26L175		47
PSI ID: 24 - Base Filler							
3	*Base Filler	6.000	x	34.750	L175PC16.26L175		42
PSI ID: 25 - Wall Filler							
3	*Wall Filler	6.000	x	41.000	L175PC16.26L175		40
PSI ID: 26 - Wall Filler							
1	*Wall Filler	6.000	x	23.000	L175PC16.26L175		48
PSI ID: 27 - Wood Moulding - Bulkhead							
4	Bulkhead Trim	15.000	x	96.000	L175PC16.26L175		38
PSI ID: 28 - Standard Toe Kick (Kitch							
4	Standard Toe Kick	4.750	x	96.000	L175PC16.26L175		106
PSI ID: 29 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26L175		43






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 32 - Vanity High- Sink Base-							
1	Back Std- Base	26.130	x	29.160	L175PC16.26L175		59
1	Bottom Std- Base	20.750	x	25.700	L175PC16.26L175		60
1	Rail Std- Base (Back)	4.880	x	25.700	L175PC16.26L175		62
1	Kick Blocking	4.250	x	25.700	L175PC16.26L175		61
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		132
1	Horizontal Support Rail	3.390	x	25.700	L175PC16.26#5103_ALX		15
1	Std Gable Right (Base) - F	20.750	x	34.750	L175PC16.26#5103_ALX		6
PSI ID: 33 - Vanity High- Door - Draw							
1	Back Std- Base Left	18.660	x	29.160	L175PC16.26L175		28
1	Back Std- Base Right	11.130	x	29.160	L175PC16.26L175		86
1	Bottom Std- Base Left	20.750	x	18.220	L175PC16.26L175		110
1	Bottom Std- Base Right	20.750	x	10.700	L175PC16.26L175		66
1	Rail Std- Base Left (Back)	4.880	x	18.220	L175PC16.26L175		30
1	Rail Std- Base Right (Back)	4.880	x	10.700	L175PC16.26L175		52
1	Rail Std- Drawer Left	4.880	x	18.220	L175PC16.26L175		56
1	Rail Std- Drawer Right	4.880	x	10.700	L175PC16.26L175		126
1	Rail Std- Base Right (Front)	4.880	x	10.700	L175PC16.26L175		53

Part Consolidation Report
















QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking- Left	4.250	x	18.220	L175PC16.26L175		54
1	Kick Blocking- Right	4.250	x	10.700	L175PC16.26L175		55
1	Std Gable Left (Right Cab) - UF	20.750	x	34.750	L175PC16.26L175		32
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		31
2	Drawer Box Back - Metabox	5.310	x	9.460	L175PC16.26L175		34
1	Drawer Box Bottom B - Metabox	19.610	x	9.460	L175PC16.26L175		22
1	Drawer Box Bottom C - Metabox	19.610	x	9.460	L175PC16.26L175		45
1	Std Gable Right (Base) - F	20.750	x	34.750	L175PC16.26#5103_ALX		11
1	Horiz Support Rail - False Front Right	2.750	x	10.700	L175PC16.26#5103_ALX		12
1	Horiz Support Rail - False Front Left	3.390	x	18.220	L175PC16.26#5103_ALX		14
1	Std Gable Right (Left Cab) - UF	20.750	x	34.750	L175PC16.26L175		33

PSI ID: 34 - Wall- Recessed Medicine







2	Std Adj Shelf	3.250	x	16.590	L175PC16.26L175		71
1	Std Gable Left (Wall) - UF	3.380	x	24.000	L175PC16.26L175		25
1	Std Gable Right (Wall) - UF	3.380	x	24.000	L175PC16.26L175		24
1	Bottom Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		39
1	Top Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		41

PSI ID: 35 - Vanity High Filler








Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
2	*Base Filler	6.000	x	34.750	L175PC16.26#5103_ALX		13
PSI ID: 36 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26#5103_ALX		8
PSI ID: 40 - Vanity High- Sink Base-							
1	Back Std- Base	32.160	x	29.160	L175PC16.26L175		63
1	Bottom Std- Base	20.750	x	31.720	L175PC16.26L175		98
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175		101
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175		64
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		67
1	Horizontal Support Rail	3.390	x	31.720	L175PC16.26#5120_ALX		18
1	Std Gable Right (Base) - UF	20.750	x	34.750	L175PC16.26L175		100
PSI ID: 41 - Vanity High- Drawer Bank							
1	Back Std- Base	12.630	x	29.160	L175PC16.26L175		117
1	Bottom Std- Base	20.750	x	12.200	L175PC16.26L175		51
1	Top Std- Base	20.750	x	12.200	L175PC16.26L175		83
1	Rail Std- Drawer	4.880	x	12.200	L175PC16.26L175		35
1	Kick Blocking	4.250	x	12.200	L175PC16.26L175		136
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		87




Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Drawer Box Back - Metabox	2.810	x	10.960	L175PC16.26L175		27
2	Drawer Box Back - Metabox	5.310	x	10.960	L175PC16.26L175		57
1	Drawer Box Bottom A - Metabox	19.610	x	10.960	L175PC16.26L175		29
1	Drawer Box Bottom B - Metabox	19.610	x	10.960	L175PC16.26L175		26
1	Drawer Box Bottom C - Metabox	19.610	x	10.960	L175PC16.26L175		36
1	Std Gable Right (Base) - F	20.750	x	34.750	L175PC16.26#5120_ALX		19

















PSI ID: 42 - Vanity High- Sink Base-

1	Back Std- Base	29.160	x	29.160	L175PC16.26L175		114
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		115
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		111
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		116
1	Std Gable Left (Base) - UF	20.750	x	34.750	L175PC16.26L175		102
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26#5120_ALX		16
1	Std Gable Right (Base) - UF	20.750	x	34.750	L175PC16.26L175		119
















PSI ID: 43 - Vanity High- Drawer Bank

1	Back Std- Base	14.130	x	29.160	L175PC16.26L175		130
1	Bottom Std- Base	20.750	x	13.700	L175PC16.26L175		128
1	Top Std- Base	20.750	x	13.700	L175PC16.26L175		104
















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Rail Std- Drawer	4.880	x	13.700	L175PC16.26L175		109
1	Kick Blocking	4.250	x	13.700	L175PC16.26L175		103
1	Std Gable Left (Base) - F	20.750	x	34.750	L175PC16.26#5120_ALX		20
1	Drawer Box Back - Metabox	2.810	x	12.460	L175PC16.26L175		108
2	Drawer Box Back - Metabox	5.310	x	12.460	L175PC16.26L175		133
1	Drawer Box Bottom A - Metabox	19.610	x	12.460	L175PC16.26L175		107
1	Drawer Box Bottom B - Metabox	19.610	x	12.460	L175PC16.26L175		134
1	Drawer Box Bottom C - Metabox	19.610	x	12.460	L175PC16.26L175		112
1	Std Gable Right (Base) - UF	20.750	x	34.750	L175PC16.26L175		105
PSI ID: 44 - Wall- Recessed Medicine							
2	Std Adj Shelf	3.250	x	16.590	L175PC16.26L175		127
1	Std Gable Left (Wall) - UF	3.380	x	24.000	L175PC16.26L175		137
1	Std Gable Right (Wall) - UF	3.380	x	24.000	L175PC16.26L175		129
1	Bottom Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		120
1	Top Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		131
PSI ID: 45 - Wall- Recessed Medicine							
2	Std Adj Shelf	3.250	x	16.590	L175PC16.26L175		121
1	Std Gable Left (Wall) - UF	3.380	x	24.000	L175PC16.26L175		122



Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Wall) - UF	3.380	x	24.000	L175PC16.26L175		123
1	Bottom Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		124
1	Top Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		125
PSI ID: 46 - Vanity High Filler							
2	*Base Filler	6.000	x	34.750	L175PC16.26#5120_ALX		21
PSI ID: 47 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26#5120_ALX		17
PSI ID: 51 - Vanity- Suspended - Draw							
1	Back Std- Base	19.720	x	23.580	L175PC16.26L175		78
1	Bottom Std- Base (Susp)	20.750	x	19.720	L175PC16.26L175		82
1	Top Std- Base	20.050	x	19.720	L175PC16.26L175		79
1	Rail Std- Drawer	4.880	x	19.720	L175PC16.26L175		68
1	Std Gable Left (Base) - UF	20.750	x	24.000	L175PC16.26L175		80
3	Drawer Box Back - Metabox	5.310	x	18.490	L175PC16.26L175		84
1	Drawer Box Bottom A - Metabox	19.610	x	18.490	L175PC16.26L175		72
1	Drawer Box Bottom B - Metabox	19.610	x	18.490	L175PC16.26L175		75
1	Drawer Box Bottom C - Metabox	19.610	x	18.490	L175PC16.26L175		76
1	Std Gable Right (Base) - UF	20.750	x	24.000	L175PC16.26L175		81

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 52 - Vanity Sink- Suspended -							
1	Back Std- Base	37.720	x	23.580	L175PC16.26L175		99
1	Bottom Std- Base (Susp)	20.750	x	37.720	L175PC16.26L175		70
1	Top Std- Base	20.050	x	37.720	L175PC16.26L175		77
1	Std Gable Left (Base) - UF	20.750	x	24.000	L175PC16.26L175		93
1	Horizontal Support Rail	2.750	x	37.720	L175PC16.26#5103_ALX		5
1	Std Gable Right (Base) - UF	20.750	x	24.000	L175PC16.26L175		69
PSI ID: 53 - Vanity Sink- Suspended -							
1	Back Std- Base	37.720	x	23.580	L175PC16.26L175		85
1	Bottom Std- Base (Susp)	20.750	x	37.720	L175PC16.26L175		97
1	Top Std- Base	20.050	x	37.720	L175PC16.26L175		94
1	Std Gable Left (Base) - UF	20.750	x	24.000	L175PC16.26L175		95
1	Horizontal Support Rail	2.750	x	37.720	L175PC16.26#5103_ALX		10
1	Std Gable Right (Base) - UF	20.750	x	24.000	L175PC16.26L175		96
PSI ID: 54 - Wall- Recessed Medicine							
2	Std Adj Shelf	3.250	x	16.590	L175PC16.26L175		88
1	Std Gable Left (Wall) - UF	3.380	x	24.000	L175PC16.26L175		89
1	Std Gable Right (Wall) - UF	3.380	x	24.000	L175PC16.26L175		90

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Bottom Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		91
1	Top Std- Wall - UF	3.380	x	16.720	L175PC16.26L175		92

PSI ID: 55 - Vanity Filler

2	*Base Filler	6.000	x	24.000	L175PC16.26#5103_ALX		7
---	--------------	-------	---	--------	----------------------	---	---

PSI ID: 56 - Wood Moulding - Bulkhead

2	Bulkhead Trim	15.000	x	96.000	L175PC16.26#5103_ALX		9
---	---------------	--------	---	--------	----------------------	---	---

Total Parts Per Reports: 305.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------