
















































Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 1 - Sink Base- Full Height D							
1	Back Std- Base	33.660	x	29.160	L175PC16.26L175		165
1	Bottom Std- Base	23.500	x	33.220	L175PC16.26L175		161
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		150
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		160
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		164
1	Horizontal Support Rail	3.390	x	33.220	L175PC16.26OAK		8
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK		15
PSI ID: 2 - Island End Panel Elec PI							
1	*End Panel - Island Front EPC oo	5.000	x	34.750	OAKPC16.26OAK		3
2	*End Panel - Island Right oo	25.000	x	34.750	OAKPC16.26OAK		5
1	*End Panel - Island Back oo	5.000	x	34.750	OAKPC16.26OAK		4
PSI ID: 3 - Base- Pie Cut (Left) - 2							
1	Std Adj Shelf	31.530	x	31.530	L175PC16.26L175		138
1	Back Std- Base (Diag)	16.940	x	34.750	L175PC16.26L175		128
1	Back Std- Base (Corner Left)	20.480	x	29.160	L175PC16.26L175		130
1	Back Std- Base (Corner Right)	20.480	x	29.160	L175PC16.26L175		129
1	Bottom Std- Base (Corner)	32.360	x	32.360	L175PC16.26L175		132









Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Top Std- Base (Corner)	32.360	x	32.360	L175PC16.26L175		131
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		134
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		133
PSI ID: 4 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	16.590	L175PC16.26L175		135
1	Back Std- Base	17.160	x	29.160	L175PC16.26L175		142
1	Bottom Std- Base	23.500	x	16.720	L175PC16.26L175		141
1	Rail Std- Base (Back)	4.880	x	16.720	L175PC16.26L175		149
1	Rail Std- Base (Front)	4.880	x	16.720	L175PC16.26L175		140
1	Kick Blocking	4.250	x	16.720	L175PC16.26L175		126
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26OAK		27
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		139
PSI ID: 5 - Base- Full Height Door -							
1	Std Adj Shelf	16.000	x	31.590	L175PC16.26L175		143
1	Back Std- Base	32.160	x	29.160	L175PC16.26L175		151
1	Bottom Std- Base	23.500	x	31.720	L175PC16.26L175		168
1	Rail Std- Base (Back)	4.880	x	31.720	L175PC16.26L175		145
1	Rail Std- Base (Front)	4.880	x	31.720	L175PC16.26L175		148

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	31.720	L175PC16.26L175		147
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		144
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		146
PSI ID: 6 - Base- Drawer Bank - 3 Re							
1	Back Std- Base	14.160	x	29.160	L175PC16.26L175		117
1	Bottom Std- Base	23.500	x	13.720	L175PC16.26L175		104
1	Top Std- Base	23.500	x	13.720	L175PC16.26L175		44
1	Rail Std- Drawer	4.880	x	13.720	L175PC16.26L175		77
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		115
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		52
1	Drawer Back - TBX-ANT-INT D	7.840	x	10.280	L175PC16.26L175		36
3	Drawer Back - TBX-ANT-INT M	3.310	x	10.280	L175PC16.26L175		43
1	Std Gable Right (Base) - F	23.500	x	34.750	L175PC16.26OAK		20
1	Drawer Bottom A - TBX-ANT-INT	20.700	x	10.750	L175PC16.26L175		72
1	Drawer Bottom B - TBX-ANT-INT	20.700	x	10.750	L175PC16.26L175		70
1	Drawer Bottom C - TBX-ANT-INT	20.700	x	10.750	L175PC16.26L175		107
1	Drawer Bottom D - TBX-ANT-INT	20.700	x	10.750	L175PC16.26L175		105
PSI ID: 7 - Base- Pie Cut (Left) - 2							

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Adj Shelf	31.530	x	31.530	L175PC16.26L175		78
1	Back Std- Base (Diag)	16.940	x	34.750	L175PC16.26L175		41
1	Back Std- Base (Corner Left)	20.480	x	29.160	L175PC16.26L175		81
1	Back Std- Base (Corner Right)	20.480	x	29.160	L175PC16.26L175		79
1	Bottom Std- Base (Corner)	32.360	x	32.360	L175PC16.26L175		83
1	Top Std- Base (Corner)	32.360	x	32.360	L175PC16.26L175		82
1	Std Gable Left (Base) - UF	23.500	x	34.750	L175PC16.26L175		38
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		33
















PSI ID: 9 - Peninsula Base Panel

1	End (Finishing) Panel - Peninsula	96.000	x	36.000	OAKPC16.26OAK		2
---	-----------------------------------	--------	---	--------	---------------	---	---






PSI ID: 10 - Base- Full Height Door -

1	Std Adj Shelf	16.000	x	14.220	L175PC16.26L175		37
1	Back Std- Base	14.780	x	29.160	L175PC16.26L175		92
1	Bottom Std- Base	23.500	x	14.350	L175PC16.26L175		91
1	Top Std- Base	23.500	x	14.350	L175PC16.26L175		35
1	Kick Blocking	4.250	x	14.350	L175PC16.26L175		90
1	Std Gable Left (Base) - F	23.500	x	34.750	L175PC16.26OAK		9
1	Std Gable Right (Base) - UF	23.500	x	34.750	L175PC16.26L175		34







Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
PSI ID: 11 - Wall - 2 Doors- 0 Drawer							
1	Std Adj Shelf	10.770	x	33.090	L175PC16.26L175		99
1	Std Gable Left (Wall) - UF	11.750	x	18.000	L175PC16.26L175		98
1	Std Gable Right (Wall) - UF	11.750	x	18.000	L175PC16.26L175		50
1	Back Std- Wall	33.660	x	17.160	L175PC16.26L175		45
1	Bottom Std- Wall - F	11.750	x	33.220	L175PC16.26OAK		16
1	Top Std- Wall - UF	11.750	x	33.220	L175PC16.26L175		42
PSI ID: 12 - Wall- Corner Pie Cut (Le							
3	Std Adj Shelf	22.530	x	22.530	L175PC16.26L175		58
1	Std Gable Left (Wall) - UF	11.750	x	36.000	L175PC16.26L175		64
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		84
1	Back Std- Wall (Diag)	3.940	x	34.720	L175PC16.26L175		94
1	Back Std- Wall (Corner Left)	20.680	x	35.160	L175PC16.26L175		53
1	Back Std- Wall (Corner Right)	20.680	x	35.160	L175PC16.26L175		39
1	Bottom Std- Wall (Corner) - UF	23.360	x	23.360	L175PC16.26L175		61
1	Top Std- Wall (Corner) - UF	23.360	x	23.360	L175PC16.26L175		101
PSI ID: 13 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		65






Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Left (Wall) - F	11.750	x	36.000	L175PC16.26OAK		23
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		69
1	Back Std- Wall	29.160	x	35.160	L175PC16.26L175		68
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		67
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		66
















PSI ID: 14 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		155
1	Std Gable Left (Wall) - UF	11.750	x	36.000	L175PC16.26L175		75
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		74
1	Back Std- Wall	29.160	x	35.160	L175PC16.26L175		63
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		157
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		169














PSI ID: 15 - Wall - 2 Doors- 0 Drawer

3	Std Adj Shelf	10.770	x	22.590	L175PC16.26L175		166
1	Std Gable Left (Wall) - UF	11.750	x	36.000	L175PC16.26L175		80
1	Std Gable Right (Wall) - F	11.750	x	36.000	L175PC16.26OAK		22
1	Back Std- Wall	23.160	x	35.160	L175PC16.26L175		163
1	Bottom Std- Wall - UF	11.750	x	22.720	L175PC16.26L175		162

















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Top Std- Wall - UF	11.750	x	22.720	L175PC16.26L175		76
PSI ID: 16 - Wall - 2 Doors- 0 Drawer							
1	Std Adj Shelf	10.770	x	28.590	L175PC16.26L175		167
1	Std Gable Left (Wall) - UF	11.750	x	18.000	L175PC16.26L175		47
1	Std Gable Right (Wall) - UF	11.750	x	18.000	L175PC16.26L175		46
1	Back Std- Wall	29.160	x	17.160	L175PC16.26L175		54
1	Bottom Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		156
1	Top Std- Wall - UF	11.750	x	28.720	L175PC16.26L175		73
PSI ID: 17 - Wall - 2 Doors- 0 Drawer							
3	Std Adj Shelf	10.770	x	31.590	L175PC16.26L175		137
1	Std Gable Left (Wall) - F	11.750	x	36.000	L175PC16.26OAK		21
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		51
1	Back Std- Wall	32.160	x	35.160	L175PC16.26L175		60
1	Bottom Std- Wall - UF	11.750	x	31.720	L175PC16.26L175		71
1	Top Std- Wall - UF	11.750	x	31.720	L175PC16.26L175		48
PSI ID: 18 - Wall - 1 Door- 0 Drawers							
3	Std Adj Shelf	10.770	x	13.590	L175PC16.26L175		62
1	Std Gable Left (Wall) - UF	11.750	x	36.000	L175PC16.26L175		57















Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Wall) - UF	11.750	x	36.000	L175PC16.26L175		56
1	Back Std- Wall	14.160	x	35.160	L175PC16.26L175		55
1	Bottom Std- Wall - UF	11.750	x	13.720	L175PC16.26L175		59
1	Top Std- Wall - UF	11.750	x	13.720	L175PC16.26L175		49
PSI ID: 20 - Wall Filler							
1	*Wall Filler	6.000	x	18.000	L175PC16.26OAK		11
PSI ID: 21 - Wall Filler							
1	*Wall Filler	6.000	x	36.000	L175PC16.26OAK		17
PSI ID: 22 - Standard Toe Kick (Kitch							
3	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		13
PSI ID: 24 - Dishwasher Filler (Horiz							
1	Base Filler - Dish Washer	3.000	x	30.000	L175PC16.26OAK		24
PSI ID: 26 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		25
PSI ID: 30 - Vanity High - Full Heigh							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		106
1	Back Std- Base	14.160	x	27.160	L175PC16.26L175		116
1	Bottom Std- Base	20.750	x	13.720	L175PC16.26L175		103
1	Top Std- Base	20.750	x	13.720	L175PC16.26L175		109














Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		114
1	Std Gable Left (Base) - F	20.750	x	32.750	L175PC16.26OAK		18
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		108
PSI ID: 31 - Vanity High- Sink Base-							
1	Back Std- Base	29.160	x	27.160	L175PC16.26L175		123
1	Bottom Std- Base	20.750	x	28.720	L175PC16.26L175		122
1	Rail Std- Base (Back)	4.880	x	28.720	L175PC16.26L175		119
1	Kick Blocking	4.250	x	28.720	L175PC16.26L175		121
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		118
1	Horizontal Support Rail	3.390	x	28.720	L175PC16.26OAK		12
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		120
PSI ID: 32 - Vanity High - Full Heigh							
1	Std Adj Shelf	16.000	x	13.590	L175PC16.26L175		136
1	Back Std- Base	14.160	x	27.160	L175PC16.26L175		89
1	Bottom Std- Base	20.750	x	13.720	L175PC16.26L175		88
1	Top Std- Base	20.750	x	13.720	L175PC16.26L175		86
1	Kick Blocking	4.250	x	13.720	L175PC16.26L175		87
1	Std Gable Left (Base) - F	20.750	x	32.750	L175PC16.26OAK		19

Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		113
PSI ID: 33 - Vanity High Filler							
1	*Base Filler	6.000	x	34.750	L175PC16.26OAK		6
PSI ID: 34 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		7
PSI ID: 37 - Vanity High- Sink Base-							
1	Back Std- Base	33.660	x	27.160	L175PC16.26L175		97
1	Bottom Std- Base	20.750	x	33.220	L175PC16.26L175		96
1	Rail Std- Base (Back)	4.880	x	33.220	L175PC16.26L175		93
1	Kick Blocking	4.250	x	33.220	L175PC16.26L175		95
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		102
1	Horizontal Support Rail	3.390	x	33.220	L175PC16.26OAK		28
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		85
PSI ID: 38 - Vanity High - Full Heigh							
1	Std Adj Shelf	16.000	x	15.090	L175PC16.26L175		100
1	Back Std- Base	15.660	x	27.160	L175PC16.26L175		153
1	Bottom Std- Base	20.750	x	15.220	L175PC16.26L175		152
1	Top Std- Base	20.750	x	15.220	L175PC16.26L175		159


Part Consolidation Report

QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
1	Kick Blocking	4.250	x	15.220	L175PC16.26L175		124
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		127
1	Std Gable Right (Base) - F	20.750	x	32.750	L175PC16.26OAK		29
PSI ID: 39 - Vanity High Filler							
1	*Base Filler	6.000	x	34.750	L175PC16.26OAK		30
PSI ID: 40 - Standard Toe Kick (Kitch							
1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		31
PSI ID: 42 - Sample Door & Panels (2)							
2	Sample Board - 11 x 14	11.000	x	14.000	L175PC16.26OAK		32
PSI ID: 45 - Vanity High- Sink Base-							
1	Back Std- Base	39.660	x	27.160	L175PC16.26L175		125
1	Bottom Std- Base	20.750	x	39.220	L175PC16.26L175		154
1	Rail Std- Base (Back)	4.880	x	39.220	L175PC16.26L175		158
1	Kick Blocking	4.250	x	39.220	L175PC16.26L175		111
1	Std Gable Left (Base) - UF	20.750	x	32.750	L175PC16.26L175		170
1	Horizontal Support Rail	3.390	x	39.220	L175PC16.26OAK		26
1	Std Gable Right (Base) - UF	20.750	x	32.750	L175PC16.26L175		110

PSI ID: 46 - Vanity High Filler

Part Consolidation Report



QTY	Part Description	Width	x	Length	Material	EVO Barcode	SEQ #
2	*Base Filler	6.000	x	34.750	L175PC16.26OAK		14

PSI ID: 47 - Standard Toe Kick (Kitch

1	Standard Toe Kick	4.750	x	96.000	L175PC16.26OAK		10
---	-------------------	-------	---	--------	----------------	---	----

Total Parts Per Reports: 187.00

Parts Requiring Bottom Machining

PSI	Part Description	Width	Length	Material	BottomProgram	SEQ #
-----	------------------	-------	--------	----------	---------------	-------