Laporan Praktikum Sistem Operasi "Ping SSH"



Nama : Rhamadani inas s

Nim : 09030582226028

Kelas : TK4B

Dosen Pengampu : Adi Hermansyah, S.Kom., M.T

Laboratorium Jaringan Komputer Fakultas Ilmu Komputer Universitas Sriwijaya 2024

```
rhamadaniines@localhost:~—ping 10.0.2.15 Q 

[rhamadaniines@localhost ~]$ ifconfig
enp0s3: flags-4163xUP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
inet6 fe80::a00:27ff:fe22:1db9 prefixlen 64 scopeid 0x20<link>
ether 08:00:27:22:1d:b9 txqueuelen 1000 (Ethernet)
RX packets 24 bytes 4411 (4.3 KiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 63 bytes 6832 (6.6 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

Untuk mengetahahui alamat IP kita berapa, Maka silahkan ketik "if config"

```
[rhamadaniines@localhost ~]$ ping 10.0.2.15
PING 10.0.2.15 (10.0.2.15) 56(84) bytes of data.
64 bytes from 10.0.2.15: icmp_seq=1 ttl=64 time=0.056 ms
64 bytes from 10.0.2.15: icmp_seq=2 ttl=64 time=0.111 ms
64 bytes from 10.0.2.15: icmp_seq=3 ttl=64 time=0.118 ms
```

Ping Alamat IP

```
root@ubuntu:~# apt-get install openssh-server
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following extra packages will be installed:
   libck-connector0 ncurses-term openssh-sftp-server ssh-import-id
Suggested packages:
   rssh molly-guard monkeysphere
The following NEW packages will be installed:
   libck-connector0 ncurses-term openssh-server openssh-sftp-server
   ssh-import-id
0 upgraded, 5 newly installed, 0 to remove and 51 not upgraded.
Need to get 618 kB of archives.
After this operation, 3,424 kB of additional disk space will be used.
Do you want to continue? [Y/n] Y
```

Instal ubuntu ssh-server

```
OpenSSH_8.7p1, OpenSSL 3.0.7 1 Nov 2022
```

Open ssh

Netstat ssh

```
total 8
drwxr-xr-x. 2 root root 65 Jan 25 19:48 basic.target.wants
drwxr-xr-x. 2 root root 31 Jan 25 19:46 bluetooth.target.wants
lrwxrwxrwx. 1 root root 37 Jan 25 19:46 ctrl-alt-del.target -> /usr/lib/syste
md/system/reboot.target
lrwxrwxrwx. 1 root root 41 Jan 25 19:46 dbus-org.bluez.service -> /usr/lib/sy
stemd/system/bluetooth.service
lrwxrwxrwx. 1 root root 41 Jan 25 19:48 dbus-org.fedoraproject.FirewallD1.ser
vice -> /usr/lib/systemd/system/firewalld.service
```

```
GNU nano 4.8 /etc/ssh/sshd_config Modified

# $OpenBSD: sshd_config,v 1.103 2018/04/09 20:41:22 tj Exp $

# This is the sshd server system-wide configuration file. See
# sshd_config(5) for more information.

# This sshd was compiled with PATH=/usr/bin:/bin:/usr/sbin:/sbin

# The strategy used for options in the default sshd_config shipped with
# OpenSSH is to specify options with their default value where
# possible, but leave them commented. Uncommented options override the
# default value.

Include /etc/ssh/sshd_config.d/*.conf

Port 2222
#AddressFamily any
#ListenAddress 0.0.0.0
#ListenAddress ::
```

#LoginGraceTime 2m #PermitRootLogin prohibit-password PermitRootLogin no #StrictModes yes #MaxAuthTries 6 #MaxSessions 10

Kesimpulan

ping

Ping adalah perintah yang digunakan untuk menguji koneksi jaringan antara dua perangkat dengan mengirimkan paket data dan menunggu respons dari perangkat tujuan.

Dalam konteks AlmaLinux, Anda dapat menggunakan perintah ping di terminal untuk memeriksa ketersediaan perangkat atau host lain di jaringan yang sama.

Hasil ping menunjukkan keberhasilan atau kegagalan dalam mengirim dan menerima paket data serta memberikan informasi tentang waktu respons (round-trip time) dari perangkat tujuan.

SSH (secure shell)

SSH adalah protokol jaringan yang digunakan untuk mengakses perangkat jarak jauh secara aman melalui koneksi yang terenkripsi.

Dalam AlmaLinux, Anda dapat menggunakan perintah ssh untuk mengakses dan mengelola perangkat jarak jauh melalui terminal.

SSH memungkinkan Anda untuk melakukan berbagai tugas administratif pada server atau perangkat jarak jauh, seperti mengelola file, menjalankan perintah, dan melakukan konfigurasi sistem.