Executive Summary - (comes at first and written at last)

1. **Problem statement -**

InstaHelp, Urban Company's 15-minute on-demand housekeeping vertical, is losing ₹447 on every order (₹9 Cr revenue against a ₹119 Cr loss in Q4 FY26), while its core scheduled-services business remains profitable. The root cause is not demand — InstaHelp has scaled to meaningful order volume — but reliability: partners cancel bookings at the last minute, customers get stuck in an unresolvable chatbot loop when this happens, and some bookings are marked "complete" despite no professional arriving. This erodes the 30–40% price premium InstaHelp charges over competitors like Snabbit and Pronto, since that premium is only justified if the service is meaningfully more dependable — which today it is not.

2. **Goals and Non Goals -**

Goals

1. Eliminate the unresolvable chatbot loop — every cancellation must resolve to either an automated rematch or a human handoff, not a dead end.
2. Stop bookings from being marked "complete" without verified service delivery.

Non-Goals

1. Not a supply-acquisition effort — don't require hiring more partners.
2. Not touching Core Services — the scheduled-booking business is already profitable and stays out of scope here.

3. **Success metric**


North Star: Contribution Margin/Order — –₹447 (Q4 FY26) → toward ₹0, phased.

L1: Partner Cancellation Rate, Post-Cancellation Resolution Rate, Verified Completion Rate, CSAT after Cancellation Recovery — all TBD baseline, targets set once instrumented.

Counter: Partner Acceptance Rate and Support Cost/Order — must not decline/spike as fixes roll out.

D30 (Day-30 Retention): TBD baseline, target set once instrumented; this is your real test of whether recovery rebuilds trust, not just resolves the immediate booking.

4. User Persona



5. User Journey - Empathy Map



6. What is the competitor offering

1. **AI Real-Time Recovery** — Automatically recover a booking when a professional cancels by finding an alternative professional without requiring the customer to rebook.
2. **Reliability-Tiered Subscription** — Offer customers reliability-focused subscription plans with benefits tied to consistent service fulfillment and recovery.
3. **Partner Incentive & Reliability Model** — Reduce partner cancellations by aligning partner incentives with booking acceptance, fulfillment, and reliability.

Opportunity / Solution	Reach	Impact	Confidence	Effort	RICE Score	Priority	
AI Real-Time Recovery	**High**	**High**	**High**	**Medium**	**High**	**P0**	
Reliability-Tiered Subscription	**High**	**High**	**Medium**	**High**	**Medium**	**P1**	
Partner Incentive & Reliability Model	**Medium**	**Medium**	**Medium**	**Medium**	**Medium**	**P2**	

6.FUNCTIONAL AND ACCEPTANCE CRITERIA / NON-FUCTIONAL REQUIREMENTS

a. Functionals -

1. **Cancellation Detection — The system must detect when an assigned professional cancels an active booking before service starts.**
2. **Automatic Booking Recovery — The system must automatically identify and assign an eligible alternative professional without requiring the customer to rebook.**
3. **Failure Recovery & Customer Resolution — If no suitable replacement is available, the system must clearly notify the customer and provide an immediate resolution, such as cancellation and refund.**

b. Non-functional requirement -

Performance	**95% of eligible cancellation events should trigger a recovery attempt within 30 seconds.**
Quality	**The recovery system should successfully recover ≥80% of eligible cancelled bookings, subject to professional availability.**
Reliability	**The recovery process should operate without requiring the customer to restart or manually recreate the booking.**
Security	**Customer and professional information used during recovery must be protected using Urban Company's existing authentication, authorization, and data-security controls.**
Transparency	**Every cancellation, recovery attempt, reassignment, failure, and final booking outcome must be recorded in an auditable event log.**
Usability	**A customer should require no more than 2 interactions to accept or decline an available recovery option.**

7. MOCK-UP
8. PROTOTYPES (TENTATIVE)
9. GITHUB PUSH AS A PORTOLIO