

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

 RHEMA
192321097RB

▼

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

✓

The following Java program is intended to print all elements of an array. However, it throws an error during execution. Identify and correct the mistake in the loop condition.

```
public class Q1_ArrayIndex {  
    public static void main(String[] args) {  
        int arr[] = {10, 20, 30};  
        for(int i = 0; i < arr.length; i++){  
            System.out.println(arr[i]);  
        }  
    }  
}
```

Your Code

```
1 public class ArrayIndex{  
2     public static void main(String[] args){  
3         int arr[] = {10,20,30};  
4         for(int i=0;i<arr.length;i++){  
5             System.out.println(arr[i]);  
6         }  
7     }  
8 }
```

Input

stdin input

Output

10
20
30

Visible Test Cases

simatslab.saveetha.com

SIMATS Online Lab

Ask Gemini

← → ↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

School

SIMATS

ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

RHEMA

192321097RB

Q1

Array Index Traversal

5 marks

Q2

Null Pointer Handling

5 marks

Q3

String Comparison

5 marks

Q4

While Loop Correction

5 marks

Q5

Reverse String Logic

5 marks

Q6

Array Sum Calculation

5 marks

Q7

String Character Access

5 marks

Q8

Case Insensitive Comparison

5 marks

Q9

A program attempts to print the length of a string but results in a runtime exception. Analyze the issue and modify the code to handle it properly.

```
public class Q2_NullPointer {
    public static void main(String[] args) {
        String str = null;
        if(str != null)
            System.out.println(str.length());
        else
            System.out.println("String is null");
    }
}
```

Your Code

```
1 import java.util.Scanner;
2 public class Nullpointer{
3     public static void main(String[] args){
4         Scanner sc=new Scanner(System.in);
5         String str=sc.nextLine();
6         if(str.equals("null")){
7             System.out.println("String is null");
8         }
9         }else {
10             System.out.println(str.length());
11         }
12     }
13 }
```

Input

null

Output

String is null

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

 RHEMA
192321097RB

▼

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

✓

A developer compares two strings using the == operator, which leads to incorrect output. Identify the issue and correct the comparison method.

```
public class Q3_StringCompare {  
    public static void main(String[] args) {  
        String s1 = "Java";  
        String s2 = new String("Java");  
        if(s1.equals(s2)){  
            System.out.println("Equal");  
        }  
    }  
}
```

Your Code

```
1 public class Stringcompare(  
2     public static void main(String[] args){  
3         String s1="Java";  
4         String s2= new String("Java");  
5         if(s1.equals(s2)){  
6             System.out.println("Equal");  
7         }  
8     }else{  
9         System.out.println("Not equal");  
10    }  
11 }  
12 }
```

Input

Equal

Output

Equal

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School

⋮

SIMATS

ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

RHEMA

192321097RB

⌵

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

✓

The given program uses a loop to print numbers from 0 to 4, but it runs infinitely. Identify the cause and fix the loop.

```
public class Q4_Loop {  
    public static void main(String[] args) {  
        int i = 0;  
        while(i < 5){  
            System.out.println(i);  
            i++;  
        }  
    }  
}
```

Your Code

```
1 public class Loop{  
2     public static void main(String[] args){  
3         int i=0;  
4         while (i<5) {  
5             System.out.println(i);  
6             i++;  
7         }  
8     }  
9 }
```

Input

stdin input

Output

0
1
2
3
4

Visible Test Cases

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

 RHEMA
192321097RB

▼

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

✓

The program calculates the sum of array elements, but it produces an incorrect result. Identify the problem and fix it.

```
public class Q6_ArraySum {
    public static void main(String[] args) {
        int arr[] = {1,2,3,4};
        int sum = 0;
        for(int i=0;i<arr.length;i++){
            sum += arr[i];
        }
        System.out.println(sum);
    }
}
```

Your Code

```
1 public class ArraySum{
2     public static void main(String[] args){
3         int[] arr={1,2,3,4};
4         int sum=0;
5         for(int i=0;i<arr.length;i++){
6             sum+=arr[i];
7         }
8         System.out.println(sum);
9     }
10 }
```

Input

stdin input

Output

10

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↻

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School

⋮

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

RHEMA
192321097RB

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

✓

A program tries to access a character from a string using an invalid index, causing an exception. Identify and correct the issue.

```
public class Q7_StringIndex {  
    public static void main(String[] args) {  
        String str = "Java";  
        System.out.println(str.charAt(3));  
    }  
}
```

Your Code

```
1 public class StringIndex{  
2     public static void main(String[] args){  
3         String str="Java";  
4         System.out.println(str.charAt(3));  
5     }  
6 }
```

Input

stdin input

Output

a

Visible Test Cases

Test Case 1

●

Test Case 2

●

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

←

→

↺

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

L School



SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

 RHEMA
192321097RB

▼

QUESTIONS

Q1

Array Index Traversal

5 marks

✓

Q2

Null Pointer Handling

5 marks

✓

Q3

String Comparison

5 marks

✓

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q8 Case Insensitive Comparison

5 marks

A string comparison fails due to case sensitivity. Modify the program to make the comparison case-insensitive.

```
public class Q8_CaseInsensitive {  
    public static void main(String[] args) {  
        String str = "java";  
        if(str.equalsIgnoreCase("JAVA")){  
            System.out.println("Match");  
        }  
    }  
}
```

Your Code

```
1 public class Case{  
2     public static void main(String[] args){  
3         String str="java";  
4         if(str.equalsIgnoreCase("JAVA")) {  
5             System.out.println("Match");  
6         }  
7         else{  
8             System.out.println("Not Match");  
9         }  
10    }  
11 }
```

Input

stdin input

Output

Match

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

☆

📁

L School

⋮



SIMATS
ENGINEERING

SIMATS Online Programming Lab
JAVA PROGRAMMING

 **RHEMA**
192321097RB

QUESTIONS

Q1
Array Index Traversal
5 marks

Q2
Null Pointer Handling
5 marks

Q3
String Comparison
5 marks

Q4
While Loop Correction
5 marks

Q5
Reverse String Logic
5 marks

Q6
Array Sum Calculation
5 marks

Q7
String Character Access
5 marks

Q8
Case Insensitive Comparison
5 marks

Q9 Array Declaration 5 marks

The program contains an error in array declaration and initialization. Identify the syntax issue and correct it.

```
import java.util.Arrays;

public class Q9_ArrayDeclaration {
    public static void main(String[] args) {
        int arr[] = {1,2,3};
        System.out.println(Arrays.toString(arr));
    }
}
```

Your Code

```
1 import java.util.Arrays;
2 public class ArrayDeclarations{
3     public static void main(String[] args){
4         int arr[]={1,2,3};
5         System.out.println(Arrays.toString(arr));
6     }
7 }
```

Input

stdin input

Output

[1, 2, 3]

Visible Test Cases

simatslab.saveetha.com

SIMATS Online Lab

+

Ask Gemini

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=156

School



SIMATS

ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

RHEMA

192321097RB

5 marks

Q4

While Loop Correction

5 marks

✓

Q5

Reverse String Logic

5 marks

✓

Q6

Array Sum Calculation

5 marks

✓

Q7

String Character Access

5 marks

✓

Q8

Case Insensitive Comparison

5 marks

✓

Q9

Array Declaration

5 marks

✓

Q10

Switch Statement

5 marks

✓

10/10 answered

case 3: System.out.println("Three"); break;

}

}

}

Your Code

```
1 public class Switch{
2     public static void main(String[] args){
3         int num=2;
4         switch(num){
5             case 1:
6                 System.out.println("One");
7                 break;
8             case 2:
9                 System.out.println("Two");
10                break;
11             case 3:
12                 System.out.println("Three");
13                 break;
14
15             default:
16                 System.out.println("Invalid");
17
18         }
19     }
20 }
```

Run

Save

Input

stdin input

Output

Two

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3